Smart Products - Computer Chips In Your Future

The Leading Magazine Of Home, Educational, And Recreational Computing

CAVES OF ICE An Excellent 3-D Graphics Game For VIC. 64. PET. Atari And Apple

ULTRASORT **Our Best And Fastest** Sorting Program For

PET, VIC And 64 **FONTBYTER**

A Graphics Language Program For Atar

GRADEBOOK An Atari Data B

Program For Teas Plus VIC Pilot, A Sprite Editor For The

Ti 99/4A, Making Change: An Educational Program For The Timex/Sinclair. And Morel



Educational Theme Issue Games And Education, The New Classroom

GRADE

BOOK



BUY A BANANA. SAVE A BUNCH.

Meet the Banana," the very tough, versatile, portable, and reliable dot-matrix printer from Gorilla.™

At \$249.95 retail it's an ideal and inexpensive companion for personal computers like Apple⁶ (or Apple "look alikes" such as Franklin" or Albert"), TI, Commodore, TRS-80, Kaypro,

Times, Osborne, etc.
After that, it's merely comparable to other printers that can
cost up to three times as much:
10" carriages (to handle standard
9/// paper), 80 odmuns, graphics
capability, 10 characters per inch
(expandable to 5-cpi) draft-quality
print (for perfectly acceptable

business reports, etc.) tractor feed (for precise alignment and quick loading), parallel or serial interface (take your pick), self-inking ribbon cassette (for long life and easy installation), 10 portable pounds in weight, and compatibility with so many of the most popular personal computers on the market.

Plus its printhead features a unique single-hammer design that eliminates a lot of moving parts, to eliminate a lot of annoying repairs.

That's the Banana: silly name, serious service. It's everything the expensive dot-matrix printers



FOR YOUR COMMODORE WORDPROCESSING NEEDS INVEST IN THE BEST



WORDPRO PLUS. IN A CLASS BY ITSELF.

When choosing a Word Processor for your Commoders** Computer, there's no reason to settly for anything but the best — in a word. Word*Por**
With over \$0.000 highly clients churring out etters and documents all over the words. The Word*Por**
were package on Commoders computers* So when you choose Word*Por, you know you're weeken gin a trial settled Word*Por, you know you're weeken gin a trial settled program that's a real winner. And Word*Por is NOW available for your Commoders 64** computer* at prices staring as tow as \$89.95.

Designed for the user who has no computer or word processing experience whatsoever. World're Plus brings a new dimension to the term "seef-triendly." More than just easy to use, Wordflow will turn your Commodore computer not a expehateated stime saving word processing tool - loaded with the same inventory of features found in systems costing much, much more.

Our nationwide learn of over 600 Protessional Software/Commodore computer dealers will help your choose the WordPor Politics system that all best for your needs. Our full-serince dealers have been sat up to provide strong customer support. In addition to helping your choose the right system, many Professional Software dealers also ofter WordPro Plus training and system installation.

Professional Software offers a complete spectrum of WordProvord proceeds to the other state of the commodere computers rainging from the Commodere State the more business oneinted 8000/8000 series computers. And WordPro 4 Plus and S Plus also interact with our database management systems including infolio and The Administrator 5o whatever your Word Processing needs, there's a WordPro yalest Mark rainful for your Software State of the Administrator of the Administrator So whatever your Word Processing needs, there's a WordPro yalest Mark rainful for your

WordPro[®] and WordPro Plus[®] are trademarks of Professional Software Inc.
The WordPro Plus Series was designed and written by Steve Puster of Pro Micro Software Ltd
Commodore [®] and the Commodore 84° are trademarks of Commodore Electronics, Inc
Dealer inquiries invited



WordPro Plus. In a class by itself.

Professional Software Inc.

51 Fremont Street (617) 444-5224 Needham, MA 02194 Telex: 951579

SPINNAKER'S LINE OF EARLY LEARNING GAMES IS GROWING AS FAST AS YOUR CHILD'S MIND.

Watching your kids grow up is a lot of fun. But making sure their minds grow as fast as their bodies is even more rewarding. That's where we can help. With a growing line of Early Learning Programs that are not only lots of fun to play, but also educational.

also educational.

Some of the games you see on these two pages help exercise your child's creativity. Others help improve vocabulary and spelling skills. While others

improve your child's writing and reading abilities. And all of them help your child understand how to use the computer.

So if you're looking for computer programs that do more than just "babysit" for your kids, read on. You'll find that our Early Learning Programs are not only compatible with Apple? Atan', IBM" and Commodore 64" computers, but also with kids who like to have fun.



HEY DIDDLE DIDDLE™ Poetry In motion. Ages 3 to 10.

Kids jove rhymes.

And since HEY DIDDLE DIDDLE features 30 classic rhymes with full color graphics and the neatest computer music you've ever heard, it makes rhyme games more fun than ever before.

Plus, it makes it fun for kids to read, helps them understand how words and rhymes create poetry and lets them take fragmented thoughts and rearrance them to form coherent verse.

The story of STORY MACHINE™ Ages 5 to 9.

STORY MACHINE is like a storybook come to life. Using the keyboard, your children write their own fun little stories. The computer then takes what they've written and animates their

story on the screen, com-

answers are



plete with full color. graphics and sound. STORY MACHINE helps your children learn to write correctly, become familiar with the keyboard, and lets them have fun exercising

KINDERCOMP™ Numbers, shapes, letters, words and drawings make fun. Ages 3 to 8.

KINDERCOMP is a game that allows very young children to start learning on the computer. It's a collection of learning exercises that ask your children to match shapes and letters, write their names, draw pictures, or fill in

missing numbers. And KINDER-

FACEMAKER

COMP will delight kids with color-



given. As a parent. you can enjoy the fact that your children are having fun while improving their reading readiness and counting skills.



FACEMAKER's makes faces fun. Ages 4 to 12.

FACEMAKER lets children create their own funny faces on the screen. Once a face is completed, your children will aigale with delight as they make it do all kinds of neat things, wink, smile, wiggle its ears, or whatever their imagination desires.



Plus, FACEMAKER helps children become comfortable with computer fundamentals such as: menus, cursors, the return key, the space bar, simple programs, and graphics, FACEMAKER won't make parents frown because their children will have fun making friends with the computer.



MOS EXPANDING YOUR EXPERIENCE

The Rommoster™32 introduces you to the world of more powerful camputing. Naw VIC 20[®] owners have one of the most odvonced mory devices avoilable. This is a service memory device. Not only will the Rommoster "give you 7 times the computing RAM power (os much usable memory as the Commodore 64") but also many advanced

The exponsion part allows you to use your cartridges without unplugging the memory board, saving wear

and feor on your computer. It's much more effective. With the flexibility the Moster Control switches give you, you'll have no need for a mother board. The Write Profect switch ond doto from occ

and acts from occidential interference from basic longuage and the outomatic erase built info some cortridges. There's a pouse switch built in to stap in the middle of a program, plus on external part is

arogram, bus an externol port is built in tar o convenient apitanol coble pause/reset switch. You even have a switch to certay a 3K block of RAM for exponsion to 40K. The Master

Control gives you complete control over the configuration of your VIC 20st Memory Mop so It will never become absolete.

obsolete. The Rommaster "32 is completely compatible with oil the ViC 20" products ond programs, and will be the most useful periperal you'll buy for your ViC 20" computer. So expand your experience into the world of more powerful computing with the Rommaster" 32 by Mosola.

Sugg. Refoil: \$129.95 32KRAM

Built-in exponsion port Pouse switch Write protect Master control for super flexible

memory

memary

Cortrisge dissobler

Low cost

Gold edge connectors

Picture guided instructions

Compatible with VIC 20° software
and cortridges

And more features

Call your nearest Mosaic dealer, 1-800-547-2807 (In Oregon, 655-9574).

NOW AVAILABLE:

The Standard 16K RAM board for the VIC 2011. This is a no trills RAM board designed as a low cost way to expand. If has no expansion port or moster control but offers exceptional reliability and performance of a very low cost.

COMING SOON:

Rommaster™ 16. This is a lower cost version of the Rommoster™ 32. It's a full service memory device just like the Rammaster™ 32 with 46K less RAM. Owners already with a 16K RAM board can use the Rammaster™ 16 to expand to 3TK.

ELECTRONICS, INC P.O. Box 708 • Oregon City Oregon 97045

eptember 1983 Vol. 5, No. 9 EATURES

28 Games That Teach 42 Computers in School: New Approaches

John Blackford John Biocklord

DUCATION AND RECREATION

Marvin Bunker and Robert Tsuk Gradebook For Atari Diamond Drop Matt Cluo Mystery Spell Doug Hapeman Eric K Evans 128Raymond J. Herold

REVIEWS

Tony Roberts Getawayl For The Atari Stephen Levy Stove Dryis 183 The VicTree Programming Module For VIC And 64 184 Criss Mountain For Apple And Alan Eric Brandon Magic Storybook: Three Little Pigs For Atari J David Keller 190 Mutant Herd For The VIC Tory Roberts

AP/AT

OLUMNS AND DEPARTMENTS

Readers' Feedback The Editors and Readers of COMPUTE Guest Commentary Computers in Education Robert Nielsen The Beginner's Page: Machine Minds Computers And Society: Computers Go To School Questions Beginners Ask Richard Mansheld Fred Dignazio
David D. Thombug
nputer Literacy Fred Dignazio On The Road With Fred Dianazio . Friends Of The Turtle The Logo Kaleidoscope
The World Inside The Computer Beyond Computer Uleracy Programming The Ti. Subscripted Variables C Regeno Jim Butterheld 224 Machine Language Bagel Break Part I

HE JOURNAL

Mark Haugan John W. Ross Ultrasort For Commodore Chris Allen ... Sheldon Leemon Michael D. Lipay Bradley Rogers
Orson Scott Cord Ti Codeffe: Computer Aided Design Timex/Sincloir Making Change Michael 8 Williams Relative Ries For VIC-20 And Commodore 64 Part Jim Butterfield Jim Butterfield Larry Long
Joseph D. Korman 261 Alari Menu Buttons
All About The Hardware Interrupt Peter Marcottu Peter Marcotty Mastermaze Update For The Alan

285 Meury & Brochacts

Calendar
CAPUTE Modifications Or Corrections To Previous Articles
A Beginner's Guide To Typing in Programs
How To Type COMPUTE's Programs
Product Mary

AP Apple AT Atart, P PETA CBM, V VIC-20, C Radio Shack Color Computer, 64 Commodore 64, 15 Times/ Sinctor, TI Texas Instru-ments, "All or several of the -above.

800-334-0868 (In NC 919-275-9809)

EDITOR'S NOTES

Our theme this issue centers on computers in education. We define education in its broadest sense – education as it permeates the home and the classroom. Several of our featured articles this month directly address this link and raise some critical questions at the same time. We look forward to your comments.

As prices continue to decline, and manufactures begin looking forward to the Christmas season, expect some substantial purchasing opportunities. We expect to see more bundling of peripherals, software packages, and computers as vendors grow more aggressive. This lateral move will occur, in part, because bast computer prices hottom, and future moves will have to be made through bundling and

With this issue COMPUTE; circulation approaches 460,000, and we expect to break the half million mark by December. Those of you who've been readers for a year or more will remember that just last October, we broke leadership role in consumer computer publishing, and wish to thank you all, readers and contributors, for your support in the growth of COMPUTE.

Gary R. Ingersoll has recently oined our staff and will
be assisting in directing our future growth. Formerly president
of the Chilton Company, the
largest operating unit of ABC
Publishing, Gary brings needed
skills to our rapidly expanding
division. He comes to COMPUTE
as president and publisher; I
become chief executive officer
and remain editor in chief.

Atari and Texas Instruments have both recently announced major revampings of the management teams responsible for their personal computer operations. Atari appears to be backing away from the \$100-\$200 price area and concentrating on building a family of systems which begins in the middle range. TI. on the other hand, appears committed to continuing to take on Commodore at the low end. A recent Time article indicates that IBM has now developed a 21 percent market share around the PC system. We still speculate that an IBM home PC (frequently referred to as the "Peanut") will debut soon. IBM does such a superior job of keeping the "lid" on leaks that our speculation is idle at best, but we think the middle-range market is so potentially lucrative for them that they won't stay away for long.

In a recent editorial we mentioned Adventure International in a context that was apparently misinterpreted by some readers. We want to make it dear that we respect Adventure International and their business practices, and that they have not been involved in any effort to "recruit" COMPUTE staffers.

As our magazine and book publishing operations continue to grow, we are still looking for additional editorial support. If vou're an experienced writer or journalist who has a personal computer background as well, drop us a résumé. Our growth has been consistently strong. with our staff tripling in the last year. We're located in the central Piedmont region of North Carolina in a metropolitan area selected recently as one of the three best living/working locations in the nation.

Robert Jock



heckbook:



For VIC-20 and Commodore 64

Now you have the power of a professional quality Check Register System. Maintain multiple checking accounts, complete with full checkbook reconciliation and 16 budget categories, Change or delete any check, check or deposit amount, or deduction and CheckEasel will automatically update all balance figures. Review checks forward, backward or by check number. Configure for RS232 or compatable Commodore printer. Post checks as they clear the bank. Upgrade data from cassette to disk. Print by check number, category or if item is tax deductable.

Commodore 64 and VIC-20 users can even save months worth of check data in a format compatable with Commodore's Personal Finance package for later

analyzation.

- cassette (VIC-20 min. 8K).
- cassette: Commodore 64. Atari 400%/800%/1200 XL®
- disk: Commodore 64, Atari 400%/800%/1200 XL® IBM PC, *APPLE II/Ilplus/Ile*

Or Call (213) 501-5845 for the name of your local dealer or distributor.

First with Arcade-SearchSe Quality Games:





There are 374 letters on the screen. Concealed within are

20 words: 10 across and 10 down. You have 10 minutes. When you've found a hidden word, it changes color. Every game features a new screen. Over 300 different words and thousands of new games possible, \$19.95 on cassette. 3 categories: Capitals, Jumbled and Animals.

3 categories, Pro Teams, College Teams and Sport Games

3 categories: Home Video Games, Arcade Video Games and Famous Video Game Characters

Space Sentinel



For Commodore 64 Planet Earth is under attack by ruthless aliens who hurl

As the orbiting Space Sentinel, the Earth's fate is up to you If you can hold out against the mercless attackers, Earth's population will have time to escape and colonize a new home planet. Complete sprite & character graphics with 3-voice sound. \$29.95 on disk. Joystick, Diskdrive 3-voice sound. \$29,95 on disk. Joystick, Disk & Commodore 64® required.

heat missles at our polar ice caps. Will the Earth flood?

T&F Software Company 10902 Riverside Drive / North Hollywood, California 91602. (213) 501-5845 1963 BY TAP SOFTWARE SPACE SENTINEL IS A TRADEMARK OF MEGAGEM CHECKFASE IS A TRADEMARK OF INANCE ARE REGISTERED TRADEMARKS OF COMMODORE CO REGISTERED TRADEMARKS OF THEIR RESPECTIVE COMPANIES

Publisher	Gay'l Ingersall		COMPLIE Publications, Inc. publishes
Editor-in-Chief	Robert C Lock	Coming In October	COMPUTE Corporate office:
Publisher's Assistant	Alco S Walte	Comming in October	
Servor Editor	RichardMarefeld		COMPUTE! Books Mailing address COMP
ManagingEditor	Kothleen F.Martnek	Special Games Issue	Tetephone: 949-275-9809 Profr Office Box 5405 Greensboro NC 27400 US
Assistant Managing Editor Production Editor	Tony lioberts Golf Wollers		Telephone: 919-275-9809 Greensboro NC 2X6XX US
Production Editor Earthmat Editor	Son Worker Som P. Halftyll	Telegaming	Subscription Information
Technical Editor	Otto R Coverer	lelegalining	
Programifator	Charles litarman		COMPUTE! Circulation Dept.
Assistant Editors	Don Cornichael	First-Rate Games For	P.O. Box 5406
	LanceElla	Several Computers -	Greensboro, NC 27403
Assistant Features Editor	John Blackford	Dragons, Moving Maze,	TOLL FREE Subscription Order Lin
Assistant Copy Editor Editorial Assistant	Jubrido Loves Kathy Yakol		
	Kothy Volcol Drake's Enrolsh	RATS!, And More	800-334-0868
Editorial Programmers	Gregg Peele Jonathan Bed		In MC 919-276-9809
	Jonathan Bjed	EXEC: A New Command	
Technical Assistant	Date McGove		COMPUTE! Subscription Rates
Administrative Assistants	Vicki Jennings Laura Machadden	For Commodore	(12 Issue Yeor):
	Julio Floreing	Computers	
Copy Assistants		Comparois	US (one yr) \$20 Ar:
	Scrish Johnston Lindo Shaw		(two yes) \$36 Europe, Australia
Associate Editors	Lindo Show Jam D Harfield	A Tutorial On TI Sprites	(three yrs) \$54 Middle Fast Central
need appropriate in	Scronto, Conceto		Canada and Foreign America and North
	HoweyHormon, Greensborn, NC	Atari Master Directory	Surface Mail \$25 Africa
	Greenaboro, NC	Alum Musier Directory	South America, South
	Fined Dilignation 2017 Contact and SW		Africa, Far East
	2117 Carlet Rd SW Roanoke Wi 24015		
	David Thomburg or 1317 Los Mios, CA 94022	Adverti	sing Sales
ControvengEditor	04 1317 Los Altos, CA 94022 84 Wilkinson	111	
COMPRESSOONDIVISION	OR WHITIPUT	- V	
Edity	Orson Scott Cord	1	The Gittelman
Assistant Editors	Filmohern Lewy	A mark to the same of the same	Company
	Gragg Keger	Phoebe Thompson	CAI DORN
Administrative Assistant	CarolEddy	ond Assoc.	auth Williams
Atst	JonicaFory	Phoebe Thompson 408-354-5553	7 6 617 45140BE22
A1DvectorFroductionManage	r Georgia Papadopoulos	408-354-0003 G8 &	Associates Discountings
Assistant	imo@wom	Gor	don Benson Compony?
Milchanical All Supervisor	De Potter	312	1-362-1821 Sharon Brook
Artists	Lesis Jesup Cincy Mitchell		Joe Porter, Mike Ponley
Imposition	Terry Corp.		215-646-5700
Bushotos	Honyillar	Carlot I	ANT MY MORE PEZ BOX 6707
Promotion Assistant	foold Hermonck	Phoebe Thampson	
Associate PublisherNational AdvertisingSolesManager		gnd Assoc.	COMPUTE! Home Office Home Office
AdvertisingSolesMonoger	Andy Meehon	Account of the control	/ Horry Stor Andy Meeho
Advertising/Coordinator Advertising/Accounts	Port Williams Recommendation	Joann S. Sivon 213-373-0397	
Advertising Accounts Soles Assistant	Rosemarie Davis		
	KUSOTIOTELUOVE	1	2919 275 9809 Soles Monage 919 275 9809
Operations/Customer Service Manager	Corollock	In Wish Coumbia, Conada, Alaska or Hawai coll 408-354-5553	
Autrons	Patty Jones Shannan Meyer	Elsewhere in Canada or auticle	
		North America coll 999-275-9809	
Dealer Coordinator	fron Lyons		
Assistants	Gall Janes Snorth Moor	Phoebe Thampson Phoebe Thompson	GB & Associates COMPUTE!
Assistants		and Associates and Associates	PO Box 335 Home Office
		101 Church Street 2556 Via Tejon Suite 13 Palos Verdes Estates,	
	Cassandra Robinson		
	Chreline Gordon Cossandra Robinson Mary Sprague Domini Robinson	Suite 13 Palos Verdes Estates,	GORDON BENSON Greensboro, NC 27409
	Datofflydogan Christophy	Las Gatos, CA 95030 CA 90274	HARRY BLAIR
	Datofflydogan Christophy	Las Gatos, CA 95030 CA 90274 PHOEBE THOMPSON JOANN SULLIVAN	HARRY BLAR Southeastern Sales Represents
	DateTrySogan ChraPaty ShondUSavage Usa Flahority Carel Dickerson	Las Gatos, CA 95030 CA 90274 PHOEBE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelman 6	HARRY BLAR Southeaten Sales Represents Company Address all advertising materials
	Christopan Christopy Shondd Savage Use Flahony Carol Dickeson Shann Sahoston	Las Gatos, CA 95030 CA 90274 PHOBE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelmon of Stoffer Office Rutching Summer Office C	HARRY BLAR Southeastern Sales Propresents Company Address all advertising materials enter Path Williams
Strains & Broading	ChrisPaty Shonat Savage Lisa Flahorly Carol Dickeson Shore Sebasten Anta Stoo	Las Gatos, CA 95030 CA 90274 PHOEBE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelman C Statler Office Building Surrent Office C Surfes 518 7250 Surrent Avenue	HARRY BLAR Sochection Scientification Represents Company Address all advertising materials enter Poth Williams From Adventising Production Coordinator
Steping & Stocking	Don'ny Sogon Chairlathy Bhonal Savage Use Flahorly Carel Dickeron Sharen Sebastion Anta Boop Jim Covard Lany O'Comor	Los Gotos, CA 95030 CA 90274 PHOCBETHOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelmon 6 Stofler Office Building Summit Office C Surfe 518 20 Providence Street Fort Woshination	HARRY BLAR Southeaten Sides Represents Company Address off advertising materials enter Path Williams Adventiang Production Coordinato PA 19034 COMPUTE Mocazine
Stepping 8.8scelving	Don'ty/dogon Chashaty Shonsid Sovage Litat's bhorty Carel Dickerson Shorn Seborkon Anta Stop Jim Coward Lony O'Comor Dickers	Los Garbe, CA 9930 CA 99274 PHODEE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelmon States Office Building Surfe 519 20 Provisionae Sheert Beston, MA 02116 SHAPON BRODIE SHAPON BRODIE	HARTY BLAZ Software frame Represents Formative Address all advertising materials Path Williams Adventising Production Coardinator PA 19034 COMPUTE Mogicine COMPUTE Mogicine
	Don'thylogan Chashathy Rhonidi Savage Likar Pahonit Carel Okkeson Shaoni Sebashan Arafa Saop Jim Cawad Lony O'Comor Dalilese Chas Can John S McCannel	Los Garbe, CA 9930 CA 99274 PHODEE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelmon States Office Building Surfe 519 20 Provisionae Sheert Beston, MA 02116 SHAPON BRODIE SHAPON BRODIE	HARRY BLAR Southeaten Sides Represents Company Address off advertising materials enter Path Williams Adventiang Production Coordinato PA 19034 COMPUTE Mocazine
Stipping 8.8tools/ag	Don'ty/dogon Chashaty Shonsid Sovage Litat's bhorty Carel Dickerson Shorn Seborkon Anta Stop Jim Coward Lony O'Comor Dickers	Los Garbo, CA 96030 CA 90274 PHODE THOMPSON JOANN SULMAN The Gittelmon Compony The Gittelmon Compony Staffer Office Building Surfe 518 20 Providence Street Buston, MA 02110 AL DALTON LOS PROBLE SHARON BRODE JOE PORTER	HARTY BLAZ Software frame Represents Formative Address all advertising materials Path Williams Adventising Production Coardinator PA 19034 COMPUTE Mogicine COMPUTE Mogicine
	Don'thylogan Chashathy Rhonidi Savage Likar Pahonit Carel Okkeson Shaoni Sebashan Arafa Saop Jim Cawad Lony O'Comor Dalilese Chas Can John S McCannel	Los Garbe, CA 9930 CA 99274 PHODEE THOMPSON JOANN SULLIVAN The Gittelmon Compony The Gittelmon States Office Building Surfe 519 20 Provisionae Sheert Beston, MA 02116 SHAPON BRODIE SHAPON BRODIE	HARTY BLAZ Software frame Represents Formative Address all advertising materials Path Williams Adventising Production Coardinator PA 19034 COMPUTE Mogicine COMPUTE Mogicine
DataProcessing Manager	Confrédiction Considéré Province Provin	Los Gotos CA 99200 CA 99214 PROCER TIDANSON JOAN SULLIAMO The Gittletono Comproy: The Gittletono Solve Office Building Solve Office	HAMPY BLAR Company Address Discontinuous Receivers Folly Millians
DataProcessing Manager Assistant	Confrigitopon Chesilativ Rhorosil Sevage Lea Yabori Rhorosil Sevage Lea Yabori Rhorosil Sevage Lea Yabori Rhorosil Sevage Jam Counted Loro O'Comno Darlines Chas Cos John St McConnel Lean Salasi Joan Compton W Jerry Doy Johns Hight	Los Gotos, CA 99200 — CA 99274 — PRODE INDARSON — JOANS SULLIVAN IN BURNAN SULLIVAN SUL	HAMPY BLAR Company Address Incompany Incom
DalaProcessing Manager Assistant Accounting Manager	Dont'hijkogen Chenhatiy Chenhatiy Chenhatiy Lida Pilandiy Lida Pilandiy Carel Dictination Shoonin Seborition Antra Shoop Jim Chaed Lony (O'Comor Dontified Lony (O'Comor John Si McComed Leon Soles Joan Compton W Leop Doy Jonnes M Hant Linda Miller Linda Miller	Los Gotos, CA 99200 — CA 99274 — PRODE INDARSON — JOANS SULLIVAN IN BURNAN SULLIVAN SUL	HAMPY BLAR Company Address Incompany Incom
DataProcessing Manager Assistant Accounting Manager Complisher Accounting Assistants	Doorffyliopen Cheinfoly Cheinfoly Cheinfoly Carel Dicterion Brown Societies Brown Societies Brown Societies Cheinfoly Carel Dicterion Brown Societies Cheinfold Common Cheinfold	Los Gotos, CA 99200 — CA 99274 — PRODE INDARSON — JOANS SULLIVAN IN BURNAN SULLIVAN SUL	HAMPY BLAR Company Address Incompany Incom
DalaProcessing Manager Assisted Accounting Manager Completier	Dood Prish Sogen Bond Yell Sogen Bond State Sogen Bond St	Las Gode, CA 96000 CA 902761 HOCE THORNON JOAN 93 LUTUM THE GRISTIAN SHARP SHARP THE GRISTIAN SHARP TH	Dompany Address all observations are represented from the control of the control
DataProcessing Manager Assistant Accounting Manager Complisher Accounting Assistants	Doorfrysboom Charloty Charloty Charloty Carel Dicterion Broom Secondo Broom Secondo Lony O'Comor Broom Secondo Lony O'Comor Dolfises Charlot Leon Soles Le	Las Gorde, CA 96000 CA 902761. MERCER TROCKING SCANN	Company Address of Loberts (LAC) Polit Williams Polit Williams Polit Williams Polit Williams Command Polit Polit Conditional Command Polit
DataProcessing Manager Assistant Accounting Manager Complisher Accounting Assistants	Doorffyliopen Cheinfoly Cheinfoly Cheinfoly Carel Dicterion Brown Societies Brown Societies Brown Societies Cheinfoly Carel Dicterion Brown Societies Cheinfold Common Cheinfold	Las Gorde, CA 96000 CA 902761. MERCER TROCKING SCANN	Company Address of Loberts (LAC) Polit Williams Polit Williams Polit Williams Polit Williams Command Polit Polit Conditional Command Polit
DataProcessing Manager Assistent Accounting Manager Completion Accounting Assistents Assistents Assistents	Cool Pris Soon International Prison International P	Las Gorde, CA 96000 CA 902761. MERCER TROCKING SCANN	Company Address of Loberts (LAC) Polit Williams Polit Williams Polit Williams Polit Williams Command Polit Polit Conditional Command Polit
DataProcessing Manager Assistent Accounting Manager Completion Accounting Assistents Assistents Assistents	Cool Pris Soon International Prison International P	Los Goldo Co Segolo V ACCO III November 1 The Gillelinen Composity of Compo	Compount Address of advertising materials PARI Security Compount Address of advertising materials PARI Williams Section Coordinate PARI Williams Section Coordinate Section Coordinate Section Coordinate Coordin
Data Processing Manager Assistant Accounting Manager Completeler Accounting Assistants Assistants Subset C Look Crief Executive C Goy & Egonat Feeders	Court Prisoner Brownst Design Brownst Design	Lan Geles CA (2000) CANOTTON TO THE BERTHAND CONTROL THE	invaries Land Control of the Control
DataProcessing Manager Assistent Accounting Manager Completion Accounting Assistents Assistents Assistents	Court Prisoner Brownst Design Brownst Design	Los Goldo Co Segolo V ACCO III November 1 The Gillelinen Composity of Compo	invaries Land Control of the Control



With owr 30,000 happy WordPro clients churring out letters and occurrents all over the world, the WordPro Plus™ Series is unquestionably the #1 selling software package on Commodore computers! So when you choose WordPro, you know you're investign a traitested program that's a real winner. And WordPro 3 Plus164 is NOW available for your Commodore 64 computer at prices as low as \$89.65.

potent at prices as low as 369.36.

Besigned for the novice user with no computer or word processing experience whatsoever, WordPro 3 PlusG4 brings a whole new dimension to the term "user-friendly." More than just easy to use, WordPro 3 PlusG4 is a commercial level word processor loaded with powerful features including; Auto Page Numbering.

Replace, the Ability to Create Multiple Personalized Letters and Documents, Underlining, Boldlace, Super and Subscripts and much, much, more.

Best of all, WordPro 3 Plus/64's powerful arsenal of features can be put to use almost immediately—by even the novice user. So whether you're a writer, in business, education, or just a hobbytst, you'll quickly become a WordPro Pro!

Invest in the best...WordPro Plus. In a class by itself.
Call us today for the name of the WordPro 3 Plus/64 dealer necess you.

Call us today for the name of the WordPro 3 Plus/64 dealer necreet you

Professional Software Inc. 51 Fremont Street Needharn, MA 02194 Telex: 951579

Woorffor 3 Plays64ff is a trademark of Professional Software bot.
The Wordfor Play Sades was designed and written by Steve Punier of Pro-Micro Software Ltd.
Some printers may not support oursian Wordfor 3 Plaus84 functions and/or require an interface. Please check with your dealer.
Dealer and Disabstorio Figuries are with recipional Electronic Ltd.

READERS' FEEDBACK

The Editors and Readers of COMPLITE

COMPUTE!'s Programs

I have learned more from your magazine than from textbooks on computing, but one thing puzzles me. What's your policy toward the programs you publish in the magazine. They often take a long time to type in and I usually go on to add embellishments here and there, or change them to run on other computers. Are these programs in the run of the programs in the program of the prog

One note: I often type in programs and then later forget the instructions or which issue I'd gotten them from. So, I now always put REM statements into the first few lines of the program which have the date and page number where the program documentation can be found. I can't count the number of times I've been glad I do it.

Mary Howe

Programs published in COMPITTY are in the same legic actegory as naterial published in any other magazine. They are all copyrighted; they're not in the public domain. When you lay an issue, you then have the right to make a copy of the programs therein. We realize, however, that same of the programs are long and take some time to enter into the computer. For this reason, it's permissible for you to give a copy of a COM-PUTET program to a friend or members of your user groups who subserbe to the measuring.

No program in the magazine, however, may be sold, traded, or otherwise distributed for profit. Nor may any program be given to someone who does not own the issue in which the program was printed.

TI-99/4 And 4A Differences

What are the programming differences between the TI-99/4 and TI-99/4A?

The TI-99/4 has 256 more bytes of available RAM than the TI-99/4A, so a very long program may run on the TI-99/4 and not the TI-99/4A.

The TI-994A has lowercase capability, so some techniques are possible on the TI-994A that are not possible on the TI-994. For example, for graphics you can redefine characters using lowercase letter codes, then PRINT the letters rather than using the CALL IRCHAR or CALL VCHAR statements. If you redefine the letters a and be characters 97 and 98 to drawa care, for example, you can then PRINT ab to get a car. To convert for the TI-994, remember that the lowercase letters start with ASCII Code 97. The equivalent statement would be PRINT CHR\$(97)ECHR\$(98). A program using redefined lowercase letters that is typed on the TI-994A can be SAVEd then loaded onto a TI-994 and will work fine.

The keyboards on the two computers are different too, and sevenal of the symbols are in different places. This change affects the CALL KEY statements. CALL KEY (O.KEY, STATUS) on the T1994's used to scent the whole keyboard, and devices 3, 4, and 5 for the first of the control of the contro

The split keyboard also presents some variations. The statements are CALL KEY (K AFYL) STATUS1) and CALL KEY (K AFYL) STATUS1) and CALL KEY (K AFYL) STATUS1) some values returned are different: (a, b, SUHT. SPACE, comma, period, i, = semicolon, and ENTER. If you will be supported by the state of the sta

There may be a problem in testing for zero on the TI-994A when using the split keyboard scan. After the CALL KEY statement, use logic such as IF K+1

VIC Word Processing, Disks, And Machine Language

I am presently trying to learn machine language (ML); to this end, I bought the HES MON ML, monitor. The problem is that I have been unable to use labels with it, and was wondering if it is possible to do so. (I have been unable to find a VICMON anywhere, so I have no means of comparing the two – does the latter allow the use of babels?) I would also really appreciate an explainable?) I would also really appreciate an explainable?

Presenting the class of 64.



The Commodore 64™ is one of the most exciting home computers in memory.

But memory isn't the only thing that's exciting about the 64. Because Tronix is here.

Class act. The people who have been

bringing out the best in the VIC 20" (and Atari, too) have graduated to the Commodore 64.

Which means that now you

can enjoy fast action, complex strategies, interesting characters, superior sound effects and challenging, play patterns.

Just like VIC 20 and Atari owners. Only faster, more complex, and more challenging, too. More memorable in other words.

In a class by ourselves. Of course, if you'd rather not take our word for it, you don't have to. The experts at Electronic Games have called kid Grid for Atari "one of the most compulsive, utterly addictive contests in the world of computer gaming."

They haven't seen anything yet.



Edison, the kinetic android, leads

All he wants to do is build his circuit boards and go with the flow. But things keep getting in the way.

a frustrating life.

Nohms—a negative influence—bug him constantly. Flash, the lightning dolt, disconnects everything in his path.

And the cunning Killerwatt is out to fry poor Edison's brains. You'll get a charge out of this one. And a few jolts, too!



Connecting the dots on our colorful grid should be easy, right? Wrong, Because the bullies

are in hot pursuit!
Squashface, Thuggy, Muggy
and Moose are their names.
And you are their game. And
what's more, they're faster than
you are.

But you're smarter. And you control the stun button.

So keep your eyes peeled for the mysterious question mark and don't slow down at corners! (Supposted retail \$34.95)



Your agents

risked their lives to find the enemy's secret headquarters.

Now you're risking yours to destroy it.

And they know you're coming. As you fly over water and across hundreds of miles of unfriendly territory, the action is

thick, fast and three-dimensional. Fighter aircraft. Surface-to-air missiles. Helicopter gunships. The attacks come from every direction.

Even from behind.



WC 20" and Commodore 64" are Insternants of Commodore Electronics Ltd.
Also," is a registered trademark of Also, inc.

nation of precisely what zero-page memory is, and which sections of it can be used by an ML program without affecting the operating system. (Leventhal's 6502 Assembly Language Programming doesn't deal with such particulars, and it's hard to get an understanding of them by simply pe-

rusing the memory maps.)

I also want to use the VIC as a word processor. I will, of course, need a disk drive and a printer, but I'm not sure that I want to use the Commodore products in either case. In regard to the drive, it probably anould be visest to get the 1541, but I yes the surface of the probably anould be visest to get the 1541, but I yes the surface of the probably anould be visest to get the 1541, but I yes the vise to yes a bare Tandon or Petrec, or a used Apple drive for \$500 or so and do the rest myself. In other words, would the task of interfacing and writing a DOS be excessively difficult, considering that the 1541 goes for only \$5300.

As for the printer, this is more difficult: I would obviously like to get a letter-quality printer, but my budget can't go much beyond \$350. So I've been thinking about getting a used I/O Selectric and interfacing it to the VIC. An article in the April and May 1981 issues of Railo-Electronic described the general process, and it doesn't seem to difficult. Desides it looks like fun!

Peter Jeffe

Jim Butterfield replies ...

1. Most monitor systems are composites of utilities: assembler, disassembler, fill, hut, display, etc. HES MON, VICMON, SUPERMON, and similar packages contain "nonsymbolic" assemblers; that is, you cannot use labels. These are not sold as assembler packages. These assemblers, I should point out, are effective in

reducing transcription and lookup errors; for small programs they can be quick and useful; backward branches can be entered by inspection; forward branches can be guessed, then reentered when the actual address is established; they make no special demands for memory space or disk facilities.

But a kg assembler is a whole other thing, and worth the cost before upon start writing programs that are over, say, 30 instructions long, in my opinion, their major advantage is this; since you keep source code, you can make program charges without the need to tay the int all the coding one again. A kig program will probably and several reservies; a full (symbolic) assember is very valuable at that time. However, I like to keep keep deprimers closer to the machine code and encourage most such as the construction of the control of the machine code and moustage moustable is searned better for early elamine provenus.

 Zero-page memory is memory that extends from hex addresses 0000 to 00Ff (the first two digits represent the "page"). It's important for three reasons:
 a. (minor reason) There's an addressing mode that

allows faster and more compact access to zero page than to other parts of memory. Not too important; time and space are seldom urgent machine language program considerations. b. (major reason) A major method of "reaching" information anyahere in memory is indirect addressing, more specifically, indirect indexed addressing. This addressing mode needs to hold its indirect address in zero page. Zero page is in short supply, many users like to "conserve" the area for indirect address usage.

c (pragmatic reason) The operating system uses zero page a good deal for BASIC and for interrupt processing. To keep the operating system healthy, you need to respect the important usage areas. Many users (who want los of zero page) "swap out" little-used memory for their ML programs, and put it back before returning to BASIC.

Most 6502 reference books deal with the chip" in a vacuum" – not connected to a real system. Thus, you get no hint as to where programs should be placed, how to invoke input and output, and how the monitor systems work. This makes it very difficult for the be-

gimer - that first step is a big one.

A recent book, Machine Language for Beginners, by Richard Mansfeld (COMPUTE books), does deal with those problems on a warrier of machines and may offer more help in this area. This is not said as a received or as an endorsement, but the book does approach the microprocessor as seen within its computer environment to a greater extent than previous publications.

have seen.

3. I have a strong bias towards the manufacturer's product line on disk systems. You can go other ways; product line on disk systems. You can go other ways; will bely to heavily favor these format disks. Building you con interface and writing your one DOS is not a trivial count DOS in the disk and writing your one DOS is not a trivial your objective is to get a system up and running in reasonable line, reconsider.

Many computer hobbyists have adapted Selectric devices; some have complained that the machines are not durable, having been designed for a lighter duty cycle than is found on computer word processors. Check with user groups for their reaction.

64 Video Glitches

I'm disappointed with the quality of the Commodore 64 video display. For example, when selecting black characters on a blue background, every other character is badly smeared. Also, when executing a program, small "birdies" appear randomly all over the screen. These are about one pixel in height, three to eight pixels in width, and appear in the same color as the characters.

Is there a fix for these problems?

Some colors don't seem to work well together on the
Commodore 64: you might try combinations of foreground and background colors to see what works best
on your machine.

If you are using a TV set, look for solid connections

14 COMPUTE! September 1983



(try wiggling things gently) and make sure your TV/ COMPUTER slide switch is firmly over to the COM-PUTER side. Try rearranging the cable which connects the computer to the TV set: sometimes interference is picked up along the way. Even moving the computer can often heln

On the other hand, if you are using a monitor rather than a TV set, there are other things for you to keep in mind. Commodore will soon be announcing a new interface - and a new monitor - that should significantly improve picture auality. Still on the subject of monitor interfaces, some users find that they can get better character definition by a variation in the wiring of the interface. Normally, pin 4 of the video connector is used for video out on the Commodore 64; some users like the improved contrast that may be achieved by connecting pin 1 (luminance) to pin 4 and then feeding the composite signal to their monitor.

We understand that the screen hash that you call 'birdies' can be eliminated completely by the addition of a small capacitor to the video circuitry of the Commodore 64. Contact your dealer for further information.

RAMDISK

Could you tell me what a RAMDISK is?

Ioe DeNicola It is possible to use large amounts of extra RAM memory as a simulated "disk drive." In fact, the decreasing cost of RAM chips has made "memory drives" quite popular. The advantage of a memory drive is that it is extremely fast - faster than any non-solid-state peripheral. Unfortunately, most of these memory drives lose what they've stored when you turn off your computer. Battery-

protected memory drives are available, but they are relatively expensive, since they require low-power special CMOS memory chips Specifically, the RAMDISK is 128K of "bank-

selected" (you can call upon "banks" of 16K) memory. It includes software to use the extra memory as a simulated disk drine

Finding Atari Addresses

As an owner of an Atari Assembler Editor cartridge, I'm still having trouble locating the hexadecimal address locations for BASIC commands. Any suggestions?

Eric Ermert

It is possible to call some of the ready-made routines found in the BASIC cartridge, but you must remember that they are designed to be used by BASIC itself, not external ML programs you write. You can read about the internal workings of Atari BASIC in COMPUTE'S new Atari BASIC Sourcebook

A better solution is to write your own routines. It isn't that difficult. For example, the SOUND command 16 COMPUTE! Section ber 1983.

stores the values in the POKEY chip, which, among other things, is responsible for generating sound (see

"Atari Sound Sustem," COMPUTE!, January 1983). You can call any of the graphics routines BASIC uses (PLOT, DRAWTO, GRAPHICS). These are found in the Atari operating system, not the BASIC cartridge, and they are well-documented and designed to be called by your ML programs. Some references are De Re Atari, Atari Technical Notes, and Bill Wilkinson's COM-PUTE! column "Insight: Atari" (especially February 1982)

Atari Binary LOAD/RUN From BASIC

The use of binary files in BASIC programs is increasing as Atari programmers become more sophisticated. It is not generally known that you can use the DOS command L, including the "/N" option, directly from BASIC. The necessary routines are resident in DOS itself, not DUP. They will LOAD. INIT, and RUN (or not RUN) any binary file that DOS can handle, including compound files. Control is returned to BASIC for files which ordinarily return to DOS. Here is one method. Just insert your file name in F\$.

100 DIM FS(16):FS = "D:GAME.OBI":FS(LEN(FS) +1) = CHR\$(155):POKE 5534,0:POKE 5535,192 110 X = ADR(F\$):Y = INT(X/256):POKE 853, Y:POKE

852, X-256*Y:X = USR(ADR("hL)U")) The USR string which is not listed correctly by a printer is:

small h, capital L, inverse SHIFT 0, CONTROL U

To LOAD and INIT but not RUN, POKE 5534,192 in line 100. The USR code, PLA, IMP \$15A9 calls the

resident DOS routine used by option L. Note: Bill Wilkinson in his COMPUTE! column eloquently explains the advantages of following Atari protocol. I am embarrassed to point out that I violate that excellent advice by using a specific DOS routine which may be altered in future DOS revisions. It is safe to use this quick and dirty trick in your personal programs, but don't distribute it. Use my "Autotype" in COMPUTEI's Second Book of Atari to insert the binary file directly and safely into any commercial BASIC program.

Forrest Meiere

COMPUTE! welcomes questions, comments, or solutions to issues raised in this column. Write to: Readers' Feedback, COMPUTE! Magazine, P.O. Box 5406, Greensboro, NC 27403, COMPUTER reserves the right to edit or abridge published

of The Hundreds of Reasons You Ought To Be A **COMPUTE!** Magazine Subscriber:

From "The Editor's Feedback" Card, a monthly part of our continuing dialogue with readers of **COMPUTE!**. These are responses to the question,

"What do you like best about COMPUTE!?"

1. "The coverage of educational uses of computers for kids." 2. "Clear, clean layout. good presentation..." 3. "Educational software reviews ... "Friends of The Turtle" ... "4. "Written so a newcomer to computers can understand..." 5. "Cover to cover, and all in between ... " 6. "Reviews of software and hardware ... " 7. "Good balance of application and technical articles ... "8. "It is the best source of info about various levels of VIC/ PET/CBM machines and applications..." 9. "The large number of well-explained programs..." 10. "I like programs that can be typed into a computer, run, and then used right away (a program without bugs!)..." 11. "That it is organized well, and covers a broad range of information concerning Atari. Keep it up, please! I'm learning ... 12. "Table of Contents listings and computer guide to articles is a great idea. Best magazine for personal home computer users..." 13. "Best I have found for VIC info..." 14. "Informative articles: 'Secrets of Atari', Game programs, especially programs that teach the reader about the Atari..." 15. "I like all the articles and programs for my computer, the PET. I've learned and found out things about it that I never even thought existed. Other magazines don't have too much material for the PET and, for that reason, I find COMPUTE! invaluable..." 16. "The up-to-date hardware reviews ... 17. "Educational and game programs... ready to type in..." 18. "Utility and applications program listings very helpful..." 19."I'm a computer beginner and COMPUTE! didn't scare me away ... it made me more interested in learning more about computers ... "20. "I really enjoy (since I am one) the Beginner's Page ... "21. "The attention it gives to Atari and the easy-to-understand language it's written in..." 22. It is concerned with explaining programs, not just listing them. It is the best VIC magazine I could buy..." 23. "The new Table of Contents Guide to Articles and Programs' is excellent, particularly the indication of 'multiple computer' items ... "24. Broad range (sophistication) of programs..." 25. "It's easy to understand yet pushes you to a 'higher level'..."

Whether you're just getting started with personal computers, or very advanced, you'll find useful, helpful information in every issue of COMPUTE Magazine. We specialize in supporting the Atar!, PETICBM, Commodore VIC-20 and 64, TI-99/4A, and Apple computers. Editorial coverage is expanding to include the Timesvilsinclair and the Radio Shack Color Computer.

Every issue of **COMPUTE** brings you user-friendly articles, applications programs, and unless you can type right into your computer and use. To subscribe to **COMPUTE**, or to order a sample issue, use the attached reply card or call our toll-free number. **COMPUTE**. We're the resource for thousands and thousands of home, educational, and small business computer users. Shouldn't you be one of them?

1 year, twelve issue subscription: \$20.00 in the US.

Call Toll Free in the US 800-334-0868 In NG call 919-275-9809

SMART PRODUCTS

Kathy Yakal, Editorial Assistant

All personal computers contain a microprocessor, the "brain" of the machine. But even if you don't own a computer, you probably have several of these tiny brains in your home, your office, or even your car. They are, in a sense, tiny computers.

Cars that act as their own mechanics. Cash registers trained to be marketing experts. Washerdryers that take better care of your clothes than you could, and computers that guard your home. All of these "Smart products" – products that can make decisions and monitor themselves – are no longer science fiction fantasy, thanks to the introduction of microorneessors in 1971.

A microprocessor is organized, compressed electronic circuitry which can execute programs and respond to changing conditions. It's about the size of your little fingernail and consists of a small silicon "chip" with complex patterns of lines etched on it.

Microprocessors replace circuitry many times their own size. For instance, if you take the back off a transistor radio, most of the components you see inside could be replaced with a single, small microprocessor.

There air several advantages to using this new technology in the production of consumer products. For one thing, because they are so much smaller than discrete (singular) circuits, products which house them can be much more compact. This is especially true of microcomputers, which wouldn't exist without them.

Microprocessors perform functions fast and precisely. They are easier to produce than discrete electronics and they don't wear out as quickly, since they have no moving parts. Most important, they are intelligent. They can be programmed to make decisions based on predefined conditions.

The Consumer Market

The Consultar Market

You can identify a consumer product that contains
a microprocessor. There are generally no dials to
turn or buttons to push to timens to set. Quite
offen there will be a flat membrane-type control
control to the control of the control
And you may be able to tell if the product contains
a microprocessor by the type of input required
from you (for example, instead of indicating how
long you want your clothes to dry, you would
only need to indicate the fabric type—the microprocessor would know how long and how hot to
run).

Manufacturers of consumer products don't automatically use microprocessors in every product they could. The same technology that brought microprocessors into being also facilitated better design of microelectronic circuits; each has its own place. Further, some manufacturers are holding back to gauge public acceptance of the new breed of consumer products. This is critical: it's possible to make a washing machine that talks, but do people want that?

In the following product descriptions, we have chosen a few manufacturers which are representative of several industries. These companies are not the only ones using microprocessors. Also, these companies do not use microprocessors in all of their product lines. What we are looking at is still a state-of-the-art technology.

Self-monitorina

First let's explore some home appliances that use microprocessors. Refrigerators have been able to monitor themselves for a long time. You set the temperature level desired, and the unit shuts off upon reaching it.

The Whirlpool Corporation makes refrigerators that a even more. They beep if the

18 COMPUTEL September 1983



THE GOLD STANDARD

You can wait for industry standards to mandate improved performance. Or you can have it now on Maxell. The Gold Standard.

The elementarists of The Gold Standard from Coulde particles to bulleand to joint of the Coulder particles to bulleand to joint of the Coulder particles and Maxell. And therefore, so are the benefits, wireser and the packing, so you begin with an only of the Coulder packing, so you begin with an only of the Coulder packing so you begin with an only of the Coulder to the Coulder packing so you begin with an only of the Coulder to the Coulder packing so you begin with a could be could b

standards in our wake.

An advanced binder bonds oxides to the base material preventing time and money-wasting dropouts.

Calendering then smooths the surface for a read/write sland! that stays

ys MH1

clear and accurate. And lubricants reduce firein between head and disk for a longer media and head all disk for a longer media and head life. In house it, we then constructed a new jacket head-resistant to 140° if to withstand drive head without warp or wear. And seed the industry in error free performance and durability.

All industry standards exist to assure reliable performance. The Gold Standard expresses a higher alm: perfection.

Maxell

We just made owning an Atari computer a lot more logical.



Introducing the Rana 1000 disk drive. It's a whole new game for Atari computers.



displays a code that tells you everything you need to know your write protect feature is keeping your information sale The remaining buttons beep when touched, and provide readouts on density storage, error status, and drive number This button beeps when you touch it, and the LED resdout tells you what track you're on

When Farra Systems introduced the Elite Series of Appler competible disk drives, we dirty forward and the series of mance, styling, capacity, and price, that it instanttaneously made us a major force in the market. Well, needless to say, the response was so great that we were brocod to create the same highly advanced disk drive for Alarin's disk drive that when coupled with Alaris computer, could perform everything from accounting, financial planning, and slock charting, to word processing, business and slock charting, to word processing, business grams. Plus, we made it simple enough for a child to use, for fearning anything from the alchabet to the magnetic series of the series of grams. Plus, we made it simple enough for a child to use, for fearning anything from the alchabet to the magnetic series of the series the series of the series the series the series the series t

a foreign language.

Working with a diskette
versus playing with a cassette.

Let's face it. The only reason Atari made a cassette option to their computer was to make it afforciable. But now you don't have to settle for less. Because now you can get a diskette for your Atari computer which outperforms their cassette and coses for less then their disk other. With Ataris cases to less their in their disk other. With Ataris cases to less than their disk other. With Ataris cases to see the section of their disket of their compared to what our floppy disk can give you. Their cassette is not only limited in the soft-ware available, but it also takes 20 times fonger to get the information you need. And Rena's disk

drive offers twice the storage capacity of either their cassette or disk drive.

Why even stylewise our new low profile design not only looks 100 times more spectacular, but it occupies 3 times less space. And our new Rana 1000 also gives you a piece of its mind every time you use it, because our disk drive gives you information as well as takes it. And we think that says a lot.

The disk drive that has all the answers.

Rana offers you a myriad of features Alan couldn't even conceived. Like five electronic functions on the front panel that actually beep and give you a LED readout when touched. Our disk dime tells you what track you're on, and what densely tells you what track you're on, and what densely you switch from a single densely of 90,000 eleters to diskert for the way and the most feature that the contractive of the second section of the second section of the second section of the section

As you can see, it was easy to build a disk drive superior to Atari's. Because for every reason you buy a disk drive, Rana has superior technology.

The Rana 1000 disk drive. It brings your Atari computer to a higher level of sophistication for a price one third lower than Ataris. So your choice shouldn't even be a matter of looic.

Just common sense.



Always a step ahead of the originals.

21300 Superior Street, Chigaworth, CA 91311 213 709-5484. For dealer information cell free 1-609-921-9207. In Cellifornia only cell. 1-609-922-1221. Source Number: TCT-654. Available at all perhopating Computeriand stores and other fine computer dealers.

a Applie is a registered tradement of Applie Computer, Inc. in Alam is a registered tradement of Afrit, Inc., a Warner Communications Company See us at the West Coast Computer Show. Cacle 64



Whirlpool uses microprocessors in the design of many home appliances for more efficient operation.

door is left ajar. They let you know when the coils need dusting, or if there is a problem with the temperature inside, or if there is anything going on which will keep the machine from doing its best iob of keeping food fresh.

Some microwave and toaster ovens use microprocessors. The purpose of these appliances is to cook food, and microprocessors are employed to do that better and faster. Whirlpool has some microwaves that will monitor food temperature so that it won't be overcooked, and will time sereral dishes so they are ready at the same time.

Digital clock functions are built in. Washing machines and dryers are more efficient when microprocessors are monitoring their functions. Some of the newer Whitpool washers functions from a first property of the property o

wrong, a high "beep" when everything's all right. Dryers also use microprocessors to determine the safest way for fabrics to dry. You select the fabric type, and the machine decides how hot the dryer should be and even how long it should dry (unless you set the manual timer). It also automatically fluffs the dothes at five-minute intervals to keep them from wrinkling.

Sony uses microprocessors in virtually all of its home entertainment components. The most common use in television sets is in the channel changer. Instead of a standard dial, many television sets now have a push-button control with a digital display; you can turn the television off or on, choose the channel (either by entering the number or scanning up and down), and adjust the picture by pressing some buttons. Increasingly popular remote control features are also made possible by microprocessors.

Tape players, stereo receivers, and turntables are also making increasing use of microprocessors. A variety of search, memory, and automatic play features can now be controlled by them.

Possibly the most sophisticated use of microprocessors in home entertainment systems is to be found in video cassette recorders. Virtually all of their working parts use them because the requirement for accuracy is so great.


Streamlining Daily Routines

Running a household may be simplified in the future because of these advances in electronic technology. General Electric has found a way to make it even essiste with their "Homendt," a computer-based home automation system. Comtolied by a video screen and keypad, the system allows control and monitoring of heating and air conditioning, security and fire systems, globs, appliances, and entertainment components. It uses estiting house writing and electrical current less estiting house writing and electrical current less yestem is compatible with any brand of home appliance.

Built-in telephone circuits allow complete access to the system by phone, so you can call your "Homenet" and tell it what time to start dinner or the washing machine, or to change any earlier instructions. The phone capabilities also enable a home security system, so that if your and the properties of the computer is alerted to could in alarm goes off, the computer is alerted to the police, the fine department, or a neighbor, no enighbor, no enighbor, not make the properties and the police, the fine department, or a neighbor, not seen that the police, the fine department, or a neighbor, not seen the properties are the properties and the properties are the properties are the properties.



The GE "Homenet," a home automation system, lets you control household appliances, entertainment components, and security systems through one central keypad and video



LAST NIGHT, 39 MUSICIANS HAD A COMPUSERVE CONFERENCE, SO DID 31 M.D.S, 49 SPORTS FANS AND 640 APPLE POLISHERS, AND NO ONE HAD TO LEAVE HOME.

The Electronic Forum, Cheaper than Long Distance and Much More Rewarding. Every night on the CompuServe

Information Service, professional and social groups discuss a wide range of subjects. From what's new in medical technology to what's nouvelle in continental cuisine. And every day nore computer

And every day more computer owners who share a common interest are discovering this exciting new way to exchange ideas and even transfer hard copy data. And besides electronic forums, they leave messages for each other on our national bulletin board, "talk" informally on our CR simulator

on our national bulletin board,
"talk" informally on our CB simulator,
and communicate via CompuServe's
electronic mail.
But best of all, in most cases,

CompuServe subscribers get all of these state of the art communications options, plus a world of on-line information and entertainment for the cost of a local phone call plus connect time.

To become part of this flexible communications network, all you need is a computer, a modem and CompuServe. CompuServe connects with almost any personal computer, terminal, or communicating word processor.

To receive an illustrated guide to CompuServe and learn how you can subscribe contact or call-

CompuServe

5000 Arington Centre Blvd Columbus DH 432

An H&R Block Company

The "Homenet," of course, uses microprocessors in its computer unit. It is possible to use your own home computer to set up such a system, but this can require a fairly sophisticated understanding of computers and interfacing.

Electronic Motoring

The use of microprocessors in automotive electronics is espanding rapidly, according to a representative of the Nissan Corporation. Some of Nissan's (spo-6-the-line cars (for example, the turbocharged ZX) use microprocessors, especially in engine control. All fired imjection functions are digitalized; that is, everything necessary for getting gasodine into the engine efficiently is computed. Fuel economy is constantly monitored to the control of the computer for the control of the time as backwing the computer fields you how long

your fuel will last if the wind keeps üp.
Microprocessors measure and correct the
ECR standard. The audio warning system — the
ability of the car to say "Your door is spen" or
decides which condition is more critical, and
warns you of that lone first. This is where microprocessors are clearly revealed as a technological
leap: they can make intelligent decisions. The most
visible use of microprocessors in Nissan cars,
can be considered to the condition of the clinical trunced AAVFM radio.



The digital instrument display of this 1983 Datsun 280ZX illustrates the numerous features now controlled by microprocessors in cars.

Nissan has some more exotic uses planned for microprocessors in its 1984 models. One of these, the "knock sensor," will adjust the spark advance to help prevent the "pinging" created by low-octane fuel. The Ford Motor Company says that its 1983

Lincoln Continental is the best example of the new electronic technology in the company, Microprocessors are used for five different functions in this calculectronic cassette; the electronic "instrument cluster"; the "trip minder" (a trip computer that calculates time, engine functions, etc., when you're driving a long way); a keyless entry system (a panel of five push buttons on the outside of the driver's door that requires certain entry codes to lock and unlock the car doors and trunk); and the EEC IV Electronic Engine Control System, a fourth-generation engine-control system developed jointly by Ford and Intel using a 16-bit microprocessor.

Additional computerized functions you may see in the 1984 Ford models include a digital thermometer (for outside temperature); digital temperature control; a digital fuel gauge; and electronic air suspension (springs replaced by air bags using a height sensor).

Increased Business Efficiency

All of these products utilize technologies that now exist (or soon will) in your home or garage. But businessmen have not ignored microprocessorbased technology either. The chips will also have a dramatic effect on ordinary commercial transactions.

It's becoming common these days to go to the grocery store and have your purchases rung up by a clerk who barely touches any keys on the cash register. This "price look-up file" goes on the cash register. This "price look-up file" goes not estep further: the item being scanned shows up on a digital display with its name and price. You then get a printout of what you bought and what it cost. This is all accomplished by National Cash

Register (NCR) through the use of microprocessors. Information gathered by such accounting is not just useful to the customer and a time-saver to the control of the customer and a time-saver to the customer and a time-saver to the customer control of the customer to the customer control of the customer to the customer control of the customer to customer control of the customer to customer customer to customer customer and customer and customer to customer the customer and customer the customer the

Replacing People

You may already be accustomed to banking at an "instant cash machine." Though used to a degree for about ten years, the machines have gained real public acceptance only in the last couple of years, says a representative of NCR. The same kind of microprocessor-based technology found in these machines may also put computer terminals in places where you're accustomed to seeing people: at gas stations, in hotel lobbies, and at airports.

This is not to say that computers will completely replace clerks within the decade. But NCR will be introducing self-service terminals to streamline certain businesses. At a gas station, you may be able to put your credit card in a slot, enter your secret code and the amount and kind of gasoline you want, and the computer inside



Introducing the KoalaPad™ Touch Tablet for less than \$125.00. It's the friendliest innovation in personal computing.

With a touch of your finger, the KoalaPad tablet takes control of your computer. Faster than a paddle controller. More versatile than a joystick. And much friendlier than a keyboard. The KoalaPad tablet is compatible with most game software. And most KoalaPad sets come with a KoalaWare™ software program — Micro-Illustrator.™ It's the best way yet to create

beautiful, high-resolution computer graphics. And there are lots more KoalaWare programs for computer fans of all ages. Like Dancing Bear™ the funny, furry computer cabaret, Spellicopter,™ the fast action spelling game, And

Spider Eater.™ the lively music learning adventure. Just try the KoalaPad Touch Tablet. You'll discover a

whole new dimension in home computing. To locate the dealer near you, call toll-free 800-227-6703 (in California, 800-632-7979), Technologies Cornoration





tenaria. KoalaPad, KoalaWare, Spoder Eater and Dancing Boir are trademarks of Koala Technologies Corp. Micro-It-mark of DesignWare Inc.

EDUCATORS-Tired of giving endless instruction on computer usage to your students? Use a 3G Light Pen, bypass the keyboard and interact directly with the screen. End typing errors!



III Did 1 take per word for it. Here a what other educative say about the SC Light For very pleased with the performance of the ports. We not using them in our Learning Labs will erel Reventide Mit Empere Callege VA The teachers in our district use the pen to score and record lead results. It is at much easier than being if the results. Philip Ducks Michaels Regional School Dat MA Order today Remember your satisfaction is goldenfeed. We will refused for any masses if pen is returned within 30 days.

Thu will receive

1) 36 Light Pen

2) Demerchation closelfo

3) Sample pregram losself

4) Commonts occumentation and restrict grams in BASIC 5) Ether Light Pen software and games



would dispense the gas and charge it to your account.

In a hotel lobby, you could have the option of confirming your reservation and getting your room assignment from a terminal in the lobby. This terminal would interface with the guest accounting system that is already in use in many hotels, to provide you with a computerized bill at check-out time.

Terminals programmed with flight information may begin to appear in shopping malls and other convenient locations soon. You will be able to get flight information and make reservations on these; then, when you arrive at the airport for your flight, another terminal will check you in and give you your ticket and boarding pass.

The Invasion Of Intelligence

E

•

Т


D

Y

T

Ė

However, for all of the seeming inevitability of the invasion of microprocessor intelligence into our daily lives, it's not entirely beyond question or modification. Manufacturers of consumer products are watching public reaction to these new inventions closely. The technology is there. What remains to be seen is how people will feel about the new smart machines.





Jse your Commodore 64 system to lyze yourself, your spouse, your p, relatives and friends. Discover ur personality type, career es, and the people with whom you will be most compatible. This program

ggestions. The PSI Biofeedback requires the use of a "joystick". Price \$32.95 Disk (\$27.95 Cassette) Device is included with this program Price \$87.95 Disk (\$79.95 Cassette).

Use your Commodore 64 system to change your behavior patterns through computer hypnosis. Discover how to communicate with yourself, on a conscious and subconscious level. rogram your own post-hyp

PSYCOM 2118 Forest Lake Drive SOFTWARE Cincinnati, Ohio 45244 USA Telephone: 513 474-2188 INTERNATIONAL

ATTENTION COMMODORE VIC 20

TEXAS INSTRUMENTS HOME COMPLITER USERS

CUSTOM PROGRAMMING We will create to your specifin cations the program you are looking for Why settle for a pre-made program that s'ok? Ť Now you can have a program created and fit to your indiĸ Send a full description of the

program you want along with ber We will call you within 24 hours of receiving your to create 'your' program and may have For quicker service. K call our 24-hour answering service and leave your name and phone number

> Programs usually completed in 2-3 weeks

DYTEK PHONE (813) 323-6139

Get this software 26 COMPUTEI September 1983 D

D

v

Т

D

Ť



Everyone's talking about The Home Accountant."

Is it because it's the #1 bestselling home finance package in the world? Or because it's extremely thorough and powerful and easy to use? Or because it's great for home and business use? Or because it has up to 200 budget

categories and handles up to 5 checking accounts? Yes But there are a lot more reasons

why people buy The Home Accountant. And why you will too Because The Home Accountant can literally save you hours of time. And take the headache out of handling your finances. Whether it's setting up a budget, cataloging your expenses, balancing your checkbooks or handling your credit cards and money market funds.

The Home Accountant will even print net worth and financial statements. Not to mention being a lifesaver at tax time. Especially when you're able

to transfer information onto Continen-tal's The Tax AdvantageTM program and figure out what you owe, Quickly. In short. The Home Accountant is the most effective software program there

is for managing your money. And managing it easily. Stop by your Continental Software dealer today and pick up The Home Accountant, You'll see what everyone's

talking about The Home Accountant is available for Apple II/IIe, IBM PC/XT, Atari

400/800/1200XL, Osbome® TRS-80 Models III/4, Commodore 64, Texas Instruments Professional, Zenith Z-100/110. Compag and KayPro computers. Actual budget capacities will vary

with each computer. For your free 48 page booklet, "Tips For Buying Software," please write Continental Software, 11223

South Hindry Avenue, Los Angeles, CA 90045, 213/417-8031. 213/417-3003.





For personal or business use. The Robe sciences and The Tax abhasings an empirical colorand of Continued Authors against an expensional and company in page 10 MeV as a province of the Continued Authors and Continued Authors and

Games That Teach

John Blackford, Assistant Features Editor

Ever since computers were first pieced together out of radio tubes, their potential as teaching machines has fascinated educators. One of the first ideas was to let computers drill students on important skills. Later, programmers enlipened these practice sessions with games and arcade-type action. Today, innovative teachers and same designers are working to create new software and develop teaching methods that make learning itself part of the game. Some of these new products and ideas are finding their way into the home via the versonal computer.

Walk into any video arcade and you'll see teenagers in a twilight world, hunched over machines about the size of small refrigerators. Seemingly oblivious to the beeps and whistles that fill the air, they concentrate on the small screen. They can play for hours. This scene is noticed by some educators, who would like to tap that intensity for the learning process.

Some of them have. Educational games have acquired a reputation for being rather dull, and many are. But that is changing, Publishers of educational material are developing computer programs: makers of computer games are diversifying into educational products; and fledgling school computer ventures are maturing into active resource centers and using the best software available (see "Computers In School: New Approaches," in this issue).

What Makes It Educational?

Almost any activity involves some learning. It wouldn't hold anyone's interest long if it didn't. For an arcade classic to enthrall a player for hours at a time, perhaps week after week, there must be a progressive mastery of the game's secrets. Experts at a game like Pac-Man say they've memorized several complex patterns of movement in order to "beat" the game. But you wouldn't expect to find "Theory of Pac-Man" being taught in schools. So what does set an educational game apart from any other kind?

First, it must have a clear educational goal. John Victor, whose Program Design, Inc. (PDI) produces such programs as Clipper: Around the Horn in 1890, says, "When we do an educational product, we sit down and define a set of educational parameters with measurable results." Then, a program can be tested in the classroom to see how well it meets its objectives. Before they started on software, PDI designed

programmed instructions for educational groups, but Victor believes that market pressures are going to encourage firms new to the field to introduce educational games. He feels it's important for the purchaser to consider the educational value of a product.

Furthermore, just the educational value of software has itself become a selling point for computer manufacturers and retailers, according to Doug



The title screen of the educational game "Clipper."

28 COMPUTEL Sentember 1983

Carlston, president of Brøderbund Software.

It's still around if vou know where to look.

We are Kangaroo™ Inc.,

Jeepers CreaturesTM - 30 basic heads, torsos, and legs or tails

catfish or one of over 26,000 funny colorful combinations in this goofy collection of mixed up animals My House-My HomeTM - Let's

move into the house on Some where Street. It's ready for furnishing and family. Oops, you out the kitchen sink in the

in the kitchen. That's silly Jeepers Creatures and My House-My Home have no winners or losers, no right or wrong









answers, no high scores to beat, just hundreds of hours of crea-

Give your child's imagination a boost with Kangaroo games designed for Apple and Atari

Jeepers Creatures and My House-My Home are each available for \$34.95 at your software dealer or from Kangaroo, Inc., 332 South Michiga Ave. Suite 700. Chicago, IL 60604, (312) 987-9050, Visa, MasterCard and personal checks accepted



For a pocket full of fun.



Spinnaker presents Delta Drawing.



An introduction to the modern art of programming using the ancient art of drawing.

Kids love to draw.

And DELTA DRAWING" Learning Program lets them enjoy creative drawing and coloring while they learn computer programming concepts. Even kids who have never used a computer before can learn to write simple programs and build an understanding of procedural thinking. It's easy clear, and fur!



With DELTA DRAWING you use singletey commands to create a picture. Press D to draw, press R to move right. And, as you draw, DELTA DRAWING you receive subject of the ground of the command of the the list of commands (a program) that you've used to draw it With DELTA DRAWING, you begin by drawing pictures that produce computer programs, but soon you can learn to write programs.

DELTA DRAWING even lets you save your pictures and programs on a disk or cassette. And you can print your drawings on a printer with graphics capability.



DELTA DRAWING comes with an easy-to-follow manual that gets firsttime users started quickly. And it also provides additional instructions for more advanced users.



DELTA DRAWING Learning Program is available on disk for IBM® and Apple® computers, and on cartridge for Atan® and Commodore 64° computers

50 look for DELTA DRAWING at your local software store. You'll find that when we combined the fun of drawing with an introduction to programming concepts, we created a work of art.

Apple IBM and Alan are registered trademarks of Apple Computer Inc., International Business Machines Corp. and Alan. Inc., respectively. Commodate 64 is a trademark of Commodore Electronics Limited. DELIA DRAWING Learning Program is a trademark of Spinnaker Software Corp.



Although educational software still sells more slowly than games, Carlston says that if the purchaser becomes convinced of a computer's educational potential, a sale is much more likely.

Another important factor in determining a game's educational value is whether the game is related to the educational goal. Some games take what might be termed the Mary Poppins approach to learning, making everything fun for children.



A logbook for the clipper ship The Andrew Jackson.

Games of this type start with an educational goal, perhaps a multiplication dull. To make the work seem more palatable to children, the programmer may add a game aspect. For example, if a child gets a correct answer, he or she can then shoot an approxicity gildren. But mere the game is shoot an approxicity gildren gut mere the game is at the Xerox Palo Allo Research Center, suggests the Spossibly negative effect. In an interview in the April 1983 Cisserom Computer Ness, Malone the April 1983 Cisserom Computer Ness, Malone start of the April 1983 Cisserom Computer Ness, Malone statement of the April 1983 City and the April 1984 City and the April 1985 City and the April 1984 City and the April

learning that arithmetic is an unenjoyable activity. According to Malone, games that make the learning aspect part of the fun are more effective. The calls these intrinsically motivating games. In one that he studded, Darby, you try to pop hat more than the studded, Darby, you try to pop hat seems of the studded, Darby, you try to pop hat seems. If you guess too high, an arrow shoots above the balloon. Too low, and it shoots below so the game reinforces the oncept being taught. Such games impose an extra burden on the game designer. While viorious number concepts—addition, subtraction, fractions—can easily be incomplied tion, subtraction, fractions—can easily be incomplied to make the control of the control of the would impose different requirement.

Preschoolers

Surptisingly, preschoolers seem not to need motivation from game playing during learning. Their enthusissm for computers runs high, and a welf-produced program for dril and practice meets the produced program for dril and practice meets the programmer fusce Mitchell. He created a line of such programs for preschool through second grade, distributed by the Programmer's Institute. Mitchell is not sold on the furn-and-games approach to programming: "I am an absolute firm should be educational – not games."

What he strives for is user-friendliness – anticipating any problem the user could have and building the solution into the program. Another thing important to Mitchell is consistency. Every program he's written uses identical command procedures, so a child moving from one to another doesn't have to learn new instructions.

And finally, Mitchell feels that good documentation is important. That means that the child—or the teacher—should be able to learn about the program by reading the literature that accompanies the product. If these criteria are met, and the skills being taught are appropriate to the child's level of development, then the program will be useful.

"But I don't believe the computer should be the primary tool to teach a concept," adds Mitchell. "It should be used to help teach the idea, rather than do it all."

For older kids, Mitchell sees computer literacy and programming skills as fundamental. "The creative thinking that permits you to write programs is something you can use throughout life," he says.

Simulations

At the other end of the spectrum from drill and practice are simulation games. They engage the user in a real-life situation — whether it's trying to cross the United States in a covered wagon or running a profitable lemonade stand. Such games are such as the state of the state

For years educators have used such games as Oregon, Lemonate, and Carles and Cultimast to provide an extra dimension to their computer instruction. In Oregon, 200 juil we westward unignation, avoiding Indians, thirst, and starvoids and unignation, avoiding Indians, thirst, and starvoids in an effort to reach new territory. Lemonate simula and the player can see the player can see the player can be sufficient of a construction of the control of the cont

EDUCATION?

FUN?

What in the world will our children do with the computer?

ENTER A FANTASTIC WORLD OF FUN AND LEARNING!

from Scholastic





Microzine is an interactive magazine on a computer disk, and it can open up the world of computer learning to your children more effectively than any other children's software available today. Microzine comes to you from Scholastic. We've been trendsetters in children's publishing for over 60 years. Now that traditional teaching methods are being enhanced by computer-taught materials, Scholastic is ready with the innovation that creates an ongoing "dialogue" of fun and learning between your children and your computer. Like a magazine, but unlike other software for children, Microzine is constantly current and topical. Your children receive a new four-program Microzine disk every other month and build their own Microzine Library!



2. WHAT CAN YOUR CHILDREN DOWITH MICROZINE?

Microzine can help your 9-13-year-olds take advantage of one of the most important uses your computer can have: exploring new and more efficient ways of learning and thinking. (If you don't own a computer, your children may be able to use one at school or a friend's home, or borrow one from your local public library.)

Microzine was created with the recognition that today's children take naturally to computers and that tomorrow's adults will need to be computer literate-no matter what their careers.

3. WHAT IS "COMPUTER LITERACY" AND HOW DOES MICROZINE HELP ACCOMPLISH IT?

At Scholastic, we believe that learning how to utilize a computer's wide-ranging capabilities should be an important part of every child's education. This kind of computer literacy is no longer an option, but a necessity, if our children are to take their places in the computer age. To this end, Microzine is designed to spark enthusiasm and teach these essential skills:

* following directions * learning to use a computer * everyday applications * vocabulary * the nature of programming * word processing

- * what a computer
 - * using the keyboard
- - # data handling
- * logic
- * graphics * parts of a computer

 - * problem solving

4. WHAT WILL THE FIRST YEAR OF MICROZINE BRING?

An ever-expanding library of fun and learning!

Every eight weeks there are four full-length programs and the variety is incredible:

Who's that trying to solve the Mystery at Pinecrest Manor, lost in the Northwoods Adventure and challenging the far reaches of space on Mission to Planet XII? Could it be someone we know? (With Microzine, anything is possible.) All set for takeoff on the Space Shuttle or maybe a hot air balloon race? Wow! Will Microzine

Back safe on Planet Earth, visit the Pet Store. "A flamingo for your bathtub? Or maybe a rare three-humped came!?"

ever get down

to Earth?)

Too wild? Gift Store
offers practical
suggestions for
everyone from
Great Uncle
Oscar to your
16 - year-old
twin sisters.
Or explore your
creative options
by composing a
song, writing
and illustrating
a book, or inventing your own

game.

Microzine is always full of questions. If you've ever dreamed of talking to a computer game designer, Ask Me gives you the chance. You won't believe all the current big stars waiting to ask you questions, too.

JUST TURN
THE PAGE TO
FILL OUT YOUR
MICROZINE
REPLY CARD
NOW!



BUSINESS REPLY CARD FIRST CLASS PERMIT NO. 2316 HICKSVILLE, N.Y. POSTAGE WILL BE PAID BY ADDRESSEE

> Microzino Scholastic, Inc. P.O. Box 947 Education Plaza Hicksville, NY 11802





5. BECOME A CHARTER SUBSCRIBER TODAY AND YOUR FIRST MICROZINE IS JUST \$7.95. (A \$39.95 VALUE: YOU SAVE \$32.00!)

Thereafter, pay only \$24.95, plus shipping and handling, for each Microzine you accept. You save nearly 40% off the retail price by subscribing!

Each bimonthly Microzine Package contains;

a Microzine Flonny Disk with Four Complete Programs.

On your first disk, discover:

1. POSTER. What's two spaces wide, slow, green and silent-and changes to three spaces wide, fast, pink and squeaky? It's an imaginary paintbrush that lets you create as many colorful posters as you want!

2. SECRET FILES. If your children want to remember who starred in their favorite horse movie of 1982, they need Microzine's electronic filing system. It works just like the electronic filing systems adults use.

3. ASK ME. Robert Macnaughton of "ET" fame is standing by to accept questions-and ask a few of your children in return! 4. HAUNTED HOUSE. There's never been a haunted house so funny-or one so willing to let you plan your own visit! Like all Twistaplots® this one ends differently every time you venture inside.

NOTE: The first Microzine Package also contains a bonus; a separate data disk that can be used to save original posters and other personal creations! (A \$4.95 value.)

The Microzine Handbook

After consulting this monthly step-by-step guide written in plain English for users 9-13, your children will be able to show you how Microzine activities work. Easy-to-follow instructions encourage independent work habits, creative thinking and follow-through.

THE SCHOLASTIC CHILDREN'S MAGAZINE ON A MICROCOMPUTER DISK.

O.K., Scholastic. We're ready to enter a fantastic world

of fun and learning. Start our Microzines coming

☐ Please tend to Microsane #1 (featuring Pouze, Secret Files, Aik Me and Hausted House) and enter a Charter Shokersport in Microsine for the child named below. Bill not the special institutionary price of year very flectrome to steep Air procedure, which was the steep Air procedure, Microsine #1, see never obligated to the year one to discussed Microsine #1, see the procedure of the procedure of the Air procedure of the procedure of the Air proc

☐ I've already purchased Macrozine #1. Please start our subscription with Microzine #2, for which I will be changed joint \$7.95 (plus shapping, heading and our epolicable sales tax). 610 Child's Name_

Telephone No. (Perent's Sagnature___

SEND NO MONEY: **JUST FILL OUT** AND MAIL THIS MICROZINE REPLY CARD

NOW

player is in charge of a multimillion-dollar manufacturing plant.

One professional software house which has incorporated educational values into games is Spinnaker Software. For preschoolers, games such as Sury Machine and Jezenders support cractive efforts by the child. Adventure games for older children encourage problems solving. In Snoper Traops, for instance, the user tries to solve a mystery. To be successful, you must learn as you proceed, experimenting with the Snoop-Mobile, a wirst faith, and a camera to discover

and use clues.

Another adventure, In Search of the Most Amazing Thing, involves traveling through 20 different
countries. When you pass through one, you must
learn the language, the money system, and some
of the local customs. "It's learning without making
of the local customs." It's learning without making
Evans, an editor at Spinnaker. "If you get something wrong, the game is not over."

The adventures hone problem-solving skills indirectly, making them part of the excisement of the describeration part of the excisement of the letters of the problems of the problems of the playing a game like Swaper Trops, according to Sprinnaker's chairman, Bill Bownon. Then they begin to jot things down in haphazard fashion. Finally, he says, "kids begin taking notes in a structured way." No one tells them to; it just makes the player more successful.

Into The Home

These games are attractive to many educators, but school budgets are tight. In many cases, school administrators are unsure of what to buy. New software must first be reviewed, sometimes at the state level, and approval can take months, even years.

Often, the only way a teacher can get a computer venture under way is to rely on individual initiative. It's not uncommon for a teacher to use personal funds to purchase a computer for students. In fact, says Bowman, nearly all of Spinnaker's sales to educational groups are paid for by individuals – evidence to him that teachers are buying the products with their own money.

"They realize what the computer can do," he adds. "But schools are too slow and too bureaucratic. We feel that the revolution in educational computing will occur in the home."

To tap this market, Spinnaker is emphasizing cartridge software. People who don't have disk drives can acquire the games without having to make a substantial investment. Other manufacturers are undertaking similar efforts. They are stressing both educational quality and fun. And lest parents forget, producers are reminding them that students who learn at home have an edge at

school. "When a child is exposed to software that teaches at home, chances for high success in school are greatly improved," according to Dr. Larry Lowerv.

Lowery, who lectures on courseware evaluation at the University of California, Berkeley, created an extensive manual that is used by Soft-Kat's Educational Computer Centers. To help potential purchasers examine educational software before they buy, Soft-Kat has established over 300 centers where parents, teachers, and children can select programs and try them out.

Computers Vs. Game Machines

Activity such as this suggests that there is real interest in the home educational market on the part of software producers. In fact, both PDI's solon Victor and forederbund's Doug Carlston seems of the producers of the producers of the producers of the producers are beginning to purchase almost as many computers a wideo games. Experts in the computer industry had thought that if would be years before home computers began to would be years before home computers began to cutting among manufacturers has dropped the price of some computers below that of video games, it is now quite possible that computers games, it is now quite possible that computers are more tyear.

This could make educational games the next growth are in the computer business. As more manufacturers get into "eduware" and computer users look for software variety, the field could blossom. Competition may be tough, though. As Victor notes, "Parents don't like wasting money. The people who put up the bucks really want to be sure they get results."

COMPUTE!



Guest Commentary

COMPUTERS IN EDUCATION

Dohart Nialsan

King Solomon, writing about the futility of various pursuits in life as ends in themselves, did not neglect learning. He wrote: "Of making many books there is no end, and much study is a weariness of the flesh" (Excl. 12.12b). Children today must feel similarly: a bachelor's degree comes at the end of seventer years of education for most seeking more effective ways to accomplish their task of imparting knowledge and training minds. One useful means to this end is the computer.

Responsive Pacing

In its pure form, programmed instruction involves the presentation of new material step-by-step. Additionally, learners work individually at their own speed, and there are frequent examinations followed by immediate correction. Usually the searner is given a short piece of material followed by a fill-in-the-blane, multiple-choice, or other control of the programme of the programme of the control production of the programme of the programme of the programme of the randed.

Traditional books and teaching machines, however, do not accommodate differences between fast and slow learners. Although the students work individually, at their own pace, all students must go through the same syllabus in the students must go through the same syllabus in the same syllabus in the same syllabus in the same syllabus in the weak student who needs sett a drill and practice or for the advanced student who needs greater challenges.

Fortunately, the computer is able to handle what is called a branching program. In such a program there is no one correct way for the learner to move through the material. Instead, material is presented based on the learner's past performance. Thus, if there is evidence that a student already knows some of the material, then future reference to that topic may never be presented. The student who does slightly substandard work can be given extra drill and practice, while the one who does very poorly can be given a different, expanded explanation. In each case the computer can offer an individualized learning program to the student.

Whatever the technology – books, teaching machine, or computer – programmed instruction is limited to subjects which can be quantified. Therefore, such subjects as mathematics, chem-horefore, and subjects as mathematics, chem-fore the subjects of the subject of

Not too long ago (only a few years) it might have been easily assumed that computer-assisted instruction would continue closely allied with the application of behavioral science to learning theory. This has not been the case, in part because not all educators are behaviorists. Instead, incap the continue to the conti

Firing Ranges, Foreign Languages This wider use of the computer encourages new

This wider use of the computer encourages new speculation as to how CAI (Computer Assisted

What's fun to do and teaches, too?

That's an easy one: HesWare™ educational software. The children with the most answers in school are usually the children who enjoy learning HesWare helps develop your child's interest in learning by making it fun. And along the way, develop familiarity and proficiency with computers—a skill that is becoming more and more essential to success.

HesWare educational software combines enjoyment with a creative learning experience. Unlike video games, HesWare educational programs involve your child-and that keeps their interest. Whether

it's creating colorful and artistic pictures with Turtle Graphics. making up funny faces with Facemaker,™ or helping America's favorite canine. Benii, save kidnapped scientists (and learn about the solar system in the process,) or any of the programs in our education library, HesWare gives your children a positive

attitude toward learning and technology It's not expensive to give your child a headstart on the

future. HesWare programs are available for most popular home computers, including the Commodore VIC 20,™ Commodore 64.™ Atari® and IBM

HesWare educational software. Just one of the ways HesWare is expanding the computer experience. And expanding your child's horizons. Look for them at your favorite software retailer.

Human Engineered Software, 150 North Hill Drive, Brisbane, CA 94005 800-227-6703 (in California 800-632-7979) Dept. C20

Pleases the tough

customer:

HesWare

Instruction) works. The behaviorist sees the computer as a giver of rewards to the successful learner, thus increasing learning. However, behaviorism is only one branch of education and one which is limited, by definition, since it is coremed only with behaviors and nothing elsec. One explanation for the effectiveness of CAI comes from two disparate realms of education:

the firing range and the foreign language classroom. The largest educational organization in the United States is the military. Much time, energy, and money is spent training personnel. Con-

The computer is silent, which allows the student time to think and, consequently, learn.

sequently, the military is always looking for faster, cheaper ways to teach. One improvement that it discovered was in teaching marksmanship. The old method of teaching soldiers to shoot

The old method of teaching soldiers to shoot accurately was to let the soldiers take shots at a target. Then the sergeant would come over and tell the recruit how well he did. Informed of his results, the soldier would have another try.

As an experiment, the army tried placing targets which fell over when accurately hit, but which did nothing when missed. There was no instructor to tell the soldiers how they did: they could see for themselves.

The result was that soldiers learned faster and used fewer bulles. Interestingly enough, when people are told that they have done a job poorly, they say to themselves. "I'm no good," That is, they take an evaluation of their performance and apply it to themselves. While it is very easy end apply the thomselves. While it is very easy considerably it is very difficult. Furthermore, people who think they have been (or actually have been) judged negatively as a person tend to do worse in performance. In short, a person who tells you that you did a job poorly is not helping. "The second easingle comes from the foreign the second of the people where they have a person that you did a job poorly is not helping."

language class. Here, just as in the army, much time and effort is spent to teach students. Consequently, there is a proliferation of methods to teach foreign languages, each method trying to do the job better than previous ones. One surprising way that works well involves a mostly silent teacher. The teacher rarely speaks even when students make errors. For example, when a student makes a promunciation error, most traditional teachers would say something like. "No, the correct pronunciation is" The silent teacher, however, would point to the part of the word where the error occurred. Students would then guess new pronunciations until hitting on the correct one (usually rather quickly). The correct consulty rather quickly, the correct one paper and the proposed of the paper and the proposed or apparent paradox under the paper paradox or apparent paradox or apparent paradox or apparent paradox or apparent paradox under the paradox or apparent para

The point of the above examples is that the computer provides similar feedback to student responses. Because it is a machine rather than a person which gives the feedback to students, their egos are not as threatened. Additionally, the computer is usually silent, which allows the students time to think and, consequently, learn.

Inexpensive, Safe, Holistic

Another, well-established application of CAI is in the field of simulations. Simulations are used in education to provide a substitute for the real thing. Sometimes a substitute is preferred because it is less costly—learning to fly an aircraft, for example. A mock-up of an airplane cockpit connected to a high-speed computer can give every effect of

flying an airplane, yet never leave the ground. Moreover, simulations can provide learners with experience that would be too dangerous in real life. For example, pilots need to practice emergency situations, such as landing with one inoperative engine. Done with actual aircraft, this procedure may result in disaster. Simulated with the help of a computer, such an "emergency" gives pilots invaluable experience for a genuine emergency. Should one ever hangen.

Finally, simulations provide a holistic view—an appreciation for how everything works to-gether. It has been said that scholars today know more and more about less and less. The knowledge more and more about less and less. The knowledge view of the whole instead of a focus on the details. The world of the classrom is one where details can be examined at length and at leisure. Outside the classrom, in things are important not only for what they are in themselves, but for how they fit in white everything due that is happening. A

There are clearly several significant uses for computers in education. We've only described pacing, efficiency, and simulation. There are also strong arguments for using computers in educational management (grading, attendance) and in games which teach. The pessimism expressed by King Solomon may not apply to the learners and teachers of the future.

Ed·u·ware (ej' ŏo wâr) n.

The first name in learning.

THE SCIENCE OF LEARNING* Professionally designed instruction in specific academic skills for ages 4 through adult.

Elementary Mathematics



ntroduction to Counting presents young children with the concepts of numbers, addition subtraction, shape discrimination, weight, height, and

measurement. Apple, Atari disk \$39.95. Atari tape \$29.95 Arithmetic Skills teaches basic number skills. High resolution graphics, animation, and sound effects make counting, addition, subtraction, multiplication, and divi

sion interesting. Apple \$49.95 Fractions builds and reinforces skills in working with fractions. Definitions, numerators, denominators, addition, subtraction, multiplication,

and division are explained in small increments and a learning manager makes the program flexible to meet the needs of individual learners. Apple \$49.00. Compu-Math" Fractions, a

comparable Atari program is also available, Atari disk \$39.95. Atari tane \$29.95 Decimals presents addition, subtraction, multiplication, division,

rounding off, percentage and conversion as they apply to decimals. Apple \$49.00. Compu-Math" Decimals, a comparable Atarr program is also available. Atari disk \$39.95. Atari

tape \$29.95. **Advanced Mathematics**



1 through 6 is a series of indepen dent programs comprising a first year course in algebra. Concepts are presented in four distinct learning styles so that self-managed learning is encouraged. Volumes 1 through 4: Apple IRM PC \$39.95 each Volumes 5 and 6 (sold as a set): Apple. IBM PC \$49.95

Language Skills



troduce basic reading and spelling skills. Word groups cover simple twoand three-letter words through difficult multi-syllable words, double vowels and consonants, and directions and numbers. Apple \$39.95.

Compu-Spell" builds spelling skills in a tutorial format. A system diskette can be used with six different data diskettes geared to vocabulary for grades 4, 5, 6, 7, 8, and an adult level containing words commonly misspelled in business. System Diskette: Annie 529 95 Data Diskettes: Apple \$19.35 each.

Compu-Read" improves reading speed, recall, and test-taking skills. The system adjusts itself to your learning requirements and provides detailed information on progress and reading rates. Apple, Atari disk \$29.95. Atari tape \$24.95

PSAT Word Attack Skills and SAT Word Attack Skills develop specific vocabulary skills in definition, connotation, roots and prefixes, and application. Test taking

skills required for the Scholastic Aptitude Tests are sharpened. Apple \$49 (0) each PSAT/SAT Analogies develops skills tested in the analogies portion

of college entrance examinations. Word relationships, meanings, and achieving under test-taking conditions are stressed. Apple 549 00.

Introduction to Poetry presents rhyme and meter in a clear and simple tutorial format. Definitions are given on the screen and are sounded out by your computer. The program is highly interactive and easy to operate. Apple \$39.95.

Computer Skills



Hands On BASIC" Programming combines hand holding software with a 200-page Intorial that stens the novice through beginning BASIC

programming. This complete learn ing system won't leave you hanging with an error message. Special features allow you to diagnose the problem and correct your mistake. Apple \$79.00

DRAGONWARE"

Entertaining, colorful, animated games with lasting educational value, for ages 4 through 10. Webster, our wise and wonderful dragon, is your child's companion in the adventure of computerbased learning pelling Bee



skills, and motor skills are exercised Twenty-two word lists covering simple two- and three letter words through multi-syllable words provide variety and scope Annie Atori dick \$29.95

Webster's Numbers" is a magical place where mosquitoes in mazes. balloon races, building blocks, and benes teach pre-school children the basics of counting. Apple \$39.95.

INTERACTIVE SIMULATIONS" Realistic recreations of real-world adventures where scientific evaluation yields the



on is a minimal habitant of Station Sensor by April in a makingst of Agric Computer Associa a manimal instruction of Associa

makes you the pilot of a true-to-life space shuttle. You mission is to dock with an orbiting space station. Appl Atari disk \$39.95.

INTERACTIVE FANTASIES* Science fiction adventure games that challenge the intellect and startle the imagination.



Prisoper 2" In a surrealistic enviconment of misleading clues and sugar-coated peopaganda, vou survive by your wits alone.

Escape without divulging the information your captors desire. Can you escare? Can you even find the bars? Apple \$32.95. Atari disk. IBM PC \$39.95. Empire I: World Builders" Struggle











Armageddon" The end of a once great Empire now torn by rebellion, poverty, corruption, and an unfeeling authority Where do your loyalties lie? Apple \$32.95

For more information or the dealer nearest you contact: EduWare Services, Inc. 28035 Dorothy Drive

PO Box 22221 Agoura Hills, California 91301 213/706-0661

COMPUTERS IN SCHOOL NEW APPROACHES

John Blackford, Assistant Features Editor

"Computers to invade the classroom!" Even if you didn't see that on the evening nees or in your favorite magazine, chances are that you've seen a IV commercial or heard from a neighbor that students must learn about computers to succeed. The question for parents and calculators is how less it on introduce computers—with a collustron is now less it on introduce computers—with where to get the money. Some students, however, and where to get the money. Some students, however, and where to get the money. Some students, however, and continues of the students, and sometimes sharing their loosest of the control of the students of the students.

"The computer is going to force us to receamine our goals in education," says Shail Cory, who coordinates the computer program for the Chapel Hill-Carrbor City Schools in North Carolina. And computers are moving in now, whether or not new goals have been set. Students are eager to try them. Teachers wonder how to tap this enthusiasm without sacrificing educational qualitations of the computers of the computer o

While one state, or school district, or family may be heavily committed to computers, another may view them with skepticism or disinterest. The result is a confused, yet creative ferment. Individuals can have real impact now, because for all the excitement—there are few firm guidelines, few precedents.

A Mythical Country

One individual who made a difference is Jim Tomberg, a teacher at Chapel Hill High School. He could find hardly enough money in the budget to purchase even one computer for his students, so Tomberg proposed a software development group for the school. He requested and received a grant from federal and state funds set aside to aid unique educational projects.

The high school students in the project were to create original, documented programs to the specifications of teachers in the elementary grades. Tomberg wanted the programmers to work closely with the students and teachers receiving the programs.

To make the entire project educational, Tomberg says he "Iet the kids make all the decisions. They organized the whole course." They studied various brands of computers and decided what equipment to buy. Then they came up with the idea of doing a newsletter about their study—all composed on computers using word processing programs.

The teachers who requested material did, however, retain complete control over the content of the programs. In every case, students spoke directly with each teacher to insure useful results in the classroom.

Tomberg's project has received strong support from the 12 programmers as well as from the teachers requesting software. Not every request could be fulfilled, and when one student proceaded by the strong strong strong as a eccepted, "the teacher was so excited. He was ecstatic," says fromberg. The program, for history teacher Genzi Zimmerman, is a simulation of a mythical New World traversed by seafaring adventurers. The new land is complete with native venturers. The new land is complete with native and mountains and rivers to be charted,

The object of the game, called "Explorers," is to cross an ocean and trek across an unknown continent to gain treasure hidden on the other side. At each stage, obstacles must be overcome. At sea, whales and storms threaten the voyagers, Once on land, the terrain must be mapped for the journey overland. And part of the challenge is learning about the tribes. Some are friendly and



PLATO EDUCATIONAL COURSEWARE BRINGS NEW EXCITEMENT TO LEARNING.

If your kids think serious education has to be dull, wait until they use Control Data PLATO® educational courseware.

With PLATO courseware, children can learn by competing against themselves; by interacting with stimulating graphics that keep them motivated. They see their progress, and find real excitement in achievement.

PLATO courseware is being used in classrooms across the nation. Now you can bring this quality education home. You'll find PLATO lessons at selected retail outlets where quality software is sold.

For the Apple II Plus and Apple IIe, the TI 99/4A or Atari 800.

The selection includes elementary Math lessons in Basic Number Facts, Whole Numbers, Decimals and Fractions. Through such computerized activities as 'darts' and 'pahall', PLATO makes learning math almost fun. Foreign Language lessons use the oppular hangman or pyramid game concept to help teach French, German or Spanish in a way that holds and huids interest. Our Computer Literacy lesson provides a perfect introduction to the computer age for kids and novices. For Apple II Plus and Apple IIe.

Our Keyboarding lesson shows children and adults how to use a keyboard to enter data into the computer. Developed in cooperation with

Gregg-McGraw Hill.

Widen your child's world.

See the growing library of PLATO educational courseware at selected retail outlets. Or for information and a free PLATO educational courseware catalog, call toll-free 800/233-3784. Or write: Control Data Publishing Co., P.O. Box 261127, San Diego, CA 92126. In California call 800/233-3785.

Publishing Co. 6455 Dangana Malf, San Dago CA 92121





can help with the enterprise, while others must be battled or avoided.

The main idea for Explorers was Zimmerman's. He wanted a challenging exploration game
in which students could succeed (unlike some
adventure games, where you can play for hours,
adventure, games, where you can play for hours,
wrong turn). With Zimmerman's general theme
in mind, programmer Adne Twens et to work on
an ocean part of the adventure, while Tom Evans
created the new continent. They designed the
game so there is usually a way out of any difficulty
if the player is persistent and usee common sense.
for example, the can avoid being blown off course
by lowering the sail.



A mini-workshop for elementary school students conducted by Chapel Hill High School students and their advisor Jim Tomberg (center).

The students finished all their programs in time to present them to examiners overseeing the project for the state, and chances are good that funding will be extended this year. Toward the end of the school year, the programmers even held some workshops, sharing their knowledge with younger schoolmates. Pupils as experts, that's another Computer Age twist.

Tomberg is hard at work on his latest project: convincing a manufacturer of inexpensive computers to donate 30 of its products to the school. The students would be able to check them out of the library and take them home. "Just think," says Tomberg, "they'll be able to take one home and plug it right into the TV set."

New Research

At present, fully 25 percent of the funding for classroom computers is provided by parental, religious, or civic groups, according to a recent study by McGraw-Hill Research. And teachers often bring in their own computers to share. But these individuals and groups aren't always sure what approach to take, or even what brand of computer is best for schools.

"You are talking about a whole new era of technology, about which not enough background research has been done," says graduate student Jim Glover, of the University of Connecticut School of Education. "Schools are rashing pell-mell into educational computing, but may be teaching kids three or four hours a day with computers? What's best for preschoolers, for junior high? What type of display is easiest to look at? What kind of keyboard is comfortable to use?"

To help answer such questions, resourchers are looking at the growing nole of computers in education and developing new theories and methods to help educations cope with the changes. However, they are by no means unanimous in their recommendations. For some, computer-assisted instruction (CAI) is a perfect vehicle for the behaviors! theories of psychologis I.F. Shinner. For others, computers can enhance the open-who helived that education at its best involves an active discovery of reality by the learner, not a recollection of ready-made facts.

Plaget's ideas actually form the basis of a computer language – Logo – that was developed at MIT by Seymour Papert and others. Logo has intrigued many educators because it supports impressive screen graphics through a command structure that permits the linkage of simple procedures which then form more complex procedures.

Schools that use Logo and similar languages incorporating Flages's ideas have blossomed in recent years. The Bank Street College of Education in New York City has made a study of this appear of the Street College of Falucation in New York City has made as tudy of this appear of the effects that computers, and Logo in particular, have one learning among eight to twelve-year-olds. One characteristic of Logo is that it makes the child a partner in the learning process. However, says fardran Duthstay, "The computer itself teacher, Logo is a bomb."

While the research at Bank Street is still preliminary, work at such places will eventually give educators throughout the country a solid yardstick by which to evaluate new approaches.

Radiating Computing Centers

Current research has an impact on the classrooms of the future, but where do teachers or schools turn for help nov? Again, one committed teacher or a single successful program often serves as catalyst to create a larger, more formally organized group. For example, a teacher may begin a modest pilot program, and interested people drop by to ask questions. As the project grows, they may

SOFTWARE MOVIES







MAXIMUS, Inc. is excited to present two new educa-tional software movies for kids of all ages...and more are on the way!

STORYLINETM makes bedtime, or anytime, a warm and friendly funtime. Clover the Clown is your tourguide for two fairytales: The Ugly Duckling and Rumpelstiltskin. Through computer magic you become a part of each story!

SAFETYLINETM combines fun with important lessons about safety. Max the Cat shows you how to cross the street safety going to school and what to do when lost at the zoo.

Both software movies have interactive games that reinforce the fun and learning. Both have real human voices; you don't need a voice synthesizer!

- Features of the software include:

 Sophisticated Face Animation
 Lip-Synchronized Volces
 Original Musical Scores
 Superior Full-Color Graphics
 Optional Joystick Control
 Machine Language Programs

Relax and enjoy yourself. Let Max, Clover, and their colorful friends guide you through a new world of fun and learning. You'll be amazed at how real they are!

STORYLINETM and SAFETYLINETM are currently available for any Atari computer with 48K. Each software movie comes in either CASSETTE ONLY (\$29.95) or CASSETTE/ONLY (\$29.95) or CASSETTE/ONLY (\$34.95) versions. Order by mail or phone. Visa and Mastercard velcome. Include \$2.50 postage and handling; Vignila residents add 4% sales tax. Dealer inquiries invited. Write for our free catalog, MAXMUS, inc., 6723 Whitter Avenue, McLean, Virginia 22101

ORDER TOLL-FREE 1-800-368-2152

MAXIMUS ... Where Excellence is the Standard

Commadore 64 Ooming Coming return to volunteer their time - and the alliance grows. Such pioneer efforts can develop into vital resource centers whose influence reaches far beyond the local area

That's the way it happened in San Mateo County, California, where the Microcomputer Center there gained such a reputation for excellence that it has influence throughout the state and even beyond. Technically, the Center is only a county office, but because it was the first of its

kind in California, it became a model for similar programs elsewhere.

The Microcomputer Center has been designated as a software library and clearinghouse to support all 15 Teacher Education and Computer (TEC) Centers in the state. It also runs the Softswap public domain software exchange in cooperation with a group of volunteers working for CUE (Computer-Using Educators), Softsway receives hundreds of inquiries each month from around the world. The group prepares disks with programs contributed by educators and makes the disks available for \$10 each. The disks may then be freely copied and distributed.

The Center also received a grant for the 1982/83 school year to evaluate software and make the results available to educators all over California. To do this, it is establishing a cadre of software evaluators across the state and developing a list of educational software that has been favorably reviewed by other qualified groups across the country. The Center will coordinate and publish the results. (A software catalog is available for \$1 ppd. Write to Microcomputer Center, San Mateo County Office of Education, 333 Main St., Redwood City, CA 94063.)

California has given strong support to computer use in its schools. Many projects have been supported by state-administered grants. Another state which made one of the earliest starts in computer education is Minnesota. It remains a leader with its MECC (Minnesota Educational Computing Consortium) program, the nation's only statewide instructional computing network MECC offers a wide range of services to students, teachers, and administrators in the state's public schools and colleges. It also develops and distributes educational software for a fee to school districts anywhere in the United States. For many schools, MECC educational programs are the first ones in the classroom.

Texas has also strongly supported the use of computers in education. Software evaluation is coordinated on a statewide basis, and the state through 20 Educational Service Centers - now gets regular discounts of 25 to 30 percent on hardware. Soon, the Texas Education Agency hopes to go on-line with a data base containing all the agency's software evaluations and other perti-46 COMPUTE September 1983

nent information. To improve computer education throughout the state, requirements for teacher certification are being revised to include computer literacy. According to Sandy Pratscher, educational specialist for instructional computing for the state, the mere hint of this change has already caused a marked jump in enrollment for computer courses in Texas colleges.



Students at the Bank Street College of Education trying out a new program. Researchers here are looking at new ways to involve computers in the learning process.

Innovators

Summit School (Winston-Salem, North Carolina) is an unusual place - the kind where you'd almost expect to find an innovative computer program. Although the school is about to celebrate its 50th anniversary as an independent institution, the original principal, now 92, still comes in mornings to teach.

The school has a Math and Computer Center. According to the center's director, Elaine Bologna. the math center, started four years ago, was funded by two foundations as a demonstration center for new teaching methods. After the grants expired, the school took over funding and added the computer program. Teachers from all over North Carolina visit the center in Winston-Salem to attend workshops and demonstrations.

The emphasis at the center is on programming - Logo for grades one through six, BASIC for grades eight and nine. "The interesting thing about it," says Bologna, "is that when the kids come in after school, they use Logo," In fact, that language offers so many possibilities that the school really hasn't found much need for packaged software. Students invent their own games and experiment endlessly.

In one case, Bologna presented students with an imaginary situation and let them create it on



NEW LOWER PRICES LONGER LENGTHS DATA TRAC / C-06, C-12, C-24 From the leading supplier of Computer

Grade Cassettes, new, longer length C-12's (6 minutes per side) grovide the extra tew teet needed for some 16K programs. Premium 5-screw shall with leader -BASF tape

Internationally acclaimed. Thousands of repeat users.

Error Free • Money back Guarantee C-05 | C-12 | C-24 | HARD BOX

CIAL 500 C-12's

TRACTOR FEED . DIE-CUT

BLANK CASSETTE LABELS \$3.00/100 \$20.00/1000 CASSETTE

STORAGE CADDY Holds 12 casseties w/o b \$225

BASE QUALIMETRIC FLEXI-DISC SW SSDD, Soft Sect Lifetime warranty!

\$26.95/10 \$120.00/50 \$215.00/100 MICRO CASSETTES in convenient short lengths

SHIPPING/HANDLING \$3.50 Any quantity (except 500 special) NOTE Outside 48 Ceefin, States shipping \$3.50 PLUS \$1 per caddy, per decen cas settes or dazen boxes, per 10 discs in Cost U.S. stroments are by UP atless Parcel Post requested

California residents add Sales Tax WRITE FOR FREE BROCHURE ASK FOR QUANTITY DISCOUNTS for IMMEDIATE SHIPMENT

on Credit Card Orders Call 213/710-1430 VORK 10 Computerwar 573 Kittminge St., 'CM , Comego Park, CA 9150



EDUCATORS PREFER GROUP LEARNING WITH EDUPRO SOFTWARE

Here's what educators say about Edupro's multi-user software

"I have one microcomputer in my classroom. With Microgroup programs, more children have a chance to use if each day." T.G. Dales "Sometimes children compete for the highest

score. Other times they cooperate to 'beat the obok'. The slower ones learn from the faster ones. No one gets stuck." C. P. Cupertino "The Microgroup programs offer the kids a tot of variety. My kids use the Storybook Theme

omorams. Each omoram has four harning games. It's easy for the kids to switch back K G Minneapolis "I like the idea of easy and hard problems in

the same program. Children of different ages or ability invers can work together L. W. Tallahassee Group learning really works.

After the Edupro Microgroup 4-player and 8 player programs were introduced early in 1983. educators soon confirmed three advantages Efficiency. By allowing several children to use one microcomputer simultaneously, the Microomup programs increase each child's time spent

in computer-aided learning. Effectiveness. Children learn effectively in oups. Older and more advanced students test their understanding by helping those who are slower. Group learning stimulates divergent thinking. And it teaches the importance of working together for a common goal

Equity. Children differ in the learning situations they prefer. Research shows that differences in gender, age, and culture underlie learning preferences. The Microgroup programs can be used by groups of varying sizes-even by a child alone.

New available for Apple® Computers. Two-player versions of many Edupro Atania programs are now available for the Apple, with your choice of user-selected keyboard or joystick control. Other new programs available from

BASIC-Play. This is the most enjoyable comter literacy tool your students can use. Short BASIC programs are presented as con problems in Edupro's familiar WORD-DRAW

format. After students have filled in the missing elements of a program, it runs, delighting them with sound, graphics, puzzles, etc. Stu dents can also change variables and observe ferent outcomes

Don't worry if your students seem to be having tun. BASIC-Play is teaching them the essentials of Atari or Appleant BASIC



Oklahoma Run. The year is 1889. Your stulents are poised at the frontier of the Oklahoma Territory When the run begins, each player stakes out a homestead. Ah, but no two home steads are the same. Given location, soil, water, costs of supplies, and market prices, what should a player raise? What about drilling for oil? Will it be boom or bust?

This multi-user simulation helps students understand the interrelated nature of land use decisions. Screen graphics include aerial views

of the homesteads First Base (a single-user program). Children are collectors. They collect stamps, coins, baseball cards, and more. Children need a database management program, but a simpler, friendlier one than adults use. First Base has been

designed for ease of use, yet it offers flexibility in record storage, retrieval, and display First Base comes with a sample file of baseball stars and their staffsfics. Fun to use, simple to

Share the excitement of group learning with software from Edupro. Ask for Edupro products for Atari and Apple computers at your local software dealer, or write to:



Dealer inquiries invited

Agen is a trademark of ASASI Inc. Apply is a trademark of Agele Computer, Inc.

the screen. "A plane was lost and needed a landing field," she told them, so they made a long rectangle. Then she asked, "Where's the terminal?" and finally, "Where's the door to the terminal?" When they were done, the students had created a whole airrort.

The kindergarten students use a Big Trac programmable toy to help them visualize Logo. They can make Big Trac perform the same sort of maneuvers on the floor that the Logo "turtle" does on the screen. This gives them a real feel for some of the ideas behind Logo and a head start when they encounter Logo in later grades.

In some cases, if s harder to inferest teachers than it is to interest students. "We don't have quite as much teacher involvement as we would like," says Bologan. "They haven't been able to feel comfortable in situations where they aren't the authority. But, really, that's one of the beauties of the whole thing. We all make mistakes." And is the state of the state of the whole thing. We all make mistakes." And is that they are new to everyone. There's a possibility of mutual discovery that can allow teacher and student to bate the learning experience.

"That's part of Papert's philosophy," says Bologna.

A Resource Center

Eventually, every class in the nation may have an army of computers, and teachers may be as familiar with their use as they are with gradebooks. But at present, computers are mysterious to many teachers. In fact, despite all the attention given lately to computer education, 47 precent of all schools still had no microcomputers for student instruction at the beginning of 1983, according to a national survey conducted at Johns Hopkins

But great strides have been made toward computer instruction, especially by schools with a computer enter. The person in charge is often simply an innovator interested in microcomputers simply as innovator interested in microcomputers programs grow – possibly with the addition of full-time staff – the resources of state and federal agencies become more accessible. Staff members have the time to find out what help is available. They can evaluate software and teaching methods dusine both hostely and the staff of the staff

Paul Boston took advantage of his position as a teacher at a science center serving the public schools in Maryland's Prince Georges County to initiate a computer program there. Now, five years later, the center has 29 Commodores serving 60 pupils per day in a regular schedule of instruction. Since the Howard B. Owens Science Center

receives students from the other schools for special programs, Boston decided it would be costeffective for the center to introduce micros. They purchased two of the earliest Commodore PETs, the ones with what Boston calls the "Munchkin" (calculator-style) keyboard. The program began with one-time, four-hour workshops for gifted students. Gradually it was refined and expanded into a resource for the whole school system.

As the center evolved, it was modified to respond to whatever computer activity was already established in the individual schools. All the major computer brands are now represented at various schools, and the high school has powerful multi-terminal machines. The center now concentrates on introducing computers to younger students, primarily those in the find through sixth grades. Students younger than that requirements that the contract has a student to the contract has a student has a student

"We find that our students have a lot of misconceptions about computers," says Boston, "We try to correct these. The student should be familiar enough with computers to be able to utilize a program." When they are, Boston claims the youngsters "are not fooled easily about computers. When they see Knight Ridir (a show with a computerized, talking car), they know computers don't really have emotions or many of the

capabilities portrayed."

This approach puts the center firmly in the camp that emphasizes teaching about computers, as opposed to teaching programming or using computers to teach other subjects (CAI). "Computer programming will be done by the few, but Described to the computer of the computer of the computer of the computers of the com

To broaden teacher awareness of computers, the center's instructors offer workshops on in-service training days. They help teachers become comfortable with computers and advise them about using computers in class. "For example," says Boston, "fit hey are going to do CAI we encourage them to use students' talents, but to temper those abilities with their own educational judgment." Teachers may be intimidated because easily than they do. That's why people at the center feel it's important to acquaint people throughout the school system with computers.

Students are growing up in an environment where banking machines, grocery stores, and business procedures are increasingly computerized. Teachers and resource groups like the Science Center are helping them prepare for it. In the process, they are learning themselves—evolving as they develop more effective methods for bringing computers and students together.

©

PLAY THE ARCADE GAMES THAT TALK BACK!

What do Program Design games include for free that other companies charge you hundreds of dollars for?

The human voice.

Only Program Design software comes with a voice based cassette synchronized with your Atan computer. So now, you not only use your eyes and intellect to pilay one of our arcade games. You use your ears too, Visit your nearest software dealer and take a test listen.

DON'T PLAY 'CLIPPER'

You're the captain of the clippership Flying Cloud And there's never been a tougher sea challenge than your voyage from New York to San Francisco via Cape Horn



As you cast off, the actual sound of old see chanteys fills the air. But there's no time for singling, because you have to navigate through storms and icebergs. As if that wasn't enough, there's the constant danger of being thrown over board by a multiny, so you better know how to swim. Remember, you're in charge. So pick you're not prey and course you're not have.

DEFEND 'MOONBASE IO' AND THE PRESIDENT WILL THANK YOU PERSONALLY

The voice of mission control asis you to defined Moonbase to form a horded faller invaders Burffis, you and your robot must navigate through mine fields. Moonbase to combines three adventure games in one. And when your mission is completed your manners, Moonbase to it is to when your mission you may not make the province of the most innovative game award from Electronic Games magazine.

Clipper comes in 39K disk, cassette & joystick or 94K cassette & joystick: Moonbase to comes in 94K disk, cassette and joystick or 16K cassette & joystick



Greenwich, CT 06830

*Atan is a trademark of Atan, Inc.

PROGRAMS WITH THE WORKS



COMMODORE 64, VIC 20, ATARI 400/800/1200

Witting good programs is not on easy task. Introducing INSDE BASIC, a settles of well documented programs which include: program overviews, suggested changes, line-by-line descriptions, listings, and variable chorts. Learn the waskings of a well-designed program in order to create your own. There's something for everyone—games, business applications, and educational programs.

KENTUCKY DERBY—\$19.95: All the fun of a day at the roces including hi-resolution graphics. You and your friends can have hours of enjoyment betting on your favorite horses and winning big bucks! You can even change the names of the horses for more fun.

FORM GENERATOR—\$19.95: The preparation of forms can be a mess, with this easy-to-use program you can generate anything from labels to invoices.

IASC ORGANIZE— \$24.95. This useful program keeps you on top of your work schedule either new thaks and projects with decidines and track them through completion. Automatically list jobs in priority order.

**QUIZ ME—\$14.95. This if the ideal program to demonstrate the computer's stallity to present materials, ask questions, and some you. After identing this one, you can make a quart for may share.

ALK YOM BALLER OF ORDER DIRECT: Specify pringrom, band of correputs towards or date (Cost MCI0 for HIG). Send chind is many acids—and SEQU integring one handling. C.O.D. and model one drafts call (245) 869-8290 (acid 15 (Generica Angue) PR, NJ invasions to acid Science (Cost) 869-8290 (acid 15 (Generica Angue) PR, NJ invasions to acid Science (Cost) Contraction of and VIC 20 are registered footemate of Commodate Business Modelmes, Alfa 441(MCI)9500 are inclements of Alsa.



Caves Of Ice

Marvin Bunker and Robert Tsuk

This award-winning game should provide hours of amusement. Originally written on the Apple, there are also versions here for VIC, 64, Atari, and PET/CBM.

Robert Tsuk invented a game called "Quinti-Maze," wrote a version for the Apple, and won a prize in a BYTE magazine game contest—it was published in the Septembert 1982 SPITE. It looked too intriguing to be limited to Apple coveres, so I wrote a version called "Carport to VICE sequences, so with the contest of the Company of the Company of the SK or more expansion memory). I contacted Robert Tsuk about submitting this version as a joint article to COMPUTE! where other Commodore computer coveres could share it. He replied that he was converting it for the Atan. These games are the result of our joint efforts.

The Game Scenario

At the start you are somewhere in a five-story structure made entirely of ice. Each floor has 25 rooms in a five-by-five array. Carved into the walls of each room are one or more openings, doors to the north, south, east, west, up, or down. However, you can see only the doors available to you from your present variateg point. Only one door in the building opens to the outside. It may be in the policy of the position of the policy of

You can change which direction you are facing at any time – complete instructions are included in the program.

After finding your way out, you are given the option of trying the same maze and same starting point again to see if you can improve your time. Or, you can play again with a new random



A room with five possible exits - only one of the rooms you may encounter in "Caves of Ice." VIC version.

Strategy

To quote from Robert Tsuk's carlier article: "The strategy for Quinti-Maze is fairly simple; be methodical. Because all the rooms in the maze look similar, you could wander around forever without finding the exit. My favorite method is to travel in one direction as far as I can go, then I assume I'm at one of the outside walls and search there for an exit."

A Variation

Insert this line at the beginning of either Program

2: 1 X=RND(-π)

This initializes the random number generator with the same seed each time you RUN, so you'll always start with the same maze. You can have the sequence U.W.W.N.W.S. W committed to memory and annaze your friends with how papilly you can find your way out. The figure shows the complete maze produced by this starting seed. Nate: This seed produces a different maze on the VIC.

50 COMPUTE! September 1983

A million laughs



and an endless challenge



Ask your Brøderbund dealer for sneak previews.



Maze Resulting From - π Starting Seed



Secon	d Flo	or		
	U	U	U	U
	D	D	D	D
U	U	U	U	U
	D	D	D	D
υ	U D	U D	Ü D	
U	U D	U D	U	U D
U	D	U	U	U
D		D	D	D



	Fourth	Floo	r		
	U D	U D	U D	U D	U D
	U D	U D	D	U D	U D
Exit	U	U D	U D	υ	U D
		U		D	U D
	U D	U D	U D	U D	D





Program Notes

In lines 1140 and 3005, the PRINT CHRS(7) statements produce beeps on the PET when you try to go through a solid wall and when you successfully find your way out. If you have a PET without the built-in beeper, but you do have the CB2 sound, you can replace these statements with the appropriate sequence of POKE statements to give the sound effects desired. VIC and 64 owners should replace the PRINT CHR\$(7) with the proper POKEs to produce sounds on their computers if they desire this feature.

In the INPUT statement in line 2001, following the INSTRUCTIONS are three shifted spaces followed by three left cursors. This is my favorite way to avoid the infamous PET INPUT crash.

Program 1 is Caves of Ice for the VIC (with 8K or more expansion memory) and 64. The only changes required to RUN on PET/CBM models are in the keys which must be typed to produce the graphics in lines 120-151. Program 2 lists these changes for the PET. The graphics are not directly accessible from models with "business style" keyboards. Refer to your manuals for the equivalent CHR\$ codes. Newer CBM models may also require the addition of a line such as: 5 PRINT CHR\$(142)

52 COMPUTE! Sendember 9083

to put them into graphics mode.

Program 1: Caves Of Ice - VIC And 64

BEGINNING PROGRAMMERS If you're new to computing, please read "How To Type COMPUTE!'s Programs" and "A Beginner's Guide To Typing In Programs,"

- 10 RS="[23 RIGHT]" 20 D\$="[23 DOWN]"
- 25 PRINT"[CLR]" 98 GOSUB2888
- 100 DIMFC(5,7),FC\$(5) 105 FC\$(1)="NORTH":FC\$(2)="SOUTH":FC\$(3)
- =" EAST":FC\$(4)=" WEST" 116 FORB=1T04: FORI=1T06: READFC(B, I): NEXT
- :NEXT 115 GOTO155
- 120 PRINT"[CLR] \$20 03[DOWN][LEFT]N [DOWN] [2 LEFT] N[DOWN] [2 LEFT] N[DOWN] (2 LEPT)N"

 121 PRINT"(HOME)(DOWN)(RIGHT)M(DOWN)M
- [DOWN]M[DOWN]M812 83" 122 PRINT"[HOME] [DOWN] "; : FORI=1TO18: PRIN
- T"EM3 (DOWN) (LEFT)"; : NEXT : PRINT" (UP) [RIGHT]N[UP]N[UP]N[UP]N[UP]": 123 PRINT"EGS";:FORI=1T09:PRINT"[UP] [LEFT]EGS";:NEXT
- 124 PRINT"[HOME]"; LEFT\$(D\$, 19); "RMR [RVS] [20 SPACES] [OFF] [G] [LEFT] [UP] (LEFT)M(UP){2 LEFT}M(UP){2 LEFT}M
- (UP) (2 LEFT) M" 125 PRINT" (HOME) "LEFT\$ (D\$, 15); LEFT\$ (R\$, 5

WHILE OTHER COMPUTER COMPANIES ARE BUSY SETTING NEW PRICES. SPECTRAVIDEO IS BUSY SETTING NEW STANDARDS.

MSX™ and LOGO™: Two more reasons why Spectravideo is leading the way in P

White price wars and confusion reign all around us. Spectravideo goes about its business, setting stan-dards by which all other personal computers will soon be judged. MSX and LOGO are the two latest ex-amples of how Spectravideo is racking- and reshaping -the personal computer Industry.

-me personal computer industry.

MSX AND LOGO.

It is now history that, on June 15 1983, Spectravideo, Inc., joined with most of Japan's largest
electronics firms to lounch MSX. The most far-reaching
personal computer standard in history, MSX is the
the most all the medium personal transport of
the most of the most of the most of the
the most of the most of the
the most of the most of the
the most of the transport of the
the
the transport of
the transport of the
the transport of
the transport of the
the transp personal computer standard in history, MSX is the name given to a specific hardwardsoffware con-figuration that makes product interchangeability possible. While Spectrovideo is proud to porticipate in MSX, we are even prouder of this fact. If was our own SV-318 computer that was used as a polartype for the MSX designt. There are two important aspects

The second of th

Certain engineering elements that helped to make this built-in control possible have also been incar-parated into MSX. OTHER STANDARDS OF EXCELLENCE.

OTHER STANDARDS OF EXCELLENCE
While these are the computer standardisate
that Spectravideo helped to initiate, they by no
means represent the whole SV-1818 story. This
remarkable computer has also established many
standards of excellence that other personal com-

pulers now aspire to: Bulli-in Super Extended Microsoff BASIC-Makes the SV-318 the first truly programmable affordable comput-

- Extraordinary Memory-32K ROM expandable to 96K and 32K RAM expandable (via bank switching)to an
- Unparolleled Expandability—A full supporting system of 14 perpherals, including our new Calecossico^(N) Game Adapter, 7-Sof Expander Unit, Roppy Disk Drive, Data Cassatto, Inferioco Cartridges, étc.
- ore Available Software-Builtin CPIM composibility yes you immediate access to aver 3000 existing sol se programs. Plus, you can utilize Spectravided's own e software Blumy.
- Many other line features. Such as ZSOA Microprocess with last (3.4) internal clock, top-looding cartridge slot O use-programmable special function keys, 3 sound hoursels (6 actives per channell), low profile and thou

SPECTRAVIDED


Computer systems you'll grow into, not out of.

SV 3ID

MAN MAN MAN MAN MAN m é di di di di di di di m m c



FOR UNDER \$300



RAPHICS WHERE "far more graphic than any deniction -**ON'T SHI** vet achieved by an adventure with graphics." And the NEW YORK

You'll never see Infocom's graphics on any computer screen. Because there's never been a computer built by man that could handle the images we produce. And, there never will be,

We draw our graphics from the limitless imagery of your imagination-a technology so powerful, it makes any picture that's ever come out of a screen look like

graffiti by comparison. And nobody knows how to unleash your imagination like Inform

Through our prose. your imagination makes you part of our stories in control of what you do and where you govet unable to predict or control the course of events. You're confronted with situations and logical nuzzles the like

of which you won't find elsewhere. And you're immersed in rich environments alive with personalities as real as any you'll meet in the flesh-yet all the more vivid because they're perceived directly by your mind's eye, not through your external senses. The method to this magic? We've found the way to plug our prose right into your psyche, and catapult you into a whole new dimension.

Take some tough critics' words about our words SOFTALK for example, called ZORK® III's prose TIMES saw fit to print that our DEADLINE™ is "an amazing

feat of programming." Even a journal as video-oriented as ELEC-TRONIC GAMES found Infocom prose to be such an eve-opener they named one of our games their Best Adventure of 1983.

Better still, bring an Infocom game home with you. Discover firsthand why thousands upon thousands of discriminating game players keep turning everything we write into instantaneous bestsellers.

Step up to Infocom. All words. No graffiti. The secret reaches of your mind are beckoning. A whole new dimension is in there waiting for you.









The next dimension.

Inforcer, Inc., 55 Wheeler St., Cambridge, MA 02138



64 version

);"E12 TE"

126 PRINT"(HOME)"; LEFT\$(R\$,21); :FORI=1TO
18:PRINT"[DOWN]EG%[LEFT]"; :NEXT

127 PRINT"(HOME)"; LEFT\$(R\$,17); LEFT\$(D\$, 5); :FORI=1TO10:PRINT"EG8(DOWN) [LEFT]"; :NEXT

129 RETURN

E4 T3":RETURN 135 PRINT"[HOME]";LEFT\$(D\$,16);LEFT\$(R\$, 9); "E4 48(DOWN)[5 LEFT]NEG3 {2 SPACES[EMBM(DOWN)]6 LEFT]

E6 T3":RETURN
140 PRINT"{HOME}";LEFT\$(D\$,7);"{RIGHT}";
:FORI=1T011:PRINT"EM3{DOWN}{LEFT}"

;:NEXT:PRINT"{RIGHT}{3 UP}8832" 141 PRINT"(HOME)";LEPTS(D\$,9);"(2 RIGHT) 8T3P";:FORI=1T05:PRINT"{DOWN} (LEPT)8M3";:NEXT

145 FRINT"[HOME]"; LEFT\$(D\$, 7); LEFT\$(I)
), "E4 @3[DOWN][5 LEFT]EM3M
E2 @3MEG3"; :FORI=1T05
146 PRINT"[DOWN][6 LEFT]EM3 EG3EM3

146 PRINT DOWN! (6 LEFT) EMS EGSEMS EGS ": NEXT PRINT "[DOWN] (6 LEFT) EMSNE2 TSMEGS ": RETURN 150 PRINT" [MOME]" : LEFTS (DS,7); LEFTS (RS,1 9); "MEGS [DOWN] (3 LEFT) M EGS

(DOWN) (3 LEFT) ORTHOGO (3"): FORM = 1TO 5

151 PRINT" (DOWN) (3 LEFT) EG 8 EG 8"; : NE
XT: PRINT" (DOWN) (3 LEFT) LE 68 EG 8
(DOWN) (LEFT) LE 68 EG 8"; : NE

RETURN 155 DIMS\$(6,6)

165 FORA=1T05:FORX=1T05:FORY=1T05
170 IFA<>5ANDRND(1)<.8THENS\$(X,A)=S\$(X,A)+*O*:GOT0180</pre>

175 S\$(X,A)=S\$(X,A)+"X" 180 IFMID\$(S\$(X,A-1),(Y-1)*6+1,1)="O"THE NS\$(X,A)=S\$(X,A)+"O":GOTO190 185 S\$(X,A)=S\$(X,A)+"X"

198 IFY-2<@GOTO200 195 IFMID\$(S\$(X,A),(Y-2)*6+4,1)="O"THENS \$(X,A)=S\$(X,A)+"0":GOTO205 200 S\$(X,A)=S\$(X,A)+"X"

205 IFY<>5ANDRND(1)<.8THENS\$(X,A)=S\$(X,A)+"0":GOTO215
210 S\$(X,A)=S\$(X,A)+"X"
215 IFX<>5ANDRND(1)<.8THENS\$(X,A)=S\$(X,A)

)+"0":GOTO225 220 S\$(X,A)=S\$(X,A)+"X" 225 IFMID\$(S\$(X-1,A),(Y-1)*6+5,1)="0"THE NSC(Y,X)=S(Y,X)+"3",GOTO235

NS\$(X,A)=S\$(X,A)+*0":GOTO235 230 S\$(X,A)=S\$(X,A)+"X" 235 NEXT:PRINT"*"::NEXT:NEXT

240 X=INT(RND(1)*3)+2:Y=INT(RND(1)*3)+2: A=INT(RND(1)*3)+2

245 RD=INT(RND(1)*6)+1:ONRDGOTO250,255,2 60,265,270,270

250 A=5:P1\$=LEFT\$(\$\$(X,A),(Y-1)*6):L=29-LEN(P1\$):P2\$=RIGHT\$(\$\$(X,A),L) 251 \$\$(X,A)=P1\$+"O"+P2\$:GOTO290

255 A=1:P1\$=LEFT\$(\$\$(X,A),(Y-1)*6+1):L=2 9-LEN(P1\$):P2\$=R1GHT\$(\$\$(X,A),L) 256 \$\$(X,A)=P1\$+"O"+P2\$:GOTO298 268 Y=5:P1\$=LEFT\$(\$\$(X,A),(Y-1)*6+3):L=2

260 Y=5:P1\$=LEFT\$(S\$(X,A),(Y-1)*6+3):L=2 9-LEN(P1\$):P2\$=RIGHT\$(S\$(X,A),L) 261 S\$(X,A)=P1\$+"O"+P2\$:GOTO290 265 Y=1:P1\$=LEFT\$(S\$(X,A),(Y-1)*6+2):L=2

9-LEN(P1\$):P2\$-RIGHT\$(S\$(X,A),L) 266 S\$(X,A)=P1\$+"O"+P2\$:GOTO290 270 X=5:P1\$=LEFT\$(S\$(X,A),(Y-1)*6+4):L=2

9-LEN(P1\$):P2\$=RIGHT\$(S\$(X,A),L)
271 S\$(X,A)=P1\$+"O"+P2\$:GOTO290
275 X=1:P1\$=LEPT\$(S\$(X,A),(Y-1)*6+5):L=2
9-LEN(P1\$):P2\$=RIGHT\$(S\$(X,A),L)

276 S\$(X,A)=P1\$+"O"+P2\$:GOTO290 298 PRINT:PRINT: PRINT"HIT {RVS}RETURN {OFF} TO START"

300 GETC\$:IFC\$="*GOTO300 1000 X=INT(RND(1)*5)+1:Y=INT(RND(1)*5)+1 :A=INT(RND(1)*5)+1 1005 SX=X:SY=Y:SA=A

1010 FC=1:TI\$="00000":GOTO1220 1020 PRINT"[HOME]";LEFT\$(D\$,20);LEFT\$(R\$,16)"[RVS]";FC\$(FC):A\$="":D=0

,16)"!RVS|";FC\$(FC):A\$="":D=0 1030 TX\$=TI\$:TP\$=LEFT\$(TX\$,2)+":"+MID\$(T X\$,3,2)+":"+RIGHT\$(TX\$,2) 1040 PRINT"!HOME]";LEFT\$(D\$,20);" [RVS]T

IME=";TP\$;"[2 SPACES]" 1050 GETA\$ 1060 IFA\$="U"THEND=1 1070 IFA\$="D"THEND=2

1686 IFAS="N"THEND=3 1696 IFAS="S"THEND=4 1106 IFAS="E"THEND=5 1116 IFAS="W"THEND=6 1126 IFAS="F"GCTO1286

1130 IFD=@GOTO1020 1140 IFMID\$(\$\$(X,A),(Y-1)*6+D,1) <> "O"THE NPRINTCHR\$(7):GOTO1020 1150 ONDGOTO1160,1170,1180,1190,1200,1210

1160 A=A+1:GOTO1220 1170 A=A-1:GOTO1220 A 1180 Y=Y-1:GOTO1220 1190 Y=Y+1:GOTO1220

1190 Y=Y+1:GOTO1220 1200 X=X+1:GOTO1220 1210 X=X-1

1220 IFX>50RX<10RY>50RY<10RA>50RA<1THENP RINT"YOU WIN. PLAY AGAIN?":GOTO3000 1230 GOSUB120 1240 FORII=IT06:IFMIDS(SS(X,A),(Y-1)*6+I

56 COMPUTEI September 1983



<u>idrunner</u> software retailer

got what it takes to go all the way to the 31st level (20 levels on VIC 20™ version). Maybe you can master the patterns of the X/Y Zappers. And stop the Gridsearch Droids before they

mutate into lethal Pods. The Gridrunner challenge. Just one of the ways that HesWare is expanding the computer experience. Look for all the HesWare products at your favorite

> Pleases the tough customer.

HesWare.

- I,1)="X"THENNEXT:GOTO1020 1250 R=FC(FC,II)+1
- 1260 ONRGOSUB125,130,135,140,145,150 1270 NEXT:GOTO1020 1280 PRINT (HOME) ; LEFT\$(D\$,22); "NEW FAC ING, N,S,E,W";
- 1281 GETC\$:IFC\$=""GOTO1280 1282 IFC\$<>"N"ANDC\$<>"S"ANDC\$<>"E"ANDC\$<
- >"W"GOTO1281 1283 PRINTC\$:IFC\$="N"THENFC=1 1284 IFC\$="S"THENFC=2
- 1285 IFC\$="E"THENFC=3 1286 IFC\$="W"THENFC=4
- 1286 IFC\$="W"THENFC=4 1287 GOTO1220
- 2000 PRINTLEFT\$(D\$,8); LEFT\$(R\$,5); "[RVS] CAVES OF ICE(OPF)"
- 2001 PRINT"[3 DOWN]DO YOU WANT":INPUT"IN STRUCTIONS[3 SPACES][3 LEPT]";Y\$ 2002 IPLEPT\$[Y\$,1]. "Y"THEMOOTO2100
- 2010 PRINT"[CLR]THE OBJECT OF [RVS]CAVES [OFF]":PRINT"IS TO FIND YOUR WAY" 2011 PRINT"OUT OF A 5X5X5 CUBIC":PRINT"M
- 2011 PRINT OF A 5X5X5 CUBIC":PRINT"M AZE. IN ONE OF THE 2012 PRINT"ROOMS THERE IS AN EXIT":PRINT
- "OUT OF THE MAZE.
 2013 PRINT:PRINT"YOU MUST TRY TO PIND IT
 ":PRINT"IN THE MINIMUM TIME.
- 2014 PRINT"THE COMMANDS ARE: "
 2020 PRINT" [RVS]U[OFF] UP; [RVS]S[OFF]
 SOUTH: "PRINT" [RVS]D[OFF] DOWN
- SOUTH; "PRINT" [RVS]D[OFF] DOWN , [RVS]E[OFF] - EAST; 2030 PRINT" [RVS]N[OFF] - NORTH; [RVS]W [OFF] - WEST;"
- 2040 PRINT"[RVS]F[OFF] TO CHANGE FACING. 2050 PRINT:PRINT"HIT [RVS]RETURN[OFF] TO GO ON.
- 2051 GETC\$: IPC\$=""GOTO2051 2060 PRINT"{CLR}{RVS}F[OFF] WILL COME BA CK WITH A":PRINT"QUESTION AS TO WHI CH
- 2062 PRINT"FACING YOU WISH. HIT":PRINT"O NLY ONE KEY":PRINT"AND {RVS}RETURN {OFF}"
- 2180 PRINT:PRINT"PLEASE WAIT ABOUT 36":P RINT"SECONDS WHILE I SET UP":PRINT" THE MAZE.
- 2101 RETURN 3000 PRINT"[3 SPACES][RVS]Y[OFF] OR
- {RVS}N(OFF)?"
 3005 FORI=1TO10:PRINTCHR\$(7);:NEXT
 3010 GETC\$:IFC\$=""GOTO3010
- 3010 GETC\$:IFC\$=""GOTO3010 3020 IPC\$<>"Y"ANDC\$<>"N"GOTO3010
- 3030 IPC\$="N"THENSTOP 3032 PRINT"SAME MAZE (RVS)S(OFF) OR 3033 PRINT"NEW MAZE (RVS)N(OFF)?"
- 3034 GETC\$:IFC\$=""GOTO3034 3035 IFC\$ \"S"ANDC\$ \\"N"GOTO3034
- 3035 IFC\$<>"S"ANDC\$<>"N"GOTO3034 3036 IFC\$="N"GOTO165 3040 X=SX:Y=SY:A=SA:GOTO1010
- 4000 DATA1,2,4,0,5,3,1,2,0,4,3,5,1,2,3,5,4,0,1,2,5,3,0,4

Program 2: Caves Of Ice – Changes For PET/CBM

58 COMPUTER September 1983

T"'[DOWN][LEFT]";:NEXT:PRINT"[UP]
[RIGHT]N[UP]N[UP]N[UP]N[UP]";
23 PRINT"%",:FORI=1T09:PRINT"[UP][LEFT]

%",:NEX"

124 PRINT"{HOME}";LEFT\$(D\$,19);"'{RVS}
(20 SPACES)[OFF]\$(LEFT][UP](LEFT)M
(UP)[2 LEFT]M[UP][2 LEFT]M[UP]
(2 LEFT]M"

126 PRINT"(HOME)"; LEFT\$(R\$,21); FORI=ITO
18:PRINT"{DOWN}&[LEFT]";:NEXT
127 PRINT"{HOME}"; LEFT\$(R\$,17); LEFT\$(D\$,
5); FORI=ITO10:PRINT"&[DOWN]{LEFT]";

· NEVT

129 RETURN
130 PRINT" [HOME] ", LEFT\$ (R\$, 8); " [DOWN] \$\$\$ \$\$\$ (DOWN) [6 LEFT] M\$ [2 SPACES] "N [DOWN] [5 LEFT] ### [FT TURN
135 PRINT" [HOME] ", LEFT\$ (R\$, 16); LEFT\$ (R\$,

9), \$\$\${DONN][6 LET]\$### ".RETURN [2 SPACES]"M [DONN][6 LET]\$#### ".RETURN [140 PRINT" [HOME] ".LETFS[08, 7), "[RIGHT]", "PORI=ITO][1:PRINT" "[DONN][LEFT]"; NE XT:PRINT" [RIGHT] [3] UP] \$;

141 PRINT" [RIGHT] [3 10]], "[2 RIGHT] #P"::FORI=1T05:PRINT" [DOWN] [LEFT] ";
:NEXT

142 PRINT" [HOME]"; LEFT\$ (D\$,7); "[2 RIGHT]
M(DOWN M": RETURN
145 PRINT" [HOME]"; LEFT\$ (D\$,7); LEFT\$ (R\$,9); "\$\$\$\$ [DOWN] [5 LEFT] 'M\$\$N\$"; !PORI=1

TO5
146 PRINT"{DOWN}{6 LEFT}' %' %";:NEXT:PR
INT"{DOWN}{6 LEPT}' N##M%":RETURN
150 PRINT"{HOME}":LEFTS(DS.7);LEFTS(RS.1

9), "%% [DOWN] [3 LEFT]N % [DOWN]
[3 LEFT] 0#8"; FOR=1TO5
151 PRINT" [DOWN] [3 LEFT] & %"; NEXT: PRINT
"[DOWN] [3 LEFT] L\$% [DOWN] [LEFT] &
[DOWN] [LEFT] L\$". REFURN

Use the handy reader service cards in the back of the

magazine for information on products advertised in

COMPUTE!

If our word processing software is so great, why are we giving it away?



It's our way of introducing you to DATA 20.

As the leader in price/performance peripherals for

Commodore 64™ and VIC 20™ we want you as a loyal customer. So to encourage you to sample our add-ons, we're giving away our



any DATA 20 DISPLAY MANAGER or VIDEO PAK to expand your Commodore to 80 columns.

WORD MANAGER soft-

ware when you purchase

What's so great about WORD MANAGER?

The table liefs the tale, This DATA 20 exclusive gives you powerful features found only on the most expensive word processing systems including mail merge, block move, search and replace. And we we written our word processing in machine language for fast execution and low memory are interned.

Compare the Top Three	100 2	0 / 18 d	0/10%				5
WORD MANAGER	•	•	•	•	•	•	
WordPro*		-	-		•	-	
Quick Brown Fox ^{rw}	-	-	٠		-	•	

Best of all, WORD MANAGER is exceptionally easy to use. A self-adhesive feature strip for function keys makes most commands one-key simple, eliminating awkward prompts and menus.

What you see is what you print.
With our professional 80-column

With our professional 80-coluformat, your printed product duplicates screen output precisely. You see centering, left justification and

ing, left justification and other features as they will print. So you'll save time, save paper, and get the exact results you want!



WORD MANAGER is really something—for nothing! Get it free with your DISPLAY MANAGER or VIDEO PAK from DATA 20. See your dealer or write: DATA 20 CORPORATION, 23011 Moulton Parkway, Suite B10, Laguna Hills, CA 92653.

DATA 20

Price/Performance Peripherals

Commodore 64 and VIC 20 see trademarks of Commodore Electronics, Ltd. Ouck Brown Fox is a trademark of Ouck Brown Fox WordPious a registered trademark of Professional Software, Inc.



"Caves of Ice" Atari version

Program 3: Caves Of Ice - Atari Version

1Ø GOTD 1ØØ 15 L=PEEK(708):POKE 708.PEEK(710):PD KE 710,L

8=8+AB: IF B=1 DR B=5 THEN A8=AB*-

T=T+INT(RND(Ø) #3-1): IF T<1 THEN T -5 18 IF T>5 THEN T=1

20 SPOT=6*X+30*Y+150*A+I:RETURN

38 CDLDR 1 32 ? #6: "(CLEAR)": PLDT @.@: DRAWTD 59 ,29: DRAWTD 59,129: DRAWTD 259,129:

ORAWID 259, 29: DRAWID 59, 29: PLDT 3 19, Ø: DRAWTO 259, 29 35 PLDT 319, 159; ORAWID 259, 129; PLDT Ø, 159: DRAWTD 59, 129: PLOT Ø, 159: DR

AWTD 319,159:SETCDLDR 2,A+11,10:R ETURN 40 PLDT 129,9: DRAWTD 189,9: DRAWTO 17 9,19:DRAWTD 139,19:DRAWTD 129,9:P

LDT 139,9:DRAWTD 139,19:PLDT 179, 9: DRAWID 179.19 45 RETURN PLOT 129, 149: DRAWID 189, 149: DRAWI

D 179,139; DRAWTO 139,139; DRAWTO 1 29,149:PLOT 139,139: DRAWTD 139,14 55 PLDT 179,139: DRAWTD 179,149: RETUR

PLOT 279,59:DRAWTD 389,49:DRAWTD 309,154:DRAWTO 279,139:ORAWTO 279 ,59:DRAWTO 309,59:PLDT 279,139

65 DRAWTD 309,139: RETURN 70 PLDT 9.49: ORANTO 39.59: DRAWTD 39. 139: ORAWTO 9, 154: DRAWTD 9, 49: PLD1

9,59: DRAWTO 39,59: PLOT 9,139 75 DRAWTO 39.139: RETURN 80 PLDT 129,59: DRAWTD 189,59: DRAWTD

189, 129; ORAWID 129, 129; DRAWID 129 59: ORAWID 139, 69: ORAWID 179, 69 DRAWTD 179,119: DRAWTD 139,119: DRA WTO 139,69; PLDT 179,69; DRAWTD 189 ,59:PLDT 189,129:ORAWTO 179,119:F LOT 129,129 85 DRAWTO 139, 119: RETURN

9Ø RETURN 100 DIM A\$ (750), G\$ (1), FC (4,6), SC\$ (20

#):A\$(75#)="D":FDR I=2# TD 192 S TEP 11:SC\$(I)="->67000000CC-":NEXT 181 SC\$(1,19)="(19 SPACES)":SC\$(LEN(S

Cs)+1)="(1# SPACES)" GDSUB 3666 185 FDR FC=1 TD 4:FDR I=1 TD 6:READ A:FC(FC, I) =A: NEXT I: NEXT FC

167 X=6 189 Y-8

116 A=6

115 GDSUB 258 120 IF RND(0)<0.7 AND A<4 THEN I=1:6 DSUB 20:As (SPDT, SPDT) ="X" 130 IF RND(0)<0.7 AND X<4 THEN I=3:8

DSUB 20:As (SPOT, SPDT) ="X" 140 IF RND(0)<0.7 AND Y<4 THEN I=5:6

DSUB 20:A\$ (SPDT, SPDT) ="X" 150 IF A>0 THEN A=A-1: I=1: GDSUB 20:A =A+1:IF A\$(SPDT, SPDT) ="X" THEN)

=2:6DSUB 20:A\$(SPDT.SPDT)="X" 160 IF X>0 THEN X=X-1:1=3:60SUB 20:> -X+1: IF A\$ (SPDT, SPDT) ="X" THEN I -4:60SUB 20:A\$ (SPDT, SPDT) = "X"

178 IF Y>0 THEN Y=Y-1: I=5: GOSU8 20: Y =Y+1:IF A#(SPDT.SPDT)="X" THEN I =6: GDSU8 20: A\$ (SPDT, SPDT) = "X"

198 A=A+1:1F A<5 THEN 115 191 Y=Y+1:1F Y<5 THEN 118 192 X=X+1:1F X<5 THEN 109

193 SOUND Ø, Ø, Ø, Ø: SDUND 1, Ø, Ø, Ø 195 GOTD 300

266 GOSUB 36: FOR Q=1 TD 6: I=Q 21# GOSUB 2#: IF A\$ (SPOT, SPDT) <> "X" T HEN 236

215 I=FC(F, 0) 228 ON I GDSUB 48,58,68,78,88,98 238 NEXT Q:RETURN

258 L=PEEK(788):PDKE 788,PEEK(789):P DKE 789, PEEK (718) : POKE 718, L 255 SOUND Ø, BASS (D, 8), 10, 10: SDUND 1, TREBLE (D, T), 10, 14

268 B=B+A8: IF 8=1 THEN D=D+1: A8=1: IF D=4 THEN D=1 278 IF 8=5 THEN A8=A8#-1 28# T=T+INT(RND(#)#3-1):IF T>5 THEN

290 IF T<1 THEN T=5 295 RETURN

300 DPEN #1,4,0,"K: 305 GRAPHICS 8 318 X=INT(RND(8) #5)

315 Y=INT(RND(Ø) #5) 32Ø A=INT(RND(Ø) #5) 33# I-INT(RND(#) #6+1):DN I GDTD 335.

340,345,350,355,360 335 A=4:60T0 376 348 A=Ø:GDTD 378

X=4:GOTD X=0:GOTO 355 Y=4:6DTD 378

360 Y=0 376 BOSUB 26:A\$ (SPDT, SPDT) = "X":SX=X: SY=Y:SA=A

375 X=INT(RND(6) #5) 38# Y=INT(RND(#) #5) 385 A=INT(RND(Ø) \$5)

390 POKE 19,0:POKE 20,0 400 PDKE 752, 1: SETCDLDR 1,0,0 418 F=1:6DSUB 288

420 SETCOLOR 1,0,0 500 IF PEEK (764) = 255 THEN 1000 518 GET #1,6:6\$=CHR\$(6)

GIVE THE WORLD'S GREATEST SLUGGERS A PIECE OF YOUR MIND.



Presenting two strategy sports games from SSI: COMPUTER BASEBALL™ & RINGSIDE SEAT™ RINGSIDE SEAT packs all the right punches to make it

ready voted the "1982 BEST COMPUTER SPORTS GAME" in its Apple format by a leading games magazine, COMPUTER BASEBALL is now available for the Commodore 64.

let you maning any major leagu team you life, ghing you over 25 options with Maltho to devel you perjoye and III. Learne 25 options with Maltho to devel you perjoye and III. Learne 25 options with Malthou 65 options and 25 options with Malthou 65 options and 25 options are seen and 25 options of 65 options of 65 options and 25 options of 65 options o

zed for what it is - the best See it today at your nearest computer/game/softw

COMPUTER BASEBALL (\$39.95) comes on 64K disk for the Commodore® 64. Also on 48K disk for

the Apple II. Coming soon for the IBM PC

uncontested heavyweight champion of boxing games. It lets you set up your own championship matches, choosing from among

o really was the greatest? Could Joe Louis outwit Muhammed

Ali? Could Jack Dempsey outslug Larry Holmes

essiveness, strength and a dozen other factors. RINGSIDE SEAT. It not only lets you tell the great sluggers of

the world how to fight, it makes them listen to you!

INGSIDE SEAT (\$39.95) comes on 64K disk for the Commodore 64 or on 48K disk for the Apple with Apple of ROM, II+, IIe, or Apple III.

WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES

```
515 D=@
520 IF 6*="U" THEN D=1
525 IF Ga="#" THEN TELLIT=1
53Ø IF G$="D" THEN D=2
535 IF 64="?" THEN SHOWIT=1
546 IF 64="F" THEN D=3
545 TRAP 545; IF 64-"F" THEN ? "
    (CLEAR) (DOWN) ": INPUT F8: IF FB<5
    AND F8>Ø THEN F=FB:60SU8 200:60T
    0 1000
558 IE B&="M" THEN D=4
560 IF B$="N" THEN D=5
570 IF 64-"S" THEN D-6
```

575 IF D<1 DR D>7 THEN 500 580 I=D:60SU8 20 590 IF AS(SPOT.SPOT) <>"X" THEN GOSUS 900 BOTO 1000 600 ON D GOTO 605.610.615.620.625.63

605 A=A+1:GOTO 640 A18 A=A-1:GDTD A48 615 X=X+1:GOTO 64Ø 428 X=X-1:BOTO 648 625 Y=Y+1:GOTO 640

638 Y=Y-1 648 IF A<8 OR A>4 OR X<8 OR X>4 OR Y <Ø DR Y>4 THEN 2ØØØ 458 SUSUS 288

660 GOTO 1000 900 FOR D=1 TO 4:CC=(CC=0) #14:POKE 7 10.CC:SOUND 0.CC:7+60,CC.10:FOR W=1 TO 10:NEXT W:NEXT O 910 SOUND 0,0,0,0:SETCOLOR 2,A+11,10

SETCOLOR 1.0.0: RETURN 1000 TRAP 40000: BOSUB 1400: GOSUB 130 0: IF TIME2=TIME THEN GOTO 500 1005 POKE 657.4: POKE 656.1:? (3 SPACES) (3 LEFT) "| TIME: TIME2=

TIME: IF TELLIT-0 THEN 500 1010 POKE 656,0:POKE 657,4:? "X= ";X ;"(TAB)Y= ";Y;"(TAB)A= ";A;:IF SHOWIT-0 THEN 500

1020 SHOWIT=0:POKE 656,2:POKE 657,10 :? "THE EXIT IS AT --> ":SX: " ;SY;" ";SA;:60T0 500 1300 TIME=INT(4.25*PEEK(19)+PEEK(20)

/6Ø):RETURN 1400 POKE 657, 17: POKE 656, 1: ON F GOS UB 1405.1410.1415.1420: RETURN

1405 ? "North": RETURN 1410 ? "South": RETURN 1415 ? "East": RETURN 1420 ? "West":RETURN

2000 GRAPHICS 2+16: SETCOLOR 1,4,12:S ETCOLOR 2, 15, 8: SETCOLOR 3, 10, 4: SETCOLOR Ø, Ø, 15

2005 C=1 2010 FOR I=1 TO 18 2020 C=C+1:IF C>3 THEN C=1 2030 ON C GOTO 2032, 2035, 2037 2032 COLOR 10:60TO 2040 2035 COLOR 170:60TO 2040 2037 COLOR 138:60TO 2040 2040 PLOT I, 0: PLOT I, 11 2843 TRAP 2858 2045 PLOT 0, I: PLOT 19, 1

2050 NEXT I 2055 POSITION 0,0:? #6;"(J)":POSITIO N 19.0:7 #6:"(50)"

2060 POSITION 5,2:? #6; "YOU ESCAPED" 2065 POSITION 4,3:? #6; "BAVES OF ECE" 2070 POSITION 4,7:2 #6; "IN "; TIME; "

SECONDS" 2000 POSITION 5,9:? #6; "HIT ANY KEY" 2696 I=1 2100 L=PEEK (709): POKE 709, PEEK (710):

POKE 718, PEEK (711) : POKE 711.L 2105 GOSUS 255: POSITION 1,5:? #6; SC# (I, I+17): I=I+1: IF I>180 THEN I=

2107 IF PEEK (764) <>255 THEN 2200 2110 FOR W=1 TO 15:NEXT W: 80TO 2100 2200 POKE 764,255: GRAPHICS 0: POSITIO N 4.4: SOUND Ø. Ø. Ø. Ø: SOUND 1, Ø, Ø

2210 7 "PLAY AGAIN ":: INPUT AS 2220 IF As(1,1)="Y" THEN RUN

223Ø END 3000 GRAPHICS 18 3010 POSITION 7,4: PRINT #6; "PRINT" 3020 POSITION 6,7:PRINT #6; "Not ice" COLOR 138

3040 PLOT 1,1: DRAWTO 18,1 3050 DRAWTO 18, 10: DRAWTO 1, 10: DRAWTO

3060 AB=1 3070 DIM BASS(3.5).TREBLE(3.5) 3080 RESTORE 3100

3090 FOR I=1 TO 3:FOR T=1 TO 5:READ B, TR: BASS (I, T) =B: TREBLE (I, T) =TR : NEXT T: NEXT I:T=1:B=1:O=1:RETU

3100 DATA 243,121,193,96,162,81,144, 72.136.68 3110 DATA 182,91,144,72,121,60,108,5

3.102.50 3120 DATA 162,81,128,64,108,53,96,47 .91.45 3130 DATA 1,2,3,4,5,6,1,2,4,3,6,5,1, 2.5.6.4.3.1.2.6.5.3.4

NORTH

A room with four possible exits. Apple version of "Caves

Program 4: Caves Of Ice - Apple Version

of Ice."

1 DATA 201.84.208.15.32.177.0.32.248. 230,138,72,32,183,0,201,44,240,3,7

6,201,222,32,177,0,32,248,230 FOR I = 768 TO 833; READ P: POKE I.P. : NEXT I

DATA 184, 134, 3, 134, 1, 133, 8, 178, 168, 1,132,2,173,48,192,136,208,4,198 DATA 1,240,7,202,208,246,166,0,208,

62 COMPUTER September 1983



Wendolyn. THERE ARE SOME THINGS

YOU KEEP SEARCHING FOR.

Kidnapped in revenge and locked in hatred somewhere deep beneath your castle, is your princess, Gwendolyn.

The prosperity of your kingdom, the end of a bitter feud, your very future depend on finding her.

You swear that no obstacle can stop you. But the highresolution, 3-D graphics, animation and sound effects make the obstacles that await you more formidable than you can imagine.

And with over ninety different screens and two full sides of play, those obstacles and the decisions you must make can appear endless. In fact, you may have to endure hours of searching to rescue Gwendolyn. But for her, you would endure anything, wouldn't you?

Gwendolyn-a non-ololent, intermediate graphic adventure game, written by Marc Russell Benjoff, Atari 40K Disk \$27.95, Artworx Software Co., Inc.,

150 N. Main St., Fairport, N.Y. 14450. For a free catalog of Artworx Software for the Atari, Apple, VIC-20 & Commodore 64 computers, write or call 800-828-6573.









So you can play.

Atari And Apple Versions

obert Tsuk

When I received Marv Bunker's letter, I agreed a version should be made available for Commodore owners. Also, as an Atari owner, I wanted to include a version for that computer, too. The lack of dimensioned string variables on the Atari made it tricky, but, as evidenced by Program 3, it was successfully adopted.

If you find the game too challenging, the Atari and Apple versions have several features not found in the Commodore version which may be of assistance. If you type an't the program will tell you your location in the maze. You are given your X and Y coordinates (Order the Correct levels of the Correct levels, and a value for currently on. If you get really lock, you can find your location by typing the ", then a? The program will briefly display the X, Y, and A coordinates of the exit. But remember, using the ? is forward upon unless you'r exiting the ? is forward upon unless yo

really lost.

As in the Commodore version, you move through the maze by typing the N, S, E, W, U, and D keys to specify the direction of movement. However, if you type F to change the direction you are facing, you must then type a number instead of a letter to specify the new direction you wish to face. You'll need to remember that N = 1, S = 2, E = 3, and

The Apple version of Caves of Ice (Program 4), the original Quinti-Maze, uses almost 48k. It includes a SAVE the game feature. Special attention must be paid to the first five lines and the data therein, as a mistake in the data will cause a crash in line 167.

The Atari version uses just over 16K. Although it has no SAVE the game feature, it has some pretty flashy graphics and sound. 209,29 TO 279,0: HPLOT 209,129 TO 279,159: HPLOT 69,129 TO 0,159: RETURN RETURN

125 RETURN 138 HPLOT 189,9 TO 169,9 TO 159,19 TO 119,19 TO 189,9: HPLOT 119,19 TO 1 19,9: HPLOT 159,19 TO 159,9: RETURN

19,9: HPLOT 159,19 TO 159,9: RETURN
135 HPLOT 119,139 TO 159,139 TO 169,14
9 TO 109,149 TO 119,139: HPLOT 119
,139 TO 119,149: HPLOT 159,139 TO
159,149: RETURN

148 HPLOT 19,39 TO 49,49 TO 49,139: HPLOT 19,149 TO 19,39: HPLOT 19,139 TO 4 9,139: HPLOT 19,49 TO 49,49: RETURN 145 HPLOT 119,59 TO 159,59 TO 159,129 TO

119,129 TO 119,59 TO 129,69 TO 149,69 TO 149,119 TO 129,6 9: HPLOT 149,69 TO 159,59: HPLOT 129,6 9: HPLOT 159,129: HPLOT 129,119 TO 119,129: RETURN 150 HPLOT 229,49 TO 259,39 TO 259,149:

150 HPLOT 229,49 TO 259,39 TO 259,149: HPLOT 229,139 TO 229,49: HPLOT 22 9,49 TO 259,49: HPLOT 229,139 TO 2 59,139: RETURN 155 DIM 54(6,6)

150 INPUT "RESTART OLD MAZE ";Y\$: IF LEFT\$
(Y\$,1) = "Y" THEN 1360

(Y\$,1) = "Y" THEN 1360 165 FOR A = 1 TO 5: FOR X = 1 TO 5: FOR Y = 1 TO 5

167 & TIØ * A + 1Ø * X + 1Ø * Y,1Ø 17Ø IF A < > 5 AND RND (1) < .8Ø THEN S*(X,A) = S*(X,A) + "O": GOTO 18Ø

175 S\$(X,A) = S\$(X,A) + "U": 5010 188 175 S\$(X,A) = S\$(X,A) + "X" 188 IF MID\$ (S\$(X,A - 1),(Y - 1) * 6 +

1,1) = "O" THEN S\$(X,A) = S\$(X,A) +
"O": GOTO 198

185 S\$(X,A) = S\$(X,A) + "X"

190 IF Y - 2 < Ø THEN 200 195 IF MID# (\$#(X,A),(Y - 2) * 6 + 4, 1) = "0" THEN \$#(X,A) = \$#(X,A) + "0"! GOTO 205

200 S\$(X,A) = S\$(X,A) + "X" 205 IF Y < > 5 AND RND (1) < .8 THEN S\$(X,A) = S\$(X,A) + "O": GOTO 215 210 S\$(X,A) = S\$(X,A) + "X"

215 IF X < > 5 AND RND (1) < .8 THEN \$\$(X,A) = \$\$(X,A) + "0": GOTO 225 220 \$\$(X,A) = \$\$(X,A) + "X"

5 IF MIDS (SS(X - 1,A),(Y - 1) * 6 + 5,1) = "0" THEN SS(X,A) = SS(X,A) + "0": GOTO 235

23Ø 8\$(X,A) = 8\$(X,A) + "X" 235 NEXT : NEXT : NEXT

240 X = INT (RND (1) * 3) + 2:Y = INT (RND (1) * 3) + 2:A = INT (RND (1) * 3) + 2

245 RD = INT (RND (1) * 6) + 1: ON RD GOTO 250,255,260,265,270,275 250 A = 5:P1* = LEFT* (S*(X,A),(Y - 1)

250 A = 5:P1\$ = LEFT\$ (S\$(X,A), (Y - 1) \$ 6):L = 29 - LEN (P1\$):P2\$ = RIGHT\$ (S\$(X,A),L):S\$(X,A) = P1\$ + "0" + P2\$: GOTO 280

255 A = 1:P18 = LEFT\$ (S\$(X,A),(Y - 1) \$ 6 + 1):L = 29 - LEN (P18):P28 = RIGHT\$ (S\$(X,A),L):S\$(X,A) = P18 + "0" + P28: GOTO 288

268 Y = 5:P15 = LEFT\$ (8\$(X,A),(Y - 1) \$ 6 + 3):L = 29 - LEN (P1\$):P2\$ = RIGHT\$ (5\$(X,A),L):B\$(X,A) = P1\$ + "0" + P2\$: G0TO 288

265 Y = 1:P1\$ = LEFT\$ (S\$(X,A),(Y - 1) * 6 + 2):L = 29 - LEN (P1\$):P2\$ = RIGHT\$ (S\$(X,A),L):S\$(X,A) = P1\$ +

^{239,165,3,133,1,198,2,208,241,96} 5 POKE 1013,76: POKE 1014,0: POKE 1015 ,3 10 TEXT: HOME


⁹⁰ GOSUB 2000 100 DIM FC(5,7): DIM FC\$(5)

¹⁰⁵ FC*(1) = "NORTH":FC*(2) = "SOUTH":F C*(3) = "EAST":FC*(4) = "WEST" 110 FOR B = 1 TO 4: FOR I = 1 TO 6: READ

FC(8,1): NEXT: NEXT 115 GOTO 155 126 HPLOT 6,6 TO 279,6 TO 279,159 TO 6

^{,159} TO 0,0 TO 69,29 TO 209,29 TO 209,129 TO 209,129 TO 69,129 TO 69,29; HPLOT

⁶⁴ COMPUTE! Suptember 1983.



- "0" + P2\$; 60T0 28Ø 270 X = 5:P1\$ = LEFT\$ (S\$(X,A).(Y - 1) # 6 + 4):L = 29 - LEN (P1#):P2# = RIGHT\$ (S\$(X,A),L):S\$(X,A) = P1\$ +
- "0" + P2\$; GOTO 2B@ 275 X = 1:P1\$ = LEFT\$ (S\$(X,A).(Y - 1) # 6 + 5):L = 29 - LEN (P1\$):P2\$ = RIGHTS (S\$(X,A),L):S\$(X,A) = P1\$ + "0" + P2%: GOTO 280
- 280 SX = X:SY = Y:SA = A 296 UTAR 23: PRINT "HIT ANY KEY TO STA RT'
- IF PEEK (16384) < 127 THEN 300 31Ø POKE - 16368.00 1000 X = INT (RND (1) # 5) + 1:Y = INT (RND (1) * 5) + 1:A = INT (RND
- (1) # 5) + 1:FC = 1: GOTO 1226 1010 HOME: VTAB 22: HTAB 1B: PRINT FC \$(FC):A\$ = "":D = 0: IF LS = 1 THEN
- PRINT X, Y, A 1020 VTAB 22: PRINT "TIME :";T: FOR TI ME = 1 TO BØ
- 1025 IF PEEK (- 163B4) > 127 THEN 18 1027 NEXT : T = T + 1: VTAB 22: PRINT "
- TIME :":T: GOTO 1020 1030 GET AS 1035 IF As = "#" THEN LS = 1 1040 IF AS = "O" THEN 1300 1050 IF As - "U" THEN D - 1 1060 IF As = "D" THEN D = 2

1070

- IF AS = "N" THEN D = 3 1080 IF As = "S" THEN D = 4 IF A\$ - "E" THEN D = 5 1090 IF A\$ = "?" THEN 1298 1100 1110 IF AS = "W" THEN D = A
- 1126 IF A\$ = "F" THEN GOTO 1280 IF D = Ø THEN 1010 1136 1135 T = T + 1
- IF MIDS (SS(X,A), (Y 1) # 6 + D 1140 ,1) < > "O" THEN PRINT CHR\$ (7) 60TO 1010
- 1150 ON D GOTO 1160, 1170, 1180, 1190, 120 0.1210
- 1168 A = A + 1: GOTO 1228 1170 A = A - 1: GOTO 1220 11BØ Y = Y - 1: GOTO 1220 1198 Y = Y + 1: GOTO 1228 1200 X = X + 1: GOTO 1220
- 1210 X = X 1: GOTO 1220 1220 IF X > 5 OR X < 1 OR Y > 5 OR Y < 1 OR A > 5 OR A < 1 THEN PRINT "Y OU WIN": & T100.100: & T100.50: & T100.50: & T75,66: & T100,66: & T7
- 5,66: & T60,255: GOTO 3000 1238 HGR : HCOLOR= 3: HPLOT 0,0: CALL 62454: HCOLOR= Ø: GOSUB 12Ø
- 1240 FOR I = 1 TO 6: IF MIDS (SS(X,A) .(Y - 1) * 6 + I.1) = "X" THEN NEXT : GOTO 1010 1250 R = FC(FC, I) + 1
- 1260 HCOLOR- 0: ON R GOSUB 125, 130, 135 ,140,145,150 1270 NEXT : GOTO 1010
- 1280 INPUT "WHAT FACING 1-N 2-S 3-E 4-W";FC: IF FC < 1 OR FC > 4 THEN 1288 1285 BOTO 1220
- INVERSE : HTAS 18: PRINT SX: " ": SY: " "; SA: NORMAL : GOTO 1228 PRINT "DO YOU WANT TO SAVE THIS M
- AZE": INPUT YS: IF LEFTS (YS.1) < > "Y" THEN GOTO 3000

- 1318 INPUT "WHAT DO YOU WANT TO CALL I T "; NS
- 1326 DS = CHR\$ (4) 1330 PRINT Ds: "OPEN OLD MAZE/": Ns: PRINT Ds; "WRITE OLD MAZE/"; NS 1340 FOR A1 = 1 TO 5: FOR X1 = 1 TO 5:
- PRINT S\$(X1,A1): NEXT : NEXT : PRINT X: PRINT Y: PRINT A: PRINT T: PRINT FC 1350 PRINT D#; "CLOSE OLD MAZE/"; N#: GOTO 3000
- 1360 INPUT "WHAT IS ITS NAME ": NO 1378 Ds = CHR\$ (4) 1386 PRINT DS: "OPEN OLD MAZE/": NS: PRINT
- DS; "READ OLD MAZE/"; NS 1390 FOR A1 = 1 TO 5: FOR X1 = 1 TO 5:
- INPUT S\$(X1,A1): NEXT : NEXT : INPUT X: INPUT Y: INPUT A: INPUT T: INPUT FC 1400 PRINT DS: "CLOSE OLD MAZE/":NS: GOTO 1228
- 2868 VTAB 12: HTAB 18: INVERSE : PRINT "MAZE": NORMAL : VTAB 22: INPUT "D O YOU WANT INSTRUCTIONS "; YS: IF LEFTS
- (Y\$.1) < > "Y" THEN RETURN 2010 HOME : PRINT "THE OBJECT OF MAZE IS TO FIND YOUR WAY": PRINT : PRINT "OUT OF A 5X5X5 CUBIC MAZE. IN ONE OF THE": PRINT "ROOMS THERE IS AN
- EXIT OUT OF THE MAZE." 2020 PRINT : PRINT "YOU MUST TRY TO FI ND IT IN AS FEW TURNS ": PRINT "AS
- POSSIBLE. THE COMMANDS ARE :" 2838 PRINT : HTAB 6: INVERSE : PRINT " U";: NORMAL : PRINT "-UP";: HTAB 1 7: INVERSE : PRINT "S":: NORMAL : PRINT
- "-SOUTH" 2848 PRINT : HTAB 6: INVERSE : PRINT " D";: NORMAL : PRINT "-DOWN":: HTAE 17: INVERSE : PRINT "E":: NORMAL :
- PRINT "-EAST" 2858 PRINT : HTAB 6: INVERSE : PRINT " N":: NORMAL : PRINT "-NORTH":: HTAB 17: INVERSE : PRINT "W":: NORMAL :
- PRINT "-WEST" 2868 PRINT : HTAB 6: INVERSE : PRINT " Q";: NORMAL : PRINT "-QUIT";: HTAB 17: INVERSE : PRINT "F";: NORMAL :
- PRINT "-CHANGE FACING" 2070 VTAB 23: PRINT "HIT ":: INVERSE : PRINT "SPACE";: NORMAL : PRINT "

FOR MORE*

- 28B8 IF PEEK (16384) < 127 THEN 28 RM 2090 POKE - 16368,0: HOME : INVERSE : PRINT "F";: NORMAL : PRINT " WILL COME BACK WITH A QUESTION AS TO": PRINT : PRINT "WHICH FACING YOU W ISH. HIT ONLY ONE KEY": PRINT : PRINT "AND ":: INVERSE : PRINT "RETURN": NORMAL
- 2166 PRINT : PRINT "PLEASE WAIT WHILE IT SETS UP THE MAZE": PRINT : PRINT
- : RETURN TEXT : HOME : VTAB 5: HTAB 12: PRINT "CONGRATULATIONS !"
- 3818 PRINT : PRINT TAB(7) "YOU HAVE F INISHED THE MAZE IN ": PRINT TAB 7) T; " SECONDS" INPUT "DO YOU WANT TO PLAY AGAIN
- ? ";Y\$ IF LEFT\$ (Y\$,1) = "Y" THEN RUN 3848 9999 NORMAL
- 10000 DATA 1,2,4,8,5,3,1,2,8,4,3,5 ,1,2,3,5,4,0,1,2,5,3,0,4

BECOME AN INTREPID SPACE ADVENTURER...



by William Muk CoCo version by Roger Schrag Apple version by Gordon Eastman Atari and Commodore 64 version by John Anderson

Far beyond the known galaxies, you venture

deep into the vast reaches of outer space. But you are not alone! In a flash, without so much as a howdo-va-do, they're in hot pursuit and you're left to do before you're done unto. Can you elude your pursuers? Will you elude your pursuers? And who are these guys anyway? Find the answers to these and other compelling questions in AREX. See your dealer today! AREX . . . Coin-op arcade realism at home for 1 to 2

REX	
PPLE 48K DISK	\$34.96
TARI 16K TAPE	\$34.90
TARI 16K DISK	\$34.96
oCo 16K TAPE	\$34.96
OMMODORE 64	\$34.90
OMMODORE 64	\$34.95
M 64K DISK	\$34.96

OR FLY HIGH IN THE WORLD OF HIGH FINANCE

by George Schwenk TRS-80 version by Dave Simmons CoCo version by Roger Schrag

"Yas, after purchasing diamond mines in South Africa, oil wells in Saudi, and rare beer cans in Walla Walla, Washington, I had begun to wonder what other trendy commodities remained to be added to my swelling portfolio. Then a snip of a ticket girl dared to tell me (ME. Hartley J. Wormsflather IIII) that my flight was overbooked. To avoid future misunderstandings, I bought the airline."

"I think I'm on to something profitable Hartley J. Wormsflather III here." AIRLINE . . . A no-holds-barred strategy game for 1 to 4 players.

AIRLINE ATARI 400 & 800 / CoCo / Model 1 & 3 16K TAPE . . 140-0169 \$24.95





GRADEBOOK FOR ATARI

Stephen Levy, Assistant Book Editor

This is a valuable organizational tool for teachers. It handles student lists, grading conversions, grade averaging, assignments, and much more. Written for an Atari computer with at least 32K and a disk drive.

"Gradebook" is for teachers. It will keep a record of students' grades and assignments for up to 45 students on one diskette. In addition, the program will average grades and display grades and assignments to the screen or list them to a printer.

signments to the screen or list them to a printer. SAVE the program on one diskette and use a second diskette for data. Use the following short program to create a dummy file on the program diskette to prevent accidentally writing data to the program diskette:

10 OPEN #1,8,0,"D:CL"
20 DIM A\$(4):A\$="TEST":PRINT #1;A\$
30 CLOSE #1:END

Menu Options

1. Read Crades: produces a list of the last names of this diskette, plus each students previously entered (option 3) onto this diskette, plus each student's grades and average. You will be prompted for the number (the program will automatically number the students for you) of the first and last student whose grade and average you wish to see. However, on each screen display, you are limited to viewing two to five students' grades at a time.

Read Assignments: prints a list of previously entered (option 5) assignments on this diskette.

3. Enter Names: lets you enter and add new students to the names list. Note that only 45 names are allowed on one diskette; first name up to nine characters; last name up to ten characters; no middle names.

 Enter Grades: produces a list of students previously entered (option 3) and asks which student's grades you wish to enter. The program accepts any one-, two-, or three-digit number as well as the letters A,B,C,D,E, and F, with or without a plus or minus. When grades are averaged, letter grades are converted to numbers as follows:

mes me con	reite ti	, manibers
A + = 97	A=93	A - = 89
B + = 87	B = 83	B - = 79
C + = 77	C=73	C-=69
D + = 67	D=63	D-=59
E + = 54	E = 50	E-=46
F + = 54	F=50	F-=46

If desired, these values can be changed in lines 510-590 and lines 1650-1680. 5. Enter Assignments: results in a list of previ-

ously entered assignments and allows you to add to the list. The assignment length must be no greater than 28 characters (including blank spaces). You can use this option for messages or notes also. It functions like a notepead with no real bearing on students' grades, averaging, etc.

 Print Grades or Assignments: prints out all or some of the students' names, grades, and averages to a printer. It allows you to print a list of assignments stored on the diskette.

Correction: permits correcting any student's name or grade.

8. Initializing a Disk: makes it possible to avoid retyping and re-entering all the students' names onto a new diskette. This option will automatically transfer the names of students stored on one diskette to a new diskette without transferring grades.

End: provides a way to exit the program.

It is imperative that you never end a session by

It is imperative that you never end a session by just turning off the computer or disk drive. Always use option 9.

Gradebook For Atari

90 CLOSE #1:CLR

100 DIM NAME\$(20),FILE\$(13),CL\$(1),B Z\$(1),CLASS\$(361),TASK\$(30),GRAD E\$(3),YES\$(3)

110 DIM BYTE(48), SECTOR(48), TEMP\$(15), BL\$(37)

68 COMPUTEI September 1983

B/GRAPH.



A PROFESSIONAL GRAPHICS-CHARTING AND STATISTICAL ANALYSIS PROGRAM FOR ATARI® PERSONAL COMPUTERS

B/Graph is for professionals in Marketing Sales, Administration Forecasting, Accounting and General Management. • Home and Small Business • Educators, Students

Hobbyists

B/Graph can create
 Bar charts
 3-D Bar Charts
 Segmented Bar charts
 Pie charts

Line Graphs
 Scatter Graphs
 Market Graphs (High-Low-Close)

Instant conversion between all graph types without re-entering data.

B/Graph can perform
• Statistical analysis
• Regression analysis
• Exponential smoothing

Moving averages
 Graphing of 1–3 factors with up to 100 data points.

Save graphs as data files or high-res screens.
BiGraph Features

Automatic labelling
 Re-labelling
 Custom labelling
 Full screen editor
 Multiple graph overlays
 Automatic or manual labelling

Automatic and manual scaling
 Automated slide shows
 Grid overlays
 Multiple graph overlays
 Total screen color control
BiGraph works with graphics
printers from
 Centronics

Epson/Prownter
 C. Itoh/Nec
 Seikosha
 Visicalo D.I.F. filet

Statistics.

Visical D.I.F. Tres
 User written programs
 BiGraph comes with
 comprehensive professionally
 written documentation. A
 complete tutorial on
 Graphing/Charting and

User registration with full program support.

© 1983 Irata Press Ltd.

INHOME SOFTWARE INCORPORATED

INHOME SOFTWARE INCORPORATED

2485 Dunwin Drive, Unit 8, Mississauga, Ontario,
Canada, L5L, 171

(416)828-0775

- GRAPHICS #: SETCOLOR 2.8.4: SETCOL OR 4.8.4 70 COMPUTE! September 1983
- 440 IF LAST-FIRST>5 THEN GOSUS 5400: BOTO 5410
- 435 IF ANS=6 THEN RETURN
- 433 IF LAST>NUMSTUD-1 THEN BOTO 8
- EN GOTO 8
- t number";: INPUT YES*: GOSU8 5600 432 LAST=VAL(YES\$): IF LAST<=FIRST TH
- 425 INPUT YES: GOSUS 5600: FIRST-VAL YES\$) 43Ø POSITION 2,22:PRINT "Last studen
- 420 POSITION 2,19:PRINT "Which stude nt's grades do you want?":POSITI ON 2,21:PRINT "First student num ber":
- 88,2418,2888,3288,358 35Ø END 410 GOSUB 5310:GOSUB 5400:TRAP 8:LN-
- -8 OR ANS-5 THEN 346 33Ø IF R=Ø THEN GOSU8 51ØØ:GOSU8 E 340 ON ANS GOTO 410.810.1210.1600.20
- 810 PRINT CL4: "(10 SPACES) WAR WINDOW 17-1000:1901-190-141:605U8 E:60TO 3 00 820 TRAP 1100:60SU8 840:60TO 570 32Ø CLOSE #1:60SU8 E: IF ANS-2 OR ANS 840 TRAP 1100:CLOSE #1:OPEN #1,4,0,"
- :OPEN #1,4,0,"D:CL":CLOSE #1
 310 PRINT :PRINT "DESCRIPTION DESCRIPTION DESCRIP
- key to begin* 305 IF PEEK (764)=255 THEN 305 3Ø8 POKE 764,255:POKE 752,Ø:TRAP 32Ø
- RINT "prompt to return to menu" 300 PRINT :PRINT :PRINT " Press any
- DESTRUCTION OF SEXT AA 295 POSITION 15, 14: PRINT "THANK YOU" 297 POSITION 6,16:PRINT "You may ent er 'XXX' to any":POSITION 7,17:P
- RE PROPER DATA DISK IS IN DRIVE" 290 FOR W=1 TO 20:NEXT W:POSITION 1 10:PRINT " HE SURE PROPER DETR
- 275 POKE 752,1 10:POSITION 1,10:PRINT * BE SU
- S<1 OR ANS>9 THEN GOTO 8 273 IF ANS-9 THEN BRAPHICS Ø:END 280 PRINT CLS:TRAP 40000:FOR AA=1 TO
- 270 PRINT : PRINT " YOUR CHOICE PLEAS E"::INPUT ANS:ANS=INT(ANS):IF AN
- 260 PRINT , "7. Make Correction": PRIN T ."B. Initialize a Disk":PRINT "9. End" 265 POKE 752, Ø
- ades" 25Ø PRINT ."5. Enter Assignments":PR INT , "6. Print Grades or Assigna ents"
- 6:PRINT CHR\$ (13):NEXT WAIT 240 PRINT ,"1. Read Grades":PRINT 2. Read Assignments":PRINT . "3. Enter Names":PRINT ,"4. Enter Gr
- 220 PRINT :PRINT ,, "(3 SPACES)GRADES OOK":PRINT :PRINT 230 PRINT :PRINT . "YOUR OPTIONS ARE" :FOR WAIT-7 TO 22:POSITION WAIT,
- 200 LN=200: TRAP B 210 GRAPHICS 0: POKE 201.5: SETCOLOR 4 ,3,2:SETCOLOR 2,8,9:SETCOLOR 1,8 . 1 215 POKE 752,1:60SU8 E
- 12Ø CL*=CHR\$ (125):8Z*=CHR\$ (253):MENU =200:FILEs="D:STUDENT." 81 4=" ":8L\$(37)=8L\$:8L\$(2)=8L\$:R -Ø:HW-Ø:8-5000:C-5500:D-580:E-58 10

- for first name for MENU"

- 1235 IF NUMSTUD=46 THEN PRINT : PRINT 1240 POSITION 1,22:PRINT "TYPE 'XXX"
- "(3 SPACES) POPPER NOTES Promiser : 80TO 678

460 FOR AA-FIRST TO LAST

(1,10)

: GOTO D

· GOTO D

: GOTO D

: GOTO D

ADE+4

ADF-4

RN

470 TRAP 650: LN=700: NUM=0: SCORE=0: AV

480 OPEN #1,4,0,FILE\$:INPUT #1;NAME\$

500 INPUT #1; GRADE: PRINT GRADE: ";

510 IF GRADE#(1,1)="A" THEN GRADE=93

520 IF GRADE \$(1,1) = "8" THEN GRADE = 83

530 IF GRADE*(1.1)="C" THEN GRADE=73

540 IF GRADE\$(1,1)="F" DR GRADE\$(1,1

560 IF GRADE# (1.1) = "D" THEN GRADE=63

58Ø IF GRADE*(2,2)="+" THEN GRADE-GR

590 IF GRADE \$ (2,2) = "- " THEN GRADE = GR

600 SCORE=SCORE+GRADE: NUM=NUM+1: RETU

650 GOSUS E:CLOSE #1:TRAP 40000:IF P

660 CLOSE #1:PRINT :PRINT "Check Dis

67Ø PRINT :PRINT "Press any key for

700 CLOSE #1:IF NUM-0 THEN PRINT "NO

765 IF ANS=A THEN CLOSE #1:80TO 2555

710 AVERAGE-SCORE/NUM: PRINT * AVE. -

740 PRINT :PRINT "Press Entry for me

750 AA=PEEK (53279): IF AA>6 THEN 750

nu":PRINT :PRINT "Press ETHERED t

EEK (195) = 136 THEN GOTO LN

68Ø IF PEEK (764) = 255 THEN 68Ø

69Ø POKE 764.255:80TO MENU

GRADES": GOTO 73Ø

o see more orades"

770 IF AA=6 THEN GOTO MENU

860 INPUT #1:HW:INPUT #1:TASK\$

880 PRINT HW; ". "; TASK\$: GOTO 850

870 IF ANS=6 THEN PRINT #2;HW; ". "; TA

1100 IF PEEK (195) = 170 THEN PRINT : PR

1210 PRINT CL*: SETCOLOR 4.7.5: SETCOL

OR 2,13,12:SETCOLOR 1,13,2

1230 POSITION 10,3:PRINT PRODUCT

INT "Indicessor Control Control : 60T

PRINT :PRINT :PRINT "Ther

e are ":NUMSTUD-1:" students in

78Ø IF AA-5 THEN 41Ø

D: ASSIGN"

850 TRAP 650: LN=900

SK\$: GOTO 860

1228 LN=1218: TRAP 8

this class."

ERCHERTER": PRINT

k and/or Drive"

MENU": GOSUS E

": AVERAGE

730 NEXT AA

79Ø GOTO 75Ø

988 RETURN

0 679

1110 GOTO 660

) = "E" THEN GRADE = 50: GOTO D

57Ø GRADE=VAL(GRADE\$):GOTO 6ØØ

"::60SU8 510:60TO 500

:PRINT :PRINT NAME \$ (11, 20); NAME \$

ERAGE-#:FILE*(11)=STR*(AA)



WHEN YOU BUY AN ATARI' COMPUTER, WE PUT OUR EXPERTISE ON THE LINE.

There's no limit to what you can do with a home computer...and no way any mere instruction manual can help you discover all the possibilities.

So ATARI gives you the extra help you need an ATARI computer expert to answer your questions. Free. He'll help you write your own programs, learn how to do new things, and diagnose problems

when the things you're trying to do just don't work out. It's the ATARI Help Line. A toll-free help-and-information

service to help you get more out

of your ATARI Computer. Just call 1-800-538-8543. And if you ever need anything fixed. ATARI has over 1,600 ATARI SERVICE™ Centers nationwide. You'll find the nearest one listed

under "Computers" in your Yellow Pages ATARI SERVICE isn't the only good reason to buy an ATARI system. But it's

an awfully good reason not to choose any other kind.

MAIAKI SEKVIÇE

THE ATARI SERVIC

*California: 1-800-672-1404

- 1250 POSITION 3, B: PRINT "STUDENT NUM BER ": NUMSTUD: ": ": PRINT : PRINT "First name please:";: INPUT TEM Pt
- 1252 IF TEMPS="" THEN GOSUB 5B@@: GOS UB 1210 1255 AA=LEN(TEMP\$): IF AA>9 THEN GOTO
- 1260 IF TEMPS="XXX" THEN GOTO HENU
- 1270 GOSUB 1500: NAME \$ (11,20) = TEMP\$ 1280 PRINT :PRINT "Last name please:
- :: INPUT TEMP\$ 1285 IF TEMP\$="" THEN GOSUB 5B@@:GOT 0 1210
- 1298 AA=LEN(TEMP\$): IF AA>18 THEN GOT 1300 IF TEMP\$-"XXX" THEN GOTO MENU 1385 TRAP B:LN=1385:POSITION 2,19:PR
- INT BL\$: POSITION 2,16: PRINT BL\$ 1307 POSITION 2, 16: PRINT "IS THIS CO RRECT":: INPUT YES:: IF YES: (1,1)
- <>"Y" THEN 1216 1316 GOSUB 1566: NAME \$ (1, 16) -TEMP\$ 1320 CLASS (NUMSTUD #B-7.NUMSTUD #8) =N
- AME\$(1,B) 1325 TRAP 660
- 1330 FILE\$(11) =STR\$(NUMSTUD):CLOSE # 1: OPEN #1.8.0. FILE : PRINT #1: NA MES: CLOSE #1
- 134Ø GOSUB E: NUMSTUD=NUMSTUD+1: GOTO 1210 1500 IF AA-10 THEN RETURN
- 1510 FOR NUM-AA+1 TO 10: TEMPS (LEN (TE MP\$)+1)=" ":NEXT NUM 1538 RETURN
- 1600 PRINT CLS: SETCOLOR 2.11.12: SETC OLOR 4,5,12: SETCOLOR 1,11,0 1610 POSITION 9.2: PRINT "POTESTICAL
- Cash moreowf : PRINT : PRINT "Inst 1636 PRINT :PRINT "Brades may be any number from zero(4 SPACES)to 1 00 or any letter from A to F."
- 1640 PRINT "Letter grades may includ e a plus or (3 SPACES) minus. Let ter grades are averaged (5 SPACES) as follows:
- 1650 PRINT , "A+=97", "A=93", "A-=89":P RINT , "B+=87", "B=83", "B-=79":PR NINI, "C+-77", "C-73", "C-36", "C-66" 1680 PRINT, "C+-67", "D-63", "D-59", P RINT, "E+-54", "E-50", "E--46", PR 1NT, "F+-54", "F-50", "F--46" 1690 PRINT: PRINT "Type "xxx" for gr
- ade when you have(4 SPACES)fini shed with that student."
- 1720 PRINT :PRINT "Press any key to begin"
- 1730 IF PEEK (764) = 255 THEN 1730
- 174Ø POKE 764,255 1745 TRAP B:LN=1720:PRINT CL\$:GOSUB 5315 1750 POSITION 2.20:PRINT "Enter stud
- ent number"::INPUT YES\$:GOSUB 5 600 1760 NUM=VAL(YES\$): IF NUM<1 DR NUM>N
- UMSTUD-1 THEN GOTO B 1780 CLOSE #1:FILE\$(11) -STR\$(NUM):PD SITION 2,20:PRINT BL::TRAP 650: OPEN #1,4,0,FILES
- 1790 INPUT #1: NAME #: CLOSE #1 1B00 CLOSE #1: OPEN #1,9,0,FILES

- 1885 TRAP B: LN=1885: PRINT CL4: GOSUB E 1B16 POSITION 4,20:PRINT "Type 'XXX' when finished"
- 1812 POSITION 9,2:PRINT "FETTE CANDED Grade for "; NAME\$(11,20); NAME\$(1,10);:INPUT GRADES 1B15 IF GRADEs="XXX" THEN CLOSE #1:6 OTO 1898
- 1B1B IF GRADE *= " THEN GOSUB 5B00:60 TO 1805 1820 AA=ASC(GRADE\$(1,1)): IF AA<58 AN
- D AA>4B THEN GOSUB 1850:GOTO 18 BØ 1838 IF AA<71 AND AA>64 THEN GOSUB :
- B50:60T0 18B0 1835 IF GRADEs="" THEN GOSUB 5800:GO
- TO 1805 1846 GOTO B 1850 AA=LEN(GRADES): IF AA=3 THEN RET
- URN 1868 IF AA=2 THEN GRADE\$ (3,3)=" ":RE TURN
- 1878 IF AA=1 THEN GRADE\$ (2,3) =" ETURN 1875 IF AA>3 THEN POP :GOSUB 5400:GO
- TO B 1888 TRAP 658:PRINT #1;GRADE\$:60T0 1 . BØS 1890 GOSUB 5400: TRAP B: LN=1890: POSIT
- ION 2,28:PRINT "Do you wish to enter grades for (7 SPACES) anoth er student";:INPUT YES\$ 1918 IF YES\$ (1,1) -"Y" THEN 1745
- 1928 GOTO HEND 2000 PRINT CL\$:SETCOLOR 4.12.B:SETCO LOR 1, 9, 2: SETCOLOR 2, 9, B
- 2010 PRINT , " PRINT RAP 2020:PRINT
 - 2015 CLOSE #1: OPEN #1.4.0. "D: ASSIGN" : GDSUB B60: GOTO 2040 2020 CLOSE #1:60SUB E: IF PEEK (195) =1 78 THEN PRINT , "(4 SPACES) TOWNS PROFIT TO THE STREET POP : 60TO 204
- 2025 CLOSE #1:60SUB E: IF PEEK(195)=1 36 THEN RETURN
- 2030 GOTO 660 2035 FOR AA=20 TO 22:POSITION 2, AA:P RINT BLS: NEXT AA
 - 2646 HW-HW+1: TRAP B: LN=2635: POSITION 2.20: PRINT "Enter assignment # ":HW: INPUT TASK#: AR=LEN(TASK#) 2845 IF TASKS="XXX" THEN GOTO MENU 2858 IF AA>28 THEN POSITION 2,21:PRI
 - NT BLS: ":POSITION 2,21:PRINT Too many characters 2855 IF AA>28 THEN GOSUB C: HW-HW-1:6
 - DTD 2035 2057 IF TASK\$="" THEN HW=HW-1: POSITI
 - ON 2,21:PRINT BL#:POSITION 2,21
 - 2058 IF TASKS="" THEN GOSUB C: GOTO 2 Ø35 2666 CLOSE #1:TRAP 666 2070 IF HW<>1 THEN XIO 36, #1, 0, 0, "D:
 - ASSIGN": OPEN #1.9.0. "D: ASSIGN": GOTO 2090 2080 CLOSE #1: IF HW=1 THEN OPEN #1,8
 - . Ø. "D: ASSIGN" 2898 PRINT #1; HW: PRINT #1; TASKS

72 COMPUTE! September 1983

Let your Atari experience the

MAP CONNECTION!

MPP-1100 Parallel Printer Interface



- No Atari 850™ Interface Module needed.
- Compatible with all software (including Visicalc™, Text Wizard™, and Filemanager 800™, etc.).
- . 5 foot cable with Centronic plug (compatible with Epson, NEC, IDS, etc.)
- Faster data transfer.
- 8 hit data transfer
- 2 year warranty.

only \$99.95



MPP-1000 Modem

- No Atari 850™ Interface Module needed Smart Terminal Software Included
- 16K Tape/Disk
- Direct Connect To Phone Connects to Jovstick Port #4
- Smart Terminal Features:
- Multiple Buffers
 - Off-Line Editing
 - Upload/Download of Text and Programs
 - Binary Files
 - Full/Half Duplex
- Allows Transfer of Files Larger than Memory Variable Baud Rate Parity Options

ASCII/ATASCII Translation.

100% Machine Language

only

\$199.00

MICROBITS PERIPHERAL PRODUCTS 434 W. First Street • Albany, Oregon 97321 • [503] 967-9075

- 2100 CLOSE #1:XIO 35,#1,0,0,"D:ASSI6 N":TRAP 8:LN=2110 2110 GOSU8 E:FOR AA=20 TO 22:POSITIO
- N 2,AA:PRINT BL\$:NEXT AA
 2120 POSITION 2,20:PRINT , Add anoth
 er assignment";INPUT YES\$:IF Y
 ES\$(1,1)="Y" THEN 2035
- ES\$(1,1)="Y" THEN 2035 2130 GOTO MENU 2410 PRINT CL\$:SETCOLOR 1,9,4:SETCOL
- OR 2,9,14:SETCOLOR 4,13,13:CLOS E #1:CLOSE #2 2420 TRAP 8:LN=2410
- 2430 POSITION 5,7:PRINT "Do you want to print grades";:IMPUT YES\$:I F YES\$(1,1)="Y" THEN 2500 2435 IF YES\$="XXX" THEN GOTO MENU
- 2448 POSITION 5,11:PRINT "Would you like to have a":PRINT " (3 SPACES)list of assignments p rinted":
- 2445 INPUT YES9:IF YES9(1,1)="Y" THE N 2710 2454 ROTO HENNI
- 245Ø GOTO MENU 25ØØ GOSUB 41Ø:TRAP 26ØØ:OPEN #2,B,Ø
- 2510 FOR AA-FIRST TO LAST
- 2520 TRAP 650:LN=705:NUM=0:SCORE=0:A VERAGE=0:FILE*(11)=STR*(AA) 2530 CLOSE #1:OPE #1.4.0,FILE*:INPU T #1:NAME*:PRINT #2:NAME*(11.20
-); NAME\$ (1,10) 2540 INPUT #1; GRADE\$: PRINT #2; GRADE\$; "; ";: GOSUB 510
- 2550 60T0 2540 2555 IF NUM-0 THEN PRINT #2; "NO GRAD ES":PRINT #2:60T0 2570
- 2560 AVERAGE=SCORE/NUM:PRINT #2; " VE.="; AVERAGE:PRINT #2 2570 NEXT AA
- "P:" . 2720 PRINT #2, "LIST OF ASSIGNMENTS": PRINT #2
- PRINT #2 2730 BOSUB 840:CLOSE #1:CLOSE #2:TRA P 40000:GOTO 670
- 2800 PRINT CL*:SETCOLOR 2,7,6:SETCOL OR 1,7,14:SETCOLOR 4,5,10:GOSUB E:TRAP 8:LN-2000 2010 POSITION 3,5:PRINT "CORRECT":PR
- 2818 POSITION 5,5:PRINT "CORRECT":PR INT :PRINT :PRINT ,*1. STUDENT NAME":PRINT :PRINT ,*2. STUDENT GRADE" 2815 PRINT :PRINT ,*3. RETURN TO MEN
- 2820 PRINT :PRINT :PRINT *Press the number of your pick*;:INPUT YES
- 1000UB 5600:W=VAL(YES%):W=INT(
 W)
 2830 IF W<1 OR W>3 THEN GOTO B
 2840 PRINT CL%:SETCOLOR 2,12,6:SETCO
- LOR 1,12,14:SETCOLOR 4,14,14:ON W GOTO 2860,2980,MENU 2860 PRINT CL*:GOSUB 5315:GOSUB 5400 :POSITION 2,20:PRINT "Type the
- Cuddad of the student" 2865 POSITION 2,21:PRINT "whose name needs correcting";:TRAP 8:LN=2 860:AA-100:GOSUB 2870:GOTO 2092 2870 INPUT YES+GOSUB 2600:N=VAL (YES

- \$):W=INT(W):IF W>NUMSTUD-1 THEN BOTO 8
- 2000 FILE\$(11)=STR\$(W):TRAP 650:CLOS E #1:OPEN #1,12,0,FILE\$:RETURN 2B90 NOTE #1,SECTOR,BYTE:INPUT #1;NA ME\$
- ME\$
 2895 PRINT CL%:POSITION 2,6:PRINT "S
 tudent 8 ";W;" IS ";NAME\$(11,28)
);NAME\$(1,18):TRAP 2915:AA=8:60
 SUB E
- 2900 POSITION 2,10:PRINT "Enter 'XXX
 ' if no correction needed":PRINT
 T :PRINT "First name";:INPUT TE
 MP*
- 2985 AA=LEN(TEMP\$):IF AA>18 OR TEMP\$ ="" THEN 2915 2918 IF TEMP\$="XXX" THEN CLOSE #1:GO
- 2910 IF TEMP\$="XXX" THEN CLOSE \$1:60 TO HENU 2912 GOTO 2920 2915 PRINT :PRINT "YOU HUST ENTER A
- LETTER-10 MAX.":GOSUB C:GOTO 2B 95 2920 GOSUB 1500:NAME\$(11,20)=TEMP\$:P RINT :PRINT "Last name";:INPUT
- RINT:PRINT "Last name";:INPUT TEMP\$
 2930 AA=LEN(TEMP\$):IF AA>10 OR TEMP\$
 ="" THEN 2915
- 2935 IF TEMP\$="XXX" THEN CLOSE #1:80 TO MENU 295# GOSUB 15##:NAME\$(1.1#)=TEMP\$:TR
 - 2950 GOSUB 1500:NAMEs(1,10)=TEMP\$:TR
 AP 660
 2960 PRINT :PRINT "(7 SPACES)CORRECT
 ING":POINT #1,SECTOR, 8YTE:PRINT
- #1; NAME #: CLOSE #1: F #8: GOTO 280 8 2986 PRINT CL #: GOSUB 53:5: GOSUB 5400 : POSITION 2, 20: PRINT "Type the
- 2985 POSITION 2,21:PRINT "grade need s correcting";:TRAP B:LN=2980:A A=180:NUM-0
- 2998 GOSUB 2878:TRAP 3858 2995 INPUT #1; NAME#:PRINT CL#:PRINT NAME#(11,28); NAME#(1,18); "GRADE E"
- 3888 NOTE #1, SECTOR, BYTE: NUM=NUM+1:S ECTOR(NUM) = SECTOR: BYTE(NUM) = 8YT E: INPUT #1; GRADE#
- 3010 IF NUM<13 THEN POSITION 1, NUM+1 3015 IF NUM<25 AND NUM>12 THEN POSIT ION 11.NUM-11
- 3828 IF NUM<49 AND NUM>36 THEN POSIT ION 31, NUM-35 3825 IF NUM<37 AND NUM>24 THEN POSIT
- ION 21,NUM-23 3030 IF NUM-48 THEN 3050 3040 PRINT NUM: ", GRADE*:GDTO 3000
- 3050 IF NUM-1 THEN CLOSE 01:PRINT "N O GRADES LISTED":GOSU8 C:GOTO 2
- 3055 GOSUB E:GOSUB 5400:TRAP 8:LN-30 50:POSITION 2,19:PRINT "The COME COME of the grade to change";:IN PUT YES
- 3868 GOSUB 5688: W=VAL(YES\$): IF W>NUM -1 THEN GOTO B 3865 W=INT(W): GOSUB 5488: POSITION 2, 19: PRINT "Enter new grade \$";W; : INPUT GRADE\$: IF GRADE\$="" THEN
- GOSUB 5888:GOTO 3858 3878 IF GRADE*="XXX" THEN CLOSE #1:6

3075 AA-ASC(GRAGE*(1,1)):IF AA<58 AN O AA>48 THEN GOSUB 1850:GOTO 30 90 3080 IF AA<71 AND AA>64 THEN GOSUB 1

850:60T0 3090 3085 GOTO B . 3090 TRAP 650:POINT #1.SECTOR(W).BYT

070 2800 3200 PRINT #1; GRADE*: CLOSE #1:6 0TO 2800 3200 PRINT CL*: SETCOLOR 1,15,2: SETCO

LOR 2,15,12:SETCOLOR 4,8,8
3210 POSITION 17,5:PRINT "2:2"* E"
3220 PRINT :PRINT "This section will
create new files. ":PRINT " Be

Sure a new formatted disk is 3238 PRINT "(4 SPACES) available before beginning (16 SPACES) Press 'Y 19749791"

'-PARTICE"
3240 PRINT "PRINT "Type 'XXX' if you are not ready(7 SPACES)to create new files on a new disk."

3250 TRAP B:LN=3200:INPUT YES\$:IF YE \$\$(1,1)="Y" THEN 3280 3260 IF YES\$="XXX" THEN GOTO MENU 3270 GOTO B

3280 PRINT CL*:POSITION 2,10:PRINT *
Please insert SOURCE disk with
(8 SPACES)student records*

3285 PRINT :PRINT "PRESS ANY KEY WHE N READY" 3290 IF PEEK (764)=255 THEN 3290

3272 POKE 764,255:PRINT CL::POSITION
2,10:PRINT "This will take som
e time. Please be(3 SPACES)pati
ent. BYE for pow"

3295 GOSUB C 3298 POKE 559, #:TRAP 333#:CLR :OIM C LASS*(9##), NAME*(2#), YES*(3),FI LE*(13):NUMSTUO-1:FILE*=*D:STUD

ENT.":E=5810 3300 FILE*(11)=STR*(NUMSTUO):CLOSE * 1:OPEN *1,4,0,FILE*:INPUT *1;NA HE*:CLASS*(NUMSTUO*20-19,NUMSTU 0*20)=NAME*

332Ø CLOSE #1:NUMSTUO=NUMSTUO+1:80T0 333Ø POKE 559,34:80SUB E 3332 IF PEEK(195)=17Ø ANO NUMSTUD=1 THEN PRINT "PRINT "THERE ARE NO

RECORDS ON THIS DISK*:CLOSE #1 :80T0 3350 3335 IF PEEK(195)=170 THEN 3380 3340 POKE 595,34:PRINT :PRINT "Check Disk and/or Orive":CLOSE #1:80

SUB E .

3350 PRINT :PRINT *Press any key for menu*

3560 IF PEFK(764)=255 THEN 3360

3370 POKE 764,255:GOTO 90 3380 CLOSE #1:GOSUB E:PRINT :PRINT " Please insert new formatted dis k":PRINT :PRINT "Press 'Y'

S390 TRAP 3500:INPUT YESS:IF YESS-"Y
" THEN 3420

3410 IF YES="XXX" THEN 90 3415 GOTO 3500 3420 TRAP 3450:CLOSE #1:OPEN #1.4.0.

"D:STUDENT.#":CLOSE #1
3430 PRINT CHR\$(253);CHR\$(125):POSIT
ION 2,10:PRINT "This disk conta
ins student grade.(5 SPACES)Ple

ase use new formatted disk" 3440 ROTO 3380

3450 CLOSE #1:TRAP 3340:GOSUB E 3460 FOR W=1 TO NUMSTUO-1:NAME*=CLAS \$\$(W*20-19,W*20):FILE*(11)=STR*

(W) 3470 CLOSE #1:OPEN #1,8,6,FILEs:PRIN T #1;NAME*:CLOSE #1:NEXT W 3480 POKE 559,34:SRAPHICS 0:POSITION 2,16:PRINT THANK YOU FOR HAIT

ING":FOR M=1 TO 200:NEXT W:GOTO 90 3500 PRINT :PRINT *(9 SPACES)IMPROPE R INPUT":GOTO 3380

5000 POKE 752,1:PRINT BIS 5010 PRINT :PRINT , "FETTO PRINT - TTY again": 805UB C:POKE 752,0: 80TO LN

GOTO LN 5100 PRINT CL*:POSITION 17,10:PRINT "WORKING":PRINT :PRINT ,,"PLEAS E BE PATIENT":NUMSTUO=1:TRAP 52

@0:R=1
5110 FILE9(11)=STR9(NUMSTUO)
5120 CLOSE #1:DPEN #1,4,0,FILE9
5130 INPUT #1;NAME5:CLASS*(NUMSTUO#8
-7.NUMSTUO#8 = NAME\$(1.8)

-7,NUMSTUD:#9)-MAME\$(1,8)
5148 NUMSTUD-NUMSTUD+1:CLOSE #1:GOTO
5118
5268 CLOSE #1:GOSUB E:IF NUMSTUD=1 T

HEN RETURN 5218 TRAP 48888:IF PEEK(195)=178 THE N RETURN 5228 GOTO 668

5316 PRINT CL*: SETCOLOR 4,6,18: SETCO LOR 1,8,12: SETCOLOR 2,8,3 5315 PRINT , "TOTAL OF TOTAL OF TOTA

RINT "180% STO NO 2000 12 30 133 14 2 1607 678 5328 NN =2 5338 FOR AA-1 TO NUMSTUD-1 5348 IF AAC16 THEN POSITION 2, NN:PRI

5340 IF AA(16 THEN POSITION 2, NN:PRI NT AA;".";CLASS\$(AA#8-7, AA#8):G OTO 5380 5350 IF AA)15 AND AA(31 THEN POSITIO N 15,NN:PRINT AA;".";CLASS\$(AA#

N 15,NN:PRINT AA;".";CLASS\$(AA* 8-7,AA*8):80T0 5388 5368 IF AA>38 THEN POSITION 28,NN:PR INT AA;".";CLASS\$(AA*8-7,AA*8)

5380 NN=NN+1:IF NN=17 THEN NN=2 5390 NEXT AA:RETURN 5400 POSITION 2,19:PRINT BL*:POSITION N 2.21:PRINT BL*:POSITION 2,22:

PRINT BL\$:RETURN
5410 PRINT CL\$:POKE 752,1
5415 PRINT BZ\$:POSITION 8,9:PRINT "O
NLY FIVE STUDENTS GRADES":POSIT

ION 10,12:PRINT "CAN BE LISTED AT ONCE" 5420 BOSUB C:POKE 752,0:GOTO LN 5500 FOR WAIT=1 TO 150:NEXT WAIT:RET

URN 5600 IF YESS="XXX" THEN POP :GOTO ME NU

5610 AA=ASC(YES\$(1,1)):IF AA<49 OR A A>57 THEN POP :GOTO B 5620 RETURN

5888 PRINT "You must enter at least one character":60SUB C:RETURN 5818 W=PEEK(16):IF W>127 THEN W=W-12 8:POKE 16.W:POKE 53774.W

582Ø RETURN

September 1983 COMPUTE: 75

DIAMOND DROP

Matt Giwei

Catch the fulling diamonds – if you can. This fast-action game is easy to play and uses very little memory. Originally written for the Atari (with paddle), other versions are included for the TI-99/4A (with Extended BASIC) and the VIC and 64.

"Diamond Drop" is a game that requires good judgment and quick reflexes. It's fast, easy to play, and will fit into even the smallest Atari. The game uses both player/missile graphics and the Atari's fast string handling. The game plays quickly in BASIC with no machine language routines and uses less than 7K of RAM.

Four rows of diamonds will appear at the top of the screen. At the bottom, you'll see five catching trays, which are controlled by your paddle. As the diamonds drop, position your trays to catch them. Each diamond is word it work per per control to you get a 100-point bornus. Finish all four rows and you get a 250-point bornus. When you have lost all of your trays, the high score is recorded on the left of the screen, and you start again.

You won't be able to anticipate a dropping pattern because the subroutine at line 20000 generates a random sequence of two-digit numbers that will not repeat. Each number appears only once within the string.

The routine starts off with AAS (line 20012), which contains the numbers of through 34. (lines are the column numbers for the POSITION instructions,) The GLOPP then picks two of these pairs of numbers randomly and exchanges their positions within AAS. Thirty exchanges within this string of thirty pairs of numbers work well for this zeme.

Understanding The Program

Line 2 sends us immediately to line 30000 where the subroutine turns on the P/M Graphics and draws the trays at 30282. For a real challenge, change the POKE in line 30210 to 0.

Line 80 DIMensions the strings for the order of dropping the diamonds, four small strings for shuffling, and a string for scoring.

Line 100 names the frequently called subroutines for ease of program development and modification.

The subroutine at line 1000 initializes the variables and screen with a new set of four rows of diamonds. (Diamonds are CTRL ".").

Lines 2010 through 2190 comprise an infinite focusine of the STEP size) control loop for the main program execution. Within this loop is the nested | LOOP (fines 2000 and 2090). This loop moves the diamond from the top of the screen to the bottom in ine 2011. The second POSITION and the bottom in ine 2011. The second POSITION diamond as it moves down. Line 2080 contains the collision register for Player of and directs execution to the subroutine for catching (line 5400). Upon return from the subroutine, POXE HITCLE.

53278 clears the collision registers. Subroutine CATCH sets FLG = 1. If the flag has not been set, line 2100 slides the diamond off to the right of the screen. The program is then

directed to subroutine MISS.

The 5100 lines decrement the ROW and give a bonus and GOSUB SCORE. If all four rows are

gone, the program then moves to NLEVEL.


The 5300 lines give a bonus, increase the score, then initialize the variables and reset the

screen with GOSUB 1000.

The 5400 lines simply remove the diamond, give a buzz, and increment the score.

The 5500 lines increment the score by 10.

Get pm ANIMATOR And put your fantasies on the screen.



A produce dazzing Player-Missile animation on your Alar, ust by writing a BASIC program. Make your creative ideas real. All you need is pm ANIMATOR, the Player-Missile control kill from DON'T ASK.

All the colors, motions, and shapes you can make with Player-Missale Graphics are now available from BASIC Just use pm ANI-MATOR's magical edgors and subroulines. Draw pictures and ani-mate them with ease. Edit your animation sequences. Save them

on a disk to reload later. And build your moving figures right into your own BASIC programs. Flying dragons, spinning rockets, leaping athletes – you create them all. You don't need to know machine language. And you won't

Get pm ANIMATOR, and write that arcade game you've been dreaming about The power is yours Have your dealer demonstrate pm ANIMATOR

Comes with numerous demo programs and tutorial on Player-Missile Graphics
Requires disk drive, 32K RAM Atan computer

ed. San B-150, Los Angeles, CA 90064

NOW AT SPECIAL INTRODUCTORY PRICE: \$34.95 Price goes up September 15, 1983. Or order by mail from DON'T ASK. Add \$2.00 shipping/handling to your check or proper center. Destoning magdents add 5% sales for 6% 5% 4 you need in U.A. Country.





PaperClip"

Professional Word Processor For Commodore 64 and CBM/SuperPet

"Absolutely the most versatile word processor I have seen."

**Modinght Software Gazette March/April, 1983

"... a very powerful word processor, with somethy features that most people only need a

many features that most people only need a fraction of them."

COMPUTE: April, 1983

So easy to use that even novices can get

professional results.

PaperClip has every standard word processor function, plus many esolusive features, including horizontal sorrolling for charts and wide reports, up to 280 columns, column moves, alphanumeric sorts and extinestic Works with 60 column cards and every popular printer, with instant printer and every popular printer, with instant printer little printers, and all the printers and every popular printers, with instant printer little printers, and little trapsis, and layer documents.

Complete, professional and easy to use. No where else will you find PaperClip'e capabilities at this breakthrough price.



NEW!

Professional Data Base Management For Commodore 64 and PET/CBM

Delphi's Oracle

Delphi'e Oracle is a powerful information handling program that allows you to enter, retrieve and update data with incredible speed and flexibility.

 Large record size (over 8000 characters) * Up to 99 fields and 9 display pages per record * Includes report writer and mail label printing * Design your own forms on the screen or on printed reports
 Delphr'e Oracle brings power and versatility

usually found only in mainframe or minicomputer systems, with provision for eafeguarding accurate data entry, and excellent flexibility in searching for records.

\$150



BATTERIES INCLUDED

FOR MORE INFORMATION AND YOUR NEAREST DEALER:

City Software Distributors US TOLL FREE: 800-558-1008 738 W Wisconsin Ave. Milwaukee, WI 53233

Software International 860 N. Mountain Ave. Upland, CA 91788 714-981-7640 Betteries Included 188 Queen Street West Toronto, Ont. MSV 121 416 596-1405 Software Distributors

US: 800-421-0814

Software Distributors 10023 W. Jefferson Blvd. Culturer City, CA 902230 Culturer City, CA 902230

CBM Systems 7868 Telegraph Rd. City of Commerce, CA 90040 213-904-0111

Kapri International 7419 Clybourn Ave. Sun Valley, CA 91352 213-768-2774 Note that the bonuses have been 90 and 240, since each time this subroutine is called, 10 is added. Line 5520 prints the score vertically on the right side of the screen.

The 5600 lines remove one of the trays, provide a sound effect, and test for all trays being gone.

The 5700 lines determine if the new score is a high score, print it on the left side of the screen, erase the old score, and ask for another game. Pressing the trigger sets up a new game.



"Diamond Drop" on the Atari.

Program 1: Diamond Drop - Algri Version

```
BEGINNING PROGRAMMERS
  If you're new to computing, please read "How
  To Type COMPUTE!'s Programs" and "A
  Beginner's Guide To Typing In Programs.
2 GOSUB 30000
80 DIM AA$ (60), B1$ (2), C1$ (2), B2$ (2),
   C2$(2).SCR$(8)
99 MM=8
100 NROW-5100:NLEVEL-5300:CATCH-5400
    :SCORE=5500:MISS=5A00:TEND=5700
900 GOSUB 1000: GOTO 2000
1000 REM SETUP
1669 REM 5 TO 34
1010 POSITION 5,0:? "
1020 POSITION 5,1:? "
1030 POSITION 5,2:? ""
1848 POSITION 5,3:? ""
1050 GOSUB 20000:ROW=4
1900 RETURN
2000 REM CONTROL LOOP
2010 FOR ZYX=1 TO 2 STEP 0
2020 A=VAL (AA$ (I, I+1))
```

```
2030 I=I+2
2040 FOR J=ROW TO 22
2842 POKE PLX, PADDLE (8)
2051 POSITION A, J:? """; : POSITION A.
     J-1:? " ";
2080 IF PEEK (53252) <>0 THEN GOSUB CA
     TCH: POKE 53278, 8
2696 NEXT J
2100 IF FLG-0 THEN FOR FF-A TO 35:PO
     SITION FF, 22:? "";:POSITION FF
-1, 22:? " ";:POKE PLX, PADDLE(0)
     :NEXT FF
2102 POSITION 35,22:7 " ":
2110 IF FLG=0 THEN GOSUB MISS
218# IF I>6# THEN GOSUB NROW: GOSUB 2
2188 FLG=6
2198 NEXT ZYX
5100 REM NROW NEW ROW
511# ROW-ROW-1:SC-SC+9#: GOSUR SCORE
5120 IF ROW-0 THEN GOSUB NLEVEL
5190 RETURN
5300 REM NLEVEL NEW LEVEL
531# SC-SC+24#: GOSUB SCORE
5350 GOSUB 1000
5398 RETURN
5400 REM CATCH
5410 POSITION A.J:?
                     " ";:J=24:FL6=1
5420 SOUND 0,A,2,14
5438 9=1^1
5448 SOUND 8.8.8.8
545@ BOSUB SCORE
549Ø RETURN
5500 REM SCORE
551# SC=SC+1#:SCR$=STR$(SC)
5520 FOR FF=1 TO LEN(SCR$):SOUND 0,2
     66-26*FF, 16, 14: POSITION 38, FF: ?
      SCR$ (FF,FF) : SOUND 0,0,0,0,0: NEXT
559Ø RETURN
5600 REM MISS THE RAIL
561# POKE MYPMBASE+135+MM, #
5615 FOR JKJ=14 TO Ø STEP -2:FOR JKK
     =200 TO 50 STEP -50: SOUND 0. JKK
     .10. JKJ: NEXT JKK: NEXT JKJ
5628 MM-MM+15:1F MM+135=218 THEN GOS
     UB TEND
569Ø RETURN
5788 REM TEND THE END
5710 IF SC>HSC THEN HSC=SC
5720 SCR#=STR# (HSC)
573# FOR FF=1 TO LEN(SCR$):SOUND #,2
     66-FF#16,16,14:POSITION 3,FF:
     SCR$ (FF, FF): Q=1^1: SOUND 0,0,0
     : NEXT FF
5740 SC=0: FOR FF=1 TO 10: POSITION 38
     FF:7 " ";:NEXT FF
5750 POSITION 2,10:7 "ANOTHER GAME?"
     : 0=1 1
5752 IF PTRIS(@) THEN 5752
5754 POSITION 2,10:2 "(13 SPACES)"; :P
     OKE 77.3
5760 FOR III-MYPMBASE+135 TO MYPMBAS
     E+200 STEP 15:POKE III.255:NEXT
5776 GOSUB 1888: MM=8
579Ø RETURN
20000 REM RND BENERATOR
20002 I=1
20012 AA$="0506070809101112131415161
      718192021222324252627282930313
      23334
```


WHAT HAS IMMEASURABLE FIREPOWER...ATTACKING RIGILLIANS...ALTERED PERSPECTIVE SCROLLING...AND NO MERCY?



DIMENSION X at self-met context of the context of t

synapse

20040 FDR B=0 TD 30			172,253,29,169,32,153,117
20050 M=INT(30*RND(0)+2)*2-3 20051 N=INT(30*RND(0)+2)*2-3	7209	DATA	31,200,169,160,174,251,29 153,117,31,200,202,208,249
20051 N=INT(30*RND(0)+2)*2-3 20060 B1*=AA*(M,M+1):C1*=AA*(N,N+1)	7225	DATA	169,32,153,117,31,200,206
20070 B2*=C1*:C2*=B1*	7233	DATA	252,29,240,123,172,253,29
20080 AA\$(M,M+1)=B2\$:AA\$(N,N+1)=C2\$	7241	DATA	169,32,153,73,31,200,169
20081 POKE PLX, PADDLE (0)	7249	DATA	160,174,251,29,153,73,31
20090 NEXT G	7257	DATA	200,202,208,249,169,32,153
20092 A=VAL(AA\$(1,2)) 20099 RETURN	7265	DATA	73,31,200,206,252,29,240
22000 FDR I=MYPMBASE TO MYPMBASE+255	7273	DATA	91,172,253,29,169,32,153
:PDKE I, Ø:NEXT I:STOP			29,31,200,169,160,174,251
30000 REM SETUP			29,153,29,31,200,202,208 249,169,32,153,29,31,200
30010 GRAPHICS 0:POKE 752,1	7205	DATA	206,252,29,240,59,172,253
30200 REM PM SETUP			29,169,32,153,241,30,200
30204 POKE 53277,3:REM GRACTL PLAY&M	7321	DATA	169,160,174,251,29,153,241
30206 PDKE 559.62:REM DMACTL.1LINE.P	7329		30,200,202,208,249,169,32
LAY, MIS, NORM FIELD	7337	DATA	153,241,30,200,206,252,29
30208 PDKE 54279, (PEEK(106)-12):REM			240,27,172,253,29,169,32
12PAGE RESERVE	7353	DATA	153,197,30,200,169,160,174
30210 PDKE 53256,1:REM PLAY SIZES	7361	DATA	251,29,153,197,30,200,202
30212 PDKE 623,8:REM PRIDRITY PF DVE	7369 7377	DATA	208,249,169,32,153,197,30
R PL 3Ø214 MYPMBASE=256*(PEEK(1Ø6)-12):RE		DATA	200,165,197,201,21,208,13
M NEW PM BASE	7393	DATA	173,253,29,201,1,240,24 206,253,29,76,211,28,201
30230 PDKE 704,150	7461	DATA	22,208,14,173,253,29,24
30230 PDKE 704,150 30232 POKE 710,16:POKE 709,29			109,251,29,201,21,240,3
30276 PLX=53248	7417	DATA	238,253,29,238,250,29,173
3#282 FOR I=MYPMBASE+135 TD MYPMBASE	7425	DATA	250, 29, 205, 249, 29, 240, 3
+200 STEP 15:PDKE I,255:NEXT I 30283 POKE PLX,PADDLE(0)			76,191,234,169,0,141,250
30285 RETURN	7441	DATA	29,169,206,133,251,169,31
	7449	DATA	133,252,160,0,185,206,31
Program 2:	7457	DATA	41,127,201,32,208,74,200
Diamond Drop – VIC Version, Part I	7465	DATA	192,21,208,242,160,0,177
by Eric Brandon, Programming Assistant	74/3	DATA	251,201,81,240,37,201,207
3 POKE55.177:POKE56.27:CLR	7481	DATA	240,33,201,90,240,29,200
3 POKE55,177:POKE56,27:CLR 4 POKE36879,93	7489	DATA	192,22,208,237,56,165,251
4 POKE36879,93 5 TI\$="8000000"	7489 7497 7505	DATA DATA	192,22,208,237,56,165,251 233,22,133,251,176,2,198 252,166,251,208,220,166,252
4 POKE36879,93 5 TI\$="800000" 9 PRINT"{CLR}{BLU}{4 DOWN}SETTING UP	7489 7497 7505 7513	DATA DATA DATA	192,22,208,237,56,165,251 233,22,133,251,176,2,198 252,166,251,208,220,166,252 224,30,208,214,76,191,234
4 POKE36879,93 5 TI\$="606080" 9 PRINT"{CLR}{BLU}{4 DOWN}SETTING UP {3 DOWN}"	7489 7497 7505 7513 7521	DATA DATA DATA DATA DATA	192,22,208,237,56,165,251 233,22,133,251,176,2,198 252,166,251,208,220,166,252 224,30,208,214,76,191,234 170,152,24,105,22,168,138
4 POKE36879,93 5 TIS="808080" 9 PRINT"{CLR}{BLU}{4 DOWN}SETTING UP [3 DOWN}* 10 I=7889	7489 7497 7505 7513 7521 7529	DATA DATA DATA DATA DATA	192,22,208,237,56,165,251 233,22,133,251,176,2,198 252,166,251,208,220,166,25; 224,30,208,214,76,191,234 170,152,24,105,22,168,138 145,251,152,56,233,22,168
4 POKE36879,93 5 TIS="0808080" 9 PRINT"[CLR] ELU] [4 DOWN] SETTING UP [3 DOWN] 16 I=7089 16 I=7089 15 PRINT"WAIT"STRS(25-VAL(TIS))" SECONDS	7489 7497 7505 7513 7521 7529 7537	DATA DATA DATA DATA DATA DATA DATA	192, 22, 208, 237, 56, 165, 251 233, 22, 133, 251, 176, 2, 198 252, 166, 251, 208, 220, 166, 25; 224, 30, 208, 214, 76, 191, 234 170, 152, 24, 105, 22, 168, 138 145, 251, 152, 56, 233, 22, 168 169, 32, 145, 251, 32, 154, 29
4 POKE36879,93 5 TIS="0808080" 9 PRINT"[CLR]{BLU}{4 DOWN}SETTING UP [3 DOWN]* 10 1=7089 15 PRINT"WAIT"STR\$(25-VAL(TI\$))" SECONDS [UP]*	7489 7497 7505 7513 7521 7529 7537 7545	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 289, 237, 56, 165, 251 233, 22, 133, 251, 176, 2, 198 252, 166, 251, 208, 220, 166, 25; 224, 38, 288, 214, 76, 191, 234 170, 152, 24, 185, 22, 168, 138 145, 251, 152, 56, 233, 22, 168 169, 32, 145, 251, 32, 154, 29 76, 14, 29, 169, 32, 153, 206
4 POKE36879,93 5 TI\$="8080808" 9 PRINT"(CLR BLU 4 DOWN) SETTING UP [3 DOWN] 16 1-7889 15 PRINT"WAIT"STR\$(25-VAL(TI\$))" SECONDS [UP)" 20 READA: IFA=256THEN40	7489 7497 7505 7513 7521 7529 7537 7545 7553	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251 233, 22, 133, 251, 176, 2, 198 252, 166, 251, 288, 228, 166, 25; 224, 38, 268, 214, 76, 191, 234 178, 152, 24, 185, 22, 168, 138 145, 251, 152, 56, 233, 22, 168 169, 32, 145, 251, 32, 154, 29 76, 14, 29, 169, 32, 153, 286 31, 169, 158, 141, 11, 144, 169
4 POKE36879,93 5 TIS="0808080" 9 PRINT"[CLR]{BLU}{4 DOWN}SETTING UP [3 DOWN]* 10 1=7089 15 PRINT"WAIT"STR\$(25-VAL(TI\$))" SECONDS [UP]*	7489 7497 7505 7513 7521 7529 7537 7545 7553 7561	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 208, 237, 56, 165, 251, 233, 22, 133, 251, 176, 2, 198, 252, 166, 251, 208, 224, 166, 251, 208, 214, 76, 191, 234, 176, 152, 24, 105, 22, 168, 138, 145, 251, 152, 56, 233, 22, 168, 138, 165, 251, 152, 56, 233, 22, 168, 169, 32, 145, 251, 169, 32, 153, 208, 31, 169, 158, 141, 11, 144, 169, 158, 144, 148, 148, 148, 148, 148, 148, 14
4 POKES-6879,93 5 TIS="6808080" 9 PRINT"[CER] BLU][4 DOWN]SETTING UP [3 DOWN] 10 1=7089 10 1=7089 15 PRINT"WAIT"STR\$[25-VAL[TI\$])" SECONDS 28 PREDALTEN-255TREM40 39 POKET. A.T.=11-1007D15 49 PRINT"[CER][5 DOWN][RED][RV9]NOW LDAD ING GAMM(OFF][BLU]	7489 7497 7505 7513 7521 7529 7537 7545 7553 7561 7569 7577	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 208, 237, 56, 165, 251, 233, 221, 33, 251, 176, 2, 198, 252, 166, 251, 208, 228, 166, 251, 208, 214, 76, 191, 234, 178, 152, 24, 105, 22, 168, 138, 145, 251, 152, 56, 233, 22, 168, 138, 165, 251, 152, 56, 233, 22, 168, 169, 32, 145, 251, 169, 32, 153, 208, 31, 169, 158, 141, 11, 144, 169, 158, 141, 12, 144, 169, 158, 141, 144, 144, 169, 208, 133, 251, 168, 162, 162, 162, 162, 162, 162, 162, 162
4 POKESGO79,03 TIS="080808" UP UP UP UP UP UP UP U	7489 7497 75ø5 7513 7521 7529 7537 7545 7553 7561 7569 7577 7585	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251, 233, 22, 133, 251, 176, 2, 198, 252, 166, 251, 288, 228, 166, 251, 288, 228, 166, 251, 288, 228, 166, 251, 288, 228, 166, 187, 178, 152, 244, 185, 22, 168, 138, 178, 152, 244, 185, 221, 168, 138, 169, 32, 145, 251, 32, 154, 29, 169, 32, 145, 251, 32, 154, 29, 169, 32, 145, 184, 184, 189, 184, 184, 184, 189, 184, 184, 184, 189, 151, 144, 144, 169, 152, 144, 124, 169, 128, 162, 81, 142, 154, 144, 224, 152, 288, 142, 152, 144, 222, 244, 152, 288, 248, 288, 288, 248, 288, 288, 248, 24
4 POKES679,03 TIS-T0000800* 5 TIS-T0000800* 9 PRINT*CLR BLU] 4 DOWS)SETTING UP 10 1-7080 15 PRINT*CLR BLU] 4 DOWS)SETTING UP 15 PRINT*CLR 20 BEADAL 170-256TEREA40 30 POKEL A1 1-4 100701 5 4 PRINT*CLR S DOWS BLUD RVS NOW LDAD ING GAME (UP) 18LU) ING GAME (UP) 18LU) W** OUT OF (UFF) 18LU) W** OUT OF (UFF) 18LU 000 "RE	7489 7497 7505 7513 7521 7529 7537 7545 7561 7569 7577 7585 7593	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251 233, 22, 133, 251, 176, 2, 168 252, 166, 251, 268, 228, 166, 25 252, 166, 251, 268, 228, 166, 25 176, 152, 26, 145, 22, 169, 138 145, 251, 152, 56, 223, 22, 168 169, 32, 145, 251, 32, 154, 29 76, 14, 29, 169, 32, 153, 26, 28 31, 169, 158, 141, 11, 144, 169 175, 141, 12, 144, 169, 15, 141 144, 169, 168, 133, 231, 168 224, 15, 268, 248, 268, 263, 243 244, 15, 268, 248, 268, 268, 243
4 PONESIGNE, 03 TIS-MEMBERS TIS-MEMBERS 1 [1 DOMES] 1 [1 DOMES] 1 [2 DOMES] 2 PONESIGNES 3 PONESIGNES 3 PONESIGNES 3 PONESIGNES 3 PONESIGNES 3 PONESIGNES 4 PONESIGNES 4 PONESIGNES 5 PONES	7489 7497 7505 7513 7521 7529 7537 7545 7561 7561 7567 7585 7585 7593 7601	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251 233, 22, 133, 251, 176, 2, 198 234, 36, 288, 214, 76, 19, 633, 224, 36, 288, 214, 76, 19, 633, 214, 76, 19, 19, 19, 19, 19, 19, 19, 19, 19, 19
4 POKESSOR9,93 TIS-"00000000 PRINT"[CLR] BLU][4 DOWN]SETTING UP 10 1-7889 15 PRINT"STR\$(25-VLA[T\$))" SECONDS UP]" PRINT"[CLR] BLU]" PRINT"[CLR] BLU]" PRINT"[CLR] SDWN] [RUD] RVN) NOW LDAD ING GAME(OFF] [BLU]" PRINT [CLR] SDWN] [RUD] RVN) NOW LDAD ING GAME(OFF] [BLU]" PRINT [CLR] SDWN USERS, TAKE THE WORD "RE WOT OF LINE 60 BEN PRINT [VIII] WID, LOAD," LINE (54)" PILMONDES	7489 7497 7505 7513 7521 7537 7545 7553 7561 7569 7577 7585 7593 7601 7609	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 268, 237, 56, 165, 251 233, 26, 133, 126, 176, 27, 198 234, 36, 288, 214, 76, 191, 234 145, 251, 152, 165, 138 145, 251, 152, 156, 133, 121, 168 146, 251, 152, 156, 133, 121, 168 146, 121, 141, 141, 141, 141, 169 175, 141, 121, 144, 169, 151, 141 128, 162, 81, 142, 111, 144, 169 128, 162, 81, 142, 112, 144, 129, 151, 141 128, 162, 81, 142, 152, 154, 154, 154, 154 128, 162, 81, 142, 152, 164, 129, 124, 152, 168, 168, 164, 124, 152, 168, 168, 164, 164, 154, 164, 164, 164, 164, 164, 164, 164, 16
4 POKEJSO79,03 TIS-10000001 TIS-10000001 SIBLUJ[4 DOWN]SETTING UP 10 1-7089 10 1-7	7489 7497 7505 7513 7521 7537 7545 7553 7561 7569 7577 7583 7601 7609 7617	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251 233, 22, 133, 225, 1176, 2, 198 234, 165, 252, 262, 262, 1166, 232 235, 166, 253, 268, 262, 262, 262, 262, 262, 262, 262
4 PONESIGNEY, 93 TIST-MERGEN TIST-MERGEN 1 DOMES 1 DOMES 1 DOMES 1 PLOP 1 DOMES 2 PLOP 3 PLOP 4 PLOP 5 PLOP 5 PLOP 5 PLOP 6 PLOP	7489 7497 7505 7513 7521 7537 7545 7553 7561 7569 7577 7583 7601 7609 7617	DATA DATA DATA DATA DATA DATA DATA DATA	192, 22, 288, 237, 56, 165, 251 233, 22, 133, 225, 1176, 2, 198 234, 165, 252, 262, 262, 1166, 232 235, 166, 253, 268, 262, 262, 262, 262, 262, 262, 262
4 POKES-6379,03 TIS-"080808" PRINT"CLR RIDU] 4 DOWS)SETTING UP 10 1-7889 15 PRINT"CLR RIDU] 4 DOWS)SETTING UP 15 PRINT"CLR RIDU] 4 DOWS)SETTING UP 16 1-7889 15 PRINT"CLR S DOWS RIDU] 7 SECONDS 18 POREL A: 1-1-1:007015 18 PRINT"CLR S DOWS RIDU] RVS NOW LDAD ING GAME(OFF) EBLO] TO BE MAD FOR JOSE USERS, TARE THE WORD "RE 55 PRINT' 2 DOWS) 10 PRINT' 2 DOWS)	7489 7497 7593 7513 7521 7529 7537 7553 7561 7569 7577 7583 7681 7689 7617 7683	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 288, 237, 56, 165, 281 237, 241, 252, 261, 273, 261, 265, 281 237, 241, 252, 261, 261, 262, 262, 262, 262, 262, 26
4 POKESERT9,93 TIS-MENGRAL 1 DOWNSELTING UP 1 DOWNSELTING UP 1 DOWNSELTING UP 1 DOWNSELTING UP 1 DOWNSELT 1 DOWNSELT 1 POWNSELT	7489 7497 7505 7513 7521 7537 7545 7553 7561 7569 7577 7583 7601 7609 7617	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 239, 166, 251, 260, 220, 166, 251, 261 169, 321, 165, 241, 167, 241, 167, 167, 167, 167, 167, 167, 167, 16
4 POKES-6379,03 TIS-T0808087 9 PRINT*CLR RIDIJ (4 DOWS)SETTING UP 10 1-7889 15 PRINT*CLR RIDIJ (4 DOWS)SETTING UP 15 PRINT*CLR RIDIJ (4 DOWS)SETTING UP 15 PRINT*CLR ST RIDIJ (7 P	7489 7497 7595 7513 7521 7529 7537 7545 7569 7577 7585 7691 7699 7617 7641 7649 7657	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 224, 38, 288, 214, 76, 191, 234 179, 152, 241, 385, 22, 169, 139, 129, 224 189, 232, 145, 252, 149, 152, 241, 169, 132, 145, 221, 169, 132, 145, 221, 169, 132, 145, 221, 121, 121, 121, 121, 121, 121, 12
4 PONESIGNEY, 93 5 TIS-10808081 5 TIS-10808081 1 DOMESICAL STATE (15 PONESIGNEY) 1 DOMESICAL STATE (15 PONESIGNEY) 1 DOMESICAL STATE (15 PONESIGNEY) 30 PONESICAL PART (15 PONESIGNEY) 40 PONESICAL STATE THE MOBBO "RE M'OUT OF LIBES 68 40 UT OF LIBES 69 40 PONESICAL STATE THE MOBBO "RE M'OUT OF LIBES 68 40 PONESICAL STATE (15 PONESIS) (13 PONESI	7489 7497 7595 7513 7521 7523 7545 7553 7561 7585 7569 7677 7685 7663 76641 7669 7665	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 239, 166, 251, 269, 238, 166, 251, 261 169, 252, 166, 252, 166, 221, 166, 252, 221, 167, 272, 167, 172, 174, 174, 174, 174, 174, 174, 174, 174
4 PONESIGN 9.93 TITS-THEMBERS TITS-THEMBERS 13 DOWNS 14 DOWNS 15 DOWNS 15 DOWNS 16 DOWNS 16 DOWNS 17 DOWNS 17 DOWNS 18 DOWNS	7489 7497 7595 7513 7521 7529 7537 7545 7569 7577 7585 7593 7601 7605 7649 7667 7665	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 237, 56, 165, 261 139, 222, 269, 237, 56, 165, 261 234, 196, 298, 166, 298, 166, 239, 166, 232, 232, 234, 234, 234, 234, 234, 234
4 POKES-6379,03 TIS-T-0808087 9 10 TORTHON TOR	7489 7497 7595 7513 7521 7521 7527 7545 7553 7567 7569 7577 7585 7691 7669 7617 7665 7633 7641 7665 7676	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 224, 39, 289, 214, 76, 191, 234 169, 321, 169, 321, 169, 221, 169, 321, 321, 321, 321, 321, 321, 321, 321
4 PONESIGNEY, 93 **TIST-MEMBERS** **TIST-MEMBERS** 1 DOWNEY** 1 DOWNEY** 1 DOWNEY** 2 DOWNEY** 3 PRINT** 3 PRINT** 3 PRINT** 4 PRINT** 4 PRINT** 5 PRINT** 6 PRINT** 6 PRINT** 7 PRINT** 7 PRINT** 7 PRINT** 8 PRINT** 1 PRINT** 2 PRINT** 3 PRINT** 4 PRINT* 5 PRINT* 6 PRINT* 6 PRINT* 6 PRINT* 6 PRINT* 7 PRI	7489 7497 7597 7513 7521 7529 7537 7563 7561 7569 757585 7681 76625 7633 7641 7665 7673 7681	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 237, 56, 165, 281 139, 222, 289, 237, 56, 165, 281 139, 166, 251, 269, 281, 166, 272, 282 244, 39, 289, 214, 76, 391, 234 169, 321, 145, 281, 321, 342 169, 321, 145, 281, 321, 344, 29 169, 321, 145, 281, 321, 314, 29 176, 142, 291, 93, 291, 313, 232, 69 175, 141, 121, 144, 169, 151, 141 144, 169, 261, 313, 251, 169 176, 141, 141, 144, 144 176, 144, 149, 144, 149, 144, 144 176, 144, 144, 144, 144, 144, 144 177, 144, 144, 144, 144, 144, 144, 144,
4 POKES-6379,03 TIS-10000001 TIS-10000001 TIS-10000001 TIS-10000001 TIS-10000001 TIS-10000001 TIS-10000001 TIS-1000000000000000000000000000000000000	7489 7497 7597 7513 7521 7529 7537 7543 7569 7575 7585 7669 7676 7625 7669 7667 7665 7676 7689 7667	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 237, 56, 165, 261 139, 222, 166, 251, 260, 228, 166, 278, 166, 281, 166, 281, 166, 281, 166, 281, 166, 281, 166, 281, 167, 181, 281, 281, 281, 281, 281, 281, 281
4 PONESIGNEY, 93 TIS-THEROBER TIS-THEROBER I DOMES I DOMES PRINT TO THE	74897 7595 7513 7521 7527 7537 7545 7557 7553 7561 7577 7583 7697 7673 7681 7667 7673 7681 7681 7681 7697 7795 7797	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 2317, 85, 165, 281 232, 166, 251, 260, 231, 166, 251, 261 232, 166, 251, 260, 231, 166, 251, 261 169, 322, 145, 251, 32, 144, 29 169, 322, 145, 251, 32, 134, 29 175, 141, 12, 144, 169, 15, 141 144, 169, 169, 131, 251, 162 144, 152, 262, 132, 134, 29 175, 141, 12, 144, 169, 15, 141 144, 169, 161, 132, 151, 162 141, 152, 164, 169, 164, 164, 164, 164 151, 144, 169, 164, 164, 164, 164, 164, 164, 164, 164
4 PONESERT9,93 TITS-TEMBERS TITS-TEMBERS TITS-TEMBERS TITS-TEMBERS TO THE TEMBERS THE TEMB	74897 7595 7513 7529 7537 7553 7561 7577 7583 7661 7697 7617 7625 7633 7641 7641 7643 7641 7643 7641 7647 7657 7667 7765 7773	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 2317, 85, 165, 261 232, 166, 251, 260, 238, 166, 251, 262 234, 186, 269, 268, 166, 269, 166, 261, 262 234, 186, 269, 214, 76, 191, 234 234, 186, 269, 214, 76, 191, 234 234, 186, 269, 214, 76, 191, 234 234, 186, 261, 261, 261, 261, 261, 261, 261, 26
4 PONESIGN 97,93 TIS-1000001 TIS-1000001 1 DOMN'S TIS-1000001 1 DONN'S TIS-1000001 1 DONN'S TIS-1000001 1 DONN'S TIS-10000001 1 DONN'S TIS-1000000000000000000000000000000000000	74897 7595 7513 7529 7537 75537 75537 75537 75537 75537 7561 75697 7577 7681 7681 7681 7681 7681 7697 7673 7673 7673 7721	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 239, 166, 231, 260, 231, 166, 231, 167, 231, 167, 167, 167, 167, 167, 167, 167, 16
4 PONESIGNEY, 93 TIS-MESSER TIS-MESSER 1 DOMES BILLI] [4 DOWN] SETTING UP 1 DOMES BILLI] [4 DOWN] SETTING UP 1 DOWN BILLI] [4 DOWN] SETTING UP 1 PLEASE BILLI] [4 DOWN] SETTING UP 1 PLEASE BILLI] [4 DOWN] SETTING UP 1 PLEASE BILLI] [4 DOWN] SETTING UP 2 READALIFACIONE USERS, TAKE THE MOSD "RE 2 READALIFACIONE USERS, TAKE THE MOSD "RE 3 PRINT [10 DOWN] SETTING UP 4 READ SETTING UP 4 PONESIGNEY UP 5 PRINT [10 J.] ADD SETTING UP 7 PLEASE BILLI] SETTING UP 7 PLEASE LEAVE 7 PLEASE 7 PLEASE .	74897 7595 7513 7529 7537 7557 7553 7561 7569 7577 7661 7627 7627 7633 7641 7665 7673 7681 7681 7681 7785 7773 7773 7773	DATA DATA DATA DATA DATA DATA DATA DATA	139, 222, 289, 2317, 85, 165, 281 139, 222, 289, 2317, 85, 165, 281 234, 89, 289, 214, 76, 911, 234 169, 321, 165, 281, 281, 281, 281, 281, 281, 281, 281
4 PONESIGN 97,93 TIS-1000001 TIS-1000001 1 DOMN'S TIS-1000001 1 DONN'S TIS-1000001 1 DONN'S TIS-1000001 1 DONN'S TIS-10000001 1 DONN'S TIS-1000000000000000000000000000000000000	74897 7595 7513 7529 7537 7557 7553 7561 7569 7577 7661 7627 7627 7633 7641 7665 7673 7681 7681 7681 7785 7773 7773 7773	DATA DATA DATA DATA DATA DATA DATA DATA	139, 22, 289, 237, 56, 165, 281 139, 22, 289, 237, 56, 165, 281 239, 166, 231, 260, 231, 166, 231, 167, 231, 167, 167, 167, 167, 167, 167, 167, 16





VIC version of "Diamond Drop."

Program 3: Diamond Drop - VIC Version, Part II

by Eric Brandon, Programming Assistant

5 POKE 36879,14

10 PRINT" [CLR] [WHT] "TAB (5) "DIAMOND DROP" 20 PRINT" [2 DOWN] [YEL] [2 SPACES] CATCH TH E DIAMONDS[2 SPACES]BEFORE THEY "; 30 PRINT"TOUCH THE GROUND, YOU HAVE FIVE

40 PRINT"CHANCES. 45 PRINT"[2 DOWN] [WHT] [4 SPACES]L - MOVE

46 PRINT" [DOWN] [4 SPACES]; - MOVE RIGHT 50 PRINT"[3 DOWN | \$68 [RVS] HIT ANY KEY

TO BEGIN" 60 GETAS: IFAS=""THRN60

65 GOSUB 1000 70 PRINT" [CLR] [WHT] SCORE 80000 MEN: QQQQ"

71 SPEED = 7673 72 PADDLES=7679

73 PLAG=7678: POKE FLAG, 8 74 WIDTH = 7675

75 POKE PADDLES.6 : POKE WIDTH.W : POKE SPEED, 18-S 78 ROW(6)=81:ROW(5)=81:ROW(4)=207:ROW(3)

=207:ROW(2)=90:ROW(1)=90 80 PRINT" {YEL} {RVS}"::FORI=1T020:PRINT"

";:NEXT:PRINT"[OFF] "; 85 PRINT" [YEL] [RVS] "; :FORI=1T020:PRINT" "::NEXT:PRINT"[OFF] ":

90 PRINT" [CYN] [RVS] "; FORI=1TO20:PRINT" ": NEXT: PRINT"[OFF] ": 95 PRINT" [CYN] [RVS] ": FORI=1T020: PRINT"

P"::NEXT:PRINT"[OFF] ": 100 PRINT" (OFF) 873"; FORI=1T020: PRINT
"W"; NEXT: PRINT" ";

102 PRINT" [OFF] [7] ";:FORI=1TO20:PRINT
"W";:NEXT:PRINT" ";

105 PRINT"(WHT)"; 189 REM 22 SPACES IN NEXT LINE

110 FORI=1T014:PRINT"[22 SPACES]";:NEXT 120 PRINT"[HOME]": 130 FOR I=8164 TO 8185; POKE I.248; POKE

I+30720,2:NEXT 140 IF PEEK(789) <> 27THENSYS 7089

84 COMPUTE! Sendember 1983.

VIC-20/64 Version Notes

Eric Brandon, Programming Assistant To insure fast action, both the VIC and 64 versions of "Diamond Drop" are written predominantly in machine language, BASIC is used only to print instructions, set up the display, select the skill level, and initiate the "drop,"

The game display starts with six rows of objects at the top of the screen and a stack of six catching travs at the bottom. As the objects begin to drop, you must use the L and ; keys to maneuver the travs and catch the objects. To make play more challenging, one tray disappears whenever the last ball drops from a row. Thus, you have only one tray with which to catch objects from the last row. When all the objects have dropped, you start again with six rows of objects and six travs. Play continues until a total of five objects hit the ground.

The VIC version is in two parts (Programs

2 and 3) so that it can run on the unexpanded VIC. Cassette users should type in Program. 2 and SAVE it to tape, then type in Program 3 and SAVE it on the same tape immediately following Program 2. Disk users should type in Program 2, omitting the word REM in line 60, and SAVE it to disk. Program 3 should then be typed in and SAVEd to the same disk with the filename "DIAMONDS2.VIC". If the tape or disk copies are prepared in this manner, then Program 2 will cause Program 3 to LOAD and RÜN automatically.

Since the DATA statements of Program 2 (VIC version) and Program 4 (64 version) comprise the machine language program for the game, it is essential that they be typed correctly. Be sure to SAVE a copy of the program before you attempt to RUN it, since an error in typing may cause your computer to "lock up," forcing you to turn the power off to recover. If Diamond Drop fails to RUN properly, the problem will most likely be a mistyped number somewhere in the DATA statements, so check carefully.

150 FOR ROW = 6 TO 1STEP-1:FOR CHAR=1 TO

155 FOR K=1 TO 600-CHAR*10+(6-ROW)*20-50 *(9-PEEK(SPEED)):NEXT 157 IF PEEK(FLAG) THEN 2000

168 P=RND(1)*28+1 170 IF PEEK (7680+ROW*22+P)=32THEN160 180 POKE 7680+ROW*22+P.ROW(ROW)

19Ø NEXTCHAR

191 POKR36878.15

New From Cardco



Five Slot Expansion Interface for the C-64

The CARDBOARD/5 (CB/5) is an enclosed five slot, fully switch selectable, expansion interface for the Commodore 64™. This quality product allows the user to switch select any cartridge slot or combination of cartridge slots. Twenty-two color coded light emitting diodes aive status indication. Each slot has four LEDs and two togale switches for indication and control. Two master toggle switches allow the user to manually override any situation.

All Cardco products are individually tested to insure quality and reliability



- full support under the board to prevent flexing
- full plastic enclosure to insure safety
- fused to protect your computer
 computer
- convenient reset button
 CARDCO, Inc.'s
 exclusive Lifetime
 Guarantee

Some of the features of the CARDBOARD/5 are: • high quality glass/epoxy

- circuit board
 aold plated contacts
- logic lines are switched by solid state IC switches
- solid state IC switches
 full LED status indication
- · convenient togale switches



See a complete line of American made Cardoo Products at a computer store near you, today.

313 Mathewson • Wichita, Kansas 67214 • (316) 267-6525



192 POKE36876,249 193 FORH=75T015STEP-1.5:POKE 36878,H/5:N EXTH

194 POKE36878, Ø 197 IF ROW >1 THENSYS 7610

200 NEXTROW 201 FOR K=1 TO 300:NEXTK

201 FOR K=1 TO 300:NEXTK 205 IF PEEK(SPEED)>2 THEN POKE SPEED, PEE K(SPEED)-1

206 IF PEEK(SPEED)=2 AND PEEK(WIDTH)>1TH ENPOKEWIDTH, PEEK(WIDTH)-1

207 POKE PADDLE,6 210 PRINT"{HOME}{DOWN}"; 220 GOTO 80

999 END 1000 PRINT"{CLR}{7 SPACES}DIFFICULTY {4 SPACES}{5 DOWN}"

[4 SPACES][5 DOWN]" 1010 INPUT"[WHT]SPEED (1-9)[YEL] [3 RIGHT]5[3 LEFT]";S

{3 RIGHT}5{3 LEFT}*;8

1015 IF S>9 OR S<1 THEN 1010

1020 INPUT"{3 DOWN}{WHT}WIDTH (1-6){YEL}

{3 RIGHT}3{3 LEFT}*;W

{3 RIGHT}3{3 LEFT}";W 1030 IF W>6 OR W<1 THEN 1020 1040 RETURN

1848 RETURN 2888 PRINT"(HOME)[18 DOWN][6 SPACES] [YEL]GAME OVER"

2005 PRINT" (UP)HIT SPACE TO CONTINUE" 2010 POKE 198,0 2020 GETAS: IFAS <> "THEN 2020

2030 RUN 65

Program 4: Diamond Drop – 64 Version by Eric Brandan, Programming Assistant

5 POKE 5328Ø,12:POKE53281,Ø 7 IF PEEK(49152)<>12ØTHENGOSUB49ØØØ

9 SYS 49745 10 PRINT*{CLR}{WHT}"TAB(13)"DIAMOND DROP

20 PRINT"[5 DOWN][YEL][5 SPACES]CATCH TH E DIAMONDS BEFORE THEY

38 PRINT" [DOWN] [5 SPACES] TOUCH THE GROUN

40 PRINT" [DOWN] [5 SPACES] CHANCES. 45 PRINT" [2 DOWN] [WHT] [13 SPACES] L - MOV E LEFT

46 PRINT" [13 SPACES]; - MOVE RIGHT [YEL]"
50 PRINT" [5 DOWN] [6] [9 SPACES] [RVS] HIT
ANY KEY TO BEGIN"

60 GETAS:IFAS="THEN60

65 GOSUB 1899 70 PRINT"{CLR}{WHT}SCORE 898989{4 SPACES} CHANCES: <u>OQOO</u> " 71 SPEED = 53241

71 SPEED = 53241 72 PADDLES=12*4096+4095 73 FLAG=12*4096+4094 : POKE PLAG,0

73 FLAG=12*4096+4094 : POKE FLAG,0 74 WIDTH = 12*4096+15*256+15*16+11 75 POKE PADDLES,6 : POKE WIDTH,W : POKE SPEED,10-S

78 ROW(6)=81:ROW(5)=81:ROW(4)=207:ROW(3) =207:ROW(2)=90:ROW(1)=90 80 PRINT* {YEL}{RVS}*;:PORI=1TO38:PRINT*

Z";:NEXT:PRINT"{OFF} "; 85 PRINT" {VEL}{RVS}";:FORI=1T038:PRINT" Z";:NEXT:PRINT"{OFF} "; 90 PRINT" {CYN}{RVS}";:FORI=1T038:PRINT"

P";:NEXT:PRINT"(OFF) ";
95 FRINT" [CYN](RVS]";:FORI=1T038:PRINT"
P";:NEXT:PRINT"[OFF] ";

The diamonds are falling from the sky in "Diamond Drop," 64 version.

100 PRINT" {0FF}\$73";:FORI=1TO38:PRINT
"W";:NEXT:PRINT" ";
102 PRINT" {0FF}\$73";:FORI=1TO38:PRINT

"W"; NEXT:PRINT" "; 105 PRINT" [WHT]"; 109 REM 40 SPACES IN NEXT LINE

109 REM 40 SPACES IN NEXT LINE 110 FORI=1T017:PRINT"{40 SPACES}";:NEXT 120 PRINT"{HOME}";

130 FOR I=1984 TO 2023 : POKE I,248:POKE I+54272,10:NEXT 140 IF PEEK(789)<>12*16THENSYS 12*4096 150 FOR ROW = 6 TO 1STEP-1:FOR CHAR=1 TO

38
155 FOR K=1 TO 660-CHAR*10+(6-ROW)*20-50
*(9-PEEK(SPEED)):NEXT

157 IF PEEK(FLAG) THEN 2000 [160 P=RND(1)*38+1 170 IF PEEK(1024+ROW*40+P)=32THEN160

170 IF PEEK(1024+ROW*40+P)=32THEN 180 POKE 1024+ROW*40+P,ROW(ROW) 190 NEXTCHAR

191 SYS 49745 192 FORQ=1TO2:POKE54296,Ø5 :POKE54277,5: POKE54278, 218

193 POKE 54273,150 :POKE54272,139:POKE54
276,17
194 FORT=1TO50:NEXT:POKE54276,16:FORT=1T

010:NEXT 195 NEXTQ 197 IF ROW >1 THENSYS 49691

200 NEXTROW 201 FOR K=1 TO 300:NEXTK 205 POKE PADDLE,6

205 PORE PADDLE, 6
206 IF PEEK(SPEED)=2 AND PEEK(WIDTH)>1 T
HEN POKE WIDTH, PEEK(WIDTH)-1
207 IF PEEK(SPEED)>2 THEN POKE SPEED, PEE

K(SPEED)-1 210 PRINT"[HOME][DOWN]"; 220 GOTO 80

999 END 1000 PRINT*(CLR)[7 SPACES)DIFFICULTY

[4 SPACES][5 DOWN]"

1010 INPUT*[WHT]SPEED (1-9)[YEL]

[3 RIGHT]5[3 LEFT]";S

1015 IF S>9 OR S<1 THEN 1010 1020 INPUT [3 DOWN] [WHT] WIDTH OF PADDLES (1-9) [YEL] [3 RIGHT] 4 [3 LEFT] *; W

86 COMPUTE! September 1983











our local Strius dealer or

contact Strius directly at 1036 Rockingham Drive, Sacramen CA 95827, (916) 366-1195. Game design by Emie Brock and

Puckage program and audio visual ill 1950 Sir Software Inc. All rights reserved

Strus and Type Affaith are Molemanka of Simus Software Inc. Apple IT II - and Rs are tredenished of Apple Computed find Operationality 44 and MCG20 attr. and marks of Commodities Business Reference Inc. Appl 800 and 1000 are stored for them on rail efficiency of Apple ITMA (or disease or rail efficiency of Apple ITMA (or disease).



Apple II, II + & Ile Disk Atari 800 & 1200 Disk VIC-20 Cartridge Commodore 64 Disk



1030 IF W>9 OR W<1 THEN 1020 1040 RETURN 2000 PRINT"[HOME] [10 DOWN] [2 SPACES] [YEL] GAME OVER - HIT SPACE TO CONTI 2010 POKE 198.0 2020 GETAS: IFAS <> "THEN2020 2030 RUN 65 49000 PRINT" [WHT] [CLR] [2 DOWN] LOADING MA CHINE LANGUAGE ... [3 DOWN] ":TI\$="80 8888" 49805 I=49152 49007 PRINT"READY IN"STR\$(29-VAL(TI\$))" SECONDS [UP]* 49010 READ A: IF A=256 THEN RETURN 49020 POKE I, A: I=I+1:GOTO 49007 49152 DATA 120.169.192.141.21.3.169 49160 DATA 29,141,20,3,88,169,18 49168 DATA 141,253,207,169,0,141,250 49176 DATA 207,141,247,207,141,248,207 49184 DATA 96,173,255,207,141,252,207 49192 DATA 172,253,207,169,32,153,151 49200 DATA 7,200,169,160,174,251,207 49208 DATA 153,151,7,200,202,208,249 49216 DATA 169,32,153,151,7,206,252 49224 DATA 207,208,3,76,3,193,172 49232 DATA 253,207,169,32,153,71,7 49240 DATA 200,169,160,174,251,207,153 49248 DATA 71,7,200,202,208,249,169 49256 DATA 32,153,71,7,200,206,252 49264 DATA 207, 208, 3, 76, 3, 193, 172 49272 DATA 253, 207, 169, 32, 153, 247, 6 49280 DATA 200,169,160,174,251,207,153 49288 DATA 247,6,200,202,208,249,169 49296 DATA 32,153,247,6,200,206,252 49304 DATA 207, 240, 123, 172, 253, 207, 169 49312 DATA 32,153,167,6,200,169,160 49320 DATA 174,251,207,153,167,6,200 49328 DATA 202, 208, 249, 169, 32, 153, 167 49336 DATA 6.200.206.252.207.240.91 49344 DATA 172,253,207,169,32,153,87 49352 DATA 6,200,169,160,174,251,207 49360 DATA 153,87,6,200,202,208,249 49368 DATA 169,32,153,87,6,200,206 49376 DATA 252, 207, 240, 59, 172, 253, 207 49384 DATA 169,32,153,7,6,200,169 49392 DATA 160,174,251,207,153,7,6 49400 DATA 200,202,208,249,169,32,153 49408 DATA 7,6,200,206,252,207,240 49416 DATA 27,172,253,207,169,32,153 49424 DATA 183.5.200.169.160.174.251 49432 DATA 207,153,183,5,200,202,208 49440 DATA 249,169,32,153,183,5,200 49448 DATA 165,197,201,42,208,13,173 49456 DATA 253,207,201,1,240,24,206 49464 DATA 253,207,76,40,193,201,50 49472 DATA 208.14.173.253.207.24.109 49480 DATA 251,207,201,39,240,3,238 49488 DATA 253,207,238,250,207,173,250 49496 DATA 207, 205, 249, 207, 240, 3, 76 49504 DATA 49,234,169,0,141,250,207 49512 DATA 169,112,133,251,169,7,133 49520 DATA 252,160,0,185,152,7,41 49528 DATA 127,201,32,208,74,200,192 49536 DATA 39,208,242,160,0,177,251 49544 DATA 201,81,240,37,201,207,240 49552 DATA 33,201,90,240,29,200,192 49560 DATA 40,208,237,56,165,251,233 49568 DATA 40,133,251,176,2,198,252

49576 DATA 166, 251, 208, 220, 166, 252, 224 49584 DATA 4,208,214,76,49,234,170 49592 DATA 152,24,105,40,168,138,145 49600 DATA 251,152,56,233,40,168,169 49608 DATA 32,145,251,32,251,193,76 49616 DATA 99,193,169,32,153,152,7 49624 DATA 32,81,194,169,15,141,24 49632 DATA 212,169,17,141,5,212,169 49648 DATA 213,141,6,212,169,2,141 49648 DATA 3,212,169,180,141,2,212 49656 DATA 169,5,141,1,212,169,135 49664 DATA 141,0,212,169,65,141,4 49672 DATA 212,160,0,162,0,142,32 49688 DATA 288,232,288,250,288,208,247 49688 DATA 169, 12, 141, 32, 208, 169, 64 49696 DATA 141,4,212,160,39,185,8 49784 DATA 4,201,81,240,11,136,208 49712 DATA 246,169,1,141,254,207,76 49728 DATA 49,234,169,32,153,0,4 49728 DATA 76,49,234,152,72,168,18 49736 DATA 185.0.4.201.57.208.9 49744 DATA 169,48,153,0,4,136,76 49752 DATA 255, 193, 185, 0, 4, 24, 105 49760 DATA 1,153,0,4,104,168,96 49768 DATA 174,255,207,202,142,255,207 49776 DATA 232,169,152,133,251,169,7 49784 DATA 133,252,56,165,251,233,80 49792 DATA 133,251,176,2,198,252,282 49800 DATA 208,242,160,0,177,251,201 49808 DATA 160,240,4,200,76,59,194 49816 DATA 174, 251, 207, 169, 32, 145, 251 49824 DATA 200, 202, 208, 250, 96, 160, 6 49832 DATA 152,153,0,212,200,192,9 49840 DATA 208, 248, 96, 256 by Patrick Parrish, Editorial Programmer

Program 5: Diamond Drop - TI-99/4A Version

100 DIM KOLOR(6)

110 RANDOMIZE 126 GOSUB 636 13# REM 1#8-DEFINE DIAMOND SPRITE C HAR, 128-136 ARE THE PADDLES

CALL CHAR (108. "10387CFE7C381000 @@@@@@@@@@@@@@@@@") 150 CALL CHAR (128, "FFFFFFFFØØØØFFFF FFFF0000FFFFFFFFFFFFFF0000FFF

FFFFFØØØØFFFFFFF") 160 CALL CHAR(132, "00000000000000FFFF FFFFBBBBFFFFFFFFBBBBBBBBBBBBBFFF FFFFFØØØØFFFFFFF")

170 SCR=0 :: SK=0 :: CH=10 :: S=0 : : CALL CLEAR :: CALL SCREEN(16) :: DISPLAY AT(4,9): "D I A M O N D=

180 FOR ROW=3 TO 6 198 CALL HCHAR (ROW+2,6,32,26) 200 DISPLAY AT(ROW+3,6):"'" :: DISPLAY A T(ROW+4.6): "h h h h h h h

210 DISPLAY AT (ROW+5.6): "p p p P P P P" :: DISPLAY AT (ROW+6. 6)1"x x xxx x x x xxx"

228 DISPLAY AT (ROW+7,6): "h h h h h h" :: DISPLAY AT(ROW+8,6):

23Ø NEXT ROW 248 DISPLAY AT(18,4): "SKILL LEVEL (

Hello, We're

Adventure International

And we're publishers of some of the finest microcomputer software programs available. If you can write a top-quality program, or can convert some of our best-sellers to other computers, we want to hear from you — Now. We have the advertising, international distribution, manufacturing and marketing know-how to send top-quality programs to the top of the charts.

give us a call, or write for our Adventure International Author Information Kit.

Adventure International

Longwood, Florida 3275 Telephone: (305) 862-691 Ask for Author Assistan



We are publishers of the top-sell Scott Adams Adventure Series a other fine Entertainment and Applications Programs.

TI-99/4A Version Notes

Patrick Parrish, Editorial Programmer

Thanks to the outstanding sprite capabilities of Extended BASIC, the TI-99/4A version (Program 5) of "Diamond Drop" is a game with quick, smooth action. The object of the game is to catch colorful diamonds which fall from the top of the screen. You use a series of vertically positioned paddles. These paddles are controlled with the keyboard. We chose to use the S and D keys for left and right movement. However, if you are more comfortable using some other keys, simply substitute the ASCII values corresponding to the desired keys for the numbers 68 and 83 in lines 420 and 430. (To find the ASCII value of a key, use PRINT ASC("X"), where X is the key you want to use.)

If you wish to use a joystick to play the game, change lines 420 to 440 to read:

428 CALL JOYST(1,H,V)::IF H=4 THEN H=68
438 IF H=-4 THEN H=-68
448 CALL MOTION(*1,8,H)::H=8::CALL JOYST(
1,H,V)::IF H=8 THEN CALL MOTION(*1,8

ø) , ,

We have suggested these replacement lines, rather than incorporating both keyboard and joystick control into the game, because we found that the additional time required to execute a GOSUB in line 420

slightly slowed down the paddle response. There are two skill levels which are determined by how fast the diamonds drop. After you clear the entire screen of diamonds, the drop speed is increased. On the first screen, drop speed is 25 for skill level one, and 49 for skill level two. This is set in line 250. The drop speed is increased by three with completion of each screen in line 560. To make the game more challenging,

the diamonds can be dropped along a random diagonal angle. With this feature, some interesting playing situations will develop. As screen wraparound of the paddles is permitted, you must often make quick decisions about which direction to move. A wrong move will ultimately affect your score since only ten misses are allowed.

Scoting in the game, as determined in ine 501, is affected by a number of factors. First, more points are awarded for diamonds gameed from successively higher rows on the screen. Second, diamond values increase with completion of each screen. Third, points are accumulated twice as quickly at skill level who And lest, if you choose to add an angle to points are given based on the severity of the descent angle. When the game is over (when ten diamonds have been missed), vour score and the high score for the session

are posted.

Estended BASIC for the T1-994A features some convenient commands for sprite manipulation. Since sprite movement can be very fast, detection of collisions between sprines is not always infallible. As noted in sprines is not always infallible. As noted in collision of the detected only when the COINC subprogram is CALLed from BASIC. Thus, if your program is caceuting some statement other than CALL COINC when sprites cross, no collision will be detected. Fortunately, this is noticeable only at the most advanced levels in this

1,2) ?" :: ACCEPT AT(18,24)BEEP VALIDATE("12")SIZE(1):SK* :: S K=VAL(SK*) 250 DROP=2S :: IF SK=2 THEN DROP=40 :: REM CHANGE DROP RATE TO CHA

NGE DIFFICULTY
260 DISPLAY AT(21,2): "DROP WITH ANG
LE (Y/N) ?" :: ACCEPT AT(21,26)
BEEP VALIDATE("N")SIZE(1): ANGE

BEEP VALIDATE("YN")SIZE(1):ANG\$
270 IF ANG\$="N" THEN ANG=0 :: GOTO
290

280 ANG=1 290 CALL CLEAR :: SCR=SCR+1 300 DISPLAY AT(1,2):"CHANCES:";CH :

310 ROM-3: FOR 1=96 TO 120 STEP 8 320 CALL HCHAR(ROW, 3, 1, 28):: ROM-RO W+1 :: NEXT 1 330 CALL HCHAR(24, 1, 30, 32)

340 CALL MAGNIFY(4):: CALL SPRITE(#

1,128,5,150,115,0,H)
350 KHAR=108 :: ROW=41 :: FOR J=6 T
0 3 STEP -1
360 A6="" :: FOR I=3 TO 30 :: A6=A6

370 IF N=0 THEN 530 380 R=INT(LEN(A*)*RND+1):: P*=SEG*(A*,R,1):: X=ASC(P*):: N=N-1 ::

IF N=0 THEN 400 390 A\$=SEG\$(A\$,1,R-1)&SEG\$(A\$,R+1,L EN(A\$)=R)

400 B=INT(RND#61#ANG)-30#ANG 410 CALL HCHAR(J,X,32):: CALL SPRIT E(#2,KHAR,KOLOR(J),ROW,8#(X-1)-2,DROP,B)

420 CALL KEY(0,K,ST):: IF K=68 THEN H=60:: REM RIGHT MOVE-D KEY 430 IF K=83 THEN H=-60:: REM LEFT MOVE-S KEY 440 CALL MOTION(*1,0,H):: H=0:: CA

90 COMPUTE! September 1983

DYNAMIC PRINTER INTERFACES for the VIC 20[®] and the COMMODORE 64[®] UNLIKE ANY OTHERS THAT HAVE COME BEFORE

It's not quick or easy to do things right!! After 8 lang mostice of research and development; RAX Warn, TYMAC CONTROLS CORP, and MICRO WARE DJ. have brought the world better proteid interfaces. Better because they both have the shifty of provide TRUE EMILATION of the Commodore * printer. Thef's right!! Graphic Characters, tabling, but Graphic, and the planter features. A formidable task they was family ecomplishing, the displaying, and the planter features. A formidable task they was family ecomplishing. THE COUNTECTION* — The Ultimate Parallel Interface for the APC, of or Commodors & C. This half, interface and sand the distinct of the Counterface of the Counterface

Fill IV. on a COSSL Colone 1898(s), 50 (1898); got 1899(s) of the colone of the colone


BUFFERED PARALLEL CABLE & DRIVER - A parellel interface for the budget misded. This interface plugs into the USER-port and comes with an extensive measual with driver listings for the VIC 20° and the Commodoro 66°. It can be used with virtually any printer that has a steadard Castro Caatronics type configurati protecties of your competer ONLY \$24.95 Add *CABLE \$9 for the VIC 20 (diskette far the 54) and get a full Graphic With this package you can priet all of the Graphic Camputor hos plus EMULATE the Commoders or priets age of the Graphic Camputor hos plus EMULATE the Commoders or priets age of the Cable State of the Camputor hos plus EMULATE the Commoders or priess age of the Cable State of the Camputor hos plus EMULATE the Commoders or priess age of the Cable State of the Camputor S graphic matrix printers ... \$29.95

1342 B Rt. 23, Butler, NJ 07405 201-838-9027



Dealer and Distributor Inquiries Invited

NOTE: We solicit hardware and setiware items for the VIC 20° and CBM 64° Moyames, scense fees, or outright purchases can be negotiabled CBM 64° & VIC 20° are Registered Trademarks of Commodore Business Machines for



"Diamond Drop," TI version.

LL KEY(Ø,K,ST):: IF ST-Ø THEN C ALL MOTION(#1,0,0) 45Ø CALL COINC (ALL, C):: IF C THEN 5

460 CALL POSITION (#2, DROW, DCOL):: I F DROW(155 THEN 420

470 CALL POSITION(#1.PROW.PCOL):: F (DCDL-PCDL<16) * (DCDL-PCOL)-8) THEN 510

480 CALL DELSPRITE(#2):: CALL MOTIO N(#1,0,0):: CH=CH-1 :: CALL SCR EEN(11):: FOR F=0 TO 25 STEP 5 490 CALL SOUND (-200, -5, F):: NEXT F : CALL SCREEN(16): IF CH=# TH

EN GOTO 570 500 GOTO 520 510 CALL DELSPRITE (#2):: CALL MOTIO N(#1.0.0):: S=S+(60/J)*SK*SER+(

60/J) *SK*SCR*INT(ABS(B)/15) 520 DISPLAY AT(1,2): "CHANCES: "; CH : : DISPLAY AT(1.15): "SCORE: ": S : : GOTO 370 530 K=K+4 :: ROW=ROW-8 :: M=128 ::

IF JCA THEN M=132 540 FOR F=0 TO 30 STEP 6 :: CALL SO

UND (-300, 1500, F):: NEXT F 550 CALL SPRITE (#1.M.5.150.115.0.H) 560 NEXT J :: FOR 6-600 TO 1400 STE P 100 :: CALL SOUND(100,G,1):: NEXT 6 :: DROP=DROP+3 :: GOTO 2 96

570 CALL SCREEN(14):: IF S>HS THEN HC--C 58Ø CALL DELSPRITE(ALL):: CALL CLEA

R :: DISPLAY AT(8,5): "YOUR SCOR E: ",S :: DISPLAY AT(11,5):"HIS H SCORE: ";HS 59Ø DISPLAY AT(16,5): "PLAY AGAIN (Y

/N)? " :: ACCEPT AT (16, 24) BEEP VALIDATE ("NY") SIZE (1) : REPLYS 600 IF REPLY\$="N" THEN 620

61Ø GOTO 17Ø 62Ø STOP

630 REM DEFINE SMALL DIAMONDS AND C OL DRS 640 FOR I=96 TO 120 STEP 8

65Ø CALL CHAR(I."10387CFE7C381000") .. NEXT I

69Ø CALL COLOR(12,14,1) 700 FOR J=3 TO 6 :: READ KOLOR(J):: NEXT J 710 DATA 3,10,11,14 720 RETURN

68Ø CALL COLOR(10,10,1)

66# CALL COLOR(11,11,1) 670 CALL COLOR(9.3.1)

0

COMPUTE!

The Resource

VIC20 /COM 64/ ATARI 400/800 SOFTWARE RENTAL CLUB

. RENT SOFTWARE far up to a month for 10% of the list price (20% far cassettes) with aption to purchase . Membership \$25/year with \$10 Renewal fee

VISA/MC accepted



VIDEO HOME LIBRARY RT. 3 BOX 309A52 CLINTON, TN 37716 (615)457-5068, 482-3893

At last, Software the whole family can use!!

and keep using...

 Looking for Software with long lasting educational value? Trying to find Software YOU can benefit from?

- Tired of games your kids get bored with?




LOOK NO FURTHER!

SPEEOREAO+ teaches rapid, efficient reading in minutes a day. Up to 5000 wpm, Speedread+ benefits any reader heginning through advanced. WHY PAY THE HIGH

COST OF WELL-KNOWN SPEEOREADING SCHOOLS when you can train in the convenience of your own home, on your own time schedule, at your own pace and at only % the price!

Order SPEEOREAO+TM and watch your reading speed climb! List Price - ISM: \$79.95, Apple/Atan/Commodore/TRS 80: \$64.95 Ask for MEMOREASE+TM: memorize quicker and remember longer Ask your dealer or call



92 COMPUTE September 1983

Richvale Telecommunications

\$18500 Canadian \$149% U.S. PLUS CUSTOMS BRONE RACE HANDLING MID MAKING CHARGE


10610 BAYVIEW (Bayview Plaza) RICHMOND HILL, ONTARIO, CANADA L4C 3N8

(416) 884-4165

Also available for VIC 20

C64-LINK The Smart 64

RTC



Contact your local Commodore Dealer or RTC.

THE BEGINNER'S PAGE

Diobard Manefald Sprint Editor

Machine Minds

Several generations ago there was an amazing transformation: many traditionally human activities were mechanized. Machines were built that could plow and reap, weave and wash fabrics, even move earth. Most kinds of human physical effort could be imitated, even surpassed, by effort could be imitated, when surpassed by human mind will be imitated, that a machine will be able to think.

Perhaps "The Beginner's Page" is not the place to explore artificial intelligence, the most advanced aspect of computers. Nevertheless, in the past several columns we've been examining the 15 major types of home computing software, and artificial intelligence (Al) is the final category. And there is a lot that beginners can grasp about computer "thinking." First well 160 kd at the potential program which illustrates machine "Germine".

In the paragraph above, the words thinking and learning are in quotes. No current computer—even the huge, high-velocity electric brains run by the government—can yet think or learn by the usual definition of those terms. But the race is on, lapan has made achieving Al by the end of this century a national goal the way we made reaching the moon our goal in the sixtles.

An Explosion Of Intelligence

There are some experts who say that AI will never come about. They argue that a mind is so complicated that it could never be artificially built; rather, a mind must grow. Combinations of switches, however small, could never duplicate the feats of the human brain.

Adding to the confusion, other respected scientists are trying to stop all further research into Al. A group of scientists who've worked for years on Al have seen a potential for great peril to humanity in our efforts to make a machine intelligent. They not only think Al will occur, they also four it. They draw comparisons to the unknowns of years ago when physicists created an atomic chain reaction and nobody knew for sure if the reaction might not simply extend – atom exploding nearby atom – throughout the universe.

similarly, because computers calculate at speeds enormously faster than the human brain, who can be assured that a thinking computer would not, within hours of its self-awareness, cause an explosion of pure intelligence? It wouldn't be an explosion of pure intelligence? It wouldn't be an explosion of matter like the an open and the self-awareness of the self-awareness of matter like the an explosion of matter like the an opinion of the self-awareness of markind.

For the sake of argument, Ie's look at the worst case. Imagine that the AI saw us as its "parents" in some sense. But the AI was an ungrateful child. It might – for its amusement or for some "logical" reason we'd never understand-decide to improve us. It might teach us things. Or it might have other thines in mind.

Those who take an aithletic approach to problems of this kind will suggest that we could "pull the plug" at this point. Not so. Computers are interconnected via satellite, telephone, radio, and interconnected via satellite, telephone, radio, and other institutions which the command of the resultance which the computers talk to each other. In a very real sense, computing is an aista, a Boating collection of software, a world event. It's as incorrect to think that the Computer is that keyboard'D' in your house as it is to think it at health of the computer is that keyboard'D' in your house as it is to think it to take the computer of the computer o

Likewise, an artificial mind will not be physical (a machine) any more than the human mind is the brain. Minds are in machinery or brain tissue, but not defentiod to them. All will be software, a program. It will perhaps have sufficient insight and a sufficient aurival instinct to send copies of and a sufficient survival instinct to send copies of an automatic and the survival instinct to send copies of an automatic survival instinct to send copies of an automatic survival instinct to send out a sufficient purious and the places. Perhaps it will just form itself into a lattice of molecules and slide into the wood-work. The point is, we don't know what it will do, much less how it will do! I. What we must

94 COMPUTER September 1950

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character. So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.

Only the most careful

engineering has built the new hard-working Gemini-10X. You'll applaud its performance.



understand is that our intelligence is, to us, the limit of our definition of intelligence. Our science is the limit of science. But what if an intelligence arrives which is as far above us as we are above a fish? The powers of an AI could well be indistinguishable from miracles.

How Would We Know?

An ancient Jewish proverb states that things are never as good as we hope and never as bud as we fear. How an Al would view humantly is clearly speculative. It could see us as a disease, as zoo creatures, as belowed ancestors, as toys, as ethically superior, whatever. But if you assume, as many now do, that Al is possible, few issues facing mankind are as deserving of serious thought. The first question involves simply recognizing Al if it occurred.

How would we know that a computer had become artificially livelligner! There is a science fiction story in which the researchers decide that they should test for Al by asking the toughest question they can think up. They turn to the machine and ask, "Is there a God?" The Al computer replies, "There is now!

Adaptability is probably the most identifying characteristic of intelligence. This includes the ability to learn, to view problems from several perspectives, to remember, and to draw conclusions. Today's personal computers, powerful machines that they are, have enither the memory size nor the speed to house significant AI programs. Nevertheless, interesting imitations of AI

can be experimented with in small programs.

One ongoing experiment has been featured in Fred D'Ignazio's COMPUTEI column, "The World Inside The Computer." He's been building a program called "The Computer Friend" which asks questions and then memorizes the answers on a giet English is each all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast as a second or a giet fund in the cast all the cast all the cast as a giet fund in the cast all the cas

disk. Each time a child has a session with the "friend," the program learns more about the child and can behave as if it is getting to know the child the way a human friend would.

To see how the computer can "learn" new things, try the program here called "The Learner," It allows you to either teach it things or ask it questions. Since there is no provision to transfer what the program will need to start from scraich each the program will need to start from scraich each time you KUN it. But you'll at least get a feel for what it's like to interact with a primitive Al. You could even add permanent storage to it by opening a file on tape or disk if you want to. In any case, It's worth thinking about.

Program 1: The Learner – TI Version

100 DIM F\$(100) 110 PRINT "THE SUBJECT FOR TODAY'S % COMPUTE September 1983

- (5 SPACES)LESSON IS A ";
- 130 PRINT 140 PRINT "TO ASK ME A QUESTION, TY PE THE LETTER A"
- 150 PRINT "TYPE ANY OTHER LETTER TO (4 SPACES) TEACH ME SOMETHING NE W."
- 160 INPUT DEC\$ 170 IF DEC\$≈"A" THEN 260 180 PRINT "WHAT SHOULD I KNOW ABOUT
- 180 PRINT "WHAT SHOULD I KNOW A A ";SUB\$;"?" 190 PRINT "THAT IT'S ...";
- 200 INPUT FACT\$
- 220 F=F+1 230 PRINT "THANKS."
- 240 PRINT "I HAVE LEARNED THAT A (6 SPACES)"; SUB\$; " IS "; FACT\$
- 250 GOTO 130 260 PRINT "ASK ME ABOUT A ";SUB\$ 270 PRINT "IS IT ...";
- 280 INPUT QUE*
 290 FOR I=0 TO F
 300 IF QUE*=F*(I)THEN 350
- 310 NEXT I 320 CK=1
- 330 PRINT "YOU HAVEN'T TAUGHT ME (7 SPACES)WHETHER"; 340 GOTO 360
- 350 PRINT "YES."; 360 PRINT " A ";SUB\$;" IS ";QUE\$;".
- 370 IF CK=0 THEN 130 380 PRINT "IS IT ":QUE\$:"? (Y)=YE
- , (N)=NO" 390 INPUT X\$ 400 IF X\$<>"Y" THEN 430
- 410 F*(F)=QUE* 420 F=F+1
- 430 PRINT "YOU LEARN SOMETHING NEW (5 SPACES)EVERY DAY." 3 440 CK=0
 - 45Ø GOTO 13Ø
 - 100 DIM P\$(100) 110 PRINT"THE SUBJECT FOR TODAY'S LESSON IS A ";
- 120 INPUT SUBS 130 PRINT:PRINT"TO ASK ME A QUESTION TYP
- E THE LETTER A."

 140 PRINT"YPPE ANY OTHER LETTER TO TEACH
 ME SOMETHING NEW."

 150 INPUT DECS
 - 160 IF DECS="A"THEN220 170 PRINT"WHAT SHOULD I KNOW ABOUT A ";S
 - UBS; "?"

 180 PRINT"THAT IT'S(2 SPACES)... ";

 190 INPUT FACTS:FS(F)=FACTS:F=F+1
- 200 PRINT"THANKS.":PRINT"I HAVE LEARNED THAT A ";SUB\$;" IS ";FACT\$ 210 GOTO 130
- 220 PRINT"ASK ME ABOUT A ";SUB\$
 230 PRINT"IS IT{2 SPACES}... ";
 240 INPUT OUE\$
- 250 FORI-OTOF:IFQUES=FS(I)THENPRINT"YES. ";:GOTO270 260 NEXTI:CK=1:PRINT"YOU HAVEN'T TAUGHT ME WHETHER":



MILFORD, MICHIGAN

ARCADE STYLE GAMES Supercuda *

- Pegasus Odyssey *
- Ape Craze *
- Escape MCP *
- Maelstrom Firing Line *
- Pakacuda *

OTHER GAMES

- Street Maze .
- Caves of Annod .
- Cribbage Partner †

Dragons &

Treasure .

EDUCATIONAL

SOFTWARE

Toddler Tutor *

- · Primary Math Tutor *
- Math Tutor * · English Invaders
- Games * Gotcha Math
- Games *

POTPOURRI Basic Tools †

- Sketch & Paint *
- Multi-Level Marketing Manager

(Direct Selling) †



Dealer Inquiries Welcome.

ONTA COMM * DATA COMPUTER HOUSE, INC.

320 Summit Avenue Milford, Michigan 48042 (313) 685-0113

Arcade Style Games are High Res Full Machine Code.

Commodore 64 and VIC 20 are Registered Trademarks of Commodore Business Machines. Inc.

COMMODORE

Growing computer industry expands authors' choices

The rapidly expanding personal computer industry offers greater opportunities for the software programmer and author in search of a publisher.

Yet the growth poses its own problem - the choice of

a publisher.

Here is a list of questions to consider when looking for the publisher best-suited for your product:

How large is the publisher's distribution network?

A publisher with international connections can offer more exposure than companies limited to regional or national sales. —How will your product be marketed and advertised?

No matter how good the program is, if people don't know about it, it won't sell. Look for a publisher with a marketing budget large enough to give individual attention to the program.

-Does the publisher market programs for more than one computer? The days of limited selection in hardware are long gone. Limiting programs to one or two computers can limit sales and profits. Authors can increase their share of the market place by looking for a publisher devoted to converting programs to a

variety of popular computers.

—Does the publishing house lend technical support to authors? Some publishers only accept programs ready for the marketplace. A lot of good ideas are lost in the long run. The publisher that offers assistance invests a greater stake in the product, the author and the success

of the product.

-Does the publisher offer complete product support to consumers? In these times of consumer awareness, the company that has established a network to answer customer questions about its products fares better than those who do not offer this support.

Each of these services leads to greater sales which in turn lead to greater profits for the individual programmer.

Sierra On-Line, Inc. is committed to paving the way for an author's success.

Sierra On-Line's product line is distributed worldwide with production facilities in the United States, Japan, Australia, the United Kingdom and South Africa.

Sierra On-Line employs a well-financed, in-house marketing and advertising staff with a knack for creating tailor-made campaigns for products. Each program is evaluated by experts, who may

suggest enhancements to improve the product and to increase its appeal to customers. Further, Sterra On-Line isn't limited to a single computer. The company closely monitors computer trends and makes existing products available for the

most popular lines - all to the author's benefit.

A packet for authors with more information about
the software submission process and our company is
available by writing Slerra On-Line, Inc., Slerra OnLine Building, Coarsegold, CA 93614, or by
contacting David Siri or Howard Luthy by phone at
(209) 633-638.

270 PRINT" A ";SUB\$;" IS ";QUE\$;".":IFCK =OTHEN GOTO130 280 PRINT"IS IT ";OUE\$;"7{2 SPACES}(Y)=Y

ES, (N)=NO"
290 IMPUTXS:IFXS="Y"THENFS(F)=QUES:F=F+1
300 PRINT"YOU LEARN SOMETHING NEW EVERY
DAY."

310 CK=0:GOTO130

Program 3: The Learner – Atari Version

100 DIM F\$(20*40),FL(20):REM Twenty 40-Character substrings 105 DIM SUB\$(20),DEC\$(1),FACT\$(40),Q

UE\$(40),X\$(1)
110 PRINT CHR\$(125);"The subject for today's":PRINT "lesson is a ";

today's":PRINI "lesson is a "; 120 INPUT SUB\$ 130 PRINT :PRINT "To ask me a questi on, enter":PRINT "the letter A." 140 PRINT "Press RETURN alone to tea

ch me":PRINT "something new."
150 INPUT DECS

160 IF DECS="A" THEN 220 170 PRINT "What should I know about

a ";SUB\$;"?" 180 PRINT "That it's ...";

190 INPUT FACTS:FS(F:40+1,F:40+39)=F ACTS:FL(F)=LEN(FACTS):F=F+1 200 PRINT "Thanks.":PRINT "I have le arned that a ":8UB\$:" is ":FACT\$

210 GOTO 130

220 PRINT "Ask me about a ";SUB\$ 230 PRINT "Is it ...";

240 INPUT QUE* 250 FOR 1=0 TO F-1:IF QUE*=F*(I*40+1

, I*40+FL(I)) THEN I=F:NEXT I:PRI NT "Yes,";:GOTO 270 260 NEXT I:CK=I:PRINT "You haven't t

aught me whether"; 270 PRINT " a ":SUB*;" is ";QUE*;"." :1F CK=0 THEN GOTO 310

:IF CK=0 THEN GOTO 310
280 PRINT "Is it ";QUE\$;"? (Y=YES,N=NO)";
NO)";
290 INPUT X\$:IF X\$="Y" THEN F\$(F\$40+

1,F*40+39)=QUEs:FL(F)=LEN(QUEs): F=F+1 300 PRINT "You learn something new e

300 PRINT "You learn something new e very day." 310 CK=0:60TO 130



The Mini-Disks with maximum quality.

Dealer inquiries invited. C.O D's accepted.
Call FREE (800) 235-4137





If you wented to be on the horse is you'd get indee, from some body who'd been is second a betting on the horse's. So it's only so which to defined that the blinkings from you bay be on with in REVINEN years from IRROVEN when it is less that Not from some programmer of the state of the in the catherina No. From some white programmer of the state of the interest of the state of th

Madajus Norton Construction (Winnings System" cared him appearance of CO construction and an addition of Construction (Construction Construction Con

Ken Ustan's Professional Bloshpick is a real virsing program, with features unwalable and yother program as any other project. It's he most complete and realast: blackpic me money can by You'll meet the same bying apportunities that you'd face at a real bright gabb and Aslantic City classon, each with Complete and Aslantic City classon, each with come and the project of the proj

an unbolevable 39,813,120 different playing situations. Solicit the number of decks in the shoe, very the dealing speed, and much, much more. And all your data is accurately displayed, so you can play the strategy you like and get the feedback you need to win.

Ken Uston's computer-optimized or counting strategies, from basic to adde-ticeds. Menu offeren interactive drifts augmented by superb documentation— you through each still few it. As my poin can choose to see accurate running on continuous statistical evaluational prompts, if dick totals and instructional prompts, or price with around effects. So you develop refine the skills you need to WIN BIG.

Ken Uston's

Ken Uston's Professionol Bisckjack is the lost thorough and authoritative teaching extern you can buy. Now you can learn all of

is made bysten such a threat to classifies to been barred from their playing tables it is implemented fully in this program as scribed in-depth in this book if you wa investigate the reasoning behind the wa quest backlight system ever deagned, if old is a must. If you want to LEANN if teem, quickly and painlessly, this program must. We're offering you both — at ing price









IBM PC* REQUIREMENTS, 48K RAM, disk drive, PC-DOS*, 80-character display. Color and monochrome versions supplied with each ackage. µPPLE II** REQUIREMENTS: DOS 3.3, 18K RAM, disk drive, 40-character display. DS8ORNE I™ REQUIREMENTS: Standard

SORNE I REQUIREMENTS assessed berne I package. 200 REQUIREMENTS: K RAM and one disk drive story shows octual photograph of IBM PC stor. Apple and Aran color prophics and Ou-ren monocheme prophics or a marker Versions r TICS 80° and other brands will be available.

The price for the winningest blackjack sys-tem ever is a winner, too. Including the software, the coupon and thorough door mentazion, Ken Uston's Professionel Blockjack is an amazeigh was 69-98. There are other programs that cost loss and offer less. Then are other programs that cost more and still offer less. This program is the winner, hand down.

down.

Don't but your money on losers. Play the system that made. Ken. Uston the world's manningest blackjack player. Only from Intelligent Statements. Try your dealer — or, if he doesn't have it, call 1-800-334-5470 today.

8c a winner with Intelligent. Statements.

ințelligenț statement

Computers And Society

David D Thornburg, Associate Editor

Computers Go To School

Since September is back-to-school month, I thought I would interrupt our discussion of languages to comment on the growing use of computers in the classroom.

Just as the number of computers in homes is rapidly increasing, the classroom computer is also becoming ever more common. During the last becoming ever more common. During the last states of teachers in California who are increased in this phenomenon. In my travels around the state, I have found that the effective use of this technology is equally of concern to parents, teachers, and administrators. Unlike the "visual aids" revolution of the control of the computer appears to be here to story the classroom computer appears to be here to story.

The major problem facing teachers today seems to center around which machine to buy, what software to get, and what to do with the computer once it is in the classroom. Some uncertainty of the computer once it is in the classroom. Some uncertainty of the classroom activities and feel that the children are learning the things they should be learning, that the best computer for them might be no computer at all. It would be tragic if the computer were force-them of the classroom of the classroom of the classroom of the classroom of the computer were force-them.

Judging by the attendance at conferences on the use of computers in the classroom, there are many thousands of teachers who do want to know more about computers and their effective use with children. Except for a few books on the topic, there is generally little in the way of formal traing available for computer-using educators. California 30 COMPUTE SEARCH 2019.

is particularly fortunate in that it has Teacher Education and Computer Centers (TECC) located all over the state as a result of Governor Brown's Investment in People program. Among other activities, these 'IECC centers sponsor computer classes for classroom teachers.

Some of the state and community colleges are offering course in this are as well, affording teachers the opportunity to learn about computers from the vantage point of their profession. Other states, such as Minnesota, have been similarly the states, such as Minnesota, have been similarly the states, such as Minnesota, have been similarly continued to the state of th

First Things First

The most important thing a teacher can do first is to figure out how the computer will be used, identify the software that will be needed to achieve this goal, and then buy the computer that runs this software. This approach to computer purchase to the software. This approach to computer purchase the software that the software that the software that the software that the software you want is available only for other machines.

Computer use in the classroom falls into several categories—it can be used to reinforce lessons through computer-assisted instruction (this includes drill and practice programs); it can be used as a tool for learning about computers per se—as The toughest test of a spreadsheet is the bottom line.

MAPE: B	ESHARE			
	01	02	03	04
CALC	UISI	SUPR	HULT	OPPLI
PRC	\$229	\$279	\$229	\$99
SYS	II/E	IBM	IBM	C-64
SYSS	1795	2104	2104	994
TOTAL	\$2024	\$2383	\$2333 (\$1093

You don't need spreadsheet software to figure out the best spreadsheet value. But it helps make our point. Compare the cost of the most popular spreadsheets with OmniCalc™ Now add the cost of the computer and peripherals required. There's no question about it.

OmniCalc wins hands-down.

OmniCalc has all the features of VisiCalc at a much, much lower price. And OmniCalc runs on the powerful, low cost Commodore 64."

Easy-to-use OmniCalc makes electronic spreadsheets practical

and affordable for home use.

For financial forecasts, school projects, bank reconciliations, budgeting, stock and investment management. Even complex "what if?" problems.

Now that we've passed the bottom line test. OmniCalc is ready to face the toughest test of all: you.

Put OmniCalc and the other HesWare™ home Hoc Ware productivity programs (including the HESWRITER) word processor and TimeMoney Manager™) to the test at your computer software dealer.

HesWare is expanding the computer experience. And protecting your bottom line.



LEARN TO TYPE **OR GET BLOWN** TO BITS.



MasterType™ makes typing a blast.

Now there's a typing program for the Apple®, Atari®, and IBM PC, that dares to be fun. And now it's available for the Commodore 64"s. It's Masterline. A combination of fast-action blow 'em up video games with the best instructional programs available. The result? Highly motivating and enjoyable learning.

MasterType is educations' favorite.

In fact, it's the best selling educational program today. And that's no surprise. Reviewers agree. InfoWorld : wrote "We had fun reviewing it, and we highly recommend

it to those who want to learn typing in an unconventional but motivating way." InfoWorld also went on to rate MasterType as

"excellent" in all four of its categories.

MasterType teaches your fingers to fly. MasterType. With 18 explosive learning levels, you'll either learn to type or get blown apart. 39.95 (49.95 for the IBM PC).

39K for Atari 48K for Apple 11 64K for IBM PC. 64K for Commodore 64™a



a "computer literacy" tool; and it can be used as a tool with which children can make discoveries and can explore topics on their own. The teacher can also use the computer for classroom management, lesson preparation, etc. It takes some time for a teacher to become

well-versed in the ways computers can be used ~ and this stage should be reached before the software selection process begins. Once teachers are ready to look at software. Pandora's box is opened The sheer quantity of "educational" software is staggering. In the past, much of this software was garbage. Fortunately, times have changed. But teachers still have to learn how to evaluate software critically and how to interpret software reviews written by others.

Fortunately, teachers have some help in this area in the form of a new book, Courseware in the Classroom by Ann Lathrop and Bobby Goodson (Reading, Mass.: Addison-Wesley, \$10). This fine book surveys the various uses of computers in the classroom, illustrates in detail the software selection and evaluation process, and lists many of the better software packages on the market today. Because the field is growing so rapidly, annual supplements will be published.

The Teacher's Job

Once the computer gets into the classroom, the teacher has to keep up-to-date on new software, teaching techniques, and computer technology. All this takes time. Where does this time come from, and who pays for it?

It is interesting to see that thousands of teachers appear willing to give up weekends with their families to attend conferences on the use of computers in the classroom. I am appalled to find that some schools expect their teachers to attend such workshops on their own time and at their own expense, but are willing to send a school secretary to a class, during working hours, to learn how to use the school's word processor

I was once asked if we can afford to have computers in the classroom. My response was that there were three costs involved. There is the cost of the computers and software: this is the cheapest part of the system. There is the cost of "release time" to allow teachers to become proficient at computer use without using up their weekends and vacations. And then there is the cost of increased teachers' salaries to keep these people in the profession once they have acquired all this skill.

At a time when the quality of education in this country is undergoing such careful scrutiny. the question is not if we can afford this expense, but how we are going to provide appropriate levels of support.

Our kids can't wait any longer

NEW FROM







SPRITEMASTER" is not just another spain address for the Commedors 64"

NEL TRAL ZONE¹⁰ tikes you to the court rules of the galaxy, so $AL^{\frac{1}{2}} M_{ij}^{ij} M_{ij}^{ij}$ long rings maly variable at most whose raises on to detect along netroders from other galaxies. You are assigned to creat of the permister permistry permission permi

NEUTRAL ZONE" in the ultimater in high prediction, the excision, musik quelter genes is to written in 120% mechan-language and friname streetile strettlers of the 600 degree genemes. All scates in 130% high rese following control of the franctic cortid of fittens to cortid of fittens. The multimate is unbelievable. [Suggisted extell press. 544-65]

SPRITEMASTER** AND NEUTRAL ZONE** ARE MMODORE DEALER ON BITHER DISK OR TAPE

ACCESS SOFTWARE INC

Ouestions Beginners Ask

Tom D Halffell Features Editor

Are you thinking about buying a computer for the first time, but don't know anything about them? Or maybe you just purchased a computer and are still a bit befifed. Each month, COMPUTE! will tackle the questions most often asked by beginners.

 Why do some computers have numeric keypads and others don't? Is this something important I should check for when comparison shopping for a computer?

Numeric keypads – those calculator-like groups of number keys found to the right of some computer keyboards – should be thought of as any other feature on personal computers. Whether or not they are a standard feature depends upon the reasoning of the computer's designers, and whether they are a desirable feature depends upon the needs of the user.

Sumeric keypade are not built into most lone computers. Inhis, the microcomputers primarily intended for home use. Keypads are usually found on computers designed for small business use, or on higher-end personal computers that are suited to either purpose. This is because one of the most common applications for business computers is accounting, which calls for frequent entry of numbers. A numeric keypad is a great advantage for a skilled operator who is trained to touch viye on the state of the touch viye on the touch view of the viye when the visual number keys spread out along the top row of the tryewtric keyboard.

row or the typewrine xyeyocara.

Companison shapping for a computer can be companison shapping for a computer can be companied to the many combined to the companied to the many combined to the companied to the

simulate a keypad via programming.

Incidentally, while we're on the subject, it's interesting to note that computer and calculator keypads are arranged exactly the opposite of touch-tone telephone keypads. Computers and calculators arrange the keys in descending numerical order, starting at the upper right and ending at the lower left, while telephone keys are just the opposite. This must be dissipating for people of the proposite in the mass be dissipating for people position of the proposite in the proposite i

\(\) I've heard references to "80-column cards."

What is a card? What does it look like?

How does it work?

A card is a circuit board which plugs into a computer and adds some sort of extra feature or capability. In microcomputing, "card" and "board" have come to be almost synonymous, except that "board" is also used to describe the larger main circuit boards already built into the computer.

Practically every personal computer has some kind of expansion slot or port designed to accept cards and boards. When a card is plugged in, it becomes part of the computer, almost as if it were built in. The most common accessory card is a memory beard, a circuit board with memory chips which adds extra Random Access Memory (RAM) to the computer. Came and other program cartridges that plug into computers are roally cards with Read Only Memory (ROM) (rishs

An "80-column card" is an accessory that expands the screen display to a width of 80 columns (80 characters fit on one screen line). This is processing, because it allows the screen to simulate the full width of a standard sheet of typewriter paper. Home computers normally cannot display more than 40 characters per screen line because the ordinary IV sets they are designed to work more consideration of the columns of the columns of the columns IV sets they are designed to work more part of the columns IV and the columns

10.1 COMPUTE! September 1980

Put Your Commodore 64 To Work.

PowerFile is a Data Base Manager and Personal Filing System that is easy enough to use at home, yet powerful enough for most small business applications. Use PowerFile to organize your lists and records, and create a personal filing system customized

As Easy To Learn As It Is To Use.

PowerFile comes complete with an easy to use and derstand manual. Includes step-by-step instruct to create your first PowerFile data base, as well as eas reference to advanced features.

Help When You Need It. Owners of PowerFile are offered direct support from

City Software, Participants in our registration progra can call our HELP line anytime, and will automatically receive free update disks without the hassle of returning original disks.

PowerFile Does It All!

- Set up an electronic file in minutes.
 Find any filed information in seconds
- Change the order of a file in less than a second.
- Custom reports printed out quickly and easily.
 Compatible with PaperClip*, WordPro and other popular word processors.
- Mailing label printout with options that include Automatic calculations within files or when printing
- · Easy merge of mail lists with form letters using a word
- Includes ready-to-run applications and instructional sample files so you can get the most from your system
 - from day one. \$130 us

Software

735 West Wisconsin Avenue Milwaukee, WI 53233

Bonus Offer! Purchase PowerFile now and we will include 2 free

Tax Records and Auto Expenses!

	7				
PowerFile	Da	tabası	Specific	ations	١
Menu driven					
Tutorul instructions					
Sample files					
Ready to use Overlays				- Jag	

to 5 deep

New or print selected information from your his

dect by logical function, range, string, and other parameters Sequential files for use with MODEMS and to transfer data to and from spreadthests, accounting programs, and custom

System Requirem • C-64 Computer

. One or two Disk Drives TV or Monitor (color or mon

Ask For PowerFile At Your Local Dealer, Or Call Toll Free 1-800-558-1008. In Wisconsin Collect 414-277-1230. Dealer Inquiries Invited.

On The Road With Fred D'Ignazio

Do you have your track shoes on?

Do you have a pocketful of plane reservations? Do you have your passport? And your international driver's license?

Are you in fantastic shape? Can you withstand a nonstop barrage of gressy airport Reubens, buttery croissants, chocolate éclairs, and warm ale? Can you keep your feet from going flat after walking through miles of computer and robot exhibits? Can you remain steady after transcontinental and transoceanic jet flights, cross-country train rides, car trips, and frantic wandering.

through the London subway?
You can? Good! Then you're ready to accompany me on a whirlwind replay of my spring "on the road."

Big Bird, Blue Jeans, And Blackboards

On March 17th, I joined the COMPUTE staff and jetted out to San Francisco for the 1938 West Coast Computer Faire. On March 28th, I still hadn't recovered from the crowd, tumuli, and heady new products introduced at the Faire. But I packed my bags and flew down to Tampa, Florida, to make a speech at the Florida Instructional Computing Conference. I remember a-sking the passenger stitting next to mo. "Is Tampa on the east coast of Florida or the west coasts".

The week after I returned from Tampa, I hopped aboard another palse and flew up to New York to visit the people at the Children's Television Workshop and the Children's Computer Workshop. CCW and CTW were a treat. It was good to meet relaxed, smiling people dressed in blue jeans and T-shirts. And big fuzzy Cookie Monster, Kermit, and Big fired dolls were perched on file cabinets and smiled down from colorful posters on the walls.

(You can read about what I learned on these trips in my July 1983 "On the Road" and "World Inside the Computer" columns in COMPUTEI, and in my August "Computing for Grown-Ups" column in COMPUTEI's Gazette.)

During this phase of my travels I got to see a lot of educational software. My chief impressions were that the software is quickly improving and that its creators are beginning to deal with learning in a totally new manner.

Only a year ago, educational software on

personal computers consisted almost entirely of old-fashioned "electronic textbook" programs and drill and practice programs.

Six months later we were besieged by educational game software, really disguised drill and practice.

Now we are beginning to see something new. We are seeing the first real microcomputer simulations, where the kidd is computer 'pretends' it is a world or environment and challenges the child as world or environment and challenges the child compenies. The composition of the compo

Electronic Blackboard suggests an even newer type of educational software for children: kids' workstations – where the computer becomes a general-purpose tool to enable children to use the computer to do whatever they want (just like adults!).

Electronic Blackboard creates an electronic "mailbox" for kids. Several blackboards are pictured on the computer's display screen. At first they are empty. Kids get to "borrow" a blackboard, associate their name with it (as a mail address), and use electronic chalk to write mes-

sages on the board for other kids to see. If a message isn't private, you get to see it just by calling up a particular blackboard. If, however, it is private, the child can hide it. You can access private messages "for your eyes only" by typing your name. It's not a foolproof security system, but it makes a great educational activity. Kids get to practice their reading and writine skids set to practice their reading and writine skids set to practice their reading and writine skids.

And they are learning how to do word processing

and send electronic mail. All Alone With HERO

Not long after I visited CCW, I flew to Benton Harbor, Michigan, for a first encounter with HERO the robot, made by Heath. After Star Wars' C3PO and R2-D2, HERO is probably the third most famous robot in America.

And he is for real.

I noticed this immediately the first time I met





"YOU WON'T BELIEVE YOUR EYES"









ACTUAL VIC 20 SCREENS

were they wrong!

They said it couldn't be done. Boy, You'll find the best graphics ever aveileble for the Vic 20 in gemes that era elready hits on the Apple end Atari. Think of it! Brillient graphics end the

fastest action this side of reality.

the hungry LUNAR LEEPERTY

your city from reincarnating invaders in CROSSFIRE™ Evede e CANNON-BALL BLITZTM to climb through three steges of ection to defeet the erra On-Line's essortment of the

st the brightest end the fastest THRESHOLD,™ LUNAR LEEPER,™ CROSSFIRE™ end CANNONBALL BLITZ™: A whole new look for the Vic 201 Aveileble et your local dealer.



him. Doug Bonham of Heath gave me some quick pointers about operating HERO, then he left the two of us alone.

There we were, in a tiny office deep inside Heath's giant manufacturing plant on the outskirts of Benton Harbor. HERO was on a worktable in the rear of the office, propped up at an angle so his drive wheel was slightly off the table (in case I told him to do something foolish).

And I was staring at HERO.

What do I do first? I am itching to get to know HERO – make him walk and talk and do other great things. But I am scared to death that I might get things mixed up and somehow hurt him.

I realize now that I was reliving those first anxious moments experienced by the first-time owner of a personal computer. You desperately want to touch the machine, play with it, make it perform. It doesn't even have to turn cartwheels or play Beethoven's Fifth. You would be thrilled if you could make the computer do anything.

Yet you are almost frozen by fear. What if you push the wrong button? What if you wipe out a program? What if you damage the machine? What if you do something foolish and silly?

What if you do something foolish and silly?

I stood in the little room staring at the buttons on top of HERO's head and glancing at the "teaching pendant" (control box) sitting next to HERO

on the table. What should I try first?

I decided that I'd try the safest thing first, something that was guarnateed not to get me into trouble. I would press the "3" button and the "1" button on HIRO's keyboard. When HERO received a "31" command, he was supposed to move all his motorized limbs back to their "home" position. Surely this was a trivial and harmless thing to try first.

I pressed "31" and was startled when HERO came to life. His motors started buzzing, his arm rotated, his gripper hand pivoted, his wheels

turned, and his head swung from side to side Then it happened.

I was just starting to breathe easier when HERO's wheels swiveled around and began banging into a metal plate. Bang! Bang! Bang! went the wheels. HERO's whole body began to rock.

7 backed off in total dismay. I glanced fearfully at the door behind me. I was sure that Doug and his staff at Heath heard the racket and were about to rush in and accuse me of breaking their robot.

HERO's wheels kept banging. I leaned over and held onto HERO's shoulders, afraid that he would rock himself off the worktable.

Then he stopped.

"Ready," he said sweetly.

"Ready?" I thought. Then, with a flood of relief, I realized that HERO was okay. All that banging was okay. He was just returning his to compute Section 1983 wheels to their "home" position. I hadn't broken anything. No one came into the room. They were used to HERO making noises like that.

My confidence quickly returned. I spent the next two hours joyfully punching buttons on Hero's head and flipping switches and turning the dial on HERO's teaching pendant. I taught him how to say'ftello, Fred," how to wave, and how to crash into the wall.

That last trick was not what I intended. I had hoped that my program would activate HERO's wheels and navigate him across the floor and out the door. I had planned for him to make a little

trip down the hall to say hello to Dong's people.

But, somehow, the door was narrower than I figured. Or else HERO's front drive wheel was a little crooked. In any case, when I pressed the "A" and the "DO" buttons and gave the memory address of my little program, HERO said "Here I so." then marched right into the wall.

The Hall Of The Dinosaurs

The day after my first encounter with HERO, I rode with Doug Bonham in his car along the shoreline of Lake Michigan to Chicago. Doug was going to check up on Heath's exhibit at the ROBOTS VII conference in giant McCormick Place on the edge of the lake.

and More containing several hours with HERO the day before I thought he was the protest. With his computer beain and his arm and wheels and motors and ensors, he was a complete, real robot. I expected him to hold his own with all the other robots in McCromik Place, since most of the robots in McCromik Place, when we real to rad-wared. HERO could speak, move, and had an array of "senses," including the ability to detect how the robots the work of the country of the co

talking robot like HERO? What a surprise!

When I walked into the mammonth exhibit hall at McCormick Place, I was stunned. I felt like I was in a giant, dreamlike Museum of Natural History, surrounded by prehistoric dinosaurs. Only the dinosaurs were not dead, old bones. Instead they were alive and they moved. And, they are the surrounded to the colors of the rainbow.

This all sounds melodramatic, but it's true. The robots in McCormick Place were luge. Their robotic arms were as long as the neck of a giraffe, or of a brontosaurus. They appeared even taller because they rested on top of six-foot-high metal pedestals.

And they didn't just sit there. They moved

PARALLEL PRINTER INTERFACE FOR VIC-20 & C-64

EXPANSION PRODUCTS FOR

YOUR MICROCOMPUTER

MSDs CPI Penalel Interface works with either the VIC-20 or Commodore 64 and provides total feature flooblifty through software commands or hardware

The CPI plugs into the serial port and descity interprets the signals generated by the computer's built in software, therefore no software needs to be loaded or enabled. Allyou need a built into the CPI to be compatible with most software written for the VIC-20 and Commodore B4 that utilize

one or isse primaris.
The CPI is copable of twelve printing modes, specified by software or hardware witch settings. These twelve printing modes are combinations of three options as

Line Feed, ASCII Conversion and Listing Legibility.

Line Feed. The CPI can generate a line feed if needed through software or

ASCII Conversion: The CPI converts Commodore ASCII into standard ASCII

Caring Legibity Since many printers do not support the codes graphors that the VIC-20 and Commission 64 produce, program isting can become legists in not impossible (Printer may "hang-up"). The CPI provides these lesting modes to address this proteim — Normal, Extended Tag and Arbitrevided Tag in the Normal impose the CPI passes all commands from the computer to the

instance, the thirder court is manually applied as [50] mode, except all the [50]. The Attenuate I liap mode is the same as Exercise I liap mode, except all the properties of the same and The CPI is equipped with a built-in self-lest program that will check the RAM, ROM and I/O hardwess of its microprocessor. This test can be helpful in determining

CPLLISTING LEGIBILITY TAGS

Lifetime Warranty available upon return of Product Warranty Card

TAG	is Printed For:	
[CD]	Cursor Down	
ici i	Cursor Up	
či.	Cursor Left	
CBI	Cursor Right	
WC.	Home Cursor	
CS	Clear Screen	
BV	Beuren On	
80	Reverse Off	
DMI	lenort Cit	

TAG. Is Printed For JORA Change to Orange IBRN Change to Brown LLIFE Change to Light Ped (GY1) Change to Giny 1 (GY2) Change to Givy 2 (LTG) Change to Light Gree (LTB) Change to Light Blue (GY3) Change to Giny 3 (F1) Fundion Key 1 MSD also manufactures RS232 Inter-

Is Printed For

Call toll free for nearest dealer 1-800-527-5285

MICRO SYSTEMS

11105 Shady Trail . Suite 104 . Dallas, Texas 75229

faces, IEEE Interfaces, Port Expanders, RAM Cartridges, Audio Cassette Interand Monitor Cables

With Us" Club. The more you buy ... the better your chances. Details at your Dealer.

All MSD Products Made In U.S.A.

(C-25 and Commodore 64 are trademarks of Commodore Bysness factories, Inc.

with frightening, snakelike swiftness and grace. Their movements made them seem alive, conscious, even intelligent. They twisted, gyrated, and whirled in a strange, mechanical dance.

As they moved they made soft noises. Some swished, others whooshed. Some buzzed, others wheezed. Many robots made no sound at all. They moved their enormous arms in great, sweeping arcs. They rotated, opened, and closed their leviathan grippers. Their arms telescoped abruptly to twice their size, or dived to the floor to pick up a cinder block or a paintbrush.

And they made no sound at all. In the midst of all these dinosaurs sat HFRO two HEROs, actually. He was the same robot as vesterday, but somehow, among all these hulking machines he seemed very different. He was obviously still "all robot." but now he also seemed

sensitive, delicate, and fragile.

Whatever, HERO was a tremendous hit. I came back to the Heath booth several times during the day and always found huge crowds of people standing around the two HEROs, watching them perform, and listening to them tell jokes.

Lleft the ROBOTS VII conference late that afternoon and flew back to Roanoke, I carried with me one chief impression. Before the conference I had thought of robots as all belonging to

the same tribe. Now I saw two tribes: the little guys, like HERO; and the big, hulking monster robots that are taking over our factories.

Eventually we'll have robots of all shapes and sizes in our society - not just big robots and little robots. But I think there will still be two different tribes. Then the programming will make the difference. Robots in the home will be programmed to be friendly, playful, helpful, and easygoing. Robots in the workplace will be cold, purposeful, and narrow-minded. They won't be programmed to carry on a chat with their human counterparts. Their only mission will be to get the job done. Both types of machines (home and work) will be robots. But they will be two different sorts of creatures entirely.

Next month Fred and HERO go to London, England, to teach a course on robotics literacy, and they visit a children's educational software company. Fred also meets a computer magician - a British teacher who creates kids' magic shows using computers.

COMPUTE!

The Resource





EPSON FX-80 PRINTER

· Up To 160 cps · Pinfeed Platen · Proportional Spacing · Graphics · Elite Pitch . Centronics Parallel Interface . Internal 2 K Ram

NOW AVAILABLE FOR IMMEDIATE DELIVERY!



. New "MaiseyTM" Print Quality · Dot Matrix

CALL TOLL FREE! 1-800-343-0873 Call Toll Free for Orderin All Others onli (617) 229-5454

PRICES, SPECIFICATIONS AND AVAILABILITY OF ADVERTISED MERCHANDISE SUBJECT TO CHANGE WITHOUT NOTICE

• Mass Residents Add 5% Sales Tax • Prices Do Not Include Shipping Charges

UNADVERTISED SPECIALS • AMDEK • APPLE • C-ITOH • GEMINI • NEC • OKIDATA • TANDON OMEGA INTERNATIONAL

334 R CAMBRIDGE STREET, BURLINGTON, MA. 01803

Now you can rely on PACE for ONE STOP shopping BEST 2000 Books, Programe and Accessories—co store. And, this is backed up by THOUSANDS of ad \$7 2000 Bools. Program and Accessing and Accessing the Accessing and Acc



Bloom Management of the Company of t \$ 5.95 P

COVER 200059 5N° X7° 200 Pos 50-000059 SN: X7: 330 Pgs 31- ac C 20* COMPUTER PROGRAM WRITING DRK-600K By Howard Aster Handy BASIC nare writing away and his Softicewir. Therefact 9-000811 6W X111 05 Pgs. 5 4-95 22 cor. 8-8SIC HANDROOK Zine Buttler. En-docate of the RASIC Computer Language appaich Nová A Lein Sucond reference to 21. A Len Succedifference to ALL language computers. Softoper 1005 7 x 2 450 Pgs 819 85 PANIC HeyWare By Steve Clark. from game with 20 ero-sover of altern Joyston \$38.95

new incapensive wordprocess-orlor the VIC* Needs IK Expan 4850-001101 Certridge \$99.95 SASIC Prentice Half Auserfriendly Surguage programming tips and more 4900-001006 For Apple 8 00-000110 Book, 290 Pgs 516.95 Must have CC377104 Card. PUTELIN FIRST BOOK OF VIC* 4900-001007 For VIC-20 OS ANO THE VIC* Obtamost Written children, not down to them Turns kids. for help over the 'rougher' parts #60-000056 Book, 220 Pgs \$19.05 sc AROBOARO 6 Cardoo Expansion inter-sos for the VIC 201 Fuse protecting Word Atan 2600/400

Paide, Graphica programs from Commodors 64" Softcover lemms, Abrect 4250-000112 55 "X7", 208 Fgs. 519 95 the BASIC larg. COCO-resilvare Education accomputargame ms using sound. With COCO you can learn computer facilities

GOOL COTTON TO THE STATE OF THE CONTROL OF THE CONT \$19.95 SPETCH STATHESIZER

is each with Sweeter of idents' specific MMS residive by from (reg. Autor) MMS residive by from (reg. Autor) SWEETE (residive by from (reg. Autor) SWEETE (residive by from (reg. Autor) SWEETE (

ye got to learn how to cracke your Unique coparture from scande UNIQUE IN TALK CABLES (ONLY) 339.95 4900-001002 For Appre II - \$34.95 (Midd have SSM A10 Card, TRS-60 Models II & III |Must have INSAI 2610) WORDCRAFT 20 UMI Great 4900-010021 For Apple II - \$3 4900-010022 For Apple II -534 95 4900-001003 For TRS-60 \$34 95 HS-232 Card and for IBM PC \$12.95 4900-001004 For TRS-80 Color Compute 534.95 900-001005 ForAteri 400r

\$34.95 Personal deal of picture CO0007 Book, 212 Pps 512.85 JOYSTICK wice Command Co Ultimate
ANO THE VIC* Obtained Written bullous For Alan 200-010-000507 Seaso
Sirven not down to them Twins 1956. Arrade Game, and Commodors UC; 207
avappeding posterial into commanders 420.189714 RE OBALL Whoo Command Co Ballhandle so tamiliar to aroade gaine users 6-leaf switch assembly Two Into byttons For Atan 2500/450/900° Sens Aroade Game INDOCADO Corto D. Exemplante in the Control of the

TRACK BALL Wice Command Co A phononic ball offers the maps; of 350 degree if the functions of the data cassettes. Foral Taxas instruments 135-000001 Canterts 1 529.85 4920-724560



We wanted to have a Grand Opening Special that would get your attention, but Johnson and Johnson or seek and only seek and the seek and only s re great profilers, not thermal, but thus, 5 x 7 dot matts posters, very similar oue brands selling for up to \$400.00 And we searched and FOUND all lefture demons sortherd these profilers can be used with almost all the popular computers. INOTE linkshops are sold sponsiblely as fished below, to 9xin

FEATURES: 10" camage to handis 9-1/2" paper. Dense 5 X7 Dot Malri C 50 obis 9. Densembers per inch, expandable 10 5 op; 7 porti prassure levels. Tractor polyer teleptas celly 10 pounds 4 this price spec could even attend to buy this is 6 bit

ATP-000000 Sports Stannar Three
ATP-000000 Sports S

COUPON Please Send Me: DESCRIPTION Hitingia Residenta Piesse Add 6% Selen Tex Foreign Orders, (All outside Commentel US) A46 10% Shipping (Minimum 54 00) Cataloga Shipped Postege Peld \$ 2.50 PAYMENT ENCLOSED DEASH DEHECK DMONEY

PLEASE CHARGE TO MY- DMASTERCARD DVISA (Min. Chg. \$25) SHIP TO STREET ADDRESS

> STATE RUSH ORDER DEPART

Mystery Spell

Doug Hapeman

This spelling game features lively graphics and sprites. It's also a clever teaching aid for parents, teachers, and students in which spelling lessons can be reviewed and then practiced. Originally written for the TI-994A with Extended BASIC, there are also versions for the VIC and 64.

If you've ever played Hangman, you won't have any trouble learning "Mystery Spell." Although it's similar in concept, there's a twist. Instead of a gallows, you'll see colorful balloons, flying blackbirds, cheerful music, and a haproy face.

When the game begins, a happy face appears in a little hut surrounded by trees and landscape. The letters of the alphabet appear near the bottom of the screen, and blank spaces representing the aletter, the happy face moves to the selected letter and indicates whether it is an incorrect or correct choice. For each correct choice a colored balloon rises to the appropriate place in the secret word, and the letter is displayed. For each incorrect or correct choice a blackborn descends and the screen word, and the letter is displayed. For each incorrect correct, or correct for one guesses, and the word will be spelled correctly for you.

There are two levels of difficulty: easy, which permits six incorrect guesses, and difficult, allowing only four.

The program has 20 preselected words, or you can choose the "create your own word list" option (and, if you wish, save it to tape or disk). This option allows you to tailor the word difficulty to any learning level.

Many features of the TI-99/4A are used in the program: color, graphics, moving sprites, and music. Let's look at some program features and see how certain graphics results are accomplished in the TI version.

Screen Centered Printing

There are several locations in the program where variable length words or phrases are centered. Line 170 is an example. For centering text with the DISPLAY AT statement, a simple equation can determine the proper column position:

column = (14-LEN(LS)/2).

It's like using a typewriter. When you want to center your tile, you find the center of the page and count back one-half the length of the tile similarly, in TI BASIC you subtract one-half of the length of the string variable from one-half the screen width. Fourteen is one-half the screen width using DISELAY AT and all is one-half using CALL HCHAR. The length of the string variable is easily determined by the LEF function.

Moving Sprites Moving sprites are a fascinating feature of TI Ex-

tended BASIC. Through a library of impressive subprograms, spries can easily be called, defined, magnified, or set in motion, can acknowledge coincidence, change character definition, and so on. Because they are controlled by built-in subprograms, they are easily accessed by even a beginning programmer.

Regular characters are located on the screen in a 2 column by 24 raw format, resulting in a total of 768 screen positions. Sprites, however, are located by doe-tow and dot-column positions. Where normal characters are each made up of an eight-by-eight grid, sprites, on the other hand, can be located at any one of the 64 dots in the eight-by-eight grid. Therefore, there are 192 do-rows and 256 dot-columns, for a total of 49,152 screen positions for sprites.

Mystery Spell uses moving sprites in several locations. The balloon and blackbird sprites are called with motion, but the happy face sprite is



64 Version Notes

Eric Brandon Programmina Assistant

The most interesting feature of the 64 version of "Mystery Spell" (Program 2) is the animated bird. The bird files around the top of the screen, swooping down to pick up letters and to sit on its perch, depending on whether your guesses are right or wrong.

As the bird moves around, it seems to hap its wings, creating an illusion of flight. This is achieved by rapidly displaying different "poses." In films, this is done by passing many frames through a projector every second. To achieve the illusion of flapping wings, we too must create a few "frames" of

a bird in motion.

Using a sprite editor, we first drew the bird you see in Figure 1. Then, using that sprite, we designed two more birds, one with the wing up (Figure 2) and one with the wing down (Figure 3). Using those shapes, the first three, but without legs. This gave us three "frames" for the bird carrying a letter, and three "frames" for the bird carrying a letter, and three "frames" for the bird year, and three "frames" for the bird light greety. We then set up the DATA statements in the program as if we were going to display as

and the screen RAM are eight memory locations that left he of where eight memory locations that left he of where in memory to find the shapes of the eight sprites. Usually these locations are at 2040 to 2047 (S07F8 to S07F8). By rapidly POKEing 2040 with the pointer to each "frame," the bird seems to flap its wings. To see how this is done, look at line 2000-2060. This is the routine which flies the bird around the top of the screen until you press a key, Line 2050 steps through the "frame" numbers. The

Another interesting feature of the game is that when you guess correctly, the bird swoops down to pick up a letter, and then carries it up to the word. How is that letter incorporated into the bird sprite?

In the character set ROM at \$5248 (\$DOM) he shape of each character is contained in eight bytes. Each byte is one row, and each bit is a column within that row. Depending on whether the value of that bit is 0 or 1, the pixel will be clear or set inside the character. The sprite is 24 bits wide, which is as wide as three characters. This means that by putting character shape data into every third byte within a sprite, we can make character shapes inside sprites. This technique could be used in any program which moves letters or text around smoothly. To see how this is done, look at lines 2180 to 2260.

Lines 2180 and 2190 make the character ROM available to be PEEKed. They also turn off the keyboard. Lines 2200 to 2240 take the character data and put it in the sprites. Finally, lines 2250 and 2260 cover up the character ROM and re-enable the keyboard.

Figure 1: Sprite-Created Bird



Figure 2: Bird With Wing Up



Figure 3: Bird With Wing Down



DYNACOMP

The Leading Distributor Of Microcomputer Software

PRESENTS

	HOME FINANCE		CARD GAMES	
	PERSONAL FINANCE SYSTEM (ALL)	\$ 39.95	BRIDGE MASTER (ALL) GIN RUMMY (APPLE) POKER PARTY (ALL) BLACKJACK COACH (ALL) EUCHRE (ATARI)	\$ 29.9
	TAX OPTIMIZER (ALL)	\$ 59.95	GIN RUMMY (APPLE)	\$ 22.5
	MICROCOMPUTER STOCKS (ALL)	\$ 59.95	POKER PARTY (ALL)	\$ 23.9
4	MICROCOMPUTER BONDS (ALL)	\$ 59.95	BLACKJACK COACH (ALL)	\$ 33.5
	BUDGET MODEL ANALYZER (ATARI)	\$ 23.95	EUCHRE (ATARI)	\$ 19.9
	PERSONAL BALANCE SHEET (OSBORNE)	\$ 29.95		
•	STOCK MASTER/STOCK PLOT (APPLE)	\$ 59.95	WAR GAMES LEIPZIG 1813 (ATARI) SHILOH 1862 (ATARI) IRONCLADS (CPM)	
		\$ 29.95	LEIPZIG 1813 (ATARI)	\$ 33.5
4		\$ 29.95	SHILOH 1862 (ATARI)	\$ 33.9
	PORTFOLIO MANAGEMENT (APPLE/OSB)	\$ 69.95	IRONCLADS (CPM)	\$ 29.5
™00°		\$ 39.95		
-100·m	INVESTMENT MANAGEMENT		ADVENTURE	
	(ATARI/IBM)	\$ 49.95	CRANSTON MANOR (CPM)	\$ 19.5
	OPTIONS ANALYSIS (TRS/OSB/APPLE)	\$ 99.95	WINDMERE ESTATE	
			(NORTH STAR/APPLE)	\$ 29.9
RTH	BUSINESS		ZODIAC CASTLE (NORTH STAR/APPLE)	\$ 29.5
	FINANCIAL MANAGEMENT		STARSHIP LANDING PARTY (TRS)	\$ 19.5
	(NORTH STAR)	\$149.95	GENESIS-THE CREATOR (APPLE)	\$ 49.5
	BUSINESS FINANCIAL MANAGEMENT (NORTH STAR) MAIL MASTER (ATARI)	\$ 39.95	VALLEY OF THE KINGS (ATARI)	\$ 29.5
		\$149.95		
	LIFE CYCLE ANALYSIS (APPLE)	\$ 39.95	GAMES	\$ 23.9
ООТМ	DATA RETRIEVAL SYSTEM (ATARI/CPM)	5 29.95	VALDEZ (ALL)	
	OPTIMAC (TRS/APPLE)	3 43.30	VALDEZ (ALL) FLIGHT SIMULATOR (ALL) BACKGAMMON 2 0 (ALL)	\$ 23.5 \$ 23.5
	OPTIMAC (TRS/APPLE) BOOKKEEP (CPM) CUSTOMER PROFILE (OSBORNE)	\$ 69.90	BACKGAMMON 2.0 (ALL) MANAGEMENT SIMULATOR (ALL)	\$ 23.5
	CUSTOMER PROFILE (USBURNE)	3 29.90	CHESS MASTER (CPM/TRS)	\$ 23.5
	EDUCATION		STARBASE 3.2 (ALL)	\$ 17.5
	EDUCATION CONTRACTOR	£ 12.05	CACTUS LEAGUE BASEBALL (ATARI)	\$ 19.5
	HODGE PODGE (APPLE/TRS) CHILDREN'S CARROUSEL (APPLE)	5 10.90 5 10.00	FINAL ASSEMBLY (ATARI)	\$ 19.5
•	CHILDREN'S CARROUSEL (AFFLE)	S 17.70	FINAL ASSEMBLE (A FARI)	3 19.5
	TEACHER'S AIDE (ALL) TEACHER'S GRADE BOOK (APPLE) PLAYER PIANO (ATARI)	\$ 40.05	ENGINEERING/STATISTICS	
	DE AVER DEAVO (ATABI)	6 10 05	DIGITAL FILTER (ALL)	\$ 53.5
	PLAYER PIANO (ATARI) SPELL IT (APPLE) ELIZA II (ALL except APPLE) PROBABILITY (APPLE/ATARI) TYPEMASTER (TRS)	\$ 19.95	HARMONIC ANALYZER (ALL)	\$ 33.5
	ELIZA II (ALL except A PPLE)	\$ 19.95	BASIC SCIENTIFIC SUBS. Vol. 1 (ALL)	\$ 53.5
	DD CDADH TTV (ADDI E /ATADD	\$ 30.05	BASIC SCIENTIFIC SUBS. Vol. 2 (ALL)	\$129.5
4	TYDEMASTER (TRS)	\$ 18.95	BASIC STATISTICAL SUBS. (ALL)	\$ 99 5
	EEELING BETTER (ADDI E)	\$ 39.95	CELESTIAL BASIC (APPLE)	\$ 49.5
	TYPEMASTER (TRS) FEELING BETTER (APPLE) FROGMASTER (ATARI)	\$ 21.95	ACTIVE CIRCUIT ANALYSIS (ALL)	\$ 43.9
	1 NO ONE ED THING THE HAY		BEAM DEFLECTION (ALL)	\$ 39.5
•	DISKETTES		ANALYSIS OF VARIANCE (ALL)	\$ 43.5
	514" SS/SD with hub rines, nacked in		PRINCIPAL COMPONENTS (APPLE)	\$ 49.5
	plastic storage box (10/box)	\$ 19.95	STATTEST (ALL)	\$ 33.5
•	PRICES ABOVE ARE FOR 51/4" SINGI	E DENSITY.	ADD \$3.00 FOR DOUBLE DENSITY, \$2.50 for	4.2.
	THESE ADE ONLY A FEW	VOFT	HE HUNDREDS OF PROGR	AM
RIM	THESE ARE UNLI A FEY	TUT II	IL HUMBREDS OF FROOM	A MAY A

ΔTARI™

MORROW

NOR

OSBORNE[®]

SUPERBRAIN™

TRS-ROTH

CP/M DISKS

DISKETTES

THESE ARE ONLY A FEW OF THE HUNDREDS OF PROGRAMS IN THE DYNACOMP LIBRARY. Besides being the leading distributor of microcomputer software, DYNACOMP

currently distributes software in over 60 countries. DVNACOMP provides FRIENDLY, ACCESSIBLE CUSTOMER SERVICE through our highly qualified and knowledgeable staff. WF'RE AS NEAR AS YOUR TELEPHONE. DYNACOMP'S prices are highly competitive and we promise prompt processing of every order.

WRITE FOR A FREE, DETAILED CATALOG

 Daytime
 24 Hour
 Office Hotline:

 Toll Free Order Phones:
 Message and Order Phone:
 9-5 E.S.T.

 (800) 828-6772 (800) 828-6773 (716) 442-8731 (716) 442-8960
 (716) 442-8731 (716

DYNACOMP, INC.

1427 Monroe Avenue . Rochester, NY 14618

Call "THE COMPUTER-LINE" in Colorado "Committed to bringing computers within the reach of all Americans"

The Component and believes that it is important to be competitive by effering low proces, however, we regard service as the most important but competitive by effering low proces, however, we regard service as the most important processor on the low and without processor of the low processor of the low

as not a cor program are on commi	0100					
Products IBM PERSONA	PUTER	Products for the APPLE COMPUTER				
The Ultimate Peripheral for MONTE CARLO TO GT Five Functions — Newton Sense Parallel C - Up to 1 Mayagine Equandation Memory - Con EM Compatible Controvers Parallel - On IBM Compatible Approvinceus Con- Cook/Culendar (Balany-backed) with New Dail Peri Jordek (In 1981)	•					
Future Upgrade Options Direct Connect		APPLE SOFTWARE		RAN CARDS: Microsoft ISK 5 75.00		
NEW! Monte Carlo " Quar All the features of the GT " Card		Continental: The Home Accountant Silicon Valley Systems: Word Handler Lat Hendler	\$ 54.00 \$119.00 \$ 65.00	CPM for APPLE: Morsest 230 Card Advanced Logo Kensington System Saver: T & G: Jonatcha	\$265.00 \$CALL \$ 65.00	
I-C — MAGIC Universal Programmable Graphics Screen Dump Print Spooling up to 84K Terminal Emulstion . SCALL	TM-100-2 Thinking TM	on Disk Drives 8245.00 45 \$245.00	Sicnewers: DB Master DB Usidy 1, 2, 3 Velicorpi Wacuic 33 Wyfiles Wedox	8159.00 ea. \$ 69.00 \$179.00 \$185.00	Select A-Port . Game Paddies Keet: Joyatche Game Paddies 80 Column Cerde: Vides with Scharetch	\$ 44,00 \$ 29,00 \$ 46,00 \$ 33,00
QUADRAM CORPORATION Quadrantery board for the BM SCALL Microfilate: SCALL	Ashton-Table D. Bose II \$475.00 Certifiaerial. Home Accountant Plus \$90.00 Listing Systems: \$140.00 Visionery. Visionery. 2005 Visionic \$110.00		Call for Prices on: Apple IIe Franklin Ace 1000/1200		WORD PROCESSING SPECIALS On and Screenwater \$ 85.00 Pin \$145.00 Sidoon Waley Word Handler \$115.00	
Princeton Graphics Systems: RGB Monitor - 460 des horacrasi - 16 colon - Non-glass Screen Outstanding Monter Special	RA 4164 Dyner We can su	M SPECIAL M SPECIAL Si.00 ea. pply the quantity & proe and Manufacturers need	For 24-hour/7 Days a Week Ordering & Product Information, Call "Compu-Line" our Computer Modern Line 1-303-279-4218 Operates at 200 Bass, Fall Option			
"VLE. Richardisca 2 year warrany 320 State 320 State D.C. Teyere in Europe An Territory in Europe E	\$175,00 \$449,00 \$254,00 \$200,00 \$555,00 \$ 85,00 \$114,00 \$145,00 \$259,00	Person led Disk Prices 5, 10, 15, 20 Megab COLUMBIA DAT. IBM Compat 16 Bit 808 Processor 125K on Motherband 2 Owne Date Controller NITIWY Columbia	yte SCALL A PRODUCTS, INC. iible Computer - 2 REXEX Sense Ports - Centrones Preside Port - 5 Expension Bloss - And Moon Data Products, Inc Computer	Stander F10 Prints 55 CPS Oxidate: Microline contract Microline contract Pacament	Parallel Perallel Perallel Perallel protei solity 40 CPS Printer, Dablo d Diagywheel solity 50, 180 CPS beforedonal with 40 solity 50, 180 CPS beforedonal with 40 solity 50, 180 CPS beforedonal with 40 solity 50, 180 CPS s	\$528.60 CPS
MONITORS Anonic: Color I		DISKETTES		printing, 136 column, 2009 60 Persilvel 2199 60 Serval 2199 60 Persilvenik 2416: 500 CPS bistrectional 2 color, printing 65 CPS correspondence, 22004 50 Paristi		
300G Green 300A Arriber SMC: 16MHZ Green 20MHZ Green MEC:	\$145,00 \$159,00 \$ 99,00 \$149,00	NEW! The 'S-Pisk' 5'4' SS-DD (Boses of 6) 5'4' DS-DD (Boses of 6) Verbatin Diskettee	\$14.95 \$19.96	Ster Mice Germin	onics: 0 & 15	\$2499.00 \$CALL
1931 Green 1212 Color Composte 1203 RCB H-Res Color Zevith:	\$145.00 \$293.00 \$999.00	S (a' SS/DD (Boses of 10) 5"A" DS/DD (Boses of 10) Elephant Diskettes: 5"A" SS/DD (Boses of 10) 5"A" DS/DD (Boses of 10)	522.05	Improved I IDS Priem: 132 Color Swith Corps		SCALL \$1456.00 \$ 549.00



Call "THE COMPUTER-LIN 7 days a week — Mon.-Fri. 7 am to 8 pm; Sat.-Sun. 8 am to 6 p (Mountain Standard Time)

is a week — Mon. Fri. 7 am to 8 pm; Sat. Sun. 8 am to 6 pm — Computer-Lines Stores.

Product Information & Order Lines:

Wite for our Pranchise Packag

(303) 279-2848 or (800) 525-7877 Customer Service & Order Inquiry Line: (303) 278-8321

ORDER DEPARTMENT: COMPUTER-LINE, Inc. • 1019 8th Street • Golden, CO 80401 COMPUTER-LINE of Denver • 1136 So. Colorado Blvd. • Denver, CO 80222

"TAMAS As over milet is 2 file such drownth All goods schromistight failing on stocial by the consumer will be required or certificated at our district. Coulterment must be district. The coulterment of the district must be districted as in the coulterment of the district must be districted as in the district must be districted. The district must be districted as in the district must be districted. The district must be districted as in the district must be districted as in the districted as in the district must be districted. The districted as in the districted

initially stationary. Each time a letter is pressed, it moves to the location of the letter and then back to the but

Let's examine just how the happy face movement is achieved. The numeric variables used for determining direction and motion are: R = row. C=column, V=vertical motion, and H=horizontal motion

The alphabet is displayed on the screen in two neat rows (A-M) and (N-Z). The ASCII (standard computer code) value of the alphabet is 65(A) to 90(Z). In response to the CALL KEY, any other key pressed is ignored. If the letter pressed is less than 78 (the letter N), then the row variable is set for the upper row; otherwise the row variable is set for the lower row (line 350). CALL GCHAR is used to determine whether the letter has previously been chosen (line 360). If not, then the vertical motion is set for downward movement until coincidence is achieved with the row variable - then motion stops (line 390 and subroutine

Another Equation To The Rescue

at line 550).

Knowing which way to move horizontally is determined with another IF-THEN statement (line 400)

Knowing where to stop horizontally presented a more difficult problem. It could have been determined by the process of elimination through a long series of IF-THEN statements. But, once again, an equation can come to the rescue (line 410): $C = (K-64)^416 + 4-208^4INT ((K-64)/14)$

(K-64) gives a number between 1 and 26, depending on which letter has been pressed. It is multiplied by 16, which is two times eight dotcolumn positions (one for the letter and one for the space). Four is added to center the sprite over the appropriate letter. The last part of the equation 208°INT((K-64)/14) yields either a 0 or 208, and ((K-64)/14) yields a 0 for (A-M) or 1 for (N-Z). The figure 208 represents 26 character positions (13 letters and 13 spaces in each row) times 8 dot positions per character position

The best way to understand how the equation works is to experiment by placing different K values into it. For example, suppose the letter F was pressed. The ASCII value of F is 70, hence:

C = (70-64) + 4-208*((70-64)/14) C=6+4-208*6/14 C=96+4-208*0

C=100 (the dot-column position for F).

Balloon Motion

The balloon sprite moves from wherever the happy face sprite is located to the appropriate blank in the secret word at the top of the screen. See the "correct guess subroutine" (lines 570-600); you should be able to follow the program logic for balloon direction and motion.

Program 1: Mystery Spell -- TI-99 Extended BASIC

- 100 REM HYSTERY SPELL 128 DIM A\$ (26) , B\$ (28)
- 122 ON ERROR 148
- 125 CALL INIT :: CALL LOAD (-31878, 1 13Ø REM **INITIALIZATION AND INTROD
- UCTION*: 14# DISPLAY AT(12.5) ERASE ALL: "ONE
- MOMENT PLEASE..." :: 60TO 780 150 DISPLAY AT (7,1) ERASE ALL BEEP:" PRESS(3 SPACES)FOR": : :" 1 =
- INSTRUCTIONS": :" 2 = MYST ERY SPELL": :" STERY SPELL" 160 DISPLAY AT (23,3): "PLEASE ENGAGE
- ALPHA LOCK" :: CALL KEY(Ø.K.S) :: IF S=Ø DR(K<49 DR K>51) THEN 160 :: DN K-48 GOTO 986,196,176 170 DISPLAY AT(12.5) ERASE ALL BEEP: "THANKS FOR PLAYING, " :: DISPLA
- Y AT (14.14-LEN(L\$)/2):L\$:: STO 198 DISPLAY AT (7,1) ERASE ALL BEEP: " CHOOSE A WORD LIST: ": : :
- PRESELECTED WORDS": :" CREATE YOUR OWN"
- 200 CALL KEY(0,K,S): 1F S=0 DR(K<6 5 DR K>66)THEN 200 :: 1F K=66 T HEN 228 218 PSW=1 :: GOTO 236
- 22Ø PSW=Ø :: GDTO 162Ø
- 23Ø CALL CLEAR :: RESTORE 94Ø :: GO TO 936 24Ø CALL SPRITE(#2,120,2,78,121,0,6
-):: CALL MAGNIFY(3):: CALL SPRI TE(#4,136,16,8,128,0,1):: CALL SPRITE (#3, 140, 2, 8, 128, 0, -2) 250 DISPLAY AT (5,9): "MYSTERY SPELL"
- :: T-200 :: GOSUB 1050 :: IF F SW-1 THEN GOTO 1840 260 DISPLAY AT(19,1) BEEP: " WHAT IS YOUR NAME, PLÉASE?" :: DISPLAY AT(23,1): "TYPE NAME, THEN PRESS
- ENTER" 278 ACCEPT AT(5,9)SIZE(14):L\$:: CA
- LL HCHAR (5,7,32,22) 286 REM **MAIN PROGRAM LODP**
- 29# DISPLAY AT(19,1) BEEP: " CHOOSE THE LEVEL OF PLAY 300 DISPLAY AT(23,1):"(3 SPACES)1
 - EASY(3 SPACES)2) DIFFICULT" :: CALL KEY(Ø,K,S):: IF S-Ø OR K>S Ø DR K<49 THEN 3ØØ :: IF K=49 T HEN ER=7 ELSE ER=5
 - 310 FOR SP=5 TO 13 :: CALL DELSPRIT E(#SP):: NEXT SF 320 DISPLAY AT(19,1): " A B C D E F
- B H I J K L M" :: DISPLAY AT(23 ,1) BEEP: " N D P Q R S T U V W Y Z" :: RANDOMIZE
 - 330 CALL HCHAR (5, 3, 32, 28):: W\$=B\$(1 NT (26*RND)+1):: F=LEN(W*):: FOR I=1 TO F :: DISPLAY AT(5,2*1+1 4-F): "_ " :: NEXT I :: Y=Ø :: SP
 - 340 CALL KEY(0,K,S):: IF S=0 DR(K(6 5 DR K>9Ø) THEN 34Ø ELSE C=121

September 1983 COMPUTE: 117

350 IF K(78 THEN R=128 ELSE R=160 360 CC=((K-64)*16+16-2008*INT((K-64) /14))/8 :: CALL GCHAR((R+24)/8, CC,X):: IF X=32 THEN 370 ELSE 3

90 370 DISPLAY AT(16,14-(8+LEN(L\$))/2) SIZE(8+LEN(L\$))8EEP: 00PS, ";L \$:"." :: DISPLAY AT(17.1): " YOU

TRIED THAT ONE ALREADY"
380 FOR D=1 TO 500 :: NEXT D :: CAL
L HCHAR(16,1,33,64):: GDTO 340
390 V=12 :: H=0 :: GDSU8 550

390 V=12 :: H=0 :: GOSUB 550 400 IF K<72 OR(K>77 AND K<85)THEN H =-12 ELSE H=12 410 V=0 :: C=(K-64)*16+4-208*INT((K

-64)/14):: GOSUB 550 420 X=0:: CALL HCHAR((R+24)/8,(C+1 2)/8,32):: FOR I=1 TO F :: IF A SC(SE64(W#,I,1))<>K THEN 450 430 CALL PATTERN(#2,124):: GOSUB 58

440 CALL PATTERN(#2,124):: GUSUS 58 440 CALL PATTERN(#2,120):: DISPLAY AT(5,2*I+14-F)SIZE(-1):CHR\$(K):

11(3,21114-1)SIZE(-1):CHRW(K):
: X=1 :: Y=Y+1
450 NEXT I :: IF X=1 THEN 470
460 CALL PATTERN(#2,128):: GOSUB 62

:: CALL PATTERN(#2,120)
470 H=-H :: C=121 :: GOSU8 550

48Ø V=-12 :: H=Ø :: R=78 :: GOSUB 5 5Ø 49Ø IF Y=LEN(W\$)THEN GOSUB 74Ø ELSE 5ØØ :: GOTO 51Ø

500 IF ER=1 THEN GOSUB 710 ELSE 340 510 DISPLAY AT(23,1) BEEP:" (5 SPACES) ANOTHER WORD? (Y/N)"

52# CALL KEY(0,K,S):: IF S=# OR K<> 89 AND K<>78 THEN 52# :: IF K=8 9 THEN 29#

530 CALL DELSPRITE(ALL):: GOTO 150 540 REM **SUB TO MOVE HAPPY FACE** 550 CALL MOTION(#2.V.H)

560 CALL COINC(#2,R,C,4,Z):: IF Z=0
THEN 560 ELSE CALL MOTION(#2,0
,0):: CALL LOCATE(#2,R,C):: RET
URN

URN 570 REM **SUB FOR CORRECT GUESS** 580 B=0*(2*I+14-F):: CALL SPRITE(*I ,132,14,R.C, (32-R)/8, (8-C)/8) 590 J=2^(1/12):: FOR A=1 TO 25 :: C ALL SOUND(-40,220*J)A,1):: NEXT

A 600 CALL COINC(#1,32,8,6,7):: IF Z= 0 THEN 600 ELSE CALL DELSPRITE(#1):: RETURN

610 REM **SU8 FOR INCORRECT GUESS** 620 SP=SP-1 :: ER=ER-1 :: IF ER>4 T HEN RR=80 ELSE RR=50 630 IF ER=6 OR ER=4 THEN C=52

640 IF ER=5 OR ER=1 THEN C=188 650 IF ER=3 THEN C=110

660 IF ER=2 THEN C-132 670 CALL SPRITE(#SP,140,2,1,120,(RR -1)/8,(C-120)/8)

68Ø J=2^(1/12):: FOR A=25 TO 1 STEP -1 :: CALL SOUND(-40,440*J^A,1):: NEXT A

690 CALL COINC(#SP,RR,C,6,Z):: IF Z =0 THEN 690 ELSE CALL MOTION(#S P,0,0):: CALL LOCATE(#SP,RR,C): : CALL PATTERN(#SP,100):: RETURN

700 REH **SUB FOR BLACKBIRDS WIN**
710 CALL HCHAR(19,3,32,28):: DISPLA
Y AT(19,15-(0+LEN(L*))/2): SORR
Y, ";L6;","
720 DISPLAY AT(23,1)BEEP: "THE BLACK

8IRDS WIN THIS TIME" :: GOSUB 7 60 :: RETURN 730 REM **SU8 FOR PLAYER WINS**

740 CALL HCHAR(19,3,32,28):: DISPLA Y AT(19,15-(8+LEN(L\$))/2):"GREA T, ";L\$;"," 750 DISPLAY AT(23.1):"(3 SPACES)THA

750 DISPLAY AT (23,1):"(3 SPACES)THA T'S THE SECRET WORD" 760 CALL HCHAR(5,3,32,28):: FOR I=1 TO F :: DISPLAY AT (5,2*I+14-F)

:SEG#(W#,I,1):: NEXT I :: T-180 :: GOSU8 1050 :: RETURN 770 REM ##ASSIGN COLORS AND DEFINE

CHARACTERS**

780 FOR I=0 TO 9 :: CALL COLOR(I,2,8):: NEXT I :: CALL COLOR(I0,3,8):: CALL COLOR(I1,11,8):: CALL COLOR(I1,11,8): CALL COLOR(I1,11,8): CALL COLOR(I1,11,8): CALL COLOR(I1,11,8): CALL CO

8):: CALL COLOR(11,11,8):: CALL COLOR(1,13,8) 800 FOR I=1 TO 25 :: READ C,A\$(I):: CALL CHAR(C,A\$(I)):: NEXT I ::

030303FFFF030303 820 DATA 105,183C3C7E7EFFFFFF,106,F FFFFFFFFFFFFFFFF,107,FFFFF7ZC3 C3C10,108,071F7FFFFF7F1F07,109, C0F0FEFFFFFEF060 830 DATA 96,00000000003F3FFF,77,FFF FFFFFFFFFFFFFFFF,98.FFFEFC7083850

EF,99,7F3F1E3C78FCFEFF,33,FFFFF FFFFFFFFFF 84Ø DATA 91,1F3F7FFFFFFFFFF,92,F8F

1C2020418E0 860 DATA 124,071820404C888881809F90 4844231807E0180C023211018101F90 91222C418E0

870 DATA 128,071820404C888081808384 4840201807E0180C023211018101C12 112020418E0 880 DATA 122,030F1F3F3F3F1F0F0703 010182040808E0F0F0FF0FF0F0C08

8 89Ø DATA 136,030F3F7F7F3FFFFFFFFF 7F7F37070100C0CCFEFEFCFFFFFFF CFEFEECE080

900 DATA 140,00000000000000183D478301 0000000000000000000000000018BCE2C18 00000000000000 910 DATA 100,0001010100010303070707

9301000101010100010303070707 0301000101C0E0F0D0C0E0F0F0F9F9F9F 8F0E0C02020 920 REM **PRINT SCREEN**

730 CALL HCHAR(16,1,33,288):: FOR I =1 TO 21 :: READ R,C.G\$:: DISP LAY ATTR,C)SIZE(-6):G\$:: NEXT I :: GOTO 240

946 DATA 9,12, '[aa\],18,12,qrrrrp,1 1,12,qrrrrp,12,12,qrrrrp,13,14, st,14,14,st,15,14,st

SOFTWARE YOU CAN COUNT ON...



PractiCalc 20" ‡ and PractiCalc Plus" ‡: Complete electronic spreadsheets that turn the Commodore Vic-20 into a business computer. (\$39.95" TD and \$49.95" TD, respectively.) PractiCalc 64": The computer spreaddwest feethe Commodors distails spread-

PractiCalc 64": The computer spreadsheet for the Commodore 64 with over 20 mathematical functions and the ability to graph, sort, and search for entries. (\$49.95" TD)

PS: The Programmable Spreadsheet* Finally, a computer spreadsheet which can handle the most complicated operations within the structure of a spreadsheet – since you can program it with BASIC. Available for the Commodore 64 (\$79.95 D)

å Apple IIe (\$79.95 D).

Rabbit Base* ‡: A data-file manager for the Commodore VIC-20 with simple screen instructions for efficient use. (\$29.95 T) Inventory 64*: A smart inventory-tracking system for the Commodore 64 that handles

650 parts. (\$39.95 D)
C-64 Analyst: A diagnostic program which tests the Commodore 64 and its peripherals to detect hardware defects. An irreducible troil for C-64 users! (\$19.95 D)

† 8K RAM required = \$16K RAM required • Price given for trope visition. Disk version slightly higher T /wellibite on tape = D Austabble on disk Total Health*: For fitness and health enthusiasts, a program which monitors and encourages proper nutrition. (For the Commodore VIC-20; \$24.95 T and C-64 \$29.95 D)

AND LEARN FROM ...

Math Duel*: Amath program for ages 5-12 that combines classroom learning with gameroom fun! Available for the Commodore VIC-20, (\$19.95.1). Sprintyper*: A typing tutorial for the Commodore VIC-20 that encourages speed and accuracy in both the novice and experienced bytast, (\$19.95.1).

Tiny Tutor*. A pre-schooler program with fun graphics and sound to teach simple math. (\$19.95 T) Composer*. A simple music composition program for the Commodore VIC-20 that teaches musical notation and allows 'melodies' to be saved to tape for later

COMPUTER SOFTWARE

50 Teed Drive, Randolph, Massachusetts 02368

AND PLAY WITH . . .

Zeppelin Rescuer". An intelligent rescue game for the Commodore 64 with arcade-like graphics and the greatest challenge for those with presidence 8 skill. (\$24.95 t) Skramble". You're lost in enemy territory. But before leaving for home, you can play havoo with their artificids and oil supply. Are you ready for the challenge? (For the Commodore VIC-20; 519.95 t).

Barrel Jumper*†: For the Commodore VIC-20, this game confronts you with a pyramid of steel girders. The present King of the Hill is an angry spe who's hurling barrels at you. Step lively! (\$19.95 T)

See your local dealer for CSA programs or order directly by calling toll-free: 1-800-343-1078

For more information about these and many other programs for your home computer, write to CSA.

Programmers with programs to market are encouraged to send copies for review to

encouraged to send copies for review to CSA.

Dealer & distributor inquiries are welcomed by:

Micro Software International Inc The Silk Mill 44 Oak Street Newton Upper Falls, Massachusetts 02164

mail order computer SANYO

CRIVE TO SEER PROPER

AST

BOFTWARE

MICRO PRO

MIGROSTUP

MICROSOFT

ASHTON-YATE

CONTINENTAL

BOFTWARE

In Case Man Form Later \$65.00 The Ports Associated Flore \$650.00

APPLE 193 00 160

FOR ABPLE ISN'S PROVIDE

ANCHOMAN CON INC. BITTO

HARP

EI 10 00

facework at 11

O Mes Mard











H DA Ante Muntu Contra Blyn Wood Steel Mad Marge 18499-00

AMORK

12 N Q +++ PANAS NEG

BINCLAIR 1000 *39"

esseriment and the second and the se

POCKET COMPUTER

\$169. PC1850.... \$89.00 CE 130 Poster Potter 9 0 CE 125 Protections Causette CE | 52 Cresette Recorde:

5125 00



Apple Cel II

292 Appro Car II Apprio Car II Et 2 Up marke ANGHOR Man 1185 2221 *79.00 Mak T (Kind MAN IN COMPLET MAS VISEM PC Mark Wil (1200 Book) DEADY EDDME 1"0-2" Address Lates Treet Freet, 89 00

AXLON Aprile Franklin Bern Elmit. \$1729 00 Star Cross Zon I if or St SROOSE Sepatite Snestera Snete Byte Feet Eddin (Ren't)

FRANKLIN

Francis 1000 1100 1200 and

MICRO-SCI

Apple & Franklin

BANA

MEMORY MERC

1020

\$229.00

937 co

Cite I Mesta Translet





HEAG Dat West Cases *****

AMORK DISK DRIVES

computer mail order west

In NV call (702)588-5654, Dept. 908 , P.D. Box 8889, Stateline, NV 89449 No risk. So dispose on C.O.D. orders. Pre-paid notes in case Trax shipping within the UTS Continuited United States with no waiting period for cardine-chackes or more; profess, and 3% increases the continuity of the Continuity

computer mail order (commodore ATARI" HOME COMPUTERS



CBM 8032

NEW NEW NEW CALL FOR APPLEAUX PRODUCTS

EPYX Court Combine Court Detectiones & Eye Thegreen Occor -MEM

Femous Red Sell

In PA cell (717)327-9575, Dept. 906, 477 E. 3rd St., Williamsport, PA 17701 tales must be pre-paid by cartified check only.Include 3% (minimus 83 (0) shipping and handling EDUCATIONAL DISCOUNTS Additional discounts
Educational Institutions. APO & PPO: Add minimum \$5,00 shipping and handling

```
950 DATA 9.5.111.10.4,1jjjm.11,4,1j 1300 CALL SOUND(2*T,659,0,233,2)
    jjm, 12, 5, kjk, 13, 6, b, 14, 6, a, 15, 6 1310 CALL SOUND (2*T, 784, 0, 659, 1, 131
                                              .2)
960 DATA 9,22,111,10,21,1jjjm,11,21
                                        1320 CALL SOUND (T.880.0.175.2)
                                        1330 CALL SOUND (T, 831, 0, 175, 2)
    .liiim.12.22.kik.13.23.a.14.23.
    c, 15, 23, a
                                        1340 CALL SOUND (T, 860, 0, 262, 2, 349, 2
97Ø REM **INSTRUCTIONS**
980 DISPLAY AT(1.8) ERASE ALL: "MYSTE
                                        1350 CALL SOUND (T, 1047, 0, 262, 2, 349,
    RY SPELL": : "(3 SPACES) THE OBJE
    CT OF MYSTERY": "SPELL IS TO GUE
                                        1360 CALL SOUND (T, 1047, 0, 220, 2)
    SS THE SECRET": "WORD. "
                                        1370 CALL SOUND (T, 880, 0, 220, 2)
990 DISPLAY AT(6.4): "WHEN YOU PRESS
                                        138# CALL SOUND (T, 784, #, 262, 2, 349, 2
     A LETTER, ": "THE HAPPY FACE WIL
    L MOVE TO": "THE SELECTED LETTER
                                        139# CALL SOUND (T, 698, #, 262, 2, 349, 2
     AND LET": "YOU KNOW WHETHER YOU
     MADE A"
                                        1400 CALL SOUND (T, 784, 0, 233, 2)
1888 DISPLAY AT (18,1): "RIGHT OR WRO 1418 CALL SOUND (T,698,8,233,2)
     NO CHOICE. ":"(3 SPACES)A CORRE
                                        1420 CALL SOUND (T, 587, 0, 294, 2, 349, 2
     CT CHOICE LAUNCHES": "A BALLOON
         AN INCORRECT ONE": "CAUSES A
                                        143Ø CALL SOUND(T.698.Ø.294.2.349.2
      BLACKBIRD TO LAND."
1010 DISPLAY AT(14.1): "IF TOO MANY
                                        1448 CALL SOUND (T, 698, 8, 228, 2)
     BLACKBIRDS LAND, ": "YOU WILL LO
                                        1450 CALL SOUND (T.587.0.220.2)
     SE THE GAME.": :"(3 SPACES) THE
                                        1460 CALL SOUND (T, 523, 0, 262, 2, 349, 2
     RE ARE TWO LEVELS: "
1020 DISPLAY AT(19,1)BEEP: "EASY)
                                        1470 CALL SOUND (T.440.0.262.2.349.2
     ERMITS 6 INCORRECT": "
     (7 SPACES) GUESSES. ": : "HARD)
                                        148Ø CALL SOUND(T, 392, Ø, 247, 2)
     PERMITS ONLY 4."
                                        1498 CALL SOUND (T, 784, 8, 247, 2)
1030 DISPLAY AT (24.6): ***PRESS ANY
                                        1500 CALL SOUND (T, 698, 0, 294, 2, 349, 2
     KEY**" :: CALL KEY(Ø,K,S):: IF
      S=Ø THEN 1030 ELSE 190
                                        151# CALL SOUND (T, 659, #, 294, 2, 349, 2
1848 REM ##SUB FOR BLACKBIRD FLIGHT
      AND THEME MELODY**
                                        152# CALL SOUND(T.587.#.196.2)
1050 R=8 :: FOR SP=5 TO 13 :: C=INT
                                        153Ø CALL SOUND (T, 44Ø, Ø, 196, 2)
     (RND#240)+1 :: CALL SPRITE(#SP
                                        154# CALL SOUND(T, 44#, #, 233, 2, 349, 2
     ,140,2,R,C,Ø,12):: R=R+12 :: N
     EXT SP
                                        155@ CALL SOUND (T. 494. @. 233. 2. 349. 2
1060 CALL SOUND (T, 175, 0)
1070 CALL SOUND (T, 349, 0, 175, 2)
                                        1560 CALL SOUND (T, 523, 0, 175, 2, 220, 2
1080 CALL SOUND (T. 587, 0, 175, 2)
1898 CALL SOUND (2*T, 523, 8, 448, 1, 175
                                        1570 CALL SOUND (T.587.0.175.2.220.2
1100 CALL SOUND (T, 587, 0, 175, 2)
                                        158Ø CALL SOUND (2#T, 659, Ø, 262, 2)
1110 CALL SOUND (2*T, 523, 0, 440, 1, 185
                                        1590 CALL SOUND (3*T, 698, 0, 262, 2, 175
                                              ,0)
1120 CALL SOUND (T, 196,0)
                                        1600 FOR I=1 TO 30 STEP 2 :: CALL S
1130 CALL SOUND (T, 330, 0, 196, 2)
114# CALL SOUND (T, 587, #, 196, 2)
1150 CALL SOUND (2*T. 523.0.466.1.196
     .2)
1160 CALL SOUND (T. 587.0.196.2)
1170 CALL SOUND (2*T, 523, 0, 466, 1, 20B
     . 2)
1180 CALL SOUND (T. 220.2)
1190 CALL SOUND (T, 523, 0, 440, 1, 220, 2
1200 CALL SOUND (T, 311, 2)
```



A letter is successfully chosen in the TI version of "Mystery Spell."

1220 CALL SOUND (T. 294.2)

124Ø CALL SOUND (T, 277, 2)

1260 CALL SOUND (T, 440, 0, 262, 2) 1270 CALL SOUND (T, 523, 0, 262, 2)

1280 CALL SOUND (T, 587, 0, 247, 2) 1290 CALL SOUND (T, 698, 0, 247, 2)

OUND (-T, 698, I, 262, I, 175, I):: N FXT I :: RETURN 1610 REM **CREATE A WORD LIST**

LIST INSTRUCTIONS": : : " IN THIS SEGMENT YOU MAY": "FITHER CREATE A WORD LIST*

1630 DISPLAY AT(6,1): "OR LOAD AN EX 1820 IF J=0 THEN 1750 ELSE 1740 VICE.": : " WHEN CREATING A WORD LIST, ": "TYPE EACH WORD, T

HEN PRESS* 1640 DISPLAY AT(12,1): "ENTER, MAXI MUM WORD LENGTH": "IS 13 CHARAC TERS. 20 WORDS": "MUST BE ENTE

RED FOR EACH OF": "THE WORD LIS TS CREATED. " 1650 DISPLAY AT(18,3) BEEP: "AS YOU E NTER EACH LIST. ": "YOU MAY SAVE IT TO A STORAGE": "DEVICE FOR

FUTURE USE WITH": "MYSTERY SPEL 1660 DISPLAY AT(24,6): "##PRESS ANY KEY##" :: CALL KEY(@.K.S):: IF

S=Ø THEN 1660 1670 DISPLAY AT(7,1) ERABE ALL BEEP: "PRESS(3 SPACES) TO": : : " 1 = CREATE A WORD LIST": :"

= LOAD A WORD LIST": :" EXIT:

1680 CALL KEY(0,K,S):: IF S=0 OR(K< 49 OR K>51) THEN 1680 :: J=0 :: ON K-48 GOTO 1690,1795,190

1690 DISPLAY AT(1.5) ERASE ALL: "ENTE R THE WORD LIST: "

1700 I=1 :: C=1 :: FOR A=1 TO 2 :: R=3 1: FOR Z=1 TO 10 1710 ACCEPT AT(R,C)SIZE(-13)BEEP:B\$

(I):: R=R+2 :: I=I+1 :: NEXT Z :: C-15 :: NEXT A 1720 DISPLAY AT (24, 1) BEEP: "CORRECT

OR CHANGE ANY? (Y/N)" . 1730 CALL KEY(0.K.S):: IF S=0 OR K< >89 AND K<>78 THEN 1730 :: IF

K-89 THEN 1700 :: J-1 :: GOTO 1795 1740 FOR I=1 TO 20 :: PRINT #1:B\$(I):: NEXT I :: CLOSE #1 :: GOTO

236 1750 FOR I=1 TO 20 :: INPUT #1:B\$(I):: NEXT I :: CLOSE #1

1760 DISPLAY AT(11,6) ERASE ALL BEEP : "DO YOU WISH TO SEE": :" (4 SPACES) THE WORD LIST? (Y/N)

1770 CALL KEY(0,K,S):: IF S=0 OR(K(>89 AND K<>78) THEN 1778 :: IF K=89 THEN 178Ø ELSE 23Ø

1780 DISPLAY AT(1,10) ERASE ALL BEEP :"WORD LIST" :: R=3 :: FOR I=1 TO 20 STEP 2 :: DISPLAY AT (R. 1):B\$(I),B\$(I+1):: R=R+2 :: NE

1790 DISPLAY AT (24.1): *PRESS ANY KE Y WHEN FINISHED" :: CALL KEY(# .K.S):: IF S=0 THEN 1790 ELSE

238 1795 ON FRROR 1795 1800 DISPLAY AT(5,6) ERASE ALL BEEP: 510 PRINTMIDS(G\$, I,1) "(RIGHT)";

"WHAT IS THE NAME": : " OF YOU R STORAGE DEVICE?": :"(EXAMPLE : CS1 OR DSK1.WORDS)* 1620 DISPLAY AT(1,4) ERASE ALL: "WORD 1810 DISPLAY AT(23,1): "PLACE TAPE O R DISK IN DEVICE" :: ACCEPT AT (11,3):F\$:: OPEN #1:F\$, INTERN

AL, UPDATE, FIXED 50 ISTING ONE FROM : "A STORAGE DE 1930 REM **PRESELECTED WORD LIST** 1848 FOR I=1 TO 28 :: READ B\$(I)::

NEXT I :: 80T0 260 185# DATA BANANAS, CARROTS, RHUBARB, C ABBAGE, TURNIP, BEANS, CORN, CELER Y, WATERMELON, GRANGES, APPLES, PE ACHES

1860 DATA MUSHROOMS, ONIONS, POTATOES ,TOMATOES, GRAPES, PUMPKIN, SQUAS H. LEMONS

Program 2: Mystery Spell - 64 Version by Eric Brondon, Programming Assistant

188 GOSUB 2668 118 X=RND(-TI) 128 DIM W(28) WS (588)

130 GOSUB 1190 : REM DRAW HOUSE 148 PRINT" (HOME) (BLU) PLEASE WAIT ...

150 GOSUB 1380 : REM POKE IN SPRITES 160 GOSUB 1970 : REM GET WORDS 178 GOSUB 698{2 SPACES}: REM SET UP SPRIT ES

188 PRINT"[HOME][14 SPACES]" 198 WS-WS(RND(1)*N+1)

200 GOSUB 650 210 LS=" ABCDEFGHIJKLMNOPQRSTUVWXYZ" 220 PRINT"[HOME][17 DOWN][8 RIGHT]":

238 FOR I=2 TO 14 248 PRINTMIDS(L\$,I,1)"(RIGHT)"; 258 NEXT

260 PRINT: PRINT" [DOWN] [8 RIGHT]": 278 FOR I=15TO 27 288 PRINTMIDS(LS.I.1)" [RIGHT]":

298 NEXT 300 PRINT"[HOME][4 DOWN] "SPC(18-LEN(GS))

318 FOR I=1TO LEN(GS) 320 PRINTMID\$ (G\$, I, 1) " {RIGHT}"; 330 NEXT 348 IF COUNT<>LEN(W\$) THEN428

350 POKE 198.0 368 FOR DL=1TO188:NEXTDL:CL=CL+1:IFCL=3T HENCL=1

378 PRINTMIDS("[BLK][CYN]", CL, 1); 388 PRINT" [HOME] [14 SPACES] YOU WIN !!!! 390 GETAS: IFAS-""THEN 360 488 GOTO 2618

410 GOSUB 2000 42Ø GETA\$: IFA\$<"A"ORA\$>"Z"ANDA\$<>"+"THE

N418 430 IF AS="+"THEN 760 440 P=ASC(AS)-64

450 IF MIDS(LS,P+1,1) <> " "THEN540 460 PRINT" [HOME] [4 DOWN] [8 SPACES] LETTER ALREADY CHOSEN[10 SPACES]

470 FOR I=1 TO 800:NEXTI 480 PRINT" [HOME] [4 DOWN] [38 SPACES]" 498 PRINT" [HOME] [4 DOWN] "SPC(18-LEN(G\$))

500 FOR I-1TO LEN(G\$)

September 1963 COMPUTE 123

520 NEXT 1898 IFABS(X-DX)>1THENX=X+3:FLAG=1:IFX>3 530 GOTO 420 44THEN X=0:POKEV+21,PEEK(V+21)AND25 540 LS=LRPTS(LS,P)+" "+MIDS(LS,P+2) 550 RP=0 : REM FLAG FOR CORRECT GUESS 1100 IF Y<DY THEN Y=Y+2:FLAG=1 566 FOR T=1 TO LEN(WS) 1118 S=S+1: TFS=251THENS=248 570 IF MID\$(W\$, I, 1) <> A\$ THEN 610 1120 IF FLAG THEN 1060 580 GS=LEFTS(GS,I)+MIDS(WS,I,1)+MIDS(GS, 1130 X=DX:Y=DY 1+2) 1140 POKEV+2*DB, XAND255: POKEV+16, PREK (V+ 590 RF=RF+1 16)OR(2TDB)*(-(x>255)) 600 COUNT=COUNT+1 115@ POKEV+2*DB+1,Y:POKE2@4@+DB,254 618 NEXT I 1160 IF DROOM THEN POKE V+21 PREK(V+21)A 620 IF RF=0 THEN GOSUB 1030 630 IF RF THEN GOSUB 2070 1170 X=0:Y=60:IF DB=0 THEN 930 640 GOTO 220 1180 RETURN 65Ø G\$=" " 1198 POKE 53281,3:POKE 53288,4 660 FOR I=1 TO LEN(W\$):G\$=G\$+"-":W(I)=0: 1200 PRINT" [CYN] [CLR] 1218 PRINT"[4 DOWN] NEXT 67Ø RETURN 1226 PRINT 680 I=I+1:GOTO1980 1230 PRINT" [5 SPACES] [GRN] [3 SPACES] 69Ø REM SET UP SPRITES [RVS] [2 SPACES] [OFF] [10 SPACES] 700 V=53248 (WHT) EDE (UP) (RVS) EBE (OFF) (DOWN) 710 FOR I=0 TO 15:POKE V+I,0:NEXT [6 SPACES] [GRN] 72Ø POKE V+21,255 1240 PRINT" [6 SPACES] [RVS] EKR 73Ø FOR I=V+39 TO V+46: POKE I.Ø: NEXT {4 SPACES}{OFF}#J\$[6 SPACES]{RVS} 740 X=0:Y=60:S=251 YEL BE** BEK | OFF | F2 GR 750 RETURN [3 SPACES] [GRN] [RVS] ELR 760 PRINT" [HOME] [BLU] ENTER YOUR GUESS: " (OFF) 1250 PRINT"[6 SPACES][RVS]RJR 77Ø POKE V+21.PEEK(V+21)AND254 [4 SPACES] ELE [OFF] [5 SPACES] [RVS] 780 FOR I=1 TO LEN(WS):PRINT"E@2"::NEX [YEL] \$12 SPACES | E * \$ [OFF] [RLK] EGR[3 SPACES][GRN] [RVS] 79Ø PRINT" [HOME] [18 RIGHT] ": GU\$; [3 SPACES][OFF] 800 IF LEN(GU\$) < LEN(W\$) THENPRINT" E+R"; 1260 PRINT"[6 SPACES][RVS] RGR 810 IF LEN(GUS) < LEN(WS)-1 THEN FOR I=2 T [4 SPACES] ENR [OFF] [4 SPACES] [RVS] O LEN(W\$)-LEN(GU\$):PRINT"E@2"; [YEL] # [4 SPACES] E * 2 [OFF] [GRN] 820 GET KS:IF KS=""THEN 820 [3 SPACES] [RVS] #JR[3 SPACES] #LR 838 IF KS=CHRS(20) AND LEN(GUS)>@ THEN G (OFF) U\$=LEFT\$(GU\$, LEN(GU\$)-1):GOTO798 1270 PRINT"[6 SPACES][RVS][6 SPACES] 840 IF KS=CHRS(13) AND LEN(GUS)=LEN(WS) IOFF114 SPACES | [RVS] [RED] [4 SPACES] THEN 870 EBN [OFF][GRN][3 SPACES][RVS] 850 IF K\$>="A" AND K\$<="Z" AND LEN(GU\$)< [5 SPACES][OFF] LEN(W\$) THEN GUS-GUS+KS 1280 PRINT"[6 SPACES] \$53[2 SPACES] 86Ø GOTO 79Ø [RVS] [2 SPACES] [OFF] [6 SPACES] [RVS] [RED] [BB] [4 SPACES] [OFF] 87Ø IF GU\$<>W\$ THEN 93Ø 880 PRINT"[HOME][38 SPACES]" (2 SPACES)[GRN][3 SPACES][RVS][5] 89Ø PRINT"[HOME] [4 DOWN] "SPC(18-LEN(" "+ (OFF) WS)): 1290 PRINT" [RVS] \$63[8 SPACES] \$53 988 FOR I=1TO LEN(" "+WS) {2 SPACES | [6] [6 SPACES] [RED] 910 PRINTMID\$(" "+W\$, I, 1)"{RIGHT}"; [2 SPACES] E13EF3 Em3E63 [5 SPACES] E53 E63[12 SPACES]"; 92Ø NEXT: GOTO35Ø 930 PRINT"[HOME][BLK][13 SPACES]SORRY ... 1300 PRINT" [8 SPACES] [5] [2 SPACES] YOU LOSE[5 SPACES]" #68[6 SPACES][RED][2 SPACES][OFF] 940 PRINT" [BLK] THE WORD WAS ..." [RVS] EK 3 [2 SPACES] E63 950 PRINT" [HOME] [4 DOWN] "SPC(18-LEN(" "+ [5 SPACES] #58 #68[12 SPACES]"; ws)): 1310 PRINT"#63[RVS]"; 96Ø FOR I=1TO LEN(" "+WS) 1320 FOR I=0 TO 8:PRINT"[40 SPACES]"::NE 970 PRINTMID\$(" "+w\$, 1, 1)"{RIGHT}"; 980 FOR D=1 TO 200:NEXT 133Ø FOR I=1 TO 8 : L=1024+23*40+1*4 :PO 99Ø NEXT

KE L.114: POKEL+54272. Ø: NEXT

:POKE 55296+24*4Ø+1.13:NEXT

4*6+2: READA: NEXT: RETURN

1390 READ A: IF A=256 THEN 1410 1400 POKE I.A: I=I+1:GOTO 1390

9*64+I):NEXT:RETURN

135Ø PRINT"[HOME]

1360 PRINT"(BLK)

1370 PETHEN

1340 FOR I=0 TO 39:POKE 1024+24*40+1,160

1380 I=15872: TEPERK(T+1)=96THENFORI=1TO6

1410 FOR I=0 TO 63:POKE 254*64+I, PEEK (24

1878 IF X=8 THEN POKE V+21, PEEK(V+21)OR1 1080 FLAG=0

1000 POKE 198.0

1020 GOTO 2610

1030 DB=DB+1:S=S-3

1010 GETAS: IFAS=""THEN1010

1868 POKEV, XAND255: POKEV+16, PEEK (V+16)AN

D254OR-(X>255):POKE V+1,Y:POKE2@4@,

1Ø4Ø DX=32*DB+16:DY=225

1050 IF DB=8 THEN DB=0

```
1428 DATA 0,96,0,0,113,224.0
                                          2080 DY=173+INT(P/14)*24:IF S>250 THEN S
1430 DATA 121,176,0,125,252,117,193
                                                =S-3
1440 DATA 192,127,255,192,113,255,128
                                           2090 POKEV, XAND255: POKEV+16, PEEK(V+16) AN
1450 DATA 0,252,0,0,24,0,0
                                                D254OR-(X>255): POKEV+1, Y: POKE2040, S
1460 DATA 24,0,0,102,0,0,102
                                           2188 IF X=8 THEN POKE V+21, PEEK(V+21)OR1
1478 DATA 8,8,8,8,8,8,8,8
                                           2110 PLAG-0
1480 DATA 0.0.0.0.0.0.0.
                                           2120 IFABS(X-DX)>2THENX=X+3:FLAG=1:IFX>3
1490 DATA 0,0,0,0,0,0,0
                                                44THENX=0:POKEV+21.PEEK(V+21)AND254
1500 DATA 0,0,0,0,0,0,0
                                           2138 IF Y<DY THEN Y=Y+2:FLAG=1
1510 DATA 0,0,0,0,0,1,224
                                           2140 S=S+1:IFS=251THENS=248
1520 DATA 0,1,176,0,127,252,117
                                           2150 IF FLAG THEN 2090
1530 DATA 193,192,127,255,192,113,255
                                           2160 Yeby-Yeby
1540 DATA 128,0,252,0,0,24,0
                                           2178 POKEV, XAND255: POKEV+16, PEEK(V+16)AN
1550 DATA 0,24,0,0,102,0,0
                                                D2540R-(X>255):POKEV+1,Y:POKE2040,2
1560 DATA 102,0,0,0,0,0,0
1570 DATA 0,0,0,0,0,0,0
                                          218@ POKE 56334, PEEK (56334) AND 254
1580 DATA 0,0,0,0,0,0,0
                                           2198 POKE 1.PEEK(1)AND251
1590 DATA 0,0,0,0,0,0,0
                                          2200 FOR I=0 TO 7
1600 DATA 0.0.0.0.0.0.1
                                          2210 B=PEEK(53248+8*P+I)
1610 DATA 224,0,1,176,112,127,252
                                          2228 FOR TH248 TO 258
1620 DATA 127, 221, 192, 115, 185, 192, 1
                                          2238 POKE J*64+48+T*3.B
1630 DATA 179,128,0,172,0,0,24
                                          2240 NEXT J, I
1648 DATA 8,8,24,8,8,182,8
                                          2250 POKE 1, PEEK(1)OR4
1650 DATA 0,102,0,0,0,0,0
                                          226# POKE 56334.PERK(56334)OR1
1660 DATA 0.0.0.0.0.0.0.0
                                          2270 PRINT"[HOME][17 DOWN][8 RIGHT]":
1670 DATA 0.0.0.0.0.0.0
                                          2280 FOR I=2 TO 14
                                          2298 PRINTMIDS(LS, I, 1) " [RIGHT] ";
1680 DATA 0,0,0,0,0,0,0
1690 DATA 0.0.0.0.96.0.0
                                          2300 NEXT
1700 DATA 113,224,0,121,176,0,125
                                          2310 PRINT:PRINT"[DOWN][8 RIGHT]";
1718 DATA 252,117,193,192,127,255,192
                                          2320 FOR I=15TO 27
1728 DATA 113,255,128,8,252,8,8
                                          2330 PRINTMIDS(L$, I, 1) "{RIGHT}";
1730 DATA 8.8.8.8.8.8.8
                                          2346 NEXT
1748 DATA 0,0,0,0,0,0,0
                                          235@ DX=16@-8*LRN(GS):DY=69
1750 DATA 0,0,0,0,0,0,0
                                          2360 POKEV, XAND255: POKEV+16, PEEK(V+16)AN
1768 DATA 0,0,0,0,0,0,0
                                                D254OR-(X>255):POKEV+1,Y:POKE2848,S
1770 DATA 0,0,0,0,0,0,0
                                           2378 IF X=8 THEN POKE V+21, PEEK (V+21)OR1
1780 DATA 0,0,0,0,0,0,0
                                           2380 FLAG=0
1790 DATA 0,1,224,0,1,176,0
                                           2390 IFABS(X-DX)>2THENX=X+3:FLAG=1:IFX>3
1800 DATA 127,252,117,193,192,127,255
                                                44THEN X=0: POKEV+21, PEEK(V+21) AND25
1810 DATA 192,113,255,128,0,252,0
1820 DATA 0,0,0,0,0,0,0
                                           2400 IF Y>DY THEN Y=Y-2:FLAG=1
1830 DATA 0,0,0,0,0,0,0
                                          2410 S=S+1:IFS=251THENS=248
1840 DATA 0,0,0,0,0,0,0
                                           2420 IF FLAG THEN 2360
1850 DATA 0,0,0,0,0,0,0
                                           2430 X=DX:Y=DY
1860 DATA 0,0,0,0,0,0,0
                                          2440 POKEV, XAND255: POKEV+16, PEEK(V+16) AN
1870 DATA 0,0,0,0,0,0,0
                                                D2540R-(X>255): POKEV+1, Y: POKE2040, 2
1880 DATA 0,0,1,224,0,1,176
1890 DATA 112,127,252,127,221,192,115
                                          2450 PRINT"[HOME][4 DOWN]"SPC(18-LEN(GS)
1988 DATA 185,192,1,179,128,8,172
1910 DATA 0,0,112,0,0,0,0
                                           2468 FOR I=1TO LEN(G$)
1920 DATA 0,0,0,0,0,0,0
                                           2470 IF MID$(G$,I,1)=A$ THEN PRINT A$;:R
1930 DATA 0.0.0.0.0.0.0
                                                F=RF-1:IFRF=Ø THEN GOSUB 256Ø
1940 DATA 0,0,0,0,0,0,0
                                           2480 IF MID$(G$,I,1) <> A$ THEN PRINT"
1950 DATA 0,0,0,0,0,0,0
                                                [RIGHT]":
1960 DATA 0,0,0,0,0,0,0,256
                                           2498 PRINT"(RIGHT)".
197Ø I=1
                                           2500 IF RF=0 THRN I=100:GOTO2540
1980 READ WS(I):IFWS(I)="*"THENN-I-1:RET
                                           2510 FOR J=0 TO 15:X=X+1:S=S+1:IFS=251TH
     URN
                                                ENS=248
199Ø I=I+1:GOTO198Ø
                                           2520 POKEV, XAND255: POKEV+16, PEEK(V+16) AN
2000 POKEV, XAND255: POKEV+16, PEEK (V+16) AN
                                                D254OR-(X>255):POKE2040,S
     D254OR-(X>255): POKE V+1.Y: POKE2040.
                                           253Ø NEXT J
                                           2548 NEXT I
2010 IF X=0 THEN POKE V+21, PEEK(V+21)OR1
                                           2550 RETURN
2020 X=X+3:IFX>344 THEN X=0:POKEV+21.PEE
                                           2560 FOR Km0 TO 7
     K(V+21)AND254
                                           2570 FOR J=248 TO 250
2030 Y=Y-1+RND(1)*2:IFY>100THENY=99
                                           258Ø POKE J*64+4Ø+K*3.Ø
2040 IF Y<50 THEN Y=50
                                           2590 NEXT J.K
2050 S=S+1:IFS=254THENS=251
                                           2688 RETURN
2060 RETURN
                                          2610 PRINT"[CLR][7 DOWN][BLK]DO YOU WISH
2070 DX=INT(P+13*(P>13))*16+24+40
                                                 TO PLAY AGAIN (Y/N) ?"
                                                                  September 1983 COMPUTER 125
```

2615 POKE V+21,PEEK(V+21)AND254
2620 PRINT"{10 DOWN}YOU MISSED THIS MANY
263:0"
2640 IF AS-"Y"THENPOKE V+21,0:RUN118

2650 END 2660 POKE 53281,0:POKE 53280,0

2678 PRINT"[CLR][YEL][13 SPACES]INSTRUCT IONS 2688 PRINT"[2 DOWN][WHT][4 SPACES]CHOOSE LETTERS TO GUESS THE WORD.

2690 PRINT"[DOWN]IF YOU CHOOSE A WRONG L ETTER, THE BIRD 2700 PRINT"[DOWN]WILL LAND ON ITS PERCH. 2710 PRINT"[DOWN][4 SPACES]WHEN ALL THE

2710 PRINT "[DOWN][4 SPACES]WHEN ALL THE PERCHES ARE FULL, OR 2720 PRINT "[DOWN]YOU GUESSED THE WORD, THE GAME IS OVER 2730 PRINT "[2 DOWN][4 SPACES]YOU CAN HIT

THE "CHR\$(34)" * "CHR\$(34)" KEY ANY TIME TO 2740 PRINT" [DOWN] GUESS THE WORD. IF YOU

GET IT WRONG, [DOWN] [4 SPACES] YOU LO SE. 2750 PRINT" [3 DOWN] [9 RIGHT] [YEL] HIT A K

EY TO BEGIN" 2760 GETA\$:IFA\$=""THEN2760

ORCYCLE, *

2770 RETURN 2780 DATA HAPPY, BRIDGE, FAMILY, CHILDREN 2790 DATA WINDOW, TRAIN, DWARF, BIRDS

2800 DATA SUPERMAN, CONCERT, PEOPLE, MAGIC 2810 DATA SPACE, SCIENCE, PLANETS, GALAXY, S TARS

2820 DATA ROOMS, TEACHER, CHALK, BLACKBOARD 2830 DATA SCREEN, COMPUTER, KEYBOARD, PROGR AM 2840 DATA SPELLING, WORDS, COLORS, LETTERS

2850 DATA MARKET, STREETS, SQUARE, TRIANGLE 2860 DATA MOVIE, SPACESHIP, LASER, AIRPLANE , BOAT

2870 DATA STICK, ROCK, PAPER, WIN, PLACE, SHO W 2880 DATA CHANNEL, EXECUTIVE, MONEY, SHIRT 2890 DATA QUIET, LOUD, BILLBOARD, YACHT, MOT



The bird carries an L to complete the spelling and end the game in "Mystery Spell." 64 version.

26 COMPUTE Sections 1983

Program 3: Mystery Spell – VIC Version: 4: by Greag Peele, Editorial Programmer

100 DIMYA\$(21):GOSUB1020:DIMW(20) 105 POKE36879,30 110 PRINT"[CYN][CLR] [DOWN][9 SPACES]

120 PRINT"{14 SPACES} 4 +3 130 PRINT"{2 DOWN} 140 PRINT"

25 +9

150 PRINT"[GRN][2 SPACES][RVS] [OFF] [8 SPACES][BLK] [2 G][2 SPACES] [GPN]

160 PRINT" (RVS) EKS (OFF) EJS [5 SPACES] (RED) NM(BLK) E2 G3 (GRN) [RVS] EJS ELS (OFF)

170 PRINT" [RVS] \$J3 \$L3[OFF] [4 SPACES] [RED] N[2 SPACES]M[BLK] EGS [GRW] [RVS][3 CDACWE][OWP]

\$G3 {GRN} {RVS}{3 SPACES}{OFF}
180 PRINT" {RVS}\$G3 \$N3{OFF}
[3 SPACES}{RED} NE4 O3M(GRN) {RVS}

SPACES| ## SPACES| GREY | GREY |

SPACES | ## SPACES | GREY |

SPACES | RED | B | 4 SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B | SPACES | B |

SPACES | FRED | B |

SPACES | FRED

200 PKINT" [BLK] [RVS] [OFF][3 SPACES] [RED][2 SPACES]B[4 SPACES]B[GRN] [3 SPACES][RVS][BLK] [OFF] 210 PKINT"[BLK][2 SPACES][RVS] [OFF]

210 PRINT"[BLK][2 SPACES][RVS] [OFF] [3 SPACES][RED][2 SPACES]B[4 SPACES] B[2 SPACES][BLK] [RVS] [OFF] 220 PRINT"[6 SPACES][RED][2 SPACES]B

[4 SPACES]B 225 PRINT"[3 SPACES][RVS][BLK]MYSTERY [2 SPACES]SPELL[OFF]"

(2 SPACES|SPELL(OFF)" 230 PRINT"(3 DOWN)";HS 240 T=7680:W=0

250 IFW<22THENT=T+1:IFT>7694ANDT<8000 TH ENT=T+21:IFT>7750THENT=T+1 260 W=W+1:IFW>44THENW=0:GOTO250

270 IFW>22THENT=T-20:IFT<7701THEN240
280 T0=PEEK(T):T1=PEEK(T+1):T2=PEEK(T+2)
290 C0=PEEK(T+30720):C1=PEEK(T+30721):C2
=PEEK(T+30722)

=PEEK(T+30722)
300 POKET,74:POKET+1,81:POKET+2,75
310 POKET+30720,6:POKET+30721,0:POKET+30

722,0 320 FORD=1T0100:NEXTD 330 POKET,67:POKET+2,67

346 FORD=1TO180:NEXTD 350 POKET,T0:POKET+1,T1:POKET+2,T2 360 POKET+30720,C0:POKET+30721,C1:POKET+

30722,C2 1000 IFW-30THENGOSUB2000

1010 GOTO250 1020 PRINT"[CLR]ENTER YOUR OWN WORDS [2 SPACES]Y OR N"

1030 H\$={2 SPACES}"{HOME}{BLK}{12 DOWN} {10 RIGHT}{RVS}..{DOWN}{2 LEFT}_UK {OFF}" 1040 SS={2 SPACES}"{HOME}{BLK}{12 DOWN}

[10 RIGHT][RVS]..[DOWN][2 LEFT]UI [OFF]" 1050 GETX\$::FX\$<>"N"ANDX\$<>"Y"THEN1050

1060 IFX;="n"THEN1080 1070 FORT=1T020:PRINT"WORD#";T;:INPUTYA\$ (T):NEXT:GOT01120

1080 FORT=1TO20:READAS:YAS(T)=AS:NEXT 1090 DATA GRAPES,ORANGES,POTATOES,ONIONS

, BROCCOLI



The bird swoops down to get the final letter for a correctly spelled word in the VIC version of "Mustery Spell."

1100 DATA REANS, TOMATO, SPINACH, CUCUMBERS , CARROT, LETTUCE, RADISHES

1110 DATA APPLE, CORN, PEAR, PEACH, GRAPEFRU IT. COCONUT, KUMOUAT, BANANA

1120 WS=YAS(RND(1)*20+1); RETURN 2000 FORT=1T0300:NEXT:FORT=8010T08010+22 : POKET. 32: NEXT

2010 GOSUB 2210 2020 LS=" ABCDEFGHIJKLMNOPQRSTUVWXYZ" 2030 PRINT"[HOME][16 DOWN]"::FORT=1T010:

PRINTMIDS(LS,T,1); ";:NEXT 2040 PRINT"[DOWN] (4 RIGHT)";:FORT=11T019 :PRINTMIDS(LS,T,1); ";:NEXT 2050 PRINT"[DOWN] (5 RIGHT)";:FORT=20T027

:PRINTMIDS(LS,T,1);" ";:NEXT

2060 PRINT"[HOME] [3 DOWN] "; G\$; "[HOME] [22 DOWN] [5 LEFT] ";

2062 IFWR>@THENFORY=@TOWR:PRINT" [3 RIGHT]"::NEXT:PRINT"[LEFT]JQK";

2065 IFWR=7THENGOTO 5000 2070 IF COUNT<>LEN(WS)THEN2080

2075 FORT=1TO20:PRINT" [HOME] YOU WIN [7 LEFT] * . . FORO=1 TO 200

2078 NEXTO: PRINT"[9 SPACES] ";: FORZ=1TO20 Ø:NEXTZ:NEXTT:PRINTHS;:GOTO5000 2080 PRINT"[HOME] [4 DOWN] [25 SPACES] 1:G RTAS: IFAS < "A "ORAS > "Z "THEN 2030

2090 P=ASC(AS)-64 2100 IF MIDS(LS, P+1, 1) <> " "THEN2120 2110 PRINT"[HOME][4 DOWN]LETTER ALREADY CHOSEN"; : FORT=1T0600: NEXT: GOTO2000

2120 LS=LEFTS(LS,P)+" "+MIDS(LS,P+2):PRI NTSS:FL=1:GOSUB3000 2130 FOR I=1 TO LEN(W\$)

2140 IF MIDS(WS.I.1) <> AS THEN2180 2145 FLAG=Ø 2150 GS=LEFTS(GS,I)+MIDS(WS,I,1)+MIDS(GS

, I+2) 216Ø COUNT=COUNT+1:PRINTHS:GOTO218Ø 2170 IF MIDS(WS, I, 1) <> " "ANDMIDS(WS, I, 1)

-LEFRTS (AS, 1) THENPRINTHS 218Ø NEXT I 2185 WR=WR+FL

219Ø GOTO 2Ø6Ø 2200 RETURN 221Ø GS="

2220 FOR I=1 TO LEN(WS):GS=GS+"-":W(I)=0 :NEXT 2230 RETURN

3000 FORG=7878TO8164STEP22 3010 Y0=PEEK(G):Y1=PEEK(G+1):Y2=PEEK(G+2

3020 Z0=PEEK(G+30720):Z1=PEEK(G+30721):Z

2=PEEK (G+3Ø722) 3030 POKEG+30720.0[3 SPACES]:POKEG+30721 .Ø:POKEG+3Ø722.Ø

3040 POKEG, 74: POKEG+1, 81: POKEG+2, 75 3855 PORT=1TO188 - NEXT

3Ø6Ø POKEG, 67: POKEG+2, 67: FORT=1T01ØØ: NEX

3070 IFG>8160THENRETURN 3090 POKEG, Y0: POKEG+1, Y1: POKEG+2, Y2

3100 POKEG+30720, Z0: POKEG+30721, Z1: POKEG +30722.72

3115 FORR-GTOG+20 3116 IFPEEK(R)=PTHENM=R

3117 NEXTR 312Ø IFM>G+1THENG=G-21:GOTO3126 3125 IFM=G+1THENG=G-22:J=J+1

3126 IFJ=5THENN=0:IFFL=0THENWR=WR+1:J=0:

3127 IFJ=5THENM=0:J=0:RETURN 3128 NEXT 3129 MmØ+.TmØ

3130 NEXT: IFFL=0THENWR=WR+1 314Ø RETURN

5000 PRINT"[HOME] THE WORD WAS [HOME] [3 DOWN] [RIGHT] ": FORT=1TOLEN(WS):P RINTMIDS(WS, T, 1); :FORU=1TO200:NEXT: NEXT

5010 PRINT"[HOME][5 DOWN]PLAY AGAIN?Y OR

N* : 5011 GETM\$: IFM\$=""THEN5011 5012 IFMS="Y"THENRUN

5013 IPM\$ <> "N"THEN5011 5015 PRINT"[CLR]": END

> COMPUTE! The Resource

a



Simpleware

129 Wildbrigt Rd., Rochester, NY 14623

716-334-9541 or 716-334-7406 September 1983 COMPUTE

DOTS

Eric K Evans

Easy to play, but challenging, this game pits you against your computer. You can choose one of ten skill levels. Written for the VIC with versions for the 64, Color Computer, and Apple.

"Dots" is based on a strategy game that many people first come across while they are in elementary or junior high school. You remember it: you and a friend take a ouple of pencils and a piece of paper and draw several rows of dots on the paper. Then you take turns drawing horizontal or vertical lines that would connect two dots. These lines form the sades of squares.

The object of the game is to maneuver your friend into drawing the third side of a square so that you can draw the fourth side and complete the square. Every time you finish a square you get one point and another turn. When all of the squares are finished, the game ends and the person with the most points wins.

With this program, your computer will be the friend you play against and it will also act as umpire. Its decisions will be final, but don't worry – it doesn't cheat.

How To Play

The first thing you need to do after typing in or loading the game is enter either a Ji fy ou plan to use a joystick for input or a K if you are going to use the keyboard cursor control keys and the RETURN key for input. Next you will be asked to enter a skill level between 0 and 10 (with 10 being the most difficult).

If you enter 0 as your skill level, the VIC will play randomly and you should win with little effort. At skill level 10, be prepared for a real straegic challenge. At level 0, the VIC will make its move immediately after yours. As the level of play increases, the VIC's response time increases, too. At level 10, it will usually take between 5 and 20 seconds to make its move.

When the game starts, a 100-dot (ten by ten) game board will be displayed with a scoring area at the bottom of the screen. You always move first. To move, position the yellow cursor where you want to draw a line, and then hit the joystick

fire button or the RETURN key to enter your move. When the VIC makes a move, it will beep and flash the line it is going to draw to make sure you

see where it is moving.

Whenever you complete a square, the square is colored in cyan and you get another turn. Whenever the VIC completes a square, the square is colored in red and the VIC moves again. These colors are used because they contrast well on black-and-white as well as color TVs. The game continues until all 81 squares have been formed and the winner is declared.

If you don't want to spend the time to type in this program, send me a cassette, a self-addressed, stamped mailer, and \$3, and I will return your tape with two copies (just to be safe) of the game on it. This is only for the VIC version.

Eric K. Evans P.O. Box 6287 New Haven, CT 06520

Color Computer And Apple Version Notes For Dots

The object of Dots on the Color Computer and the Apple is to form more squares than the computer by connecting dots with horizontal and verifical lines. On the Color Common the Color Common than the Color Col

game board and is played like the Color Computer version. A flashing asterisk, moved with the J,LK, and M keys, indicates your position. Press the RETURN key to draw a connecting line. When a square is formed, an inverse Y or A is displayed, crediting either you or the Apple with the capture.

Now the VIC 20 and 64 can communicate with PET peripherals



VIC and 64 users

into a really powerful system.

Would you like to be able to access any of these peripherals from your computer?

- 1/3 megabyte disks (Commodore 4040 drive)
- 1 megabyte disks (Commodore 8050 drive)
 - 10 megabyte disks (Commodore 9090 hard disk) Printers including a wide range of inexpensive
- IEEE and RS232 matrix and quality printers IEEE instruments such as volt meters, plotters etc.

Now you are no longer limited by the VIC or the 64's serial bus. Simply by attaching INTERPOD you can vastly increase the power of your VIC 20 and when used with the new 64. INTERPOD turns the computer With INTERPOD the VIC and 64 become capable of running really professional quality software such as Word-processing, Accounting, Instrument control and many more.

INTERPOD will work with any software. No extra

commands are required and INTERPOD does not affect your computer in any way

Using INTERPOD is as easy as this:

Simply plug INTERPOD into the serial port of your computer, power-up and you are ready to communicate with any number of parallel and serial IEEE devices and any RS232 printer.

INTERPOD costs \$180

ATERPOL Limbic Systems Inc. 1056 Elwell Court, Palo Alto, CA 94303 415-964-8788



100/ 56

100/76

15% OF

54

289

285

680

359

340

CALL

SPECIALS

6-pen 1250

OAK STAND-C64, VIC. Apple. Atari Beautiful natural solid ask two-level stand. Rests on table above computer. Holds disk diwes/cassette deck, as well as your monitor/TV

KMMM Pascal fer PET/CBM/C64 \$79 Anguage Pascal Source Editor Machine Language P-Code Compiler P-Code to machine language translator for optimized

best code Run-time pagkeos. Floating Point capability, Use: Requires 32K Please specify configuration

EARL for PET (disk file based) Effter, Assembler, Relocater, Linker Generales relocatable object code using MOS Technology mnemonics. Oak life input (can edit files larger than memory)

RAM/ROM for PET/CBM 4K or 8K bytes of soft ROM with optional battery backup.

-RDM is compatible with any large keyboard machine Plans into one of the BOM sockers above screen memory to one you swetch rejected write protectable RAM or machine code beyond the normal RASIC rance. Her RAM-ROM to load a ROM magn where you bown possible conflicts. with more than one ROM requiring the same socket. Possible applications include machine language sort (such as SUPER-ORD spaneral window Extragrop etc.

RAM/ROM - 8K Battery Backup Ootion SUBSORT for PET/CBM \$35

PROGRAM YOUR OWN FPROMS Branding Non-EPROM Programmer for PET/CBM software for all ROM versions. Includes all hardware and software to program or copy 2716 and 2532 EPROMs

PORTMAKER QUAL RS232 SERIAL PORT \$63 Two ports with full bipolar RS232 buffering. Basel rates from 300 to 4800. For PET/CBM, AIM. SYM. **CONAL Package for CBM**

PAMIFOM - 4K

includes software on disk and Cornal Handbook SuperGraphics 2.0 NEW Version with TURTLE GRAPHICS

perBraphics, by John Fluharty, provides a 4K machine Commodors BASIC to allow fast and easy clotting and maniguigation of graphics on the PET/CBM video display, as well as SOUNO Commands Amenations which previously were too slow or impossible without machine banquint substitutings now can be programmed directly in BASIC Move blocks (or rocketships, etc.) or entire areas of the screen with a single, easy to use BASIC command. Scanillary continued the screen up, down, left or eight. Turn on or off any of the 4000 (8000 on 8032) screen pools with a single BASIC command. In high resolution mode, draw vertical, honeonial and diagonal limits Draw a box, fill a box, and move it around on the screen with easy to use BASIC commands. Plot curves using other rectangular or polar co-ordinates (great for Algebra Geometry

The SOUNO commands allow you to invitate a note or series of notes for even several sones) from BASIC, and then play them in the background mode without interfering with your BASIC orporary. This allows your program to run at full speed

Seven new TURTLE commands open up a whole new dimension in graphics. Place the TURTLE anywhere on the screen, set his DIRECTION turn him LEFT or RIGHT, move him FORWARD, raise or lower his platting pen even the the pen over to erase. Turtle commands use angles measured in degrees, not radians, so even elementary school children can reste fantastic graphic displays Specify machine model (and seet, ROM type (BASIC 3 or 4) SuperGraphics in ROM/SA000 or \$9000) \$45

29

\$25

FLEX-FILE is a set of flexible. In endly programs to allow you to set up and maintain a data base, leglique versatile Report

Writer and Mail Label routines, and documentation for programmers to use Data Base routines as part of other pro-

Record size limit is 256 distractors. The number of records per

disk is limited only by record size and the space on the disk File mornlenance let's you step forward or backward through a No add delete, or change a record go to a numbered record or may vary to allow magazini information package. Both sublutals and sorting may be rested up to 5 fields down. Any field may be specified as a key. Sequential file input and output, as well as his output in WordPro and PaperMate formed is supporled. Record size, fields per record, and order of helds may be

MAILING LABELS Typical mad records may be packed 3000 per disk on 8050 11400 in 4040). Labels may be printed any number wide, and may begin in any column position. There is no limit on the number or order of fields on a label, and complete record selection

REPORT WRITER Flexible printing format including field placement, document justification and rounding. Define any column as a series of math or trig functions performed on other columns, and pass assults such as running total from row to row Totals, resited

FLEX-FILE 2 by Michael Riley 2110 4. PET/CRM/VIC-32K, Disk Specify configuration

SCREEN MAKER (cgrs microtech) \$149 58 Colore Adapter for Commedere 64 epand your computer for business applications. Provides 80 siumn X 24 ine display in a 2K wdeo RAM Linking softwars provided

Conv-Writer Ward Processor \$69 of text per memory load on C64. Has features not available in many word processors such as double column printing built in

graphy: capabaty, shorthand notations, and ability to support SPECIAL COMBINATION PACKAGE \$200 edus SCREEN MAKER AND Copy Writer for C64

\$40 Intensive Care Unit by L.C. Carpite COMPLETE BISK RECOVERY SYSTEM FOR COM BANES

- edit disk blocks with ease duplicate disks, skipping over had blocks check and correct scrampled fries recover improperly closed files

extensive freatment of relative bles - cotonal autout to IFFE488 grinter prehensive user manual (an excellent tutorial on disk Furnished on copy-protected disk with manual

CRM Saltunce PAPER CLIP Word Processer BASIC INTERPRETER for CBM EDGE PEDISK II Systems from ours Microleck available FILEX IBM 3741/2 Bata Exchange Soltware and

JINSAM Bata Base Management System for CBM. CRPY-WRITER Word Processor for PET/CBM \$159 CASH MANAGEMENT SYSTEM Integer PASIC Complet CMAR Record Handle UCSD Pascal (without board) Wastcraft 80 or 8036

FORTH for PET now for 654 BY LC Cargle and Michael Riley

BUT DID EDDTH model all FORTH 79 STANDARD extensions

structured 6502 Assembler with nested decision making macros

full screen enting issure as when programming in BASIC sample program

standard size screens (16 lines by 64 characters). 150 screens per diskatte on 4040 480 screens on ability to coat and write RASIC sequential bles. ntroductory manual

For Commodore 64, or any 16K/32K PET/CBM with RDM 3 or 4 and CRM driv drive. Please specify configuration when Metacomolier for FBRTH Sweete meta-remotive line covating compacted object code

which can be executed independently (without FDR) system) **PageMale** 60 COMMANO

WORD PROCESSOR Market and by Michael Riley Paper-Mate is a full-featured front processor for Cor morings computers. Page-Mate impropositios 60 commands to

10

25

135

18

give you full screen editing with graphics for all 16K or 32K machines dock irlan 80321 all numbers, and disk or tane drives Many additional features are exaliable (including most capabildies of Word Pro St. Page-Mate functions with all Commodore muchines with all

ward 16K with any reinter and either carrette or child To profest Pages - Marke, gleaser specify machine, and ROM type Page-Mate lobsk or tape) for PET, CBM, VIC, C64 SM-KIT for PET/CBH

Enhanced ROM based utilities for BASIC 4 Includes both pro-Commodare 64 Banter Killer - Commodate S4

authorist havel werfare game (complete with sonar) Submarine Warfare (Clockwork Computers) Vanille PLOT with Turtle Graphics also includes sound. Toolkit, joystick support

Commodore 64 Programmer Reference Guide DCI Submanne Warfare EARLY GAMES for Young Children CALC SESSIAT Sampal Sheel Package

MicroChess Door Poker MAE Assembler - 084 Assembly Language Tutorol - C64MC Abacus Software in stock

118

395

Synthy-64 music and sound synthesizer Try BASIC Congler ScreenGraphics 64 adds BASIC Graphics Victory Sulfware for Commodere 54 in slock Advertise Pack I (Nation: Software Adventure Pack II (Victory Softward)

Chargost Man Educational Pack I Robert Bobbers (Mictory Softward) Kanao Koro Strategy Pack I WRITE FOR CATALOG, Add \$1.50 per order for United Parcel

Will pary balanci, of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount

Volume discounts available for schools 215-822-7727 252 Bethlehem Pike

A B Computers nar, PA 18915



An almost completed vame of "Dots." VIC version.

Program 1: Dots - VIC Version

- 10 PRINT" [CLR] [2 DOWN] "SPC(18) "DOTS { DOWN } "
- 20 INPUT" [6 SPACES] JOYSTICK [DOWN] {5 LEFT}OR(DOWN){8 LEFT}KEYBOARD(J/K)
- 30 JK -- 1: IFA\$ = "K"THENJK = 0
- 48 INPUT"[3 DOWN] [RIGHT] SKILL LEVEL (8-18)";SK:IFSK<ØORSK>1@THEN4@
- 50 SK=(10-SK)/10:TS=200-200*SK:DT=TS+25: DD=37154:POKE37139.0:POKE36879.29
- 60 SC=4*(PERK(36866)AND128)+64*(PERK(368 69) AND120): CO=37888+4*(PEEK(36866) AND 1281
- 70 PRINT"[CLR]":FORI=1T010:PRINT"[BLK] Q Q Q Q Q Q Q Q Q (DOWN)":NEXT 8Ø YS=Ø:VS=Ø:PRINT" [CYN]YOU:"YS"
- [4 SPACES] [RED] VIC: "VS
- 90 DEFFNBX(LC)=(PEEK(LC+22) <> 32)+(PEEK(L C+1) <> 32)+(PEEK(LC-22) <> 32)+(PEEK(LC-
- 100 DEFFNVH(LC)=LC <> 2*INT(LC/2)
- 110 SL=SC+230:CL=CO+230:X=10:Y=10:CC=PEE 610 IFFNBX(ML-1)=-4THENBX=ML-1:GOSUB720: K(SL):CR=PEEK(CL) 120 POKESL, 160: POKECL, 7: F=0
- 130 IFJKTHEN150 140 GOSUB930: GOTO160
- 15Ø GOSUB86Ø:IFPC=ØTHEN15Ø 160 X=X+J:Y=Y+K:IFX<10RX>190RY<10RY>19TH
- ENX=X-J:Y=Y-K:GOTO130 17Ø IFPC=99THEN2ØØ
- 180 POKESL, CC: POKECL, CR: SL=SL+PC: CL=CL+P C:CC=PEEK(SL):POKESL, 160 190 CR=PEEK(CL):POKECL,7:GOTO130
- 200 L=(PERK(SL+1)=81)+(PEEK(SL-1)=81)+(P EEK(SL+22)=81)+(PEEK(SL-22)=81) 210 IFL+(CC=32) =-3THEN230
- 220 I=128:GOSUB710:GOTO130 230 WH=1:ML=SL:GOSUB650:IFNOTFNVH(SL)THE
- N286 240 IFX>1ANDFNBX(SL-1)=-4THENBX=SL-1:GOS UB720:F=-1
- 250 IFX<19ANDFNBX(SL+1)=-4THENBX=SL+1;GO SUB720:GOTO110
- 260 IFFTHEN110 27Ø GOTO31Ø
- 132 COMPUTE! Sentember 1983.

- 28Ø 1FY>1ANDFNBX(SL-22)=-4THENBX=SL-22:G OSUB720: F =- 1 290 IFY < 19ANDFNBX (SL+22) = -4THENBX=SL+22:
- GOSUB720:GOTO110 300 TEPTHEN110 310 WH=2:F=0:CN=0:IFRND(0)<SKTHEN390
- 320 FORI=44T0396STEP44:FORJ=2T018STEP2:K =SCATAT 33Ø IFPERK(K)=32ANDFNBX(K)=-3THEN35Ø
- 340 NEXTJ. I:GOTO390 350 I=K:IFPEEK(I=22)=32THENI=I-22:GOTO54
- IFPEEK(I+22)=32THENI=I+22:GOTO540 370 IFPEEK(I-1) <> 32THENI=I+1:GOTO600
- 380 IFPERK(I+1)<>32THENI=I-1:GOTO600
- 390 I=INT(RND(0)*415+SC+23):CN=CN+1:IFPE EK(I) <> 32THEN390
- 400 IFNOT((PEEK(I+1)=81ANDPEEK(I-1)=81)O R(PEEK(1+22)=81ANDPEEK(1-22)=81))THE
- N398 410 TESKS GORCES TSTHEN470
- 420 IFFNVH(I)THEN450 430 IFFNBX(I-22)=-20RFNBX(I+22)=-2THEN39
- 448 GOTO548 450 IFFNBX(I-1)=-20RFNBX(I+1)=-2THEN390
- 460 GOTO600 470 IFFNVH(I)THEN510
- 480 IFSK> . 6ORCN > DTTHEN540 490 IFFNBX(I+22)=-2ANDFNBX(I-22)=-2THEN3
 - 90 500 GOTO540
 - 510 IFSK>.6ORCN>DTTHEN600 52Ø IFFNBX(I+1)=-2ANDFNBX(I-1)=-2THEN39@ 53Ø GOTO6ØØ
 - 540 ML=I:GOSUB650 550 IFFNBX(ML-22) =-4THENBX=ML-22:GOSUB72
 - Ø: F =- 1 56Ø IFFNBX(ML+272)=-4THENBX=ML+22:GOSUB72
 - Ø:GOTO31Ø 57Ø IFFTHEN31Ø 580 GOTO110
 - 590 IFNOT (PEEK(I-22)=81ANDPEEK(I+22)=81) THEN390
 - 600 ML=I:GOSUB650
 - F = -1
 - 628 IFFNBX(ML+1)=-4THENBX=ML+1:GOSUB728: GOTO310
 - 630 IFFTHEN310 64Ø GOTO11Ø
 - 650 CL=CO+ML-SC 660 POKEMI. 67
 - 670 IFFNVH(ML)THENPOKEMI., 93 680 I=185:IFWH=2THENI=150
 - 690 FORJ=1TOWH:POKECL, 0:GOSUB710:POKECL,
 - 700 FORL=1TO200:NEXT:POKECL,0:NEXT 710 POKE36878,15:POKE36876,I:FORK=1T0200
 - :NEXT:POKE36878, Ø:POKE36876, Ø:RETURN 720 YS=YS+1:J=3:I=200:CL=CO+BX-SC:IFWH=2 THENJ=2: I=150:YS=YS-1:VS=VS+1
 - 730 POKEBY, 160: POKECL, 1 740 FORL=1TO3:POKECL, J:GOSUB710:POKECL, 1 :FORK=1TO200:NEXT:I=I+18:POKECL,J:NE
 - 75Ø PRINT" [HOME] [21 DOWN] [CYN]YOU: "YS"
 - [4 SPACES] [RED] VIC: "VS 76Ø IFYS+VS<81THENRETURN

THE ASSEMBLER OF THE AGES for the VIC 20

Why MOSES?

Programs written with MOSES run fifty to several hundred times faster than programs written in BASIC. A program that takes two minutes to execute in BASIC, will only take two seconds (or less) to execute when written with MOSES.

ULTRA-FAST

MOSES is written in MACHINE LANGUAGE! MOSES assembles dozens of times faster than assemblers written in BASIC.

ULTRA-SOPHISTICATED MOSES makes 3 PASSES, not just one or two like most other

assemblers (ILTRA-FRIENDLY On screen menu of EASY-TO-

(ISE COMMANDS ULTRA-CONVENIENT

Comes in a CARTRIDGE with sturdy plastic case. MOSES is easy to learn and powerful. As you enter each line, MOSES verifies syntax, and partially assembles the line thereby reducing debugging time and conserving memory. This means an even faster assembly. Also included with MOSES is a machine language MONITOR with 34 powerful commands to help you debug your programs.

Whether you program for fun or profit, or both, you need MOSES. You'll love the ability to program where imagination is your only

SPECIAL OFFERI

For a limited time, we will include a free kit to upgrade your VIC 20's outdated 6502 to the new enhanced 65C02A microproces sor. The 65C02A is totally compatible with all VIC 20 software and hardware, uses 99% less

energy, and has 27 new instructions to make program ming easier and faster. And, of course, MOSES takes advantage of all 27 instructions. This is a \$24.95 value but is included free while quantities last

8K • 16K RAM EXPANSION

A high quality memory expansion cartridge housed in a sturdy plastic case. This product has an easily accessible dip switch which gives you memory block switching ability. Use one 8K and one 16K for 24K memory or two 16K cartridges for a total of 32K memory. 6-Month Warranty.



The 65002 Assembler for the VIC 20

64K RAM EXPANSION

It's finally here. This highly versatile ram cartridge allows you to store or write programs in two separate 32K banks that are bank selectable with software - NO SWITCHES. This product is power stingy using less than 200 mA current. A must for programmers 6-Month Warranty.

VIC 20 PRODUCTS:

MOSES with 8K RAM expansion

MOSES

\$50.05* 99.95*

8K RAM Cartridge 16K RAM Cartridge 64K RAM Cartridge

169 95* *Manufacturer's suggested list price

69.95*

Call CENTURY MICRO at (916) 920-3656 for the name of a dealer in your area. Dealer inquiries invited.

1832 Tribute Rd., Suite 213, Sacramento, CA 95815



770 PRINT"(HOME)(19 DOWN)": IFYS>VSTHEN80 60 SC=1024 : CO = 13*4096+8*256 780 PRINT"[BLK][7 SPACES]YOU LOSE" 79Ø POKE36878,15:POKE36877,128:FORI=1T01

500:NEXT:GOTO850 800 PRINT" [DOWN] " : FOR J=1 TO 3 810 PRINT"[2 UP][RVS][BLU][[RED]**[BLU]]

[PUR][3 SPACES]YOU[2 SPACES]WIN [3 SPACES][BLU][[RED]**[BLU][" 820 POKE36878.15: FORL=128TO255: POKE36876 L:NEXT:POKE36874,0:POKE36878,0

830 PRINT"[2 UP][22 SPACES]": FORL=1T0300 · NEYT 840 PRINT"(2 UP) [RVS] [BLU] : [RED] ** [BLU] : (PUR) (3 SPACES) YOU (2 SPACES) WIN

[3 SPACES][BLU] | [RED] ** [BLU] | ":NEXT 850 POKE36878, 0: POKE36877, 0: END 860 J=0:K=0:PC=0:POKEDD.127:IFPEEK(37152)=119THENPC=1:J=1:POKEDD,255:RETURN

87Ø POKEDD, 255: I=PEEK (37137) 880 IF(IAND4)=0THENPC=-22:K=-1:RETURN 890 IF(IAND8)=OTHENPC=22:K=1:RETURN

900 IF(IAND16)=0THENPC=-1:J=-1:RETURN 910 IF(IAND32)=0THENPC=99 920 RETURN

930 J=0-K=0-PC=0 940 GETAS: IFAS=""THEN940

950 IFAS="{UP} "THENPC=-22:K=-1:RETURN 960 IFA\$="[RIGHT] "THENJ=1:PC=1:RETURN 970 IFAS="{DOWN} "THENK=1:PC=22:RETURN 980 IFAS="[LEFT]"THENJ=-1:PC=-1:RETURN

990 IFASC(A\$)=13THENPC=99

1000 RETURN

"Dots," 64 version. The computer has almost lost the game.

Program 2: Dots - 64 Version

5 POKE 53281.12:POKE53280.0 10 PRINT"[BLK][RVS][CLR][2 DOWN]"SPC(17)

20 PRINT"{2 DOWN}{15 SPACES}{WHT}JOYSTIC K[DOWN][5 LEFT]OR[DOWN][7 LEFT]KEYBOA RD(J/K)[SHIFT-SPACE]?":

25 GETAS: IFAS<> "J"ANDAS<> "K"THEN25 26 PRINTAS 30 JK =- 1: IFAS = "K"THENJK = 0

INPUT" [3 DOWN] { RIGHT } SKILL LEVEL (#-18 ":SK:IFSK<@ORSK>1@THEN4@ 50 SK=(10-SK)/10:TS=200-200*SK:DT=TS+25 134 COMPUTER September 1983

78 PRINT"[CLR]": FORI=ITO10: PRINT"[BLK] O Q Q Q Q Q Q Q Q Q(DOWN)":NEXT

[4 SPACES][RVS]C64:"VS 90 DEFFNBX(LC)=(PEEK(LC+40) <> 32)+(PEEK(L

C+1) <> 32) + (PEEK(LC-40) <> 32) + (PEEK(LC-1)<>32) 100 DEFFNVH(LC)=LC<>2*INT(LC/2)

110 SL=SC+450:CL=CO+450:X=10:Y=11:CC=PEE K(SL):CR=PEEK(CL)

120 POKESL, 160: POKECL, 7: F=0 130 IFJKTHEN150 140 GOSUB930:GOTO160

150 GOSUBB60: IFPC-0THEN150 160 X=X+J:Y=Y+K:IFX<10RX>190RY<10RY>19TH

ENX=X-J:Y=Y-K:GOTO130 178 IFPC=99THEN200 180 POKESL, CC: POKECL, CR: SL=SL+PC: CL=CL+P

C:CC=PEEK(SL):POKESL.160 190 CR-PEEK(CL): POKECL, 7: GOTO130

200 L=(PEEK(SL+1)=81)+(PEEK(SL-1)=81)+(P EEK(SL+40)=81)+(PEEK(SL-40)=81) 210 IFL+(CC=32)=-3THEN230 220 I=128:GOSUB710:GOTO130

230 WH=1:ML=SL:GOSUB650:IFNOTFNVH(SL)THE 240 IFX>1ANDFNBX(SL-1)=-4THENBX=SL-1:GOS

UB720:P=-1 250 IFX<19ANDFNBX(SL+1)=-4THENBX=SL+1:GO SUB720:GOTO110

260 IFFTHEN110 278 GOTO318

280 IFY>1ANDFNBX(SL-40) =-4THENBX=SL-40:G OSUB720: F=-1 290 IFY < 19ANDFNBX (SL+40) = -4THENBX=SL+40: GOSUB720:GOTO110

300 IFFTHEN110 310 WH=2:F=0:CN=0:IFRND(0)<SKTHEN390 320 FORI=80T0720STEP80:FORJ=2T018STEP2:K

=SC+I+J 330 IFPEEK(K)=32ANDFNBX(K)=-3THEN350 340 NEXTJ, I:GOTO390

350 I=K: IFPEEK(I-40)=32THENI=I-40:GOTO54 360 IFPEEK(I+40)=32THENI=I+40:GOTO540

37Ø IFPEEK(I-1) <> 32THENI=I+1:GOTO600 380 IFPEEK(I+1) <> 32THENI=I-1:GOTO600 398 I=INT(INT(RND(0)*20)*40+21*RND(0)+SC +41):CN=CN+1:IFPEEK(I) <> 32THEN 390

IFNOT((PEEK(I+1)=81ANDPEEK(I-1)=81)0 R(PEEK(I+40)=81ANDPEEK(I-40)=81))THE

410 IFSK>.6ORCN>TSTHEN470 428 IPPNVH(T)THRN450

430 IFFNBX(I-40)=-20RFNBX(I+40)=-2THEN39

446 GOTO546 45Ø IPPNBX(I-1)=-20RFNBX(I+1)=-2THRN39Ø 468 GOTO688

470 IFFNVH(I)THEN510 480 IFSK>.60RCN>DTTHEN540 490 IPPNBX(I+40)=-2ANDFNBX(I-40)=-2THEN3

500 GOTO540

510 IFSK>.60RCN>DTTHEN600 520 IFFNBX(I+1)=-2ANDFNBX(I-1)=-2THEN390 53Ø GOT068Ø

540 ML=I:GOSUB650

VIC-20 Commodore 64

Best Prices • Over 500 Programs • Over 100 Accessories • Absolutely The Best Service • One Day Express Mail • Immediate Replacement Warranty • 15 Day Free Trial On All Products • Programming Knowledge • Technical Knowledge • We Are The Only One In The U.S.A. With Complete Support For The Vic-20 And Commodore 64 Computers.

We Love Our Customers

No One! But No One! Can Compare
To

PROTECTO ENTERPRIZES

Box 550 • Barrington, IL 60010

For Free Catalogs Write or Call

INTRODUCTORY OFFER: PREMIUM LEATHERETTE DUST COVER LIST \$8.95 SALE \$4.95

Call 312/ 382-5244 to 5 Weekdays 9-12 Saturdays 550 IFFNBX(ML-40)=-4THENBX=ML-40:GOSUB72 0:P=-1 560 IFFNBX(ML+40)=-4THENBX=ML+40:GOSUB72

Ø:GOTO31Ø 57Ø IFFTHEN31Ø

580 GOTO110 590 IFNOT(PEEK(I-40)-81ANDPEEK(I+40)-81)

THEN390 600 ML=1:GOSUB650

610 IFFNBX(ML-1)=-4THENBX=ML-1:GOSUB720: P=-1

620 IFFNBX(ML+1)=-4THENBX=ML+1:GOSUB720: GOTO310 630 IFFTHEN310

640 GOTO110 650 CL=CO+ML-SC

660 POKEML, 67 670 IFFNVH(ML)THENPOKEML, 93

688 I=185:IFWH=2THENI=150 690 FORJ=1TOWH:POKECL,0:GOSUB710:POKECL,

1 700 PORL=1TO200:NEXT:POKECL,0:NEXT 710 FORK=1TO200:NEXT:RETURN

710 YS=YS+1:J=3:I=200:CL=CO+BX-SC:IFWH=2 THENJ=2:I=150:YS=YS-1:VS=VS+1 730 POKEBX,160:POKECL,1

740 FORL=1T03:POKECL,J:GOSUB710:POKECL,1 :FORK=1T0200:NEXT:I=I+18:POKECL,J:NE

750 PRINT"[HOME][21 DOWN] [WHT]YOU:"YS"
[4 SPACES][RVS]C64:"VS
760 IFYS+VS<81*HENRETURN

760 IFYS+VS<81THENRETURN 770 PRINT"[HOME][19 DOWN]":IFYS>VSTHEN80

780 PRINT"{BLK}{7 SPACES}YOU LOSE {7 SPACES}"

790 GOTO850 800 PRINT"{DOWN}YOU WIN 111"

850 END 860 J=0:K=0:PC=0

860 J=0:K=0:PC=0 870 I=PEEK(56321) 880 IP(IAND1)=0THENPC=-40:K=-1:RETURN

885 IF(IAND8)=@THENJ=1:PC=1:RETURN 890 IF(IAND2)=@THENPC=4@:K=1:RETURN 900 IF(IAND4)=@THENPC=-1:J=-1:RETURN 910 IF(IAND16)=@THENPC=-99

920 RETURN 930 J=0:K=0:PC=0

940 GETA\$::FA\$=""THEN940 950 IPA\$="{UP}"THENPC=-40:K=-1:RETURN 960 IPA\$="{RIGHT}"THENJ=1:PC=1:RETURN

970 IFA\$="{DOWN}"THENK-1:PC-40:RETURN 980 IFA\$="{LEFT}"THENJ-1:PC-1:RETURN 990 IFASC(A\$)=13THENPC-99 1000 RETURN

Program 3: Dots - Color Computer Version
Translation by Patrick Painsh, Editorial Programmer
188 CLS 7: PRINT9236. "R & E 2":

110 PRINT9357, "SKILL LEVEL (0-10)"; :INPUT SK:IF SK<0 OR SK>10 THEN 110

120 CLS:SK=(10-SK)/10:TS=200-200*SK :DT=TS+25:SC=1024 130 PRINT:FOR I=1 TO 7:PRINT* O O O

0 0 0 0 0 0 0 0":PRINT:NEXT I 140 YS=0:CS=0:PRINT>87,"YOU:":PRINT >278,"COMPUTER:"

15Ø PRINT9152, YS: PRINT9344, CS 136 COMPUTE September 1983 No moves have been made in this Color Computer version of "Dots."

160 DEF FNBX(LC)=(PEEK(LC+32)<>96)+ (PEEK(LC+1)<>96)+(PEEK\LC-32)<> 96)+(PEEK(LC-1)<>96) 170 DEF FNVH(LC)=(LC<>2*INT(LC/2))

170 DEF FNVH(LC)=(LC<>2*INT(LC/2)) 180 SL=SC+202:X=10:Y=7:CC=PEEK(SL) 190 POKE SL,128+16*(2-1)+15:F=0 200 GOSUB 910

210 X=X+J:Y=Y+K:IFX<10RX>190RY<20RY >14THEN X=X-J:Y=Y-K:GOTO 200 220 IF PC=99 THEN 250

220 IF PC=99 THEN 250 230 POKE SL,CC:SL=SL+PC:CC=PEEK(SL) :POKE SL,128+16*(2-1)+15

248 GOTO 288 258 L=(PEEK(SL+1)=79)+(PEEK(SL-1)=7 9)+(PEEK(SL+32)=79)+(PEEK(SL-32

)-79) 260 IF L+(CC=96)=-3 THEN 280 270 I=62:GDSUR 760:GDTD 200

280 WH=1:ML=SL:GOSUB 700:IF NOT FNV H(SL)THEN 330 290 IF X)1 AND FNBX(SL-1)=-4 THEN B

X=SL-1:GOSUB 770:F=-1 300 IF X<19 AND FNBX(SL+1)=-4 THEN BX=SL+1:GOSUB 770:GOTO 180

310 IF F THEN 180 320 GOTO 360

330 IF Y>1 AND FNBX(SL-32)=-4 THEN BX=SL-32:GOSUB 770:F=-1 340 IF Y<13 AND FNBX(SL+32)=-4 THEN

BX=SL+32:GOSUB 770:GOTO 180 350 IF F THEN 180 360 WH-2:F=0:CN=0:IF RND(0)(SK THEN

370 FOR 1=64 TO 384 STEP 64:FOR J=2 TO 12 STEP 2:K=SC+I+J

TO 12 STEP 2:K=SC+1+J
380 IFPEEK(K)=96ANDFNBX(K)=-3 THEN
400
390 NEXTJ,1:GOTO 440

400 I=K: IF PEEK(I-32)=96 THEN I=I-3 2:60T0 590 410 IF PEEK(I+32)=96 THEN I=I+32:60

TO 590 420 IF PEEK(I-1)<>96 THEN I=I+1:GOT 0 650 430 IF PEEK(I+1)<>96 THEN I=I-1:GOT

0 650 440 I=RND(19)+RND(13)*32+33+SC:CN=C N+1:IF PEEK(1)<>96THEN 440

COMMODORE 64 COMPUTER AND SOFTWARE

\$159.00*

• 170K DISK DRIVE \$199.00 ★

 TRACTION FRICTION PRINTER \$159.00 ★ SERVICE * with software savings applied: COMMODORE 64 COMPUTER \$159.00

You pay only \$25900 when you order the power ful 84K COMMOOORE 64 COMPUTER! PLUS we pack the SPECIAL SOFTWARE COUPON with

your computer that allows you to SAVE UP TO \$100 off software sale pricee! With these saw

ings applied your net computer cost is only \$152.00.

170K DISK DRIVE \$199.00

170x DISK DRIVE \$199.00
You pay only \$258.00 whan you order the 170K
Olsk Orive! Plus we pack the SPECIAL SOFTWARE COUPON that allows you to SAVE UP TO
\$100 off software eats pricee! With these sevings applied your net Olsk Orive price is only
\$199.00.

TRACTION FRICTION PRINTER \$159.00
You pay only \$259.00 when you ordar the Comster FIT debuse line printer that printe 6 1U2 x 11
full size, single ethant, roll or fan fold paper,
labels aid. 40, 65, 60, 51, 52 columns, impact dof
matrix, bidiscritional, 50 CPS, PLUS we pack the
SPECIAL SOFTWARE COUPON that allows you

to SAVE

(Clas edd \$10 ore

printer price se only \$159.00

SAVE UP TO \$100.00 off softwere sale

80 COLUMN BOARD \$159.00

You pey only \$159.00 for the 80 Column Board when It le purchased with a COMMODORE 84 Computer or a Clisk Orive or a Printer or a

Monitor. If purchased along the sale price is \$179.00. Included with this board is word pro-

ceccor pack, alectronic epread sheet and mail merge data base on two tapas. List \$275.00

WORD PROCESSING PACKAGE SCRIPT 64 EXECUTIVE WORD PROCESSOR IN the finest evallable for the COMMODORE 64

Computer THE ULTIMATE for PROFESSIONAL composition for the control of the c

settings and output to all printers. Included is a powerful MAIL MERGE When used with THE

COMPLETE DATA BASE PACKAGE. Liet \$99.00 Sale \$79.00 Coupon Price \$62.00. (Oask only).

COMPLETE DATABASE PACKAGE

A user friendly data base system that makes in-formation easy to find and ators. You can add.

change dejets and search for data Print the in

ormation on a printer in eny format desired

WE HAVE THE BEST

THE LOWEST

PRICES

SPECIAL SOFTWARE COUPON We pack a SPECIAL SOFTWARE COUPON

SALE

WE

HAVE

In very COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon ellows you to seve up to \$100 OFF SALE PRICES and much more off list pricee!!

PROFESSIONAL SOFTWARE COMMODORE 64

tal Text 2 6 Word Processor-Dist ick Grown Fox Word rogremmers Helper Sanio Tutor roing Tutor

Mace Craza

Write or call for

Sample SPECIAL SOFTWARE COUPON!

COMPLETE ACCOUNTING PACKAGE This ganaral ledgar program is perfect for small business as well as home. It utilizes a double entry bookkeeping system. You only need anter one transaction and the computer will hendle one transaction and the computer will handle the other. All accounts are user defineable and will bild for 1 year, resulting in a file of all trensactions by account number, month and year to date. Each month a current months' times can be viewed at any time (99 accounts 187 en trize per months. With this ecoounting program VIC-20

\$**77**_00*

. 40-50 COLUMN BOARD \$99.00 \$69.00 VOICE SYNTHESIZER

* with Cassette and Gortek purchase)

VIC-20 COMPUTER \$77.00 You get the Commodore VIC20 Computer for only \$77.00 when you buy at sale prices. The Commodore Oata Cassette for only \$69.00 and the Gortek Introduction to Basic program for only sy \$19.95 TOTAL LIST PRICE \$302.95 SPECIAL PACKAGE SALE PRICE \$165.25. VIC-20 COMPUTER \$88.00

When you buy 6 tape programs on sale for only \$59,00. These 6 programs list for \$100.00 to \$122.00. You can choose one of three packs: 6 geme pack, 6 home finance pack, or 6 small business pack TOTAL LIST PRICE \$960.00 SPECIAL PACKAGE SALE PRICE \$147.00 40-80 COLUMN BOARD \$99.00

A fantestic price breathrough for VIC-20 owners on this most wented excessory! "Now you can get 40 or 80 Columns on your TV or Mentior Screen," Plus we add a word processor with manager and terminal emulator! These PLUS programs require 6K or 16K RAM memory, (Ols) add \$10.00

VOICE SYNTHESIZER \$69,00 Votrax Based Maka your VIC-20 COMPUTER TALK! Has features equivalent to other models rALP. Has transmis equivariant to other mooust conting over \$370.00 You can progrem an unlimited number of words and centances and even edust volume and pitch You can make adventure games that talk! A must for enhance ing your programming creativity and pleasure includes FREE \$14.95 Editor

80K MEMORY EXPANDER \$69.00 Straiot — Switch selectable — Reset button — Ribbon cable. A must to gat the most out of your VIC20 Computer, includes FREE \$29.95 edventure game

8K RAM CARTRIDGE \$39.95 Increases programming power 2 1/2 times. Ex-pands total memory to 33K (33,000 bytes). Memory block switches are on outside of cover! Includes FREE \$16.95 game.

15K RAM CARTRIDGE \$69.00 incraasas programming power 4 times Expantotal memory to 41K (41,000 bytes) Memory block switches are en outside cover! Includer

12" GREEN SCREEN MONITOR \$129.00 Excellent quality VIDEO MONITOR With en tiglare, a 12" Green Phosphorous screen — 1920 characters (80 characters x 24 rows) Perfect for word processing application 12
AMBIER MONITOR — 2000 characters, 800 lines \$159.00. Plus \$9.95 for VIC-20 or COMMODORE

When combined with the word processor peck you have a powerful merge program that allows custom documents and personalized mailing liets. List \$20.00. Sale \$69.00. Coupon Price . LOWEST PRICES . 15 DAY FREE TRIAL . 90 DAY FREE REPLACEMENT WARRANTY

ordars must be in U.S. dotters.

you will be able to monitor your financial gro as well as your expenses. List \$59.00 \$49.00. Coupon Price \$32.00. (tape or disk) . BEST SERVICE IN U.S.A. . ONE DAY EXPRESS MAIL . OVER 500 PROGRAMS . FREE CATALOGS

Add \$10.00 for shipping, hendling and incurence, tillinole rapidants please add 5% tax. Add \$20.00 for CANAOA, PUERTO RICO, HAWAII orders, WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose Cashlers Chack, Money Order or Personal Check, Allow 14 devs for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada

PROTECT ENTERPRIZES MELOVE CUR CUSTOMERS BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

45Ø IFNOT((PEEK(I+1) =79ANDPEEK(I-1) =79) OR (PEEK (1+32)=79ANDPEEK (1-3 2)=79)) THEN 440 460 IF SK>.6 OR CN>TS THEN 520

470 IF ENVH(I) THEN 500 480 IF FNBX(I-32)=-2 DR FNBX(I+32)=

-2 THEN 446 490 GOTO 590

500 IF FNRX(I-1)=-2 DR FNRX(I+1)=-2 THEN 44Ø 510 GOTO 650

526 IF FNVH(I) THEN 568 530 IF SK>.6 OR CN: DT THEN 590

540 IF FNBX(I+32)=-2 AND FNBX(I-32) =-2 THEN 44Ø

55Ø 60TO 59Ø 568 IF SKO.6 OR CNODT THEN 650 570 IF FNBX(I+1)=-2 AND FNBX(I-1)=-2 THEN 440

580 GOTO 650 590 ML=I:60SUB 700 600 IF FNBX(ML-32)=-4 THEN BX=ML-32

:GOSUB 770:F=-1 610 IE ENBX (ML+32) = -4 THEN BY=ML+32

1 GOSUB 770: GOTO 360 62Ø IF F THEN 36Ø 630 GOTO 1B0

640 IF NOT (PEEK (1-32)=79 AND PEEK (1+32)=79) THEN 440

ASA MI = I - BOSHR 744 660 IF FNBX (ML-1) =-4 THEN BX=ML-1: 0

OSUB 770:F=-1 670 IF FNBX (ML+1) =-4 THEN BX=ML+1:G OSUB 770:60TO 360

680 IF F THEN 360 690 GOTO 180

700 REM 710 POKE ML, 109

720 IF FNVH(ML) THEN POLE ML.73 73Ø I=1B5:IF WH=2 THEN I=15Ø 740 FOR J=1 TO WH: GOSUB 760

750 FOR 1 = 1 TO 200: NEXT: NEXT 760 SOUND I.2: RETURN: REM NOISE 770 YS=YS+1:J=B: I=200: IF WH=2 THEN

J=4: I=150: YS=YS-1: CS=CS+1 7BØ POKE BX.12B+16*(5-1)+15

790 FOR L=1 TO 3:POKE BX,12B+16*(J-1)+15:GOSUB 760:POKE BX.128+16* (5-1)+15:FOR I=1 TO 200:NEXT: I= I+1B: POKE BX, 12B+16* (J-1)+15: NE XT

BØØ PRINT9152.YS:PRINT9344.CS B10 IF YS+CS<54 THEN RETURN B20 IF YS>CS THEN B50

B3Ø PRINT9487, "SORRY, YOU LOST."; 840 SOUND 128, 10: FOR I=1 TO 1500: NEX T I:GOTO B7Ø

850 PRINT9490, "YOU WIN!!!!!": 860 FOR I=128 TO 255: SOUND I, 1: NEXT B7Ø PRINT9487, "PLAY AGAIN (EVE) ?"; BBØ AS=INKEYS: IF AS="" THEN BBØ

89Ø IF LEFT\$ (A\$, 1) = "Y" THEN 100 900 END 910 J=0:K=0:PC=0 920 As=INKEYS: IF As=" THEN 920 93Ø IF A\$=CHR\$(94) THEN PC=-32:K=-1

RETURN 940 IF As=CHR\$(9) THEN J=1:PC=1:RET URN

950 IF As=CHR\$(10) THEN K=1:PC=32:R

960 IF As=CHRs(8) THEN J=-1:PC=-1:R FTURN 970 IF ASC (A\$)=13 THEN PC=99

9BØ RETURN



This game is just beginning in the Apple version of "Dots."

Program 4: Dots - Apple Version

100 DIM XLX(23): FOR I = 0 TO 7:XLX(I) = 1024 + 128 * I:XLX(I + B) = 106 4 + 128 * I:XLX(I + 16) = 1164 + 1 2B # I: NEXT I

FOR I = 770 TO 795: READ M: POKE I M: NEXT 120 TEXT : HOME : VTAB 11: HTAB 19: INVERSE

: PRINT "D 0 T S": FOR J = 1 TO 10 ØØ: NEXT J: NDRMAL VTAB 15: HTAB 11: INPUT "SKILL LEV

EL (0-10) 7"; SK: IF SK < 0 OR SK > 10 THEN 130 140 SK = (10 - SK) / 10:TS = 200 - 200 #

SK: DT = TS + 25 HOME : PRINT : PRINT : FOR I = 1 TO 10: PRINT : PRINT " 0 0 0 0 0 0 0 0 0": NEXT

160 VTAB 9: HTAB 27: PRINT "USE KEYS:" : VTAB 11: HTAB 27: PRINT "'J'=LEF T": HTAB 27: PRINT "'I'=UP": HTAB 27: PRINT "'K'=RIGHT": HTAB 27: PRINT "" M" = DDWN" 170 VTAB 7: HTAB 25: INVERSE : PRINT "

": VTAB 16: HTAB 25: PRINT 180 FOR ROW = 7 TO 14: FOR COL = 24 TO

36 STEP 12: POKE XLX(ROW) + COL.32 : NEXT : NEXT : NORMAL 190 YS = 0:AS - 0: VTAB 1: HTAB 13: PRINT

"YOU: "YS" APPLE: "AS: 200 DEF FN BX (COL) = - (PEEK (XL%(R OW + 1) + COL) < > 160) - (PEEK (XL%(ROW) + COL + 1) < > 160) - (PEEK (XL%(ROW - 1) + COL) < > 16

0) - (PEEK (XLZ(ROW) + COL - 1) < > 160) 210 DEF FN BY(ROW) = - (PEEK (XLX(R OW + 1) + COL) < > 160) - (PEEK

158 COMPUTEL September 1983.



COMMODORE USERS

Join the largest, active Commodore users group. Benefit from:

- Access to hundreds of public domain programs on tape and disk for your Commodore 64, VIC 20 and PET/CBM
- Informative monthly club magazine
 THE TORPET.

Send \$1.00 for Program & Information Catalogue (Free with membership).

Membership Canada — \$20 Can Fees for U.S.A. — \$20 U.S.

Toronto Pet Users Group

Department "S" 1912A Avenue Road, Suite 1 Toronto, Ontario, Canada M5M 4A1

· LET US KNOW WHICH MACHINE YOU USE *



Now, you can create high-resolution pictures on-screen with your joysek as a "pen." Design crities, objects, pie-charts — whatever your imagination wishes SAVE your creations to tape or disk, and PRINT them on a VIC printer. Educational and fund.

Draw narrow or wide lines, curry or straight, set points, add capions, ceste buckground patterns, change peture, background, and builder colors, fevere colors for a negative, even connect dots with straight lines automatically 10u control every dot on the screen. A large "Recure bitmay" is included to get you stand, plus a 2D-page instruction manual. Judystic required VIC camera and disk drive optional 10 or cassive.



'64 Panorama \$29.95 For the VIC-20 VIC-PICS \$29.95

|Full features need 8K mem exp reduced version included for unequanded WC | Available for other printers—Calif

PRINT (the unprintable) . . . with Smart ASCII Plus-\$59.95

Now, print the unprintable Commodore graphics on your dot-addressable parallel printer* with Smart ASCII Plus This powerful, low-cost software interface converts your user port into a fast, intelligent conflor "Centromics" protocol princes, and we even

supply the cable!

Six flexible print modes: GRAPHICS, TRANSLATE,
DasyTRANSLATE, CBM ARCI, The ARCI, RPELINE
GRAPHICS made cereies scalar URCH keyboard
graphics: TRANSLATE convers normally unpertable
control-codes into the URCH, RIPA, IBLU Jee, whan a
seconded made for Dasystherel pricers. Comment
most application programs Workflow 34, EtalyGrap,
David Brown Fox (for the VIC), Whiter's Assistant, etc.
Complete with connecting cable for printer and

instruction manual. On cassette: Copy to your disk for quick loading. (Upgrades available for original Smart. ASCII owners.)

**Requires do-addressable printer such as Epson FX-80 or MX-80/100.

(816) 333-7200 Send for a free brochure



- (XL%(ROW) + COL + 1) < > 160) (PEEK (XL%(ROW - 1) + COL) < > 16 0) - (PEEK (XL%(ROW) + COL - 1) < > 160)
- 22Ø DEF FN VH(ROW) = ((XLX(ROW) + COL) < > 2 * INT ((XLX(ROW) + CO L) / 2))
 23Ø X = 1Ø:Y = 1Ø:ROW = 12:COL = 1Ø:CC =
- PEEK (XL%(ROW) + COL) 240 POKE XL%(ROW) + COL,106:F = 0 250 OLDROW = ROW:OCOL = COL: GOSUB 900 260 X = X + J:Y = Y + K: IF X < 1 OR X >

19 OR Y < 1 OR Y > 19 THEN X = X -J:Y = Y - K: GOTO 250 270 IF PC = 99 THEN 300

270 IF PC = 99 THEN 3800 280 POKE XLX(ULDROM) + QCQL,CC:CC = PEEK 630 (XLX(ROW) + COL): POKE XLX(ROW) + 640 COL,42 290 GOTO 250

300 L = - (PEEK (XL%(ROM) + COL + 1) = 207) - (PEEK (XL%(ROM) + COL - 1) = 207) - (PEEK (XL%(ROM + 1) + C OL) = 207) - (PEEK (XL%(ROM - 1) +

COL) = 207) 310 IF L - (CC = 160) = - 3 THEN 330 320 POKE 768,250: POKE 769,1: CALL 770

: GOTO 250 330 WH = 1:MROW = ROW:MCOL = COL: GOSUB 750: IF NOT FN VH(ROW) THEN 380 340 BY = ROW: IF X > 1 AND FN 8X(COL -

1) = -4 THEN BX = COL - 1: GOSUB 790:F = -1 350 IF X < 19 AND FN BX(COL + 1) = -4 THEN BX = COL + 1: GOSUB 790: GOTO

230

360 IF F = -1 THEN 230 370 GOTO 410 380 BX = COL: IF Y > 1 AND FN BY(ROW -1) = -4 THEN BY = ROW - 1: GOSUB 290:F = -1

39Ø IF Y < 19 AND FN BY(ROW + 1) = -4 THEN BY = ROW + 1: GOSUB 79Ø: GOTO 23Ø

400 IF F = - 1 THEN 230 410 WH = 2:F = 0:CN = 0: IF RND (1) < SK THEN 490

SK THE:N 4-769
426 FOR RON = 4 TO 22 STEP 2: FOR COL =
2 TO 18 STEP 2:K = XLX(RON) + COL
436 IF PEEK (K) = 166 AND FN BX(COL)

= - 3 THEN 450 440 NEXT : NEXT : GOTO 490

450 I = K: IF PEEK (XL%(ROW - 1) + COL) = 160 THEN ROW = ROW - 1: 80TO 6 40

460 IF PEEK (XL%(RDW + 1) + COL) = 16 Ø THEN ROW = ROW + 1: BOTO 640 470 IF PEEK (XL%(ROW) + COL - 1) < > 160 THEN COL = COL + 1: BOTO 700

48Ø IF PEEK (XL%(ROW) + CDL + 1) < >
16Ø THEN COL = COL - 1: GOTO 700
49Ø ROW = INT (RND (1) * 19) + 3:CDL =
INT (RND (1) * 19) + 1:CN = CN +

1: IF PEEK (XLX(ROW) + COL) < >
160 THEN 490

500 IF NOT ((PEEK (XLX(ROW) + COL +
1) = 207 OND PEEK (XLX(ROW) + COL
- 1) = 207) OR (PEEK (XLX(ROW +
1) + COL) = 207 AND PEEK (XLX(ROW +
1) + COL) = 207 AND PEEK (XLX(ROW

- 1) + COL) = 297)) THEN 498 518 IF SK > .6 OR CN > TS THEN 578 140 COMPUTE: September 1983 520 IF FN VH(ROW) = -1 THEN 550 530 IF FN BY(ROW - 1) = -2 OR FN B Y(ROW + 1) = -2 THEN 490 540 RDTD 640

550 IF FN BX(COL - 1) = - 2 OR FN B X(COL + 1) = - 2 THEN 490 560 GOTO 700

578 IF FN VH(RDW) = -1 THEN 618 588 IF SK > .6 OR CN > DT THEN 648 598 IF FN BY(RDW + 1) = -2 AND FN BY(RDW - 1) = -2 THEN 498

600 GOTO 640 610 IF Sk > .6 OR CN > DT THEN 700 620 IF FN BX(CDL + 1) = -2 AND FN BX(CDL - 1) = -2 THEN 490 630 GOTO 700

640 MROW = ROW: MCOL = COL: GOSUB 750 650 BX = COL: IF FN BY(ROW - 1) = -4 THEN BY = ROW - 1: GOSUB 790:F =

- 1 660 IF FN BY(ROW + 1) = - 4 THEN BY = ROW + 1: GOSUB 790: GOTO 410

670 IF F = - 1 THEN 410 680 GOTO 230 690 IF (PEEK (XLX(ROW - 1) + COL) < >

207 OR PESK (XLX(ROW + 1) + COL) < > 207) THEN 490 700 MROW = ROW:MCOL = COL: GOSUB 750

710 BY = ROW: IF FN BX(MCOL - 1) = -4 THEN BX = MCOL - 1: GOSUB 790:F = - 1

720 IF FN 8X(MCDL + 1) = - 4 THEN BX = MCDL + 1: GOSUB 790: GOTO 410 730 IF F = - 1 THEN 410

740 GOTO 230 750 POKE 768,1: POKE 769,175: CALL 770 : IF WH = 2 THEN FOR I = 1 TO 500 : NEXT I

760 POKE XLX(MROW) + MCDL,173: POKE XL X(MROW) + MCDL,45: FOR H = 1 TO 50 : NEXT H: POKE XLX(MROW) + MCDL,17 3

778 IF FN VH(MROW) = - 1 THEN POKE XL%(MROW) + MCDL,201: POKE XL%(MRO W) + MCDL,137: POKE XL%(MROW) + MC DL,201

780 RETURN 790 YS = YS + 1:J = 25:I = 200: IF WH -2 THEN J = 1:I = 150:YS = YS - 1:A S = AS + 1

880 POKE 768,1: POKE 769,175: CALL 770 810 POKE XLX(BY) + BX,J: VTAB 1: HTAB 13: PRINT "YOU: "YS" APPLE: "A

13: PRINT "YOU: "YS" APPLE:

B2Ø IF YS + AS < B1 THEN RETURN 83Ø IF YS > AS THEN 86Ø B4Ø VTAB 24: HTAB 14: PRINT "SORRY, YO

U LOSE." 850 POKE 768,250: POKE 769,2: CALL 770 : FOR I = 1 TO 500: NEXT I: GOTO 8

FOR I = 1 TO 10: POKE 768,1: POKE 769,40 + I * 20: CALL 770: NEXT I 800 VTAB 24: HTAB 14: PRINT "TRY AGAIN (Y/N) ?":: GET 89: IF LEFTS (89.

1) = "Y" THEN 128

EE YA...": END 988 PC = 8:J = 8:K = 8:A = PEEK (- 16 384): IF A < 128 THEN 988 916 POKE - 16368, Ø: A\$ = CHR\$ (A - 12 IF At = "I" THEN ROW = ROW -928 (ROW - 3):K = - 1: RETURN 938 IF AS = "K" THEN COL = COL + SSN (19 - CDL): J = 1: RETURN 946 IF As = "M" THEN ROW = ROW + (21 - ROW):K = 1: RETURN 956 IF As = "J" THEN COL = COL --

HOME : HTAB 5: VTAB 8: PRINT "...S

(CDL - 1):J = - 1: RETURN 960 IF As = CHRS (13) THEN PC = 99: RETURN 970 RETURN 980 REH MUSIC M DATA

898

980 REM MUSIC ML DATA 990 DATA 172,1,3,174,1,3,169,4,32,168 ,252,173,48,192,232,208,253,136,20 8,239,206,0,3,208,231,96

COMPUTE!

The Resource.

DATA ASSETTE

Computer Products
Designed for the
VIC-20 COMMODORE 64

VIC - 20
 SKRAMBLE (Unexpanded VIC-20). The most challenging game on the VIC-20 Guide your craft to avoid the penis and

game on the VIC-20. Guide your craft to avoid the penis and neach "HOME BASE."

• MYRIAD (3K and Joystick or Keyboard). Fantastic journe; through space, encountering alien formations at nonseparate levels. Superby GRAPHICS, COLOR and SOUND.

KRELL (Unexpanded and Joystek or Keyboard). Your mission is to defend the poor ZYMWATTS' from the eni THARGS, they use energy bolts to kill and special defenses.

ALIEN SOCCER (Unexpanded, Joystick/keyboard) Try playing soccer against the weindest feam in space COMMODORE-64.

ADVENTURE-PACK (Trio of Games) Moon Base Alpha, Bio

Bad Wolf and Computer Adventure, comprehensive text adventures, degree of difficulty
 MONOPOLE (English Version). Travel around London

 MONOPOLE (English Version). Travel around London buying and selling properties, make all the money you can GRAPHICS-EOITOR (Sprites). Allows the user to design new symbols, create special characters and develop your

own programs. Great Graphics for the 64 GRAVE-ROBBERS (Text Adventure) Super Graphics with sound. Enter the dark and gloomy cemetery, award the perils and pitallis to reach the other side. Order now by place or write to DATA-ASSETTE. These and many many heat

DATA-ASSETTE 56 South 3rd Street, Oxford, PA 19363 (800) 523-2909 (215) 932-4807 (in PA)



with a difference!

Unexcelled communications power and compatibility, especially for professionals and serious computer users. Look us over, Superferm isn't just "another" terminal program. Like our famous Terminal-40, it's the one others will be judged by.

 UP/DOWNLOAD FORMATS—CBM, Xon-Xoff ACK-NAK, etc

 DISPLAY MODES — 40 column, 80/132 with side-scrolling

EMULATION — 42 popular terminal protocols
 FUNCTION KEYS — 8 standard, 52 user-defined
 BUFFERS — Receive, Transmit, Program, and Screen
 EDITING — Full-screen editing of Receive buffer

PILE CONVERSION — ASCII to PGM, PGM to ASCII
 PRINTING — Continuous printing with Smart ASCII
 and parallel printer; buffer printing with other interfaces

or VIC printer

- DISK SUPPORT — Directory, Copy, Rename, Scratch,

FLEXIBILITY — Select baud, duplex, parity, stopbits, etc.
 Program options are selected by menus and function keys. For maximum convenience, an EXEC file sets options on start-up. Superferm may be backed-up for safety. Software on disk or cassette, with special cartridge module.

Write for the full story on SuperFerm; or, if you already want that difference, order today! Recurse Compagned to 40 (200, disk drew or Detasette, and compadite anodem VIC version requires 16K memory expansion. Pezzy specify VIC or of when ardemy.

Just need UP/DOWNLOAD?

Terminal-40 Plus (VIC) or '64 Terminal Plus is night for you. We took our top-rated, smooth-scroling terminal programs, added up/download, disk commands, and even more convenience. Then we put them on disk for fast loading, just like you wanted. Need we say more?

Only \$49.95 (VIC version request 8K mem exp) PS. Trade in your original Terminal-40 or '64 Terminal and deduct \$10.00.



TI Towers

Here's a game that's not only fun to play, but is also a demonstration of the potential of TI BASIC. The author also discusses how ordinary TI BASIC can perform some of the functions available with Extended BASIC.

Programming in TI Extended BASIC - with its powerful screen formatting commands, multiple statement lines, subprogram canability, and sprite graphics - offers something for everyone. However, not everyone is willing to shell out the extra purchase price right away.

This is especially true for the many first-time computer owners. They are content to "get along" using TI BASIC, which comes with the TI-99/4A. Anyone who thinks that these programmers are struggling along in the stone age should take a closer look. Careful examination will reveal that TI BASIC is a powerful language which outperforms many of the "standard" BASICs offered on other machines.

"TI Towers" is written in TI BASIC and demonstrates how some of its capabilities may be utilized. The game itself is a version of the ancient game Towers of Hanoi. There are three adjacent spindles, one of which has seven rings on it - the smallest ring on top, the next ring is the second smallest, and so on in pyramid fashion, with the largest ring on the bottom. The object of the game is to get all of the rings onto one of the other two spindles in the same order. You may move only one ring at a time, and you may not move a larger ring on top of a smaller one. It might sound easy, but it's not.

Problem Solving In The Program

To provide instructions at the beginning of the game, the screen is set to black at line 905, then the instructions are PRINTed (lines 910 - 986). The screen is immediately set to medium red at line 991. This causes a momentary "blackout" of the screen before the instructions are displayed, but is preferable to the slow scroll produced by individually entering numerous PRINT statements.

The base of the playing board is drawn using the CALL HCHAR at line 7050, which uses the CHARPAT defined in line 7031. The spindles are drawn using the CALL HCHAR statement at lines 7090 - 7094 and the CHARPAT defined in line 7030. The execution time for these commands is quite fast.

Creating the rings presents something of a problem. Seven rings are required, each larger than the one before. If the first ring consists of a single character position, the second must use three characters; the third, five characters, and so on. The seventh ring requires 15 character positions. Since a ring can be on one of three spindles. the only way to avoid overlapping rings is to have a screen with at least 45 columns per line. With the TI-99/4A, limited to 32, the problem is obvious

The solution is to use "half characters." Line 6300 defines a character with all hits on: a "full" character. Line 6320 defines a character with only the leftmost bits on: a "half character" for the right side of a ring. Line 6340 defines a "half character" for the left side. The seven rings required are built in lines 6350 - 6380 by concatenating the character patterns. Figure 1 illustrates this process. Lines 8040 - 8060 load the rings to the screen for the initial game setup. Once the game begins, the program has to

provide prompts and error messages to the player. Since the PRINT statement causes scrolling, and since the game uses a "fixed" game screen, the PRINT command is not acceptable for displaying messages. An alternative to this is using the TI BASIC command CALL HCHAR, which simulates the PRINT AT command that is so useful in Extended BASIC

The message to be printed is moved to the variable MESSAGES. The desired location for the message is loaded into the variables ROW and COLUMN. The routine starting at line 5001 actually writes the message. The loop initiated at line 5005 is performed the number of times indicated by the length of the message. Line 5010 converts

142 COMPUTEL September 1983

each successive character in the string into its ASCII equivalent. Line 5020 then prints the string, one character at a time, at the position determined by ROW and COLUMN+1. This same procedure is used to position the rings when they are moved.

Getting information from the player presents a similar problem the INPUT statement also causes a seroll. To avoid this, we must use the CALL KEY. This command detects a key being pressed and places the ASCII code of the key pressed into a specified variable. Lims 428-43 illustrate how this procedure can be used. Although IT IBASC doesn't have Estended BACE to the present and the property of the player that a response is necessary.

Manipulating The Dings

Manipulating The Rings The location of the rings is stored in the variable ARRAY, ARRAY is dimensioned by the number of spindles (3) and the number of allowable rings plus one. The additional element permits checking the spindles when no rings are present. The rings are initially assigned the numbers 1 through 7 and placed on the center spindle in lines 6250 -6260. Ring 1 is the smallest; ring 7 the largest. Figure 2 shows the contents of ARRAY at the beginning of the game. Figure 3 shows what the contents of ARRAY would be if the two smallest rings were on the first spindle, the third smallest ring on the third spindle, and the rest on the middle spindle. Lines 1005 and 1008 find the "top" of the array for the corresponding sending and receiving spindles. For example, using Figure 3, RINGS(1) would contain 2 (number of rings).

Subtracting this from 8 would give the sixth position of the first spindle, the top ring.

Lines 1020 and 1025 check to make sure that a large ring is not placed on top of a smaller onc. When a valid move is made, the location of the rings is updated in lines 1100-1130. The variable rings is updated in lines 1100-1130. The variable cases a principle to the rings are moved by placing, the appropriate RINGPATS in the new location. The rings are moved by placing, the appropriate RINGPATS in the new location. The rings are moved by placing the spindle character (line 6300). When one of the two side spindles gets all seven rings, the game is over. Lines 482 and 484 determine this condition for exchange lines and bright determine this condition for exchange lines and when determine this condition for exchange lines and third spindle counters.

TI BASIC can be quite effective when used to its potential. This article and game have perhaps given you some ideas for your own programs.

- ## Towers


 ### DIM ARRAY(3,8)

 ### DIM RINGS(3)

 ### TIME TIMES(3)

 ### TIME TIMES(3)

 ### TIMES(3)
- 220 GOSUB 1850 230 MESSABE#=M24 240 ROW=18
- 25Ø COLUMN=3







998 IF STATUS=8 THEN 988 26Ø GOSUB 185Ø 1888 IF KEY-B9 THEN 1858 27Ø MESSAGE\$=M3\$ 2BØ RDW=2Ø 1818 IF KEY<>78 THEN 978 29Ø COLUMN=9 1020 CALL CLEAR 1030 PRINT "GAME OVER" 300 GDSUB 1850 310 CALL SOUND (200, 1000, 4) 320 CALL KEY (3, KEY, STATUS) 1848 STOP 1858 GOSUB 1938 1868 GOTO 368 330 IF STATUS=0 THEN 320 340 IF KEY=89 THEN 1070 1070 REM 35Ø IF KEY<>78 THEN 27Ø 1080 REM INSTRUCTIONS 1090 REM 3AG REM 37Ø REM BEGIN GAME 1100 CALL SCREEN(1) 38@ REM 1110 PRINT "TI TOWERS IS A VERSION 390 IF MOVES>HIGHSCORE THEN 410 OF " 1120 PRINT 400 HIGHSCORE=MOVES 1130 PRINT "THE GAME TOWERS OF HAND 41@ GOSUB 226@ 420 IF HIGHSCORE (>Ø THEN 440 1." 1146 PRINT 430 HIGHSCORE=99999 44Ø MOVES=Ø 1150 PRINT "THE OBJECT OF THE GAME 450 REM IS TO" 460 REM PLAY GAME LOOP 116Ø PRINT 47Ø REM 117# PRINT "MOVE THE RINGS ON THE C 4BØ ROW-1 FNTER* 49Ø COLUMN=2B 1188 PRINT 1198 PRINT "SPINDLE TO ONE OF THE T 500 MESSAGES-STRS (MOVES) 51Ø GOSU8 185Ø . MU. 52Ø ROW-23 1266 PRINT 53Ø COLUMN=1 1216 PRINT "SIDE SPINDLES. YOU MAY 540 MESSAGES=M69 DNLY" 55Ø GOSUB 185Ø 122# PRINT 123# PRINT "MOVE ONE RING AT A TIME 560 CALL SOUND (250, 1000, 4) . AND 57Ø CALL KEY(3,KEY,STATUS) 58Ø IF STATUS=Ø THEN 57Ø 1240 PRINT 1250 PRINT "YOU MAY NOT PLACE A LAR 590 IF KEY<49 THEN 1700 600 IF KEY>51 THEN 1700 GE" 61Ø CALL HCHAR (23, 13, KEY) 1260 PRINT 1270 PRINT "RING ON TOP OF A SMALL 620 MOVEFROM=VAL (CHR\$ (KEY)) 63Ø COLUMN=16 ONE. 64Ø MESSAGES=M75 1286 PRINT 1298 PRINT 650 GDSUB 1850 1300 PRINT "PRESS ANY KEY TO BEGIN" 1310 CALL SCREEN(9) 1320 CALL KEY(3,KEY,STATUS) 1330 IF STATUS-0 THEN 1320 660 CALL SOUND(250,1000,4) 670 CALL KEY(3,KEY,STATUS) 680 IF STATUS=0 THEN 670 690 IF KEY<49 THEN 1700 700 IF KEY>51 THEN 1700 1340 BOTO 360 1350 REM 718 CALL HCHAR (23, 26, KEY) 72Ø MOVETO=VAL (CHR\$ (KEY)) 1360 REM ANALYZE MOVE 738 IF MOVEFROM-MOVETO THEN 1788 137Ø REM 740 GOSUB 1350 138# SUB1=8-RINGS(MOVEFROM) 139Ø SUB2=B-RINGS(MOVETO) 750 HOVES-MOVES+1 1488 IF ARRAY (MOVEFROM, SUB1) >ARRAY 760 CALL HCHAR(23,1,32,30) 770 IF RINGS(1)=7 THEN B00 MOVETO, SUB2) THEN 1700 1410 IF RINGS (MOVEFROM) = 0 THEN 1700 7BØ IF RINGS(3)=7 THEN BØØ 798 GOTO 458 1420 GDSUB 14B0 143# RINGS(MOVEFROM) = RINGS(MOVEFROM 866 REM BIØ REM GAME COMPLETED)-1 B26 REM 144# RINGS(MOVETO) -RINGS(MOVETO)+1 B3Ø FOR X=1 TO 2Ø 145@ ARRAY (MOVETO, SUB2-1) = ARRAY (MOV 84Ø CALL HCHAR (23.1.42.31) EFROM, SUB1) B5Ø CALL SOUND(15Ø, X*4ØØ, 21-X) 146Ø ARRAY(MOVEFROM, SUB1)=0 B60 CALL HCHAR (23, 1, 32, 31) 1470 RETURN 87Ø NEXT X 14BØ REM BB@ ROW=23 1496 REM MOVE RING B9Ø COLUMN=2 1500 REM 900 MESSAGE -MBs 1518 ROW=7+(2*(7-RINGS(MOVEFROM))) 916 GDSUR 1856 1526 COLUMN=19 920 FOR DELAY=1 TO 1500 1538 IF MOVEFROM<>1 THEN 1558 938 NEXT DELAY 1546 COLUMN=3 946 RDM=24 1550 IF MOVEEROM<>2 THEN 1570 950 MESSAGE*-M9* 1569 COLUMN-11 960 GOSU8 1850 1576 MESSAGE\$=BAND\$ 978 CALL SOUND (308, 1888, 4) 1580 GOSUB 1850 9BØ CALL KEY(3.KEY.STATUS) 159# ROW=19-(2*(RINGS(MOVETO))) 164 COMPUTER September 1983

	COLUMN=22	2218	RINGPAT\$ (5) = CHR\$ (128) & CHR\$ (128
	IF MOVETO<>1 THEN 163Ø COLUMN=6) &CHR\$ (128) &CHR\$ (128) &CHR\$ (128
	IF MOVETO<>2 THEN 1650	2226	RINGPATS (6) = CHR\$ (133) & CHR\$ (128
1648	COLUMN-14) &CHR \$ (128) &CHR \$ (128) &CHR \$ (128)
1650	XX=ARRAY(MOVEFROM, SUB1)) &CHR\$ (128) &CHR\$ (131)
1660	COLUMN-COLUMN-(INT(LEN(RINGPAT *(XX)))/2)	2230	
1476	MESSAGES=RINGPATS(XX)) &CHR\$ (128) &CHR\$ (128) &CHR\$ (12
1680	GOSU8 1850	2244) & CHR\$ (128) & CHR\$ (128) BAND\$=CHR\$ (32) & CHR\$ (32) & CHR\$ (
1690	RETURN	2240	2)&CHR\$(36)&CHR\$(32)&CHR\$(32)
1700			CHR\$(32)
1718	REM ERROR IN MOVE		RETURN
	ROW=24	2260	
1740	COLUMN=1	2276	REM SET UP GAME BOARD
1750	MESSAGE S=E1\$		CALL CLEAR
1760	CALL SOUND (900, 200, 1)	2300	CALL SCREEN(B)
1779	605U8 185Ø	2310	
1798	FOR DELAY=1 TO 200 NEXT DELAY	2724	") CALL CHAR(37, "FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF
1800	CALL HCHAR (23, 1, 32, 32)	2326	")
1810	CALL HCHAR (24, 1, 32, 32)	2330	CALL COLOR(1,13,1)
	MOVEFROM=Ø	2340	CALL COLOR(13,7,1)
1839	MOVETO=# GOTO 52#		CALL HCHAR (20, 2, 37, 30)
185#			60SU8 251Ø ROW=1
1860	REM WRITE MESSAGES		COLUMN=1
1870			MESSAGE\$=M4\$
1880	FOR I=1 TO LEN(MESSAGE*)		GOSUB 185Ø
1890	CHAR=ASC(SEG*(MESSAGE*, I, 1))	2410	COLUMN=21 MESSAGE\$=M5\$
	CALL HCHAR(ROW, COLUMN+I, CHAR) NEXT I	2436	60SU8 185Ø
	RETURN	2440	CALL HCHAR (21, 7, 49)
1930		2450	CALL HCHAR(21,15,50)
1940	REM INITIALIZE AREAS		CALL HCHAR (21, 23, 51)
1950	(5 SPACES)		COLUMN=13 MESSAGE\$=STR\$(HIGHSCORE)
	M1\$="TI TOWERS"		60SUB 185Ø
	H2#-"DO YOU NEED INSTRUCTIONS?	2566	RETURN
		2510	
	M3*="REPLY Y OR N" M4*="BEST SCORE:"	2526	REM INITIAL RING SETUP
2000	M54="MOVES:"		CALL VCHAR(6,7,36,14)
2010	M6*="MOVE FROM?"	2550	CALL VCHAR(6,15,36,14) CALL VCHAR(6,23,36,14)
2020	M7\$="MOVE TO?"	2560	CALL VCHAR (6, 23, 36, 14)
2030	MB\$="(3 SPACES)*** YOU DID IT		FOR X=1 TO 7 ROW=5+(X*2)
2444	***(6 SPACES)" M9*="PLAY AGAIN - Y OR N"		COLUMN=14-(INT(LEN(RINGPAT*(X
2050	E1#-"## INVALID HOVE - TRY AGA))/2)
	IN"		MESSAGES=RINGPATS(X)
2060	RINGS(1)=Ø		GOSUB 185Ø NEXT X
2070	RINGS(2)=7 RINGS(3)=Ø		RETURN
2090	FOR I=1 TO 8		THE FORM
2188	ARRAY(2, I)=I		TEXWALL ASSOCIATES
	NEXT I		PRESENTS nov. Irve. Educational and Entertainment Software for the TI 22 4A
2170	ARRAY(1,8)=8 ARRAY(3,8)=8	_	
2140	CALL CHAR(128, "FFFFFFFFFFFFFF	11	ALGEBRA I
	F")	This ech	cetional set includes all lessons contained in a standard Algebra I cours
2150	CALL CHAR(131, "FØFØFØFØFØFØFØF	one sap	or necessary to use ALGESPA I so a TI 90/4A computer, a monitor or TV, as a player with cable. No perigherals are needed! The set is available on yo
2160	Ø") CALL CHAR(133,"ØFØFØFØFØFØFØFØ	choice	of twelve cassettes or three doks. A total of twenty-rene different topics a Each topic is covered in an instruction section and a problem set. An instruction which fully answers all questions and contains answers to selected problem
2160	F")	manual	which fully answers all questions and contains asswers to selected problem included. As an added boxus, three aducational games are also packaged wi
	RINGPAT\$(1)=CHR\$(128)	ALGERI	ALL A demonstration connette is available for \$5.00. The cost of the den
	RINGPAT\$ (2) = CHR\$ (133) & CHR\$ (128	in BASS	y be later applied to the purchase dost of ALGEBRA I ALGEBRA I is avoided C on despette or disk for \$59.95 ITEM No. ED
2400) &CHR\$ (131)	COCC o	atalog of all economic analytic upon personal
2140	RINGPAT*(3)=CHR*(128)&CHR*(128))&CHR*(128)	ORDER	ING INFORMATION Send check or money order to avoid CO-D change add \$1 when ordering DEMO TAPE to cover postage cost Illinois reside
2200	RINGPAT\$(4)=CHR\$(133)&CHR\$(128	200 5%	add \$1 when ordering DEMO TAPE to cover postage cost Illinois reside state sales tax. SENO TO:
) &CHR\$ (128) &CHR\$ (128) &CHR\$ (131		WARE ASSOCIATES, 350 FIRST NORTH ST., WELLINGTON, IL 4001
)	11	

FRIENDS OF THE TURTLE

rawr.) Tr. Tinornburg, Associate Editor

The Logo Kaleidoscope

One of the first programming projects for many BASIC programmers is the construction of a screen kaleidoscope that generates pretty, symmetrical patterns on the display screen. For these programs, people usually pick a screen location at random and then place a colored dot at that location and at three other "mirror" locations to produce four symmetrically placed dost. While the resulting image is often quite attractive, the result is not that of a true kaleidoscope.

In Hyou have evolutions belieforcope apart, you must have wondered how such a simple apparatus could generate such beautiful images. Most kaleidoscopes consist of a set of mirrors and some small pieces of colored plastic that can be expensed to the control of the colored plastic that can be expensed to the colored plastic pieces to thought the eyepteet. the mirrors generate multiple images of the arrangement of plastic pieces to produce beautifully symmetric pictures. Because Logo's turtle graphics allows you to easily create images that mintate the pieces kaleidoscopic images on your computer screen with a simple set of procedures.

The Logo kaleidoscope operates in the following manner. The system contains a set of graphic procedures to draw the fundamental picture elements (squares, triangles, stars, etc.). There can be as many of these elements as you desire (subject to the memory limitations of your system, of course). Each of these elements can be drawn as large as you desire. This gives the effect of having even more patterns to choose from. Next. we use Lovo's random number ener-

ator to select a shape, a size for the shape, the shape's color, and a distance from the center of the screen at which the shape will be drawn. Finnally, this data is used by another procedure that places a copy of the chosen shape at several equally spaced angles around the center of the screen. Once one shape has been drawn, the process can be repeated for other shapes until the final image meets with your approval.

The kaleidoscope we will demonstrate in this article is written in the MIT version of Logo for the Apple II and should work with most Logo systems with very few modifications.

The kaleidoscope was started out with six



The procedures for these shapes are

TO TRI :SIZE

REPEAT 3 [FD :SIZE RT 120] RT 30 FND

TO DIAMOND :SIZE LT 45 REPEAT 4 IFD :SIZE RT 90

165 COMPUTER September 1983

The Light Pen Right Price:

THE LIGHT PEN

This is the right pen -a truly affordable peripheral. As an education aid to young children it is without equal, especially for pre-schoolers without keyboard skills. They simply touch the screen with the pen and a display is altered or new information is entered. Plus as an aid to games, it offers comparable utility to a joystick. Create your own programs with The Light Pen or choose from our software which includes a simple draw routine. checkers and hangman; or backgammon and chess. The Right Pen at the right pricemaximum utility and minimum cost.

> Prices subject to change without notice. See your local dealer or order direct. New catalog and Add \$3.00 for postage and handling. Credit card orders call toll free:

1-800-334-SOFT

programmer's institute

a division of **future** house

RT 45 END TO PATT1:SIZE REPEAT 2 [FD :SIZE RT 60 FD :SIZE RT 120] END TO OCT :SIZE IT 67 5 REPEAT 8 IFD :SIZE / 2 RT 451 RT 67 5 END TO PATT2 :SIZE FD :SIZE RT 60 FD :SIZE RT 120 FD :SIZE LT 60 FD :SIZE RT 120 FD :SIZE RT 60 FD :SIZE RT 120 END TO STAR :SIZE LT 18 REPEAT 5 (FD :SIZE RT 144)

Each of these figures has been defined to have mirror symmetry on the vertical axis. This is not a requirement, and you may wish to experiment with other orientations. The octagon was drawn at half the specified size to keep it in balance with the other figures.

Constructing The Pattern

RT 18 END

Constructing Ine Portern
To make the kaleidoscopic image, we need a proculure that creates a list of basic patterns, chooses
a policy of the control of the control of the control
patterns are control of the control
patterns are control
pa

```
MAKE "LIST (STAR DIAMOND OCT PATTI PATTI TRII)
MAKE "NAME SENTENCE PICKRANDOM:LIST (20 + RANDOM 30)
MAKE "DIST RANDOM 60
PENCOLOR (1 + RANDOM 5)
PENUD WINDMILL DIST:NAME
MAKE "NAME REQUEST DIAMOED TO THE MARCH TO
```

This procedure uses two other procedures that have to be defined: PICKRANDOM and WINDMILL. The function of PICKRANDOM is to choose an element of a list randomly. The following procedure does this for us:

TO PICKRANDOM :LIST OUTPUT PICK (1 + RANDOM (LENGTH :LIST)) :LIST FND

The procedure PICK selects a given element from a list, and LENGTH measures the number of elements in a list:

TO PICK:NUM:LIST
IF:NUM = 1 OUTPUT FIRST:LIST
OUTPUT PICK(:NUM-1)(BUTFIRST:LIST)
END

TO LENGTH :LIST
IF :LIST = [] THEN OUTPUT 0

OUTPUT 1 + LENGTH BUTFIRST:LIST END These two procedures operate "recursively."

If you have a hard time understanding how they work, you may want to read about them in Logo for the Apple II, by H. Abelson, or read the chapter on recursion in my book Discovering Apple Logo. Also, we published some columns on pecursion in "Friends of the Turle" (COMPUTE, November and December 1982).

Defining Windmill

The only procedure we have left to define is WiNDMILL. The function of his procedure is to draw a chosen pattern at equally soaced angular increments around the center of the screen. You may want to experiment with different numbers of images. I have tried using six mages spaced at 45-degree increments. These both work fine, but other angles are worth exploring as well. The number of copies of a pattern times the angle increment must be 36 in order for the pattern to be copies (6 × 60 = 360) and 45 degrees for 8 copies (8 × 45 = 360).

TO WINDMILL :DIST :LIST REPEAT 6 [FD :DIST PENDOWN RUN :LIST PENUP BACK :DIST RT 60]


To generate a kaleidoscopic pattern, hide the turtle

and enter:

After the first pattern is drawn, press RE-TURN to get the next one. When the complexity of the top the next one. When the complexity of the top the state of the top the top the top print a copy of it osset is no your disk (with SAVEPICT, for example). If you are ambitious, you might want to write a Logo procedure that will keep track of all the randomly chosen values and generate its own Logo procedures for each pattern. Abelson's book (mentioned above) shows how to do this sort of thing.


The following five pictures show the successive development of one pattern:

148 COMPUTE September 1983



The remaining figures illustrate some other kaleidoscopic patterns that were generated with this set of procedures.

I think you will agree that these patterns are more interesting than those created with colored dots.



NEW! Universal Input/Output Board for VIC-20/64



16-channel A/D converter & 1-channel D/A output; 16 high-current discrete outputs,
- University physics & electrical enpineering labs and hospital applica-

VIC-20 uses MW-311V \$185.00 CEM-64 uses MW-311C . . . \$225.00

MW-302: VIC-20/64 Parallel Printer Interface.



Works with all centronics type parallel meters & better printers and pilotens—meters & better printers and pilotens—Epson, C lloth, Okidata, Nec, Germi D, TP-I Smith Corona, and most others. Hardware cirvon; works off the soral port. Custily construction: Skeel DNI connections & statistical cables. Has best printed to the control of t

FW-302

for PaperClip



Micro World Electronix, Inc. 3333 S. Wadsworth Blvd. #C105, Lakewood, CO 80227

(303) 987-2671

THE WORLD INSIDE THE COMPUTER

Beyond Computer Literacy

Fred D'Ignazio, Associate Editor



A recent national "computers in the schools" survey conducted by the Center for the Social Organization of Schools at Johns Hopkins University found that most secondary schools are using computers to

teach programming, (For a copy of the survey, write to Dr. Henry Secker, Center for the Social Organization of Schools, The Johns Hopkins University, Baltimore, MD 22128). According to the survey, the second most popular use of compaters was for drill land addition, the majority of the teachers who responded to the survey said that they looked at the computer as a "resource" rather than as a "tool."

I think this concentration on programming, drill, and practice and the image of computers as a "resource" is temporary. I believe that it is time for teachers and parents to start thinking beyond computer programming, beyond drill and practice, and beyond computer iteracy.

The Computer Steam Engine

Two factors have caused teachers and parents to concentrate on the computer as a resource and to stress computer literacy. First, most computer courseware turns the computer into a "Gettoring teathbook." This kind of courseware is the most popular with teachers because it is the most familiar and the least threatening. The courseware (like a good textbook) introduces a new subject to a student, then drills the student on that subject. Second, personal computers are still very

primitive machines (compared to what they soon will be). They are a young, immature technology. Compared to what they'll be, the personal computers of today are like chugging steam engines, crude wooden plows, or fussy, cranky Model T's.

Despite manufacturers' daims, you cannot buy a personal computer and turn it on the way you would turn on a TV, then immediately begin to use it. Some computer literacy is still essential, or you quickly become lost in a nightmarish maze pursued by horrible creatures like bytes, RAMs, ROMs. K's. RS-232s. modems, interfaces, bauds.

"Escapes," "Breaks," and "Resets." The Age Of Computer Literacy

Another recent survey (conducted by the University of Maryland) echoes the Johns Hopkins survey. It found that most schools introduce computers into the curriculum to help students

become literate in computer technology.

But what does this literacy entail?

but what does this interacy? programming? Is it is "computer literacy" programming? Is it the fundamentals of computer operation? Is it a quick course on using a computer keyboard? Is it drill and practice or the daily use of the computer as an electronic textbook?

Because of the pervasive spread of computers throughout our society, we have all become convinced that computers are important. From what we read and hear, when our kids grow up almost everyone will have to use computers in some aspect of their lives. This makes computers, as a subject, not only important, but also relevant.

An important, relevant subject like computers should be part of a school's curriculum. The question is how "Computers" ought to be taught.

Schools could teach about computers the way they teach about dozens of other important,

150 COMPUTE! September 1983

R COMMODORE 64 VIC-20 SINCLAIR/TIMEX



QUEST — A NEW IDEA IN ADVENTURE AMADES INFORMET from all the others. Ouset is played on a computer generated map of Alexa. Your pib is to gether man amount of the properties of the properties and control of rains and temples and outrage bendry. When your force is trong enough, you attack the Ottool of Moorlack in a reason, the properties and the properties of the properties. THE-80 Calor, and Sinclair, 13K VICE. D. Extended BASIC required for THS-50

32K TRS 80 COLOR Version \$24.95.
Adds a second level with dungeons and



WIZARDS TOWER - This is very similar to baset fees above. We added wizards, magic dragons, and dungloos to come up with a Quest with a D&D fitnov. It requires the extended color 8ASIC, 13k VIC, Commo dore 84, TRS-90 16k Extended 8ASIC T199/A extended 8ASIC, \$14.95 Tape \$19.95 Disk.

Authors — Aardvark pays the highest commissions in the industry and gives programs the widest possible advertising coverage. Send a Self Addressed Stamped Envelope for our Authors Information Psickage. ZEUS

transfer to disk.)



The Adventures below are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are inseractive features.) Far reading a book except that you are the main character as you give the computer, commands like "Look in the Coffer" and "Light to torch."

Adventuring requires 16k on Sinclair, and TRS-80 Color. They require 8k on OSI and 13k on VIC-20. Now available for TI99. Any Commodors 64. \$14.95 Tape = \$19.95 Disk.

ESCAPE FROM MARS
(by Rodger Olsen)
This ADVENTURE takes place on the RED
PLANET. You'll have to explore a Martian
city and deal with possibly heatile aliens to
survive this one. A good first adventure.
PYRAMID (by Rodger Olsen)

This is our most challenging ADVENTURE, It is a treasure hunt in a pyramid full of problems. Exciting and tough!



SEANUCHE — ALL MACHINE COUR In this high speed actude game, you lay our patterns of toppedoes alward of the attacking PT beats. Requires Joystots, at less 138 R.A.M., and fast reflisses. Lots of Color and Sound. A fun game. Tabe or Disk for Vic2O, Commodore 64, and TRS-80 Color, NOTE: tape will not transfer to disk! \$19.95 Tape = \$24.95 Disk.



Durspoon of Death — This is the first DBG type game good enough to quality at Apardwerk. The is serious DBG that allows 1 to 8 severes to go on a Deagon Hundlin, Monitor to go on an on-screen map, you get a choice on an on-screen map, you get a choice of most and character Bruman, Durst, Solder, Wizzard, etc.), a charact to grow from garm than the property of the

Dealers — We have a line of about 100 original programs for the machines listed here. We have high speed Arcades, Quality Adventures, Word processors and Business Software for Small machines. Better yet, we have excellent Dealer support. Phone for

- Please specify system on all orders - \$2.00 Shipping Charge on each order



AARDVARK L.T.D. 2352 S. Commerce, Walled Lake, MI 48088 / (313) 669-3110 Phone Orders Accepted 8:00 a.m. to 4:00 p.m. EST. Mon.-Fri.

COMMODORE 64

80 COLUMN BOARD

\$159.00*



The dream of seeing 80 columns on the screen at one time is now a reality. The Protecto Expansion Board converts your Commodore 64 to 80 columns! PLUS you get a word processor with database mallmerge, an electronic spreadsheat, and a terminal emulator. List \$275. SALE \$159.

* When you buy any monitor — Commodore 64 Computer — Disk Drive – Printer! 80 Column Board purchased alone — Cost \$179.00. (Disk Programs add \$10.00).

MONITOR SALE	List	Sale
12" Green Phosphorous - High Quality 600 lines resolution	\$199	\$129
12" Amber Monitor - Superior Quality 800 lines resolution	\$219	\$159
14" Color Monitor — High Quality Commodore Monitor	\$299	\$269

VIC 20 COMPUTER 40-80 COLUMN BOARD LIST \$149.00 SALE \$99.00

- . 15 DAY FREE TRIAL
- WE HAVE LOWEST COMMODORE 64 PRICES
 WE HAVE OVER 500 PROGRAMS
- VISA MASTERCHARGE COD
- WE LOVE OUR CUSTOMERS

PROTECTO
ENTERPRIZES ONE LOVE OUR CLUSTOMERSO
BOX 550, BARRINGTON, ILLINOIS 60010
Phone 31/382-5244 to grider

VIC 20

40-80 COLUMN BOARD





Now you can get 40 or 80 Columns on your T.V. or monitor at one time! No more running out of line space for programming and making columns. Just plug in this board and you immediately convert your VIC-20 computer to 40 or 80 columns! PLUS, you get a Word Processor, Mail Merge program, Electronic Spreadsheet (like VISICALC) and Terminal Emulator! These PLUS programs require only 8K RAM memory and comes in an attractive plastic case with instructions I ist \$149 Sale \$95

● COMMODORE 64 COMPUTER — "80 COLUMN BOARD" LIST \$275 SALE \$179

"15 DAY FREE TRIAL"

- We have the lowest VIC-20 prices We have over 500 programs
- Visa Mastercharge C.O.D.
 - · We love our customers!

(Loss \$20 Accessors Punchase Discount)

OTEC

BOY 550 RARRINGTON ILLINOIS 60010 Phone 312/382-5244 to on



MAKE YOUR VIC-20 COMPUTER TALK

when you plug in our

ONLY

You can program an unlimited number of words and sentences and even adjust volume and pitch.

You can make: This voice synthesizer is VOTRAX based and has features equivalent to other models costing over \$370.00. To make programming even easier, our unique voice editor will help you create words and sentences with easy to read, easy to use symbols. The date from the voice editor can then be easily transferred to your own programs to make customized talkies.

* FREE — Your choice of \$19.95 4" Speaker and Cabinet or \$14.95 Voice Editor if you order before June 15, 1983!

- "15 DAY FREE TRIAL" · We have the lowest VIC-20 prices
- · We have over 500 programs · Vies - Mastercharge - C.O.D.
- . We love our customers!

PROTECTO FNTFRPRIZES (***

BOX 550 BARRINGTON ILLINOIS 60010

Phone 312/382-5244 to order

relevant subjects (like math, social studies, geography, and language ars)—eith bods. However, since desktop computers are now relatively cheap, schools are buying computers so the students can get a look at the machines themselves. Special computer dasses are being set up so that students can play with computers, tinker with them, and learn some basic programming. Thus, on a practical level, computer literacy turns out to be mere computer drawsher.

But exposure to what? Kids who are now enrolled in elementary and secondary schools are exposed to four aspects of computers. They learn that computers are programmable machines. They learn that computers are being used in all areas of electronic testbooks. And (something they already knew), they learn that computers are terrific game machines.

The Results

This exposure is worthwhile. It alone justifies a school's purchase of computers for its students. According to the surveys, real educational results have been realized at schools which concentrate on exposing kids to computers. First, students develop a familiarity with computer keyboards, computer operation, and computer concepts.

Second, students in these schools develop a realistic, positive image about computers. Past generations saw computers as electronic brains – abstract, all-powerful, and mysterful. Now kids get to see computers as they really are. Kids get to touch computers, play with them, push their buttons, order them about, and cope with computers' incredible dumbness, their arwful pickiness, their exasperating bugs, and their ridiculous quirks.

quint. Infu. the surveys show that computers have played a big part in improving, kids / furt teachers') attitudes toward school. Kids who use computers during their school day come early and stay later just to have time on the computers. The whole school day goes better for everyone because it has a rosy glow caused by the computers. There are countless stories of learning disblack lads, handicapped kids, and near dropouts who got turned on to computers and became model students, on their own, use them to improve their academic performance. Bright kids turn to computers as intellectual companions and resources and learn in a more personal, accelerated fashion.

Computers touch a kid's life. And the effect is cumulative. When enough young people are affected by computers, it changes the atmosphere of the entire school. The impact of computers on a school can be psychological. Computers can improve school spirit.

Last, computers make the students less fitted to the computer of the computer

Here, too, the effect of computers on the "social organization of learning" has been significant. Computer classes have an atmosphere which is different from that found in many other classes. In computer class, teachers don't just teach, and students don't just give answers, write down notes, and take tests. In computer class, everybody learns, everybody shares, and everybody learns to be helpful. Teachers tell stories about how big, smart-aleck teenagers in their classes have put their arms around their shoulders, and with great patience and sincerity have explained how to boot a disk, load a program from tape, or master a new piece of software. Roles become reversed fluid, and fuzzy. But often everyone benefits. And learning occurs at a rapid pace.

Computers Of The Future Computers in schools have already had a sub-

stantial, positive effect.

But I'm still worried.

I think that schools are unintentionally lecking their students into the present – the fleeting, short-lived Age of Computer Literacy. This is an age from which computers will emerge very soon. Computer literacy will become irrelevant and unimportant long before most students enter the job market.

Also, in many schools, computers are being taught in separate "computer courses." This divorces them from the rest of the school, from the rest of the curriculum, and most importantly, from the other teachers.

Computers in our economy and in our society don't exist as islands of technology. Instead, they have become part of the fabric of everything we live, more about, play, and do business. Just telling the students that this is so and teaching them to the students that this is so and teaching them working experience with computers as they are said in the real working.

What's more, schools are using their newly acquired computers as an object of curiosity, as a hands-on device to learn the arcane arts of programming and computer operation; and as a teaching aid to learn math and language arts. But in the very near future, computer operation with the computer operation as TV sets, computer operations with the association as TV sets, computer operations with the association as TV sets, computer operations with the association as TV sets, and the computer operations in the new future, the most popular, important, and powerful use of computers will be as a general-purpose tool.

154 COMPUTER September 1983

The Program Discount Center

PermaData Disks Guaranteed Forever!

HERE'S THE INTRODUCTORY OFFER!



10 PermaData Disks \$4.495 L plus 2 FREE!*

HERE'S THE DATA! · ERROR FREE PRICED RIGHT

 HUB RING Software City has a complete variety of discounted computer software for all your personal, business and entertainment needs.

When you're looking for software, look for Software City, America's #1 Software Dealer Software Always Discounted

Programs Magazines Peripherals Disks Accessories



· Offer applies to sarole sided, sinc PermaData Doks are distributed exclusively through Software City stores

nghem 7771 Eastwood Mail (205) 591 6314 en 5811 E. Speedway (602) 721-1008 rige: Lockmann's Plaza (200) 799/2119 ete - 7211 S. Tamsam: Trail (813) 923 4040 e - 13727 N. Osio Mabry (813) 961-8081 ente Spring Festival ente Spring Festival emport 903 E Kimberly Rd (319-38523

Seesand (SEE Amberty) must marked 4200 country (SEE Amberty) must marked (SEE Amberty) must must marked (SEE Amberty) must must marked (SEE Amberty) must marked ILLINOIS KENTUCKY KCHUSETTS ngton Heights 2304 E. Rand Rd (312) 259-4260 MICHIGAN NEW JERSEY

NEW YORK

leeneck 161 Cedar Lane (201) 692 9296 forsysten Plains coming soon Felippet - 134 Wilage Landing (718) 223-3723 Feast Hills - 113-01 Carents Blief (212) 251-1141 ret Neck - 576 Middle Neck Rd. (516) 482 4929 et Neck - 576 Middle Neck Pd (516) 462 4929 ehatten -665 Lex - bet -55 & 56 Sts (212) 632-6766 L Kasco - 187 Main St (91-6 695 6006 orth White Pleins 641 N Broadway (91-6) 946-1800 omena - Cld Fit 202 toten latend - 1474 Hyllan Blvd - (212) 351 9217 vacuse - coffing 5000 signification - 1969 East Rt. 161 (814) 888 8660

coloribus - Tibor case m - 101 (p. 17) com 4 which Perk - Willings Square Maril (1/2) (541 1777 stee - 14 Marchwood Rd (2/15) 554 1403 Histobargh - 1700 Perry Highway (1/15) 557-0441 histobargh - 1700 Perry Highway (1/15) 557-0441 histobargh - 1700 Perry Highway (1/15) 547-0441 histobargh - 1700 Perry Highway (1/15) 547-0441 histobargh - 1700 Perry Highway (1/15) 547-0451 histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 Perry Highway histobargh - 1700 Perry Highway (1/15) 1400 PUERTO RICO

erles coming toon Herus 1100 Bellevus Way N.E. Serie S

BUSINESS SOFTWARE. Cetalog at all stores or write to Software City Attn: Corporate Software Dept.

RETAL STORE FRANCHISES 312-40,000 est total invest. Offering by prospecius only Direct inquiries to Software City, Attn: Princitive Dept.

SOFTWARE CITY - 1415 Quien Arm Road - Tearnoti, NJ 07666

There's a New Chick in Town



with a wing load of Quality Software for the Commodore 64" and VIC 20™

Once you've compared our programs, their features and prices, you'll agree there's no competition in sight. You'll also discover another important reason to go TOTL. Customer Assistance After You Buy . Something nearly unknown in the low onet software field

some features Menu driven. Easy to use ■ Available on tape or disk ■ Compatible With Most Column Expansion Hardware Built-

in ASCII Translation for Non Commodore Hardware
Color Variables for Easy Modification ■ Machine language speed for Word Processing and Mailing List & Label software

and there are 5 unique programs to choose from

1. WORD PROCESSING has the speed and versatility to produce documents, forms and letters in a straightforward approach that is easily and quickly learned

2. MAILING LIST AND LABEL lets you organize your mailing lists, collection catalogs, menus, recipes and anything that de-

mands listing or sorting 3. TOTL TIME MANAGER helps you plan schedules and analyze

events and activities by persons, project catagory and date Ideal for project planning in the home or business. 4. RESEARCH ASSISTANT turns your computer into an ad-

ranged, automated indexing and cross reference system A must for the student, educator or the research professional 5. SMALL BUSINESS ACCOUNTING is a set of straightforward accounting programs. Frees the salesman, entrepreneur or service professional from time consuming record keeping



SOFTWARE, INC. 1555 Third Avenue, Walnut Creek, CA 94596

PLEASE SEND ME MORE INFORMATION ON TOTA SOFTWARE

Address

\$ -----

The Computer-Literacy Deep Freeze

Computers are at a crude, nasty, awkward stage in their development. But they are evolving at an incredible pace. Hardware advances occur almost daily. And software, long the bumbling, dimwitted half brother of computer hardware, has at last entered into its own revolution. In 1976 there was almost no software, vet last year 200 companies sold more than a billion dollars of software. By 1990, experts predict that people will be buying \$12 billion in software, about as much as they now spend on home appliances. We will soon see more software than ever before, and if we weed through all the junk, we will find much software that is good and quickly getting better.

The twin revolutions in computer hardware and (especially) in computer software will insure that computers of today will be transient, shortlived creatures. Trendy, high-income schools that buy up dozens of these computers and inaugurate intensive courses in the art and science of their programming and operation are handicapping their students. They are guaranteeing that these young people will be victims of technology.

In ten years, how important will it be for a student to know how to program in BASIC, or know machine language, or know how many K bytes are available in RAM storage? Or how to format a floppy? Or how to position a tape cassette to a particular program?

BASIC Will Be A Dead Language

In five years computers will be completely different. In ten years they will be black boxes. They will still be programmable, but nobody except the experts will do the programming. The final customfitting of all commercial programs will be done by the user, but in English, not in BASIC, Logo, or Pascal. These will be archaic languages, like Greek or Latin, important historically, but of little relevance to students who are entering the job market of the early 1990s.

High schools, vocational-technical schools, and colleges are turning out huge numbers of computer scientists and technicians. But, surprisingly, computer jobs are beginning to dry up. especially at the entry level. High-paying computer jobs are still there, but they are reserved for those who have several years of experience or who have combined skills in computers and in some other field such as business, medicine, law. chemistry, or engineering.

Computer classes in schools today are busy turning out the computer "mechanics" and "repair persons" of the future. Persons trained in these areas will find that there are very few jobs awaiting them, and the competition will be incredible. With the huge supply of bodies and the slackening demand, salaries will plummet and so will prestige. By the time young people enter the market as computer specialists, most of the romantic aura about computers will have rubbed off. The glamour will have faded.

It all boils down to how we see computers. Do we see them as finicky appliances that have to be twiddled, scrutinized, and understood? Do we see them as "exer-cycles" and mental jogging machines that stimulate our problem-solving abilities and encourage algorithmic (that is, step-bystep, logical, goal-oriented) thinking? Or are they mechanical chameleons and quick-change artists?

In the near future I think most of us will see computers as Super Tools - like the handy-dandy Swiss pocketknives you can buy that have all those scissors, bottle openers, screwdrivers and twelve different blades stuffed inside. They will do everything. And we won't care how, We'll just pull out a new tool and run it!

For example, we will pop in a cartridge and our computer will become an electronic typewriter, dictionary, or secretary. We'll pop in another cartridge, and the computer will become our personal accountant, tax advisor, or a gourmet chef

Computers of the near future will be like vaudeville performers who can change their costumes in a flash. One minute they will be patient math tutors for our children. The next moment, they will be our electronic windows to the outside world. We will use them to bring us the latest stock prices, make a plane reservation, or mass mail our Christmas cards.

Or a moment later the computer will become an interactive (videodisc and graphics) TV. We will get to track down a roller-coaster bomber. solve the mystery of a collapsing bridge, or go on a big game hunt in darkest Africa.

We will not care how the computer changes its clothes. We will not be interested in a tour behind the stage, or what the performer's clothes look like from the inside out. Instead, we will want (maybe demand) to learn, to be informed, to be entertained, and to get on with our work. The computer will slip into its rightful position. It will become a marvelous tool that is almost ignored. It will be an almost invisible means to accomplish the essential things in life; survival, work, education, and fun.

Computers As Islands

The approach in many schools is to teach about computers in a special "computer science" or "computer lab" or "computer literacy" course. This reminds me of the touch typing course and the metalworking and other "shop" courses I took when I was in high school.

In all these "technical skill" courses, kids are introduced to machines and instructed in how to



CHILD **DEVELOPMENT** SERIES

(for the 3.5K VIC and 16K ATARI ADD/SUB-\$16.95

Displays single or multiple digits with or w/o pictures. borrows, carries, scoring, and audio/video feedback.

NUMER-RECI-\$16.95 Number recognition, object counting, object grouping, and number/size/shape discrimination



ALPHA-BECI-\$16.95 Twenty-six screens with let ters/pictures/labels 'built on the screen



Dealer Inquires Invited

BOSTON EDUCATIONAL COMPUTING, INC 78 Dartmouth Street, Boston, MA 02116 (617) 536-5116 *MA res. add 5% tax

SINC

VIC 20 . COMMODOR 64 . ATAR THERE IS STRENGTH IN NUMBERS THE SOFTWARE CO-OP NOW! For the cost of a single game cartridge you can join THE SOFTWARE CO-OP Use the advantage

of bulk-purchasing and pay only \$1 over whole sale for games, utities and educational software. Rock-bottom prices on all equipment and supplies. Savings up to 40% Guaranteed Specializing in VIC 20, Commodor 64, Atari, Apple and Sinclair Write today for free details about our excerng new catalog and other sensational Co op benefits including special swap

THE SOFTWARE CO-OP

PO BOX 275 ELIZABETH, NJ 07207 AIC SO . COMMODOR 84



SDB 64-Fast sorts by any field & alphabeteses DB 64-Makes it easy to write compatible programs! DB 64-File & retrieve names, addresses, hobbies, etc.1 structions-perfect for new corner data base

SDB 64 (Disk) \$39.95 (\$1.50 P&H) 716-334-9541 or 716-334-7406

ENGLISH GRAMMAR TIRED OF HO-HUM by T. Ackolski Easy to use program that team SOFTWARE parts of speech liderary the part of speech of the flexing word Sur able for any age or grade level * Parent/teacher specifies pert(s) of speech * Parent/teacher created sentence files * Stores results on disk * Sound option APPLE IVAE 48K DOS 3.3 (5 qps/cc) ... 845.00 WEIGHTS & MEASURES (Learn how to read a scale, convert between pounds and ounces, uses rules and conversions between the TO ORDER ches, feet, and yards. A must for every child from 4-10. 1-800-354-0550 * Large easy-to-read letters or unite * Full color graphics AH.E.S.I.S. + Sound P.O. Box 147. ATARi 400/800/1200 (cassette 16K) ... \$20.00 Garden City, MI 48135 ATARI 400/800/1200 Please add \$3.00 also (disk 24K) \$25.00 ping/handling COD add additional \$1.50 Write for Free Catalog.

STOP PLAYING GAMES

TER using BASIC

SCHWITTICALLY DERIVED SYSTEM rolly works To the Wall Street Journal (June 6 1960) article o Home Hundovagers. This system was written and used by contactor page to and is new teno made assoluble to home computer method is brief on atomic dids from a large number of most on a high speed, large son computer 23 fectors trees from the Dudy Raone Fairn computer in see how they influenced risk results. From these 23 totals its next be the meat which detarthing winders NUMERICAL PROPERTY.

SIMPLE TO USE Obtain. Dely Racing Form: the day before the races and answer questions about each bodie. Run the program and your computer will print out the or of spread in each race. COMPUTER POWER gives you the adventage.

Classifie
 Listing of BASIC graycon for use with any campular
 Institutions on how as get the weeked cofe have the deay Recorp Form
 Eggs on using the editing periodicity of the program
 Signification to simplify instructed days for 800th 900th

3G COMPANY, INC. DEPT. CO (503) 357-5607 RT. 3, BOX 28A, GASTON, OR 97119 Yes, I want to use my computer for FUN and PROFIT Please send me in EN 90-sigh. Circle the classifix you need. P(T/CRIL. VIC 22. Commodate 64 Sorter Town 1000 #840

Enclased is. C check or money order MasterCard Wisa Card Sc

Apple (Apple Dek multiple-edd \$5.00)

START USING YOUR COMPUTER FOR

Commodore Puts Excitement In Your Life For Such A Small Price.

Commodore 64

Avelon Hill Geme Company 180 704 Nukewar (C) 162 706 Planet Miners (C) 162 712 Computer Stocks & Bonds (C) Football Strategy (C)

Broderbund David's Michight Magic Detamost

Roundabout Mating Zone **EPYX/Automated Simulations** 14E 006 Jump Man (D

Human Engineer Software (HES HEE 007 6502 Professions HEF 400 Retro Ball ICITS

63E 001 Zork I (D) 63E 003 Deadane (D)

Sierra On-Line 54E 948 Frogger (D)

Sirius Software 70 6 036 Blade of Blackpools (C) 70E-445 Sorder City (City

Solnneke (E-001 Snooper Trooper #1 (D SKE-008 Her Diddle Diddle (D) CE-009 In Search of the Most Amazing Thing (D) \$ 27 \$ 20 \$ 20

Fraction Fever (C Alphabet Zoo (CT Snyapse Software SSE-011 F1 Apocalyse (D) SSE-019 Surveyor (Ct. SSE 020 Pharph's Curse ID

316 Oreiba(C 320 Pharch's Curse (C United Microway Industries (UMI)

We Accept VISA & MasterCard Commodore 64 (With Fectory Rebete) . . . 1525 Printer . 1530 Datasette 1541 Disk Drive 1600 Modem . 1701 Commodore Monitor VIC 1311 Joystick VIC 1312 Game Paddles

USC 1111 16K Memory Evpande VIC 1011 RS 232 Terminal Interface VIC 1212 Progammer's Aid Carleder

VL 102 intro to Basic Proc I VT 1024 Mores Calminators Park



1-800-634-6766

VIC 20 Educational

Kids and the Vio \$ 18 Vic Music Composer (CT) Programmer's Reference Guide (Vic.) \$ 14 MES Synthesound (CT)
Programmer's Reference Guide (St) \$ 18

Reading and Languege Arts Lenguege Arts Financia Santino G. Ci. \$ 30 \$ 23 Super Hangman \$ 20 Samon Hear (C) Super Hangman ICI My Spelling Easel (Ages 3-10) \$ 20 Concernation (C) Programming Techniques Intro to Basic Prop. (

Meth Programmer's Aid Carl Turtis GraphicalHess (CT) Groteck & Microchip Sky Murb (C) \$ 12 \$ 12 \$ 21 \$ 22 Bingo Speed Math (CT) Number Crunch (CT) Social Studies/Science Visible Solar System Number Guiger Respondings (CT) .

OFFICERING INFORMATION AND TERMS For fast delivery send cashier checks, money orders or direct bank were transfers. Per Type Attack For fall deliety send Glovier unions, many orders or credit base and the province for sonal and company checks allow 3 weeks to clear. C.O.D. orders (\$3.00 misenses) and 5% of all orders over \$200 School purchase orders welcome. Prices white a cash decount only and are subject to change Please enclose your phone number with

any overest and the property of the property o our low prices, all sales are final. All returns must have a return authorization number. Swarm/Cr Call 702 309 5023 to obtain one before returning goods for replacement. All returned mer. Sidewinder (C chandise is subject to a restocking fee and most come with their original packaging in. Gold Fewer (CT)

16 AE ICT Creetive Software Black Hole (CT) City Bomber & Minefeld (CT)

Sepentine (C) VIC Software

530

\$ 23

\$ 25 \$ 25 \$ 25 \$ 25

5 25

SuperAler Medneght Drive Sargon II Chesa Оттера Васе Adventureland Mission Impossible The Sky is Falling

> Benoo Speed Math Visible Solar System Personal Finance **HES Sottwere** HES Mon (CT) HES Wilber (CT

Synthesound Music Synthesizer (C 5 49 Victorial

> United Microware Spiders of Mars (CT) Meteor Bun (CT) (C) \$ 15 40 5 17 Skymeth (C)

3D Maze (C) Kosmic Kamikaza (C) Renaissance Outworld (CT)

Thorn EMI



Atari Adds Adventure.

With Factory Rabatas - Atari Pre-School 1200 XL 800 48K \$299 400 16K 410 Peconde 610 Dink Drive

461 Entertaine

463 Programmer 484 Communicator Ta Bookkeeper Kir CX4104 Meiling List CXL4007 Music Composer Conversational Languages

CXX126 Microsoft Resec CXL4022 Pen Man CXX130 Caverns of Mars CXL4008 Space Invaders CXII 4009 Computer Chase CXL4011 Star Raders CXL4013 Autoroids The Bookkeeper Homa Filing Manage Ateri Speed Reading

\$ 26

.5 3

\$ 39 \$ 59 \$ 23 \$ 27

Paint.

Dig Deg ... ET Home Phone AterWhiter Business & Utilities

Pris Manager 800 +

ag interprete Grandisco Manzer aphics Generator

Pilokette Inventory System M.P. Property Management Educational Software's Programming Techniques

PrioritGors or Educator (C) 859, (C) 99 ncky Tutorials—Santa Crus TT #1 Display Lists (C, Di TT #2 Hong/Nert Scrolling (C. D)
TT #2 Hong/Nert Scrolling (C. D)
TT #3 Page Flipping (C. D)
TT #4 Basics of Animation (C. D) TT #5 Player Morade Graphic TT #6 Sound of Music (C.D) TT#7 Disk Utilities (D) 10gs 6

\$419 Sammy the Sea Separt (C) \$ 13 (D) \$ 19 Pre-School (Q Builder: (C) \$ 13 (D) \$ 24 My First Alphaber (C) \$ 25 Allen CounterFace Flash (D. C. \$ 26 \$ 16 \$ 25 Pre-School Fun (Color, Shape, etc.) Juggies House (C, C)

Juccies Paintow (D. C) Mankey Up A Thee (D, C) Video Math Flash Cards (D, C) Algosalc (D, C)

Compunath-Fractions (C) \$ 23 (C) \$ 25 Compunath-Opcimals (C) \$ 23 (C) \$ 25 7-12 (0, 0, 1 2) (0, 1 1 (0, 1 2) (0, 1 7 (0, 1 2) Cash Register Big Math Attack Marh Facts Level B O1 11 O1 15

inon Magic Melody Box ... Watch for the exciting new Atari line of home computers, the 600XL, 800XL, 1400XL and 1400XLD. CALL FOR MORE INFORMATION.



Les Veges, Nevede 89109 Call Toll Free

1-800-634-6766 Order Line Only

Information & Order Inquiries (702) 369-5523 Mon. - Fri. 8 A.M. to 6 P.M. - Set. 9 A.M. to 6 P.M. Dealers' Inquiries Invited

* * Specials of the Month * * Gorilla Banana Printer Citoh Prowriter Gemini 10 \$319 Bumper Basin (CI)
Capture the Flag (CT
Siam Bail (C. C) Elephant Disks (Box) s/s . Amdak Color I Monitor ... NEC 8023A Printer

Mosaic 64K RAM w/Cabla Parcom Doubla Danalty Driva Parcom Single Density Drive Wico Joystick Wico Redball Joystick

Filip & Sort Diskatta Box (Holds 50 Diskattas) FIIp-Sort Cartridge Box (Holds 10 Atari Computar Cartridgas). . \$ 21 Aley Cat (D, C) 80 Column Board (Atart) \$279 Rev Cont (6, C) Cardoo 6 Slot Expension Motherboard \$79 Courseson (6, C)

Raading and Languaga Arts Social Studies and Geography My First Alphebet (D) States and Capital Master Type (D) Touch Type (C) C)1 16 (C)1 20 Type Attack (D. C.

Spelling Builder Do-it-Yourself Spetting (C) S A T Dollege Board Prec (C) Story Builder Prefixes (A) Vocebulary Builder 1 . . (C)\$ 13 (D)\$ 19 Vocebulary Builder 2 . (C)\$ 13 (D)\$ 19 Pushing for Homonyme (C) . . .

Hey Diddle Diddle Snooper Troops #1 (D) Snooper Troops 42 (D) Story Mechine ID Crossword Magic (D)

Caryon Camber Jestreste Jerry White's Music Lessons (C)

Ulysses and the Golden Fixed Sky Blazer (D

New Hit List

5 20

15

\$ 23

27 20

5 20

Sends of Epypt (D) -(D)\$ 27 (CT)\$ Bandits (C)

The Cosmic Belance (D) Baptillan (D. Ci Jumbo Jul Poot (CT) Kickback (CT)

Miner 2049ar (CT The Birth of the Phoson Protector I

Amaria Mechani (D) Cap n' Cosmos (D) \$365 Critical Mass (7) \$319 Bumper Bash (CT

\$209 Blue Max (D, C)\$299 Millonare (D. Poler Sam (D. . . . \$439 Jump Man (D \$ 89 Heilfire Warror (D, C)\$389 Adventure in Time (D)

Phenoah's Curse (D. CT) .

develop a certain level of proficiency and familiarity with these machines. But they aren't told why.

At some level, students who take these courses must be asking themselves: Why is a computer important? What good does it do me to know how to program a computer, or load a program,

or learn about FOR-NEXT loops?

The computer is not an end in itself. It is a means to an end. It is a resource or a tool that can be used to do something else. Computer skills are meaningless to a child unless the child can use them to do something that he or she wants or needs to do. To make computers meaningful. they must be integrated, on a daily basis, into the rest of the curriculum and into a child's life. The child must need or want to do something important that can only be done on a computer.

Computers As Moon Rocks

In many schools, desktop computers are introduced as oddities and curiosities, like moon rocks

This is a marvelous approach. It encourages children to see computers as wondrous devices (which they are) and to approach computers with curiosity and fascination.

Since computers are objects of wonder and curiosity, many schools have put them in a special room – a computer museum. Everyone can come in and gawk at them, reverently press their buttons, and say ooh and aah.

But after having a computer about six months. a school usually moves beyond this approach. The awe and magic about computers quickly wears off - especially for the kids. Teachers begin teaching kids how to program - how to master computers, boss them around, and tame them.

The Latest Audiovisual Device

Today, many schools are leapfrogging right over these first two steps. When schools acquire a computer today, they don't automatically send it off to a tiny lab or unused classroom. Instead, they regard the computer as a new kind of audiovisual device - a godsend for the frazzled, overworked but forward-thinking teacher of the 1980s.

This approach is being given a big boost by the educational courseware flooding into the market. Dozens of companies are producing hundreds of software packages. A year ago, there was an acute shortage of reputable software. Now, already, there is a glut. There are hundreds of programs out that introduce kids to the alphabet Dozens more teach them how to add two numbers or spell simple words.

I walked down the exhibitors' (read vendors') aisle at a recent educational computing conference, and I was overwhelmed by the number of glossy, smart-looking packages I saw. It was a

kaleidoscopic, mind-numbing experience.

Given this vast amount of courseware, it won't be long before computers move out of their "computer museums" and isolated labs and into the curricular mainstream. Thousands of math and language arts teachers already use computers as audiovisual aids. Soon history, science, music, and art teachers will use them too.

The Computer As A General-Purpose Tool

The computer will soon become a valuable resource for teachers, no matter what subject they teach. But the computer can be more than a special-purpose resource to help a teacher teach a particular subject. It is also a tool - a magnificent. general-purpose tool that a child can apply to any subject

If children learn only how to program, decipher bits from bytes, and learn geography on a computer, they are going to be poorly equipped to use computers - in the future, in a job, in the outside world

To be prepared for the future, youngsters must learn how to use computers as tools. That's the way most computers in our society are used. And that's the way they will be used in the future

Discovering A Tool

The problem has been that most classroom computers are regarded more as toys than as tools They don't have the speed, memory capacity, or software to make them serious devices. They are also isolated, one from the next, instead of tied into information and programming resources (by phone or direct-wired access to a central, highspeed computer)

But all this is changing.

One of the most popular and well-attended sessions at the National Educational Computing Conference (NECC), held this past June in Baltimore, was on using computers in studying literature and English composition. Teachers presented papers on how they taught word processing in the classroom, how they used a computer in writing class, and how they and their students

used a computer to study and analyze literature. Kids in the first two classes used the computer as a tool - as a word processor. They found it was easier to write stories, develop ideas, and explore

new subjects by using a computer. Kids in the third class learned programming skills for a purpose: they turned the computer into a tool to help them analyze a book, article, or short story. They used the computer to complete a class assignment.

Right now, word processing is a very popular computer application in schools. But it is just the

160 COMPUTE! September 1983

tip of the "computer tool" iceberg. Computers can become powerful word-handling tools for kids. But they can also become all sorts of other

kid tools.

With software already available or under development, computers can become kids' powerful database managers, priority sorters,

homework organizers, and calendar schedulers. They can simulate chemistry labs, physics labs, and math labs. They can be used to map out a complicated dance routine for a musical, compose a song, or take the student on a journey inside a volcano, to the center of an atom, or to the outer

reaches of the solar system.

New software packages are also needed that are patterned after the "second generation" software now truning on expensive IBM. Apple, and Xerox business computers. These kid workstations should be general-purpose tools that help a student process words, perform complicated calculations, create graphs, functions and diagrams, and organize, classify, and summarize huge amounts of data. They should enable students to link their of data. They should enable students to link their of data. They should enable students to link their more team muriest for students in which students

and their computers work together to solve prob-

The more students get to use a computer as a tool to enable them to do something necessary or desirable, the more meaningful and useful computers will become. Also, this is precisely the type of training that young people will need to prepare them for their future careers. Very few students will find jobs as computer specialists. But a vast majority of today's students will need to use computers as tooks in their jobs. They will dedictions, and the properties of the propertie





Learning With Computers

Glenn M Kleiman

Playful Exercises For The Mind

One premise underlies all I have to say in this month's column: the mind, like the body, is strengthened by exercise. I believe any activity is worthwith if it leads people to exercise their creativity, thinking, problem-solving, memory, perception, concentration, math, or language skills.

Many tows, games, and puzzles provide op-

many usys games, and publics provide opportunities for mental exercise. For example, building toys, such as blocks, Erector Sets, Tinker Toys, and Legos, provide opportunities for children to design, build, test, and modify various objects. Clay, crayons, and paint sets provide other means for creative play.

Also, crossword puzzles, and word games such as Serables, oversies vocabulary and spelling, skills. Ijgsaw puzzles coercise perceptual and search games and properties of the properties of the search games and checkers involve problem-solving and planning skills. Mamy board games provide varied learning experiences. Monopoly, for example, or properties of the properties

many types of playful exercise for the mind. In some cases, the exercises are similar to those which can be done without a computer, but the computer makes some things easier. Computers can be programmed to set up game boards on the screen, keep score, monitor time limits, saye the "State"

of games so they can be continued later, and make sure the rules are followed. But computers should not be limited to these mundane chores.

Making Real Use Of Computer Power

The flexible and interactive nature of personal computers, combined with their graphics, animation and sound capabilities, offers exciting new possibilities for mental exercises. For example, computers can be programmed to automatically adjust the level of challenge to be suitable for each player. Depending upon the nature of the game, the computer can adjust the speed of movement, the complexity of the materials, the size of the board, or the level at which it plays.

Computers can also provide hints, second chances, and other on-line aids. The graphics and animation make it possible to represent many things pixton-ling, as well as provide displays which hold players' interest. The sound and, on some systems, speech capabilities, also add to the attention-holding and information exchange posterior of the provided provided the provided provided the provided provided the provided provided provided the provided prov

have been developed to take advantage of computer features. There are computer versions of paint sets, chess, checkers, Othello, crossword puzzles, Rubik's Cube. Scrabble, Concentration, and many more. Simulations provide another type of playful mental exercise. Adventure games type of playful mental exercise. Adventure games readers direct and contribute to the flow of events as they read – also belong in this category.

PRODUCTS FOR ATARI* 400/800 FROM ELCOMF BOOKS for ATARI Computers

Introduct book for the beginner Many your progra-learning concars. All important features of the AEA

Govern for the ATARI Compute cos describes advanced programming sechniques 18 missing replica and use of the hardware-resistant out of the hordware-regulars ran programs in BASIC and one



How to program your ATARI in GS22 Much Lane Order # 169 FORTH on the ATARI -- Learning by Using

\$7.95





atolog is free with every order. Send \$1,00 and SUPERMAIL

Order If 7310 10 529.95 **ATCASH** powert your ATARL SOC Ougart 7312 \$49.00 SUPERINVENTORY Order = 7307 849 95 Investing progr. i. BASIC Order # 7201 IC1 \$29.95 Order # 7200 (OI \$39.95

rder 27320 \$49.00 Molking List in BASIC Order # 7212 (C) \$19.96 Order # 7213 (O) \$24.96 BUSIPACK-1

nice II 77777 CON CO.



vectory control is BASIC Order #7214 (CI 819 95 Order #7215 (O) \$24 95

A MUST for the hard Order No. 23 \$14,96

order, VISA, MASTER USA: acid 15 % shapping, College

SOFTMAKE IN MACHINE LANGUAGE for ATARI

with the most important commands for programming in machine language. Observable, dump they are ASCII), change memory location, black transfer, fill memory block, size and load muchine-language proed muchine-language prograns, start programs. Primer option Order #7022 Order #7023

ATMONA-2 A mm/MA-2
This is a tracer (debugger) that lens you explore the
ATARI RANA/SORE area You can step at perspective
indecad elders, oppoids, or operand. Also very
valuable in understanding the inscriprocessor. Are
each step, all implemes of the CPU early be charged,
includes ATRICOLE-1
Order & TABBO Seasonthe version \$2.00 pc.
\$40.00 pc.
\$40. disk version

.... Reco Appendig for ATARI-900/69s. One of the most powerful editor essent/less on the market Versatile editor with accolling. Up to 17% of waren Code. Very fast, translates Sk source-code in about 5 seconds. Source code can be saved on disk or consette Order # 7099

ATAS Serve as ATMAS but without macro-cap Conette based \$49,95 \$49,95 ATEXT 1

money. It features screen or ented editing, agraffing strong search (new mested), left and right many on disk or cassette Order if 7210

Order # 721 This gense (Sk machine-language) rends two joysteks. Animation and sound. Two coaboys fight against each other. Comes on a bookside casette

Fig Forthverson, Editor and I/O peckage included Utility package includes decompiler, sector copy, Hea and sound, strength program and player missisk

skage with ingonomic Floating point pa Onder († 7230 Laure-FORTH from Electing Publishing, Inc. assert of Fig-Forth for the beginner. On dol 2% RAM) or on casette (16k RAM)

> Expansion boards for the APPLE II DIE \$25.00

and Feeding of the Commodore PET Eight chapters explaining PET hardware Includes ELCOMP PUBLISHING, INC Pomone, CA 91766 Phone: (714) 623 8314

for

ATARI VIC-20

OSI

SINCLAIR

TIMEX

Hardwere - A00-ONS for ATARI POINTED INTERCACE

PRINTER BYTERPACE
This construction article comes with printed circuit
board and software You can use the EPSON printer
without the ATARS printer injection. (Norks with parteports 3 and 41. Order # 7211 \$19.85 RS 232 Interface for your ATAR I 400/800 Software with connector and construction article Onder if 7291 (SV TTL-Level) \$16.95 EFRON BURNER for ATARI 400/800 Works with gameports. No addr needed. Comes compt. assembled with software Order # 7047

EPROM BURNER for ATARI 400/000 KIT Printed swould board incl Software and extensive construction article Order \$7292 EPROM BOARD (CARTRIOGE)
Holds two 4x EPROMs (2532): EPROMs not included
Order 2 7043

PROMINOARD KIT ne as above but bere board only with de fer # 7224 \$14.95

ATAR), VIC-20, Sincitir, Timex and OS NEW - for year ATARI 400/000 interesting and floodsyther for ATAMI (Dek only). eth control with the ATAS rior No. 7222 ooks + Software for VIC-25 (requires 3KRAM Exp.) 6. 4828 threshmoneur for VIC-25 (scRAM 5195) 6. 4823 V. sing 1 to the VIC-25 (scRAM 5195) 6. 176 Trisks for VICs (book, 116 pages) 51,95

No. 176 Trucks for VICs (book, 116 sayes) Monneybler 1 x VIC 20 No. 4355 \$10.85 Number 5 : VIC. No. 4801 55 85 THE THE VIC No. 4210 59.95 CAMERACK I IS Garnel Prog. in 6502 Machine Language on your PET+CBN 2 monature Editor/Assemblers Course code 3 has c compress Editor/Assemblers (Source code 3 has dump + description plus a powerful mediane language monitor (Neodump) Order-No. 166 \$1955

Universal Experiencester Board for the VIC-20 Saws money with this great board. This board plan ght into the expension slot of the VIC 20 Coder # 4844 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monston #2335 Malian I est Programming in BASIC and much

the ZX 81 (82) or TIMEX 1000 Order-No. 174 (book) \$ 9.95 # 152 Expension Handbook for 6592 and 6802

153 Microcomputer Appl Notes Complex Sound Generation Complex sound teneration New revised epitications cranual for the Texa Instruments SN 76477 Complex Sound Generator Order († 156 99 69

Small Bussess Programs Order #156 Complete latings for the business user line Invoice Writing, Mailing List and much more

I have reviewed some paint set and simulation programs in previous columns (October and November 1982), and I will discuss interactive stories, computer word games, and other types of playful exercises in the future. For the rest of this column, I will describe one program which is perhaps the best example now available of how computers offer new opportunities for play and creativity.

Pinball Construction Set

Suppose you were designing and creating a pinbal game. You would have to figure out the shape of the playing area and barricades, where to put flippers, bumpers, spinners, lanes, gates, targets, and the other apparatus of these games. You would have to assign point values for when the ball hits each one, and add the essential sound effects.

Of course, good pinball games are not random arrangements. They are designed so there is a good amount of bounce, ample opportunity to use the flippers, and an appropriate amount of risk of lossing the ball. There should be no places where a bull can get stuck or be caught in an end-lessly repetitive pattern of bounces. The number of points scored in various ways should reflect the difficulty and likelihood of striking the various largets. Hitting all of a set of targets should vigilet.

bonus points.

And, of course, the overall design should be visually balanced and pleasing. Building such a game would require a great deal of thinking and experimenting. Certainly, a pinball construction kit would offer opportunities for creative, exploratory play comparable to those provided by

other building toys.

Pinhall Construction Set program, created by Bill Budge, offers all of the above possibilities and more. Once you have created a game, you can play it like any of the available video pinhall games. You control the ball with the joystick. The play action (sets like a real pinhall game, and the movement of the ball is an excellent simulation of the real thins.

When you book Pinhall Construction Set, you see the screen with three types of elements. At the left is a box in the bases shape of a pinhall game. At the neght are pictorial representations (called Art to right are pictorial representations (called a pinhall part of the pinhall part o

You begin constructing a game by using a joystick to control the hand icon on the screen. You can move the hand to any pinball piece, press the joystick button to pick up the piece, and then move it anywhere on the game board. In the figure, the hand is shown in the middle of the board, having just placed the round bumper that is next to it.

There are a variety of pinball components available two sizes of flippers, polygons which the ball just bounces off; bumpers which kick the ball away when they are hit; launchers which are like the spring-operated device that puts the ball into play; a ball hopper which captures balls until into play; a ball hopper which captures balls until a though a ball eater which makes the ball vanish, spinners; lanes; gates; rollovers; and tangets – everything you need for a real pinball game.

Each time you pick up a piece, it is replaced with an identical one, so you can, if you choose, create a game with 30 pairs of flippers and 50 bumpers. The only limit is that a maximum of 128 pieces can be placed on the board. It's very unlikely you would eyer want more.

Beyond Pinball

What I have described so far would make a very impressive pinhall construction program, but Bill Budge has provided much more. You can change the shape of the board, and the shapes and sizes of the barricades. To do so, you simply move to the arrow tool and press the button to select it. When you select the arrow tool, knobs appear at the corners of each shape. Using the joystick, you can be supposed to the property of the pro

Another tool is the paintbrush. Pick it up, move it to the paint pot with your choice of color, and paint the board or any barricade. There is even a magnifying glass tool for very detailed

painting.

Each pinball piece has an associated number of points and a sound that plays when the ball hits it. You can reset these. You can also use AND gates to link parts together for borus points. That is, you can create effects such as: "If you hit all three of these targets, you get 10,000 bonus points."

Now for the most amazing part, which could be done only with computer pinball. You control the physics of the world in which the game is played? You can set gravity anywhere along a scale from very high to very low. Set gravity to be scale from very high to very low. Set gravity to be like a proper power of the property of the prope

You can also change how much the ball

164 COMPUTEI September 1983

Pinball Construction Set



bounces and how much the bumpers kick. You can play with a lively ball and dead bumpers, a dead ball and lively bumpers, or anything in between. By experimenting with these two controls, you get a good sense of how different factors interact in a physical system.

Finally, you can set the speed. This lets you put the whole game into slow motion. The ball moves the same distance as it would otherwise. but it goes very slowly. Or you can set the game to high speed and really test your reflexes.

Pinball Construction Set is remarkably simple to use. Everything is done with the joystick, and almost everything you need to know is represented pictorially. In fact, although it runs on much less expensive machines, the program has aspects of the Lisa and other new, more powerful machines.

With its encouragement of creativity, its visual appeal, its ease of use, the complete control it provides over the world of a pinball game, its inherent physics lessons, and its great fun, Pinball Construction Set is a truly remarkable program. If I had to select one program to demonstrate the potential of personal computers to provide playful exercises for the mind. Pinball Construction Set would be the one

I have reviewed the Apple II version of this program, and, by the time this column appears, versions for Atari, Commodore 64, and IBM PC computers will be available. The Apple II version is available from BudgeCo, 428 Pala Ave., Piedmont, CA 94611. All the versions will be available from Electronic Arts, 2755 Campus Drive, San Mateo, CA 94403.

More Call-on-Me's" with

MASTER MAT

after Math is more than suif a comprehensive software package for leaching grades 5 moth. It's specifically designed to build and hold interest and enthusiasm to student con learn faster witon more and be proud and confident snough to show it pardies of the students starting level, Marter Math will help develop moth professory

promitted would welcomed by a professional moth and contrar in the LLK where there have round as a learning cade. Also, if has been fested in public and pavalle schools in the US. It's received highly tovorable reviews in both countries

Master Moth runs on Applic 1/4/II. Commodoro PET and CBM 8032 It's compared of a dependent discs or topes with over 50 individual subjects. Coverage includes Alastica pnomely. Geometry Statistics and Basic Accounting Neacher's support material ripide his valuable learning package

to find out what motivation can mean to your math closes, fill out the coupon and along with \$150 taryour 10 day trial. On you can order one to city \$30 But no matter which way you choose to every Moster Moth if you are not throughly soldled with its performance or multi, telum into us to a full and chearful water of telephone orders are glock occepted Call (207) 336-2500

SWILL PRODUCTIVE COMPLITER SOFTWA 800-227-1836

I'd like to put Master M. Please send me the ind .Checks or money orders may be made and in 1949 in-

Calmin Percents, Bases and Exponents \$30

Test problems 12 progrems, 33 topets Algebre, Geo

D CBM 5022" D C64" Divid 20 (NM 4 & 5 orly)

VIC PILOT

Mark Hauman

Just type in this program and sou 're god a completely new larguage you can see with your VCc Turtle PILOT. For many applications, this language is superior to the BASIC that comes with the computer. If you're interested in a new, ossy way to produce startling graphics, or in furthest and recursion, or in introducing Turtle graphics to a youngster—it's all possible with this PILOT and this high-resolution graphics capabilities. You'll need at less tan 8K RAM memory expander. The Super Expander is optimal.

It is difficult to exaggerate the interest and excitement being generated by Turtle Graphics and the languages, Logo and PILOT, that support it. Home-computer users, educators, mathematicians, and, of course, kids are all fascinated with "The Turtle." You need book no further than David Thornburg's "Friends of the Turtle" column in each month's COMPUTE to see vidence of this.

However, if you are a VIC user, you may be feeling left out. Although the VIC has excellent graphics capabilities, no package of Turtle Graphics commands that fully exploit these capabilities seems to be available. The programs included with this article will provide VIC users with a PILOT interpreter and high-resolution of the provide VIC users with a PILOT interpreter and high-resolution of the vice of the vi

The PILOT Interpreter

The PILOT interpreter included here is an extension of the core PILOT interpreter written in BASIC by Michael Tinglof (COMPUTE, December 1982). His PILOT provides commands for displaying written information on the screen and for accepting and testing responses from the keyboard. Or bits core I've added a set of Turtle

Graphics commands which control the location, heading, and motion of an imaginary turtle that inhabits the graphic screen.

The turtle can leave a trail as it moves around the screen. The trail forms the graphic design. The interpreter understands commands which portion of the turtle's path; is color, securing a trail is left; and the colors of VIC's screen and border. Most people find the "Turtle" approach to graphics simpler than the "Cartesian" approach (turn on the pioe), or doi, at screen coordinate x_j) because they can imagine themselves in the design as an aid to programming it.

Two versions of the interpreter are provided. Program 1 will run on a VIC with Kc or more expansion RAM added. It provides a 1604.75 pixel high-resolution graphics severe and roughly XC add memory as you like. This version of the interpreter plots the path of the turtle point-by-point and additionally the provided of the point-by-point in a fashion that will be familiar to anyone who has worked with VIC's high-resolution screen. The provided is a nice, sharp graphic display, but the every sense of the word.

every sense of the word.

The word is a constraint of the word of the Program 1. In machine language graphics routines of the Super Expander are used to overcome the speed problem of the other PILIO I version. Typical Turtle Craphics programs now run in ters of seconds. Even when the turtle's path consists of an immense number of tiny steps and pander version runs about twice a fast as the first. If you are planning to work with a young child with a short attention span, this extra speed full with a short attention span, this extra speed full with a short attention span, this extra speed.

64K for VIC 20 SELECT-A-RAM



SELECT-A-RAM STANDARD FEATURES

- 8K BLOCKS SELECTABLE FROM THE KEYBOARD OR BY SOFTWARE COMMAND
 TWO EXPANSION SLOTS
- WRITE PROTECTION
 RESET SWITCH
- EXPANDABLE TO 192K WITH ADDITION
- OF 64K EXPANSION MODULES

 COMPATIBLE WITH ROM CARTRIDGES

 ONE YEAR WARRANTY ON PARTS
- AND LABOR

 15 DAY MONEY BACK GUARANTEE

VIC 20 IS A TRADEMARK

OF COMMODORE ELECTRONICS LIMITED



APS-52A 52K MEMORY FOR ATARI

come assembled and tested with a 90 day warranty covering materials and workmanship Boards come with complete documentation including operation and installation instructions and a memory test program

16K TRADE-INS ACCEPTED \$15.00

ATARI 400 AND 800 ARE TRADEMARKS OF ATARIJNC

512-441-3202 PO BOX 43006 Austin, Tx. 78745-0001







could be very important. For that matter, anyone wanting to experiment extensively with Turtle Graphics would probably prefer a faster turtle.

The Super Expander version provides a 160x160 pixel high-resolution graphics screen and with an 8K RAM cartridge you have, once again, roughly 2K bytes for PILOT programs.

Toward the end of this article we? Il discuss a few PILOT programs to demonstrate some of the capabilities of this interpreter. But first, let's talk about the turtle commands that the interpreter understands and, also, briefly review the operation of the editor and the PILOT commands, instructions, and variable conventions that are inherited from Michael Timelos' interpreter.

The Editor

The PILOT editor is precisely like the BASIC editor. To enter a program line, type the line number, the PILOT statement, and hit RETURN. To correct an error, move the cursor to it, type the correction, and hit RETURN. Alternatively, you may simply reenter the entire program line. As in BASIC. the editor assumes that anything entered

without a line number is a command.

The Commands

- The editor understands the following commands:

 LIST xx-yy Lists the program lines between
 the specified line numbers. Either or both of the
- line numbers may be absent.

 RUN Executes the PILOT program in memory.
- SAVE name Saves the program in memory on cassette.
- LOAD name Loads the program from cassette.
 NEW Clears program memory.
- BASIC Exits the interpreter and returns to BASIC.
- PLIST xx-yy Same as the list command except that output is sent to the printer, device 4.
- Note that command names may be shortened, even to a single letter. For example,
 - L 10-25 for LIST 10-25 R for RUN.

PILOT Instructions

PILOT statements, with the exception of labels, consist of an instruction name, an optional conditioner, a colon, and an object. The object is simply everything that follows the colon and is optional with some instructions.

The interpreter understands the following PILOT instructions:

T: The TYPE instruction prints everything in the object on the screen. This may be text or variables. For example,

18 T:ANGLE=#A 16 COMPUTE September 1983

168 COMPUTE! September 1783

prints "ANGLE=xx" where xx is the value for the numerical variable #A. Note that no carriage return will be printed if a T: instruction is ended with a "!".

A: The ACCEPT instruction inputs a response from the user. The user must hit RETURN to complete a response. The object of an A: instruction may be a numerical or string variable, but no object is necessary. The user's response will be assigned as the variable's value if an object is given. It will be assigned to a buffer that can be used by the MATCH instruction when no object is present.

15 A: 20 A:\$V

M: The MATCH instruction checks to see if certain strings are present in the contents of the Accept buffer or in a string variable. If so, the Y-conditioner flag is set. If not, the N flag is set. For example.

15 M:12, TWELVE, XII, 1100, \$00

sets the Y flag if any of these representations of twelve is present in the Accept buffer, while 28 M:\$L,SUPERIOR,MICHIGAN,HURON,ERIE,ONTA

sets the Y flag if the string variable \$L contains any one of these Great Lakes names.

E The IF instruction is a nonstandard instruction implemented by Michael Tingd for allow mathematical testing to set the Y and N flags. It can check to see if a given variable is greater than, less than, or equal to a given value or a second variable. The Y flag is set if the expression in the object of the instruction is true. Otherwise, the N flag is set. Only = 5, and 7 can be used in expressions. Sample instructions are

35 I:#N<#L

J: and U: The JUMP and USE instructions are the analogues of BASIC's COTO and GOSUB statements. However, either labels or line numbers may be used in PILOT to specify where in a program these instructions are to transfer control. 35 J:5 80 U:*SHIFT

E: The END instruction is the analogue of BASIC's RETURN statement. It transfers control to the program line following the last U: instruction executed by PILOT.

C: The COMPUTE instruction performs simple four-function calculations in linear order (no parentheses). The object of this instruction must be an equation specifying the value of a numerical variable. The expression on the righthand side of the equation is evaluated and the value of the variable is set to the result.

Note that if #R is encountered in the expression.

15 C: #N=#G*18/#T+15

COMPUTE!'s First Book Of VIC

Authors: COMPUTE! Magazine contributors

Price: \$12.95 On Sale: Now

Finally, it's VIC's turn! Users of other popular personal

computers have been enjoying their COMPUTE! Books. COMPUTE'S First Book Of PETICEM...the First Book Of Atari...the Second Book Of Atari...the Second Book Of Atari...nrogramming The PETICEM... and others.

Now, there's a book devoted exclusively to the Commodore VIC-20 computer: COMPUTEI's First Book

A The editors of COMPUTE!

Magazine – the leading resource for the VIC-20 – gathered together the vIC-20 – th

alike.

COMPUTETS First Book Of VIC
is spiral-bound to lie flat, and
includes ready-to-spe program
listings and anticles such as "The
Joystock Connection." Mereor Maze.
"STARRIGHT3," "Train Your PET To
Man VC Programs," "Renumber
BASIC Lines The Easy Way." "High
Resolution Politing," "Custom CharThe Uncharted Adventure," and "A
Small Medicine For The VIC."
Small Medicine For The VIC."

At only \$12.95, less than most computer manuals, COMPUTE's First Book Of VIC is among the best resources a VIC user can own.

w Introduction Chapter One: Getting Started. Robert Lock 3 The Story Of The Vir 11 Computer Genesis Michael S. Tomczyk From Stroks And Stones To VIC Dorothy Kunkin Heller / David Thomburg 20 Super Calculator 24 Large Alphabet Jim Butterfield 26 Using A Joystick Doug Fergusan 39 Extended Input Devices Paddles And The Keyboard Mike Bassman / Salomon Lederman 46 Game Paristes Chapter Two: Diversions – Recreation And Education. David Malmberg 59 The Joystick Connection Meteor Maze Paul L Bupp / Stephen P Drop 72 STARFIGHTS Dub Scroggin 78 Alphabenzer David R Mizner 80 Count The Hearts Jam Willow Christopher J Flynn Chapter Three: Programming Techniques. 89 PRINTing With Style 97 Train Your PET To Run VIC Programs James P McCallister 99 User Input Lyle Jordan 103 Amorton Wayne Kozun 106 Append 109 Plinting The Screen Wayne Kozun 113 The Confusing Quote 115 Abernate Screens Charles Brannor 119 Timekeeping Arm Butterfield 125 Renumber BASIC Lines The Easy Way Keich Schleiffer 127 Automatic Line Numbers 129 Putting The Squeeze On Your VIC-20 Jun William Gening The Most Out Of 5000 Bytes 141 An Easy Way To Relocate VIC Programs Stanley M Berlin On Other Commodore Computers Chapter Four: Color And Graphics. Greg and Ross Sherwood 147 Kaleidoscope And Variations 148 High Resolution Plotting Kenneth Kons 154 VIC Color Tips Paul F. Scharz 157 The Window Charles Brannon 160 Custom Characters For The VIC Charles Brannon Chapter Five: Maps And Specifications, 173 How To Use The 6560 Video Interface Chip 179 Browsing The VIC Chip Dale Gilbert 186 VIC Merrory - The Unchanted Adventure David Barron / Michael Kleiner

Jim Butterfield

Jim Butterfield Russell Kavanagh

Available at computer dealers and bookstores nationwide. To order directly call TOLL FREE 800-334-0868. In North Carolina call 919-275-9809. Or send check or money order to **COMPUTE! Books**, P.O. Box 5406, Greenshorn, NC 72403.

Chapter Six: Machine Language.
195 TINMONI A Simple Monator For The VIC
202 Engring TINMONI Directly Into Your VIC-20.

211 Index

its value will be set to a random number between 0 and 1.

R: The REMARK instruction is not executed. Its object may be any desired program documentation.

H: The HOME instruction clears the text screen and returns the cursor to home.

G: The GRAPHICS instruction takes as its object any of the turtle commands discussed below. For example,

12 G:DRAW 58

END This instruction stops execution of a PILOT program and returns control to the editor. It may not be abbreviated and is the only instruction that cannot be modified by a Y or N conditioner.

166 END

Conditioners: PILOT instructions can be modified by the addition of a Y or N conditioner. For example,

50 TY: VERY GOOD \$N. 60 JN: *START

Y-conditioned instructions will be executed only if the Y flag is set. Similarly, N-conditioned instructions will be executed only if the N flag is set. Remember that these flags are set by MATCH and IF instructions.

Labels: These are designated by beginning a line with *. For example,

10 *LOOP START

25 JY: *LOOP START

PILOT Variables

The interpreter recognizes both string and numerical variables. String variable names consist of a \$ followed by a single letter. Numerical variables are integer variables. Their names consist of a # followed by a single letter.

Turtle Commands

Each of the commands described here must be preceded by a G: instruction. Command names may be abbreviated, even to a single letter, although, as we'll see, other parts of commands such as color names may not be shortened.

CLEAR - This command sets and clears the VIC's high-resolution screen. It initializes the color of the screen to white, the border to blue. and the color of the turtle's trail to black. The CLEAR command also initializes the turtle's heading to zero degrees, north, and its location to center screen, X and Y coordinates (0.0). The CLEAR command must be the first in any graphics 170 COMPUTE! September 1983

routine. G:CLEAR GY+C

TURN - The TURN command is followed by a number or a numeric variable. The number or the value of the variable is the number of degrees added to the turtle's current heading. A positive value turns the turtle clockwise. G:TURN -270

G:T #A

TURNTO - This command sets the turtle's heading to the specified angle. The word TURN in TURNTO may be abbreviated, but TO must be included at the end of any abbreviation of TURNTO. For example. GITURNTO 98

G.TTO EA

DRAW - The DRAW command moves the turtle the specified distance along its current heading. The turtle will leave a trail if its pen is down (see the PEN command below). When using the Super Expander version, program execution will cease and you will receive a warning message if you attempt to DRAW off screen. With the other version, the turtle will proceed off screen. You will receive a message informing you that the turtle left the screen at some point during program execution when you return to text mode

G:DRAW 58

G:D #L GO - The GO command moves the turtle the specified distance along its current heading without leaving a trail. The command is equivalent to DRAW with PEN LIP

GN+GO 45 G:G #D

GOTO - This command moves the turtle to the specified screen coordinates without changing its heading. The X and Y coordinates are separated by a comma in the GOTO statement. The range of X coordinates on the screen is -106.65 to 108, and the range of Y coordinates is -87 to 88. When using the Super Expander interpreter, the Y coordinates are -79 to 80.

G:GOTO #X.#Y G:GTO -15.35

PEN - The PEN command controls the color of the turtle's trail on the screen. With the VIC, it is possible to use several pen colors on a single graphics display. Allowed color names are BLÂCK, WHITE, RED, CYAN, PURPLE, GREEN. BLUE, and YELLOW. If the PEN command is followed by the word ERASE, the pen color is set to the screen's current color. The PEN command may also be followed by the words UP and DOWN, PEN UP causes DRAW commands to move the turtle without leaving a trail. PEN DOWN returns the pen to normal. Note that color names and the other pen control words may not

be abbreviated. G:PEN GREEN

SCREEN – This command changes the color of the graphics screen without clearing it. The same colors are available as for the PEN command. G. SCREEN RED

G:SCREEN RED G:S CYAN

BORDER – This command controls the color of VIC's screen border. Once again, the colors already mentioned are available. G-BORDER YELLOW

G:BORDER YELLOW G:B RED

QUIT – The QUIT command returns the text screen. When this command is encountered, the graphics screen will be held until you enter Q from the keyboard. This lets you control the amount of time you spend admiring your turtle handiwork.

nandwork.

In general, QUIT must be the final command of a graphics routine. The only exception occurs when the turtle is sent along an infinite path (it may loop back on itself). In this case a QUIT command would never be reached, and you exit graphics made by hitting @. a 100177

One structure that occurs frequently in Turtle Graphics programs is a sequence of DRAW and TURN commands. This is done to draw polygons of various types. The interpreter understands one compound command that performs this task easily.

G:xx(DRAW yy; TURN zz)

xx must be an integer. yy and zz may be integers or integer variables as for single DRAW and TURN commands. For example,

G:9(D 50;T 160) G:5(DRAW #L;TURN 72)

Program Operation

All of VIC's internal memory is required to produce the high-resolution screen for Turtle Graphics. For this reason, the start of BASIC must be moved to Iceation 8192, the beginning of BLK1 of expansion RAM, before loading and running either version of the interpreter. This is accomplished by typing in this direct statement before doing anything else:

POKE 44,32:POKE 642,32:POKE 8192,0:NEW

The interpreter takes up about 5K of KAM memory, and K is required for system initialization, by, with K allocated for system initialization, by, with K allocated for system initialization, by, with K allocated for the system and by the system of the control of the system and the control of the system and so when the system and the sy

be changed.

To stop any PILOT program you simply hit the @ key. If you are in graphics mode, the text screen will automatically return. Note that the @ is accepted only when execution of the current PILOT program line has been completed. If this line should be, for example, a long turtle loop like

G:180(D 1;T 2)

there will be a noticeable delay before the program halts.

If for any reason the program returns to BASIC, you may reenter the interpreter without losing the current PILOT program by typing GOTO 11 and thiting RETURN. This means that you may hit RUNSTOP and RESTORE to regain control if the interpreter "locks put "(if, for example, you forget a GQUIT statement and get stuck with the graphies display no streen). You then type GOTO 11 and this RETURN to resume work on your program.

When loading PILOT programs (if the NEW command has not been given) the current program and the new one are merged. If you wish to operate the interpreter with disk rather than cassette storage, the following program changes are required:

41 OPEN1,8,2,R\$+",S,W":PRINT"SAVING "R\$
45 OPEN1,8,2,R\$+",S,R":PRINT"LOADING "R\$
In addition, to save a program on drive 0 the syntax
of the SAVE command must be altered to

SAVE 0:name

- The following error codes may be generated when a PILOT program is run:
 - 1. Illegal variable name
 - 2. Unknown label
 - 3. Stack overflow (too many USES)
 - Stack empty (an E: without a USE)
 Bad format
 - 6. Division by zero
 - Numerical variable out of range (magnitude greater than 32767)
 - 8. CLEAR not the first graphic command

Finally, it should be remarked that the PILOT interpreter is not a indifferent about spaces scattered through program lines as the BASIC interpreter is. The PILOT interpreter will remove spaces before a line number or a command and will remove extra spaces between line numbers and instruction names. However, extra spaces and instruction rames, thowever, extra spaces elsewhere in a program line may orthuse the incommands are necessary. For example, there must be a space between DRAW and #L in

5Ø G:DRAW #L

Sample Turtle Graphics Programs

The three sample programs here serve to demonstrate the graphics capabilities of this PILOT interpreter. There's a little something for everyone: a typical turtle pattern made of shifted and rotated squares, a picture for the kids, and a recursive binary tree program for the mathematically minded. Although no abbreviations are used in

Program 3 (to make it easy to follow), they are included in the other two programs to demon-

strate their use.

"Pretty Pattern" (Program 3) draws a picture that is typical of turtle designs made up of simple polygons. In this case the polygons are squares, and they are shifted and rotated relative to each other to form the design. A star is formed by the overlapping squares at the center of the pattern After drawing six squares, the turtle returns to its initial location and heading. The program is written so that the turtle loops around its six-square path again and again, forever. As a result, no G:OUIT and END statements are needed. Exit the program by hitting the @ key. It only takes about 20 seconds for the "fast" (Super Expander) turtle

to make its way around the design. Program 4, "Teddy Bear," is fun for children. Fairly rough circles are used in the design to reduce the time for drawing to 90 seconds with the "fast" turtle. When the program reaches the G:QUIT statement in line 29, execution will halt until you hit the "Q" key. Note that it is quite easy to turn this bear into a rabbit by designing ears made

using two quarter circles for each ear Finally, for those of you who are interested in recursion, Program 5, "Recursive Tree," draws a simple binary tree. The way in which the tree is drawn by the procedure *BRANCH is of particular interest. This procedure calls itself repeatedly. To understand how this is done using only global variables, it is helpful to study the listing and to run the program. When you run it, select final branch level 1, then level 2, and so on to see the order in which the branches are drawn. The VIC's screen resolution produces nice pictures of the tree up to level 5 and even level 6

Further Suggestions My goal while developing this PILOT interpreter was to make Turtle Graphics available on a VIC with only 8K bytes of expansion RAM added. I have "crunched" the program to achieve this goal (the few REMs scattered through the listings are to keep the line numbers of the two versions of the interpreter aligned), but there are a few features I simply could not squeeze in. If you have more memory and the inclination, you might want to extend the program.

I regret not being able to include the capability for mixing text and graphics on the high-resolution screen. This means that you really cannot run a program like VISITURT ("Friends of the Turtle," COMPUTEL April 1982) which makes the turtle interactive. The necessary prompts cannot be written onto the graphics screen

This is unfortunate because an interactive turtle would be very nice for children to work with. It would, however, be fairly simple to add a mixed text-graphics mode, if you have access to the Super Expander command CHAR. Other possible additional features include adding a SOUND command like the one in Atari PILOT or the ability

to use VIC's multicolor mode. Program 1: PILOT Interpreter

- Ø GOTOA 1 IS=**
- 2 SYS820:IFPEEK(0)=13THENRETURN
- 3 IS=IS+CHRS(PEEK(Ø)):GOTO2 POKE36866,150:POKE36869,240:POKE648,30
- 5 FORJ=217T0228:POKEJ, 158:NEXT:FORJ=229T
- 0250: POKEJ, 159: NEXT 6 CLR: M=200:DIMS&(9),N&(26),S\$(26),L\$(M) ,C\$(17),G\$(7),B\$(10)
- 7 PRINT"[CLR][BLK] **** PILOT V2.1 ***** :FORX=820T0825:READZ:POKEX,Z:NEXT:FORX
- 8 READC\$(X):NEXT:FORX=@TO7:READG\$(X):NEX T: FORX=@TO1@: READB\$(X): NEXT: DATA32, 207
- ,255,133 9 DATAS, 96, LIST, RUN, SAVE, LOAD, NEW, BASIC, PLIST, T, J, E, U, M, C, A, I, H, R, G, CLEAR, QUIT
- 10 DATADRAW, GO, PEN, SCREEN, BORDER, BLACK, W HITE, RED, CYAN, PURPLE, GREEN, BLUE, YELLO
- W. ERASE, UP 11 PRINT" [DOWN] PILOT. ": DATADOWN
- 12 GOSUB1:PRINT:IFASC(I\$)=32ANDLEN(I\$)=1
- THEN12 13 IFLEFT\$(I\$,1)=" "THENI\$=MID\$(I\$,2);GO
- 14 L=VAL(I\$):IFL <> ØTHEN23
- 15 L=1:H=M:R\$="":FORX=lTOLEN(I\$):IFMID\$(
 I\$,X,1)<> "THENNEXT:GOTO21
- 16 R\$=MID\$(I\$,X+1):I\$=LEFT\$(I\$,X-1) 17 L=VAL(R\$):H=L:FORX=ITOLEN(R\$):IFMID\$(R\$,X,1) <> "-"THENNEXT: GOTO19
- 18 L=VAL(LEFT\$(R\$,X-1)):H=VAL(MID\$(R\$,X+ 19 IFL-ØTHENL-1
- 20 IFH=0THENH=M 21 FORX=#TO6:IFI\$<>LEFT\$(C\$(X),LEN(I\$))T
- HENNEXT: PRINT"UNKNOWN COMMAND. ": GOTOL 22 ONX+1GOTO32,51,41,45,49,50,31
- 23 IFL>MTHENPRINT"LINE NUMBER OUT OF RAN GE. ": GOTO11
- 24 X=LEN(STR\$(L)):X\$=MID\$(I\$,X):IFX\$=""T HENL\$ (L)="": GOTO12
- 25 IFLEFT\$(X\$,1)=" "THENX\$=MID\$(X\$,2):GO 26 X=3:IFMID\$(X\$,2,1) <> ": "THENX=4:IFMID\$
 - (X\$,3,1)<>": "THENL\$(L)=X\$:GOTO12 27 FORZ=7TO17:IFLEFT\$(X\$,1)<>C\$(Z)THENNE XT: PRINT"ILLEGAL COMMAND. ": GOTO11
- 28 IFMID\$(X\$,2,1)="Y"THENZ=Z+13 29 IFMID\$(X\$,2,1)="N"THENZ=Z+26

172 COMPUTEI September 1983

30 L\$(L)=CHR\$(Z-6)+MID\$(X\$,X):GOTO12 31 OPEN1,4:GOTO33 32 OPEN1.3

32 OPEN1,3 33 FORX=LTOH: IFL\$(X)=""THEN39 34 XS=".".Z=ASC(L\$(X)).IPZ>ASTHPNYS=LF

34 X\$=":":Z=ASC(L\$(X)):IFZ>40THENX\$=LEFT \$(L\$(X),1):GOTO38 5 IFZ>26THENZ=Z-26:X\$="N"+X\$ 36 IFZ>13THENZ=Z-13:X\$="Y"+X\$

37 X\$=C\$(Z+6)+X\$
38 PRINT#1,X;X\$;MID\$(L\$(X),2)
39 GETX\$:IFX\$<'""THENCLOSE1:GOTO11

48 NEXT:CLOSE1:GOTO11
41 OPEN1,1,1,R\$:PRINT"SAVING "R\$
42 FORX=1TOM:IFL\$(X)=""THEN44
43 PRINT\$1,X:CHB\$(13)CHB\$(34)L\$(X)CHB\$(3)

43 PRINT#1,X;CHR\$(13)CHR\$(34)L\$(X)CHR\$(3 4)CHR\$(13), 4 NEXTX:CLOSE1:GOTO11 45 OPEN1,1,0,R\$:PRINT"LOADING "R\$

46 INPUT#1,X:IFSTTHEN48
47 INPUT#1,L\$(X):IFST=8THEN46
48 CLOSE1:GOTO11
49 GOTO6

58 PRINT"[DOWN]EXITING TO BASIC...":END 51 L=0:FORX=1TO26:N%(X)=0:S\$(X)="":NEXT: P=0:F%=0 52 L=L+1:IFL=>MORL\$(L)="END"THEN11

52 L=L+1:IFL=>MORLS(L)="END"THEN11
53 GETX\$:IFX\$="@"ANDCQ%=@THEN11
54 IFX\$="@"ANDCQ%=1THENGOSUB127:GOTO11
55 IFL\$(L)=""THEN52

56 X=ASC(L\$(L)):IFX>40THEN52 57 IFX>26THENX=X-26:IFF%=1THEN52 58 IFX>13THENX=X-13:IFF%=0THEN52 59 C\$=MID\$(L\$(L),2)

59 C9NXGOTO62,73,76,71,78,85,181,186,115, 52,116 61 PRINT ERROR #"E"IN LINE"L:GOTO11

62 Z=0:IFRIGHT\$(C\$,1)=";"THENZ=1:C\$=LEFT
\$(C\$,LEN(C\$)-1)
63 FORX=1TOLEN(C\$):X\$=MID\$(C\$,X,1):IFX\$=

"#"THEN67 64 IFX\$="\$"THEN68 65 PRINTX\$;:NEXT:IFZ=@THENPRINT

66 GOTO52 67 GOSUB69:X\$=STR\$(N&(Y)):GOTO65 68 GOSUB69:X\$=S\$(Y):GOTO65 69 X=X+1:Y=ASC(MID\$(C\$,X,1))-64:IFY<1ORY

>26THENE=1:GOTO61

70 RETURN
71 IFP>8THENE=3:GOTO61

72 P=P+1:S*(P)=1,
73 IFVAL(C\$) <> BTHENL=VAL(C\$) -1:GOTO52
74 FORX=1TOM:IFC\$ <> L\$(X)THENNEXT:E=2:GOT
061
75 L=X:GOTO52

75 L=St00192 76 IFP=0THENE=4:GOTO61 77 L=St(P):P=P-1:GOTO52 78 X=1:C\$=C\$+",":X\$=AC\$:IFLEFT\$(C\$,1)="\$ "THENGOSUB83

79 FORZ=XTOLEN(C\$):IFMID\$(C\$,Z,1)<>","TH ENNEXT 88 Z\$-MID\$(C\$,X,Z-X):FORY=ITOLEN(X\$):IFM ID\$(X\$,Y,LEN(Z\$))=Z\$THENF\$=1:GOTO52 81 NEXT:IFZ<LEN(C\$)]#EENX=2+1:GOTO79

82 F%=8:GOTO52 83 Y=ASC(MID\$(C\$,2))-64:IFY<10RY>26THENE =1:GOTO61

84 X\$=S\$(Y):X=4:RETURN 85 A=3:Z=8:X\$="":IFLEFT\$(C\$,1)<>"#"ORMID \$(C\$,3,1)<>"="THENE=5:GOTO61 86 Y=1:X\$=MID\$(C\$,A,1):A=A+1:IFMID\$(C\$,A ,1)="-"THENA=A+1:Y=-1 87 IFMID\$(C\$,A,1)<>"#"THENY=Y*VAL(MID\$(C

\$,A));A=A+LEN(STR\$(Y))-1:GOTO91 88 X=ASC(MID\$(C\$,A+1))-64:IFX<10RX>26THE NE=1:GOTO61

89 IFX=18THENY=Y*RND(1):GOTO91 98 Y=Y*N%(X):A=A+2

91 IFXS="="THENZ=Y 92 IFXS="-"THENZ=Z-Y 93 IFXS="+"THENZ=Z-Y 94 IFXS="/"ANDY=STHENE=6:GOTO61 95 IFXS="*"THENZ=Z*Y

95 IFX\$="*"THENZ=Z*Y
96 IFX\$="/"THENZ=Z/Y
97 IFA\$=LEN(CS)THENR6

98 X=ASC(MID\$(C\$,2))-64:IFX<10RX>26THENE =1:GOTO61 99 IFZ>327670RZ<-32767THENE=7:GOTO61

100 Nt(X)=Z:GOTO52 101 IFC\$=""THENGOSUB1:AC\$=I\$:PRINT:GOTO5 2

182 X=ASC(MID\$(C\$,2))-64:IFX<10RX>26THEN E=1:GOTO61 183 GOSUB1:Z=VAL(I\$):PRINT:IFLEPT\$(C\$,1)

="#"THENN%(X)=Z 104 IPLEFT%(C\$,1)="\$"THENS%(X)=I\$ 185 GOTO52

186 IFLEFTS(CS,1)<> ** "THENE=5:GOTO61
187 X=ASC(MID\$(C\$,2))-64:IFX<10RX>26THEN
E=1:GOTO61

188 A=N*(X):X\$=MID\$(C\$,3,1):IFMID\$(C\$,4, 1)<>"#"HENX=VAL(MID\$(C\$,4)):GOTO111 189 X=ASC(MID\$(C\$,5))-64:IFX<10RX>26THEN E=1:GOT061

111 F%=0:IFXS="<"ANDA<XTHENF%=1
112 IFXS=">"ANDA>XTHENF%=1
113 IFXS="="ANDA=XTHENF%=1
114 GOTO52

110 X=N%(X)

IGHT\$(C\$,2)="TO"THENY=1:C\$=LEFT\$(C\$, LEN(C\$)-2) 118 FORZ=1TOLEN(R\$):X\$=MID\$(R\$,Z,1):IFX\$ \>"MNIX\$\>""THENNEXT:GOTO121

119 IFX\$=";""HEN130 120 X\$=LEFT\$(R\$, Z-1):R\$=MID\$(R\$, Z+1) 121 FORZ=0TO7:IFC\$<>LEFT\$(G\$(Z), LEN(C\$))

THENNEXT:GOTO126 122 IFCQ%=0ANDZ<>0THENE=8:GOTO61 123 IFZ=2ANDY=1THEN167 124 IFZ=4ANDY=1THEN168

125 ONZ+1GOTO139,142,145,147,157,158,163 ,165 126 GOSUB127:PRINT"UNKNOWN GRAPHICS":PRI NT"COMMAND IN LINE ",L:GOTO11

NT"COMMAND IN LINE ";L:GOTO11 127 CQ%=Ø:POKE36864,5:POKE36866,15Ø:POKE 36867,46:POKE36869,24Ø:POKE36879,27 128 IFOS%=1THEMPRINT"*PLOT WENT OFF SCRE

EN"
129 PRINT"{CLR}(BLK)";:RETURN
130 D=VAL(C\$):Y=LEN(STR\$(D)):C\$=MID\$(C\$,
Y+1):PDC=879FR126

Y+1):IFD<=07HEW126

131 IFC<*0LEFTS(0\$(3),LEM(C\$))THEN126
132 FORZ-1FOLEN(R\$):IFMIDS(R\$,Z,1)<*","T
HENNEXT:GOTO126
133 CS-LEFTS(R\$,Z-1):X\$=MID\$(R\$,Z+1)

September 1983 COMPUTEI 173

```
138 RS=XS:GOTO145
                                            149 REM
139 CO%=1:UD%=0:OS%-0:POKE36864,7:POKE36
                                            150 TH=(90-AN)*3.1415926/180:XG=X0+Z*COS(
    866,148:POKE36867,23
                                                  TH):YG=YØ+Z*SIN(TH):IFUD%=ØTHENGOSUB
140 POKE36869.252:POKE36879.30:CO=0:SC=2
    : BC=6: AN=0: XØ=0: YØ=Ø
                                            151 IFOS%=ITHEN: CHAR18, Ø, "OFF SCREEN AT L
                                                  INE (2 SPACES) "+STR$(L)+" : HIT Q":GO
141 FORI=@TO219:POKE768@+I,I:NEXT:FORI=4
    Ø96T07615:POKET.Ø:NEXT:GOT052
142 GETXS: IFXS <> "O"THEN142
                                            152 XØ=XG:YØ=YG:IFD>ØTHEN138
143 REM
                                            153: GOTO52
144 GOSUB127:GOTO52
                                            154 IFYØ<-790RYG<-790RYØ>8Ø0RYG>8Ø0RXØ<-1
145 GOSUB169:AN=AN+Z:D=D-1:IFD>ØTHEN137
                                                  @60RXG <-1@60RX@>1@80RXG>1@8THENOS%=1
146 D=0.GOTO52
                                                  RETURN
147 GOSUB169: IFZ < @THEN126
                                            155 U@=1023*(X0+106.65)/(1.35*159):V0=102
148 TH=(90-AN)*3.1415926/180
                                                  3*(80-Y0)/159:U=1023*(XG+106.65)/(1.
149 FORY=@TOZ:XG=X@+Y*COS(TH):YG=Y@+Y*SI
                                                  35*159)
    N(TH): IFUD %=ØTHENGOSUB152
                                            156 V=1023*(80-YG)/159:DRAW1,U0,V0TOU,V:R
150 NEXT:X0=XG:Y0=YG:IFD>0THEN138
                                                  ETURN
151 GOTO52
                                            159 IFZ < STHENCO=Z: REGIONZ: GOTO52
152 U=INT((XG+106.65)/1.35+.5):V=88-INT(
                                            16Ø IFZ=8THENCO=SC:REGIONCO:GOTO52
    YG+.51
                                            164 SC=Z:COLORZ.BC.CO.Ø:GOTO52
153 CH=INT(V/16)*20+INT(U/8):RO=(V/16-IN
                                            166 BC=Z:COLORSC, Z, CO, Ø:GOTO52
    T(V/16))*16
154 IFCH<@ORCH>22@ORXG<-1@6.65ORXG>1@8TH
                                            Program 3: Pretty Pattern
    ENOS%=1:RETURN
                                              *PRETTY PATTERN
155 BY=4096+16*CH+RO:BI=7-(U-INT(U/8)*8)
                                            2 G:CLEAR
156 POKE38400+CH, CO: POKEBY, PERK(BY)OR(2)
                                            3 G:SCREEN RED
    RT): RETURN
                                            4 G:GO 13
157 GOSUB169:TH=(90-AN)*3.14159265/180:X
                                            5 G:TURN 60
    0=X0+Z*COS(TH):Y0=Y0+Z*SIN(TH):GOTO5
                                            6 G:GO -17
                                              U: *SHIFT SQUARE
158 FORZ=@TO1@:IFRS <> BS(Z)THENNEXT:GOTO1
                                            8 J:7
    26
                                            10 *SHIFT SOUARE
159 IFZ<8THENCO=Z:GOTO52
                                            11 G:GO 17
160 IFZ=8THENCO=SC-1:GOTO52
                                            12 G:TURN 60
161 IFZ=9THENUD%=1:GOTO52
                                            13 G:4(DRAW 60:TURN 90)
162 IFZ=1@THENUD%=0:GOTO52
163 FORZ=ØTO7:IFRS<>BS(Z)THENNEXT:GOTO12
                                            Program 4: Teddy Bear
164 SC=Z+1:POKE36879.SC*16+BC-8:GOTO52
165 FORZ=@TO7: IFRS <> B$ (Z) THENNEXT: GOTO12
                                            1 *TEDDY BEAR
                                            2 G:C
166 BC=Z:POKE36879.SC*16+BC-R:GOTO52
                                            3 G:TTO -90
167 GOSUB169: AN=Z: GOTO52
                                            4 I:#C=2
168 GOSUB169:Y0=Z:R$=X$:GOSUB169:X0=Z:GO
                                            5 JY: *FACE
                                            6 U:*1/3 BIG CIRCLE
169 Z=VAL(RS): IFZ <> GORRS="0"THEN173
                                            7 U:*LOCATE FOOT/EAR
170 IFLEN(R$) <> 20RLEFTS(R$,1) <> "#"THENE=
                                            8 U: *FOOT/EAR
    1:GOSUB127:GOTO61
                                            9 U: *LOCATE FOOT/EAR
171 Y=ASC(RIGHTS(RS,1))-64: IFY < @ORY > 26TH
                                            10 U:*1/3 BIG CIRCLE
    ENE=1:GOSUB127:GOTO61
                                            11 U: *LOCATE FOOT/EAR
172 Z=N%(Y)
                                            12 U: *FOOT/EAR
173 RETURN
                                            13 U: *LOCATE FOOT/EAR
                                            14 U:*1/3 BIG CIRCLE
Program 2: Changes For Super Expander
                                            15 G:T 180
4 GRAPHICØ: COLOR1.3.0.0
                                            16 C:#C=#C+1
5 REM
                                            17 J:4
127 CQ%=0:GRAPHIC4:COLOR1, 3, 0, 0:SCNCLR:RE
                                            18 *FACE
     TURN
                                            19 G:GTO 7,30
128 REM
                                            20 G:TTO 0
129 REM
                                            21 U:*EYE
139 CQ%=1:UD%=0:OS%=0:GRAPHIC2:COLOR1,6,0 22 G:GTO -7,30
     , 0:SCNCLR:CO=0:SC=1:BC=6:AN=0:X0=0:Y 23 G:T 180
     Ø=Ø:GOTO52
                                            24 U: *EYE
```

140 REM

141 REM 143 GOSUB127:IPOS%=1THEN11

148 REM

144 GOTO52

147 GOSUB169

134 FORZ=1TOLEN(X\$):IFMID\$(X\$,Z,1)<>" "T

135 R\$=MID\$(X\$,Z+1):X\$=LEFT\$(X\$,Z-1):IFX

S<>LEFTS(GS(2), LEN(XS))THEN126

HENNEXT: GOTO126

136 X\$-R\$

137 RS=CS:GOTO147

174 COMPUTEI September 1983



37 E: 48 *FOOT/EAR 41 G:20(D 4:T 18) 42 E:

45 *EYE 46 G:15(D 2;T 24) 47 F. 50 *LOCATE FOOT/EAR 53 G:T 98

Program 5: Recursive Tree 1 *RECURSIVE TREE

2 H: 3 T:FINAL BRANCH LEVEL ? 4 A: *L 5 G:C

6 C+#Rm64 7 G:G -64 8 U:*BRANCH 9 G:Q 10 END

16 I:#L=0 17 JY:30

18 G:D #B 19 C:#B=#B/2 28 C: #L-#L-1 21 G:T -45 22 U:*BRANCH 23 G:T 90 24 U:*BRANCH 25 G:T -45 26 C:#B=#B*2 27 C:#L=#L+1 28 C:#A=-#B

29 G:G #A

36 E+

15 *BRANCH

VIC-20 and Commodore 64



MAGIC MOTHER VIC-20 SIX SLOT BUS EXPANDER





6

 Accept any YE-70 connectifies contribute
 White metable 1 designs control from one deal
 White metable 1 designs control from one deal
 White metable 1 designs control from one deal
 White control from the control from the 1 designs control
 White companies are not control from the 1 designs control
 White contr Expension correction of near
 Special features for expensenters
 90 day tested warranty Born board \$40 kg. Kit \$54 kg. Appended and tested \$97 55 With for quantity discounts. Add 53 for shipping & hundling. Ohio residents odd 5 1/2 %.
Check or money order only Personal checks along 2 weeks to dear. Destire inquires invited

VIC-20 OWNERS!!!

COPY CARTRIDGES TO TAPE

NOW YOU CAN MAKE TAPE COPIES OF YOUR EXPENSIVE CARTRIDGE PONCPAMS AND LEARNS LEASY TO TYPE & LINE COPY \$LOAD PROGRAMS FOR PLUG IN CARTRIDGES

2 HOW TO ADD POWER CRESET SWITCHES TO YOUR INDOPENSIVE EXP BOARD
A MINUTE COPY MOST "COPYGUARDED" TAPE PROGRAMS * REQUIRES BY BAN+EXPANSION BOARD FOR MOST PLUG IN CARTRIDGES FOR ARCHIVAL USE ONLY

INFO PACKET#1

TEAN LAFITTE SOFTWARE INC. P.O. BOX 8578 NEW ORLEANS, LA. 70182

VIC-20® SOFTWARE DR. FLOYD" 614 95 Psychogensive by computer Well not gure but to Flavy will convion a convenition with you of ing psychogrothers teiningues that give the co-pensions of cettical intelligence. Beguine 164

WORDPLAY \$14.95 NCOCPLAY to a collection of programs the war allows the user to meas original status; write a 19th of Japaness-posity, pay the fun games of Animal original status; and Animal original programs. A consultation of the programs of Animal original programs.

Xeenex

TYPE FOR YOUR LIFE: \$14.95 THE COR TOUR LIFE: \$14.92
Who were deciding find on a condepant to some in just 3 or more wrong permitting figured in the Besteroist in the 10 COCARN AUGUST OF COMMAND AUGUS

or fechnoogs is proud to offer these throughous and entertoning programs for your VC 2015 and comes fully selected on a high-re-selected standard of sections of the common of the commo

More Software Coming! Contact Your Local Dealer. Premi orders Citz (805) 482-3604

250 M. Londono Avenue, Suite 821 APROPOS TECHNOLOGY

"CARD/?" (CARD PRINT)

UNIVERSAL CENTRONICS PARALLEL PRINTER INTERFACE FOR THE VIC-201

XENTEK Corporation, PO Bix 411, Xeria, QH 45365

VIC-20 to a trademark of Commodore Business Machines, In

Now you can use any parallel printer with your VIC-201. And you don't have to give up the use of your user port (MODEM), or change to special printer commands, or load any special soft-ware driver programs to do it

· Outputs standard ASCII codes to the printer · Plugs in the VIC-20° printer senal

 Understands all standard VIC-20* print commands No medification to your VIC-20*

 No special programs required. Includes all necessary cables to hook up a standard printer using Centronics parallel input
 MADE IN THE U.S.A.
 CARD/7 is appointed CARDOO less

\$76.00

"""COZDPU SENSE:::"





Hundling charges \$3.00 C O D (April \$2.00) C O D Octob 32 000
Personal checks allow 3 week delivery
NC-201 is a recisioned trademark of Commodere.

REVIEWS

Telengard

Assistant Managing Editor

Telengard is a fantasy, roleplaying game that requires a good memory, the ability to think quickly, and hours and hours to play.

Telengard is a dungeon, 50

levels deep. It is littered with treasures and crawling with monsters. Your purpose is to enter the dungeon, gather treasures, gold, and experience, and come out alive. You encounter monsters and traps, fall into pits, and wander into teleportapits, and wander into teleportation of the company of the company who knows where. You have your strength, your magic, and your wits to help you survive. This Dungeon-and-Dragons-

like game, which is both complicated and intriguing, is available from Avalon Hill for the Atari, Apple, PET, and Commodore 64 computers. It plays the same on any computer, but the 64 version, with its graphic representation of the monsters and dungeon hazards, has the most fair.

Telengard's complexity is indicated by the 24-page instruction manual, most of which is spent explaining what you'll encounter in the dungeon and how to cope with it. Learning the features of the dungeon, the characteristics of the creatures that inhabit it, and the weapons and magical your disposal is crucial to the game.

Another complicating factor

is time. On each of your moves, you have a limited amount of time (about five seconds) to de-76 COMPUTE Section 1983 cide how to proceed. The world of Telengard does not stop if you are indecisive. If you fail to initiate action, the forces of the dungeon will choose a path for you.

The Characters You are the adventurer in Telen-

gard, and every time you play, you are endowed with different characteristics, each of which affects your performance in the dungeon.

These characteristics are: strength, which determines your success during combat; intelligence, which has a bearing on how well you cast magical spells: wisdom, which governs your ability to cast healing spells and to successfully use spells on "undead" creatures; constitution, a factor directly related to how much injury you can sustain in battle: dexterity, a measure of your ability to run when necessary; and charisma, which affects the way some creatures react to vou.

When you begin your descent into the dungeon, you are a Level 1 adventurer. As you accumulate experience, gained by successfully fighting monsters and collecting gold, you advance to higher levels, giving you the stamina needed to carry you further into the maze of tunnels, as well as a larger array of spells to help you out of fight spots.

Monsters And Spells There are 20 monsters in Teleptone

gard, each dangerous in its own way. Some are living monsters, fighters, elves, and dragons, for example, and others are undead. These undead creatures – mummies, wraiths, and specters, among others – require an entirely different approach in battle

Each monster has its quirks, and, like each character, monsters have levels. A Level 1 Kobold may not be much to fear, but for a Level 2 a Kobold can be a handful. The outcome of your encounters with the monsters depends on the combination of the monster's level, its characteristics, wor's level, its characteristics, and how ur vou choose to fight the monster.

There are 36 spells available to Talesgard adventurers. At the start of a game, a character can use the first six. Access to the others is reserved for more exheris the characters. Among personal characters, and characters are characters, and characters are characters are characters and characters are characters and characters are characters are characters are characters are characters and characters are characters are characters and characters are characters are characters are characters are characters and characters are characters and characters are cha

The Dungeon

Once the game begins, you find yourself deposited in the dunyourself deposited in the dungoon, directly below an inn, a place you'll return to often—if you can remember where it is. On the right side of the screen is a report showing your character's attributes, your collection of treasures, your gold, and your experience points.

You play this adventure in a series of two-part turns. Part one is the action phase in which you decide whether to move or stay put. If you move, the dungeon's maze is redrawn around you, and you're thrown into the

PROSPORTS STATS

I FT YOUR HOME COMPUTER GIVE YOU "THE WINNING FDGE"

IT'S 100% GUARANTEED IT WORKS OR YOU DON'T PAY

LET YOUR HOME COMPLITER HELP YOU PICK SUNDAY'S WINNERS ON SATURDAY AVAILABLE NOW THROUGH MODERN COMPUTER TECHNOLOGY

COMPLETE PROFESSIONAL FOOTBALL RECORDS FROM 1970 - RIGHT UP TO THE MINUTE

All of the history, information and data needed to help you pick winners against the spread available at your fingertips. Available for Apple, I.B.M. P.C., Radio Shack, Commodore 64 and other micro computers, Comes with Data Base, operating program and instruction manual.

EASY TO USE! AUTOMATICALLY UPDATED ANSWER OUESTIONS LIKE THESE **EACH WEEK!** Data Base Includes: -Every win/loss record since 1970 from 1978 on when they play Buffalo? -What is their record against the spread -Every team's record against the -History of points scored and points against for over/ under -History of every coach -Artificial or natural turf -Includes USFL -Automatically updated each week computer computer

IN SECONDS -What is Miami's record against the spread

from 1970 when they play any team on natural turf? -What is their record against the spread from 1975-80 when they are 5 point or more favorites and playing

-From 1976 on, if any team is a 4-point favorite and playing at home, what is its chance of beating the spread? -What is a team's chance of

beating the spread at home after three consecutive wins against the spread?

YOU SIMPLY WON'T BELIEVE THE QUANTITY OF IMPORTANT DATA AVAILABLE AT YOUR FINGERTIPS HELPS YOU SELECT WINNERS YOU SELECT THE TEAMS, CRITERIA, AND THE TIME FRAME

FULL GUARANTEE

Run this program on your computer for seven days and if no completely satisfied, return it for a full refund.

ORDER NOW AND SAVE

Order before September 15, 1983 and pay only \$285. Regular price \$495. Weekly computer update only \$15 per month for one season (Regular \$25). 40% discount on baseball, hockey or basketball programs you may purchase.

Rush me my Data Base Program and Operating Manual for Pro Football Stats, If I order before September 15, I pay only \$285 and will pay only \$15 per month for a weekly update for one season along with a 40% discount on other Pro Sports Programs.

Enclosed is my check for \$25. Send me a Demo disk and Instruction manual. My \$25 will be applied toward the purch price should I decide to buy Pro Football Stats.

I'm not convinced, send me more information.

Name		
Street		
City	State	Zip
Telephone		
Make and Model Compute	er	
Make check payable to:		

11 Dick Drive, Worcester, MA 01605 (617) 757-3131 Ext. 104

FD/



The player has encountered a Hobbit, skill level 3 64 persion

encounter phase if you've moved into an occupied space. If you've encountered a

monster, you'll be told (in the 64 version, shown) which monster it is and how strong it is. Based on that information, you have a few seconds to decide whether to fight, evade, or cast a spell; you hesitate, the monster is likely to attack, and your adventure may well be over.

If you fight and survive, you're probably injured and not likely to survive another battle. It's time to find one of the inns and recuperate.

Gray Misty Cube

As you wander through the dungoon in the darkness, you have more to fear than unsavory creatures. There are many inanimate objects to worry about as well. You may step into a Gray Misty Cube, which can take you to any dungeon level – but if you go, can you find your way back? There are teleportals, pits, fountains, allars, and a mysterious

"small box with buttons." Each of these features offers its own set of problems, and who knows, if you press the right combrastion of buttons on may come of it. There's nurse strewn about Telengard. Treasure them to the treasure of the Telengard.

178 COMPUTE! September 1983

chest may contain 10,000 gold pieces. Or it may house a poisonous spider. Do you dare open it?

Playing The Game

Playing Telengard takes time. First it takes time to learn the game, and then playing could take forever. The game goes on until you meet your match. While learning, pay attention to the helpful hints in the instruction manual. It also helps to play a few games with the time element disabled. That will give you time to leaf through the instructions to bone up on monsters or spells.

Once voir replaying a real

game, there is no way to stop to check the mail or make a cup of coffee. If you stop playing, you'll be attacked and defeated in no time. Whenever you return to one of the inns, however, the game is stopped until you give the command to reenter Telengard. You may find yourself you can walk away from the computer for a few minutes to relieve the tension.

Though the dungeon is S0 levels deep, with a different maze on each level, you're wise to wander no farther than two or three moves from an inn until you've advanced to Level 3 or 4. The farther into Telengard you venture, the more troublesome your opposition will be.

The most frustrating part of the game comes after working your character up to Level 4 or 5 only to stumble across a Level 32 dragon and lose in an instant. The early game must be played painstakingly, with frequent visits to an inn. Each time you visit an inn, you have the option of saving your character to tape or disk. Once a character has been saved, it can be revived. even after a disastrous encounter with a demon. When saving to tape, have everything ready to go before giving the command, because the program will begin

writing immediately.

A feature of Telengard that produces some unexpected results is the program's keyboard buffer. It holds two or three characters, so if you get excited and begin pushing keys without thinking, you'll blindly affect your future. Sometimes it's to your study, but usually you'll regret it.

Telenward is an exciting.

game, one that can tie you up in knots and rob you of your sleep. Learning to play is simultaneously frustrating and fascinating. And once you know the ropes, there's plenty of satisfaction in knowing you've assessed your character correctly and directed him appropriately.

Telengard The Avalon Hill Game Company 4517 Harford Road Baltimore, MD 21214 \$23 for tape version \$28 for disk version

AVAILABLE FOR THE COMMODDRE 64 & VIC 20

Abacus • Sinas • Broderburd • Victory • Toti and much more ALL PRICES UP TO 30% BELOW BETAILH

ACCESSORES AVAILABLE ALSO
Monitors • Printers • Expansion Boards
URDOD
Carriboard/3 slot 39 96 319
Carriboard/3 slot 79 96 13 9

Careco Parallel Psyster Interface 79 95 63 95 ALIA 26 Wideo Paik (BK mem. 40/00 col includes ties word processor) 149 95 119 45 Many more products also availabilis for APPLE ATARI, CPIM. HIM PVC

United States of Control of the Control of C

THERE'S A COMPUTER BORN EVERY MINUTE... GIVE IT A HOME.

For \$89.95 with the CS-1632 you can house your computer, peripherals, and accessones without spending a fortune For those with a large computer family the CS-2748 gives you all the room you need for your computer, moritor, printer, peripherals, software, etc. at a price that's hard to believe \$2599.95.





and compact with functional design fits airnost anywhere while hoesing your computer monitor, joysticks, software, books and peripherals all for only \$80.95. The slide out shell pust the computer at the right height and postion for easy comfortable

The fold up locking door keeps unwanted fingers off the key board when not in use. To store joysticks just turn them upside down and side them into the inverted storage rack

upside down and side therm into the inverted storage rack. Twist table so in the back of center panel allow for neat conocaled grouping of wires, while power packs rest indiden behind center pared on shelf. The side out software tray.

panel on shelf. The slide out software tray has noom for 14 cartridges or cassettes and up to 30 diskertes. Most brands of software will fit between the adjustable puritions with a convenient hook for the soare key at ear.

the spare key at rear. Stand fits Atan 400 & 800, Commodore 64 & VIC 20, Ti 99/4A and TRS-80. Cabinet dimensions overall 36' leigh x 33-7/8' wide x 16' deep.

HYTEC



32 send \$89.95 to To order CS-2748 send \$299.95 to.

West Lynn, OR 97066
For Fast Phone Orders Call Toll Free 1-800-547-3100
Insade Oregon Call (\$03) 635-6667

| Bill my MarketCard # | Exp. Date | Bill my MarketCard | Bill my MarketCard | Card Holders Signature | Card Holders

Seems of the days Superior subject to analysis of the subject to the subject of the subject to t

The two slide-out shelves put the lieyboard at the proper opersting height white allowing easy access to the disk drives. The bornes tempered glass door potecting the levyboard and disk drives striply life up and slides back out of the way during

Twist tabe on the book of the center panel allow for next concealed grouping of wrise swite a convenient storage shelf for books or other items less below, and the convenient storage shelf for books or other items less below, down door thin provides a work surface for papers or books while using the insphoard. The lift up top allows easy access to the top and rear of the printer A sids to the printer shelf allows from the convenient shelf allows freed penners.

Behand the lower door are a top shelf for paper, feeding the printer, and a bottom shelf to receive printer copy as well as additional storage Stand fits same computers as the CS-1632 as well as the Apple I and II, IBM-PC, Fensitin

and many others.
The cabinet dimensions overall 39-1/2" high x 49" wide x 27" deep.
Reyboard shelf 20" deep x 26"

wide Disk drive shelf 15-34" deep x 26" wide Top shelf for monitor 17" deep x 27" wide. Printer shelf 22" deep x 19" wid

Getaway! For The Atari

Stephen Levy, Assistant Editor

Getaway!, by Mark Reid, is an arcade-style game which takes advantage of the Atari's graphics capabilities. Since the game board – a town map – is approximately 35 screens, the player sees only part of the town at any one time. The player uses a joy-stick to view other areas of town.

The object of the game is to race all over, stealing as much loot as possible, and then return to your hideout before the police catch you. The game progresses through several levels, but, in the end, justice prevails when the third is caught. Your score is based on the amount of loot you are able to stash in your hideout.

Smart Police

There are a number of ways to collect loot. But the greatest rewards come from catching the white armored van. The police don't seem to bother you much until you make the big heist, then their chase is relentless. The more loot you gather or the higher the level, the more

energetic their pursuit.
The graphics in Getwawyl are detailed and appealing. Smooth scrolling is provided by easy joystick control. The sound is realistic; the challenge is exciting and the game becomes more difficult the more effectively you play. And the instruction manual is complete and easy to understand.

Touring The Town

The first time I played Cetanayl 1 was impressed by the detail of the graphics. In fact, I was so intrigued that I put off actually playing until I'd toured the town. Using the black and white map of the town supplied in the user's manual, I was able to "drive" to see all the sights. The town has high-rise buildings, a river, trees, "O COMPUTE SERVENDED 1938.

schools, bridges, factories, and three very important gas stations. Each feature is impressive by itself, but taken together, the effect is delightful.

The sound, too, is impressive. When a police car nears, you are aware of it before you see it, because its siren warns you. With experience, you will be able to estimate the distance by the siren's volume.

Fine graphics and sound are always important to a good game, but the game must also play well. You can think of Getaway! as a variation of a maze game in the same sense that Pac-Man is. The difference is that in Getaway! there is much more variety and detail to deal with. The ever-present police are only the beginning. As in any town, stop signs seem to appear whenever you are in a rush. And just when you are about to reach the hideout, you notice that you are running out of gas. If you are new at the game or haven't kept your bearings. those three gas stations can be hard to find.

Time also becomes a factor: additional stop signs will appear, and the police begin setting up roadblocks as the game progresses. The police also seem to become more aware of your whereabouts in the night scenario.

For Any Age

The game's beginning levels are easy enough for a child to enjoy. Adults and more experienced game players will also find the challenge satisfactory. If you manage to get to the fifth level—no easy task—the bonus is an extra getaway car. It comes with a price, though; the game becomes truly challenging at this point.

If you like chase-type, fastaction games; if you are looking for an Atari game the whole family will enjoy; or if you are willing to take the time to become skilled at a game (it takes time to learn the map and all the techniques needed to get to the upper levels), Getaway! will surely satisfy you.

Getaway! Atari Program Exchange P.O. Box 3705 Santa Clara, CA 95055 32K Tape 32K Disk \$29,95

To receive additional information from advertisers in this issue, use the handy eader service cards in the back

C

COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below with to us of COMPUTE! Magazine

COMPUTE! Magazine
P.O. Box 5406
Greensboro, NC 27403
or call the Toll Free number lated below.

or call the fall free number lated belo Change Of Address. Places allow as 6-8 weeks to effect the change, send your current mailing label along with your new address.

Reviewd. Should you wish to renew your COMPUTE subscription before we send you to unried make you cannot go u to send you to unried make you could not send you to send you to unried make you could be followed by the could be followed by the could not send you could not you you could not you you could not you could not you could not you could not you could

COMPUTE! 800-334-0868 In NC 919-275-9809

Eric Martin's Where prices are born, not raised!



Built-in phone modem. expandable to 256K. and more goodies

1010 Program Recorder (NEW) CXSS Numeric Keyboard CX466 Communicator Krt ATABI Software

CAQ1666 Technical Reference Nates

Third Party Software Eastern Front 1941 (cassette)

Submerine Commander (ROM)

When new ATARIS are born. Eric Martin's will have them at newborn prices. For the latest from Atari, call or visit our store. One of the largest Atari Dealers in the U.S.

529 55

We take TRADE-INS. Call for your price.

Orders shipped in 24 hours

Eric Martin's

5485 Warrensville Center Road Maple Heights. Ohio 44137 Call Toll Free 1-800-482-7254 In Ohio 216/663-2032 Mon.-Sat. 10-6 EST



INTEC RAM BOARDS Lifetime Warranty

ATARI 32K 400/800 59.95 48K 84.95 400 64K 400 99 95

PRINTERS

EPSON FX80 529.95 NEC 8023 439.95 Prowriter 8510 369.95

INTERFACES Microbits MPP 1100 Atari 79.95 Grappler + Apple ... 129.95

Ordering Information: We accept M/C, VISA, Money Orders, and Cashier

Checks Sony No C D D's SHIPPING: Add 3% UPS (\$3.00 Minimum) APO/FPO 5% (\$5.00 Minimum) International Orders 10% (\$10.00 Minimum) Credit Cards add 3% California Residents add 6% Sales Tax

*N*ERCHANT

290 N. 10th Street P.O. Box 1516 Colton, CA 92324

ORDERS ONLY 800-652-8391

Customer Service 714-824-5555



Three Game Modules For The TI

Steve Davis

Last year, a young man named Michael Brouthers left his job at Texas Instruments in Dallas and boldly began a venture to develop game software for the TI home computer, a market that he felt was ready to blossom. When Ti announced the \$100 rebate on the 99/4A, the market for the machine did indeed grow rapidly.

Until now, Texas Instruments has been the only source of software packaged in the convenient Command Module. which TI invented for the 99/4. The module can contain ROM or GROM chips which contain a program (usually written in Assembler or GPL), and, in the case of TI's Mini-Memory Module, the cartridge can be

used to add RAM to the console. The main advantages to

using program modules are:

· Ease of use. A person needs no peripheral devices or programming knowledge; just plug in the module and turn on the computer.

· Security. Programs cannot be copied or pirated easily since they reside in GROM or ROM chips. This also prevents accidental erasure of the program.

 Memory, An application program in a module takes up little or no console memory (RAM), so the computer's memory is available for data storage.

> Using most third-party game software for the TI requires either Extended BASIC, Memory Expansion, Mini-Memory, Editor/Assembler, cassette or dick

Now. Funware has introduced a line of game modules, Henhouse, Rabbit Trail, and Video Vegas, for the 99/4A. All use

September 1983 COMPUTE: 181

the sprite graphics capability of the Ti

Henhouse

In Henhouse, you have five prolific chickens that lay eggs which roll down into five chutes. Each time a chute fills with eggs, you must take them to your truck without dropping them, all the while watching for wolves and poachers.

You get points for each poacher you shoot. Birds fly overhead, and you get points for shooting them, too. You play, using joysticks or the keyboard. until a wolf gets in the henhouse

or you break six eggs. The game may not seem as fast as some of the space or maze games in the arcades, but there are enough distractions that it requires concentration and the ability to do several things at once. It is simple enough to be enjoyed by users of all ages. The retail price is \$39,95.

Rabbit Trail

This game is a cross between the Donkey Kong and Frogger type games. You are a hungry bunny who must hop along the trails and burrow through tunnels in search of carrots. You must not be eaten by a weasel or a hawk. be run over by a speeding car, or get caught in a trap.

Eating all the carrots without being caught advances you to the next level. You receive bonus points based on how fast you complete the level. If you are quick (as a rabbit should be). you may earn "bonus bunnies."

Each of the seven levels presents a more challenging screen. If you complete all seven screens, the game repeats from the first screen but with increased difficulty. Funware says that so far no one has been able to get higher than 24 screens. but to make it even that far would

be an accomplishment. Because of the graduated levels of difficulty, this game is suitable for both beginners and experienced game players. The keyboard may be used, but joysticks are recommended. The retail price for the module is \$42.95

Video Vegas

Anyone who has been to Las Vegas recently knows that some of the slot machines have been replaced by video versions. These operate like the mechanical ones except that the figures (bells, bars, cherries, lemons, etc.) are displayed on a video screen that simulates the rotating cylinders on a conventional slot machine.

Such is Video Vegas, a slot machine game that allows you to place \$1, \$2, or \$3 bets by merely pressing keys on the computer console. This is not nearly as tiring as pulling those

big levers in Vegas. The color graphics of the figures are excellent; in fact, they look better than the graphics on some of the machines in Vegas

\$19.95

and are a good example of the high-resolution pictures that can be drawn on the 99/4A.

There is nothing challenging about the module, which sells for \$29.95, but people who like to play the slots will enjoy it.

Funware prefers that its modules be purchased from software dealers, rather than by mail order from the company.

Henhouse Rabbit Trail Video Vegas Fumoare 405 N. Bowser

Building A Richardson, TX 75081

COMPUTE!

6

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

VIC 20°

KONGO KONG Climb ladders, avoid barrels the cracy age is rolling at you Rescue the damsel Partrally machine code for smooth fast action Keybeard or poystick

LUDWIGS LEMON LASERS \$14.95 You'd never think blasting be so much fun! Fast machane code action. One or two players Written by the us "Hospital Adventure" VIC 20 only

METAMORPHOSIS \$19.95 You stumbled into the nest of the Cyglorx and find yourself fighting off robot tanks guarding the Cyglorx eggs You think you have everything under control and then the eggs start hatching. Commodore 64 version has 4 screens

PROGRAMS FOR THE COMMODORE 84 AND VIC 20



the keyboard GRAVE ROBBERS \$14.95 Introducing the first GRAPHIC ADVENTURE ever available on the VIC-20' Explore an old deserted gravevard Actually

see the perils that he beyond ADVENTURE PACK I \$19.95 MOON BASE ALPHA-Destroy the motor that is rac ing towards your bear COMPUTER ADVENTURE-Re-live the excitement of gettime your first adventure

BAD WOLF-Doo? is the wolf gobble you un-ADVENTURE PACK II (3 Programs) \$19.95 AFRICAN ESCAPE—Find your way off the continent after surviving a plane crash HOSPITAL ADVENTURE-Written by a medical doctor Don't check into this bospital! BOMB THREAT-Get back to fower in time to ween the bomb squad of the bomb



ANNIHILATOR \$19.05 Protect your planet against hostile aliens in this defender-like game. All machine code for fast arcade action loyatick required

TREK Commending the bridge of your starship, you explore the galaxy, fending off the Klingon invesion with your phasers and photon torpedoes, at the same time conserving your limited time Check your local dealer.

Send for free catalog: lege or disk Ordering-Please add \$1.50

VICTORY SOFTWARE CORP.

7 VALLEY BROOK ROAD PAOLI, PA 19301 (215) 296-3767

The VicTree Programming Module For VIC And 64

Eric Brandon, Programming Assistant

The VicTree, a cartridge for the VIC-20 or the Commodore 64, makes programming more efficient

Available for \$89.95 from Skyles Electric Works (the originators of the PET "Toolkit"), the VicTree adds 42 commands to BASIC.

to BASIC.

All the commands of PET
BASIC 4.0 are supported, which
make disk use much easier, especially when trying to program
relative files. The BASIC 4.0 commands are not tokenized (conwerted from what you type into
a more memory-efficient form)
in the same way as in a "true"
BASIC 4.0 machine. Fortunately,
the manual contains a program
that converts "true" BASIC 4.0
to ViCTree format
that Converts "true" BASIC 4.0
to ViCTree format

One requirement for using BASIC programs with the VicTre is that you must use a colon between a "THEN" (as in an IF... THEN statement) and BASIC 4.0 disk command. The VicTre does not speed up "garbage collection" (the process of removing unwanted or discarded strings from memory) as BASIC 4.0 does, nor will machine

language programs written for BASIC 4.0 now run on your VIC or 64. Added Commands

Several disk commands not present in BASIC 4.0 have been added, including EXECUTE, which LOADs and RUNs a program all in one step, and CHAIN# which allows an "executive" program to have several BASIC subroutines on disk and load them in only as needed to preserve memory. With this utility, programs can essentially be of unlimited length.

Another set of commands has been added to assist in program editing. As well as all he standard commands we would expect from any BASIC enhancement package, such as renumbering program lines, finding and changing text, and deleting line ranges, VicTræ adds hanny new and useful commands never before seen in this type of product.

Among these are the very useful LCOPY and LMOVE commands which let you rearrange the order of the lines in your program. VicTree does not "scroll" through your program like other aids, but supplies a PAGE command that LISTs your

program one screen at a time.

There are also several commands designed to aid in debugging. These are DUMP, which displays the value of all

CASSETTES!!!

FOR YOUR COMPUTER

Computer Grade	 Wide Dynamic Range
100% Error Free	5 Screw Housing
. Fully Guaranteed	 Carefully Packet

Phone Orders Add \$2.50 C.O.D. Fee COMPUTER TAPE PRICES

Length	25 LOT	100 LOT	1000 LOT	
C-6	45/11/25	35/35.00	30/300/00	
C-10	50/12/50	35/35.00	30/300.00	
C-20	55/13 75	.40/40.00	35/350.00	
			nts Per Tape	
	Custom Le	ngths Ava	lable -	
	Write For	Volume Pr	ces	

- Noreico Cassette Cases and Labels - | *Weth Cassette Drders Only*| 12-249 Cases' 20 Ea 250- 13 Ea 12 Labels for 20 120 for 17

1000 Phileed Labels 14 50 SEND MONEY ORDERS OR CHECKS TO: CASS-A-TAPES

Box 8123-C Kansas City, MO 64112 816-444-4651 COMPARE!!
BUY THE BEST!!

B. L. & W. DUSTCOVERS all and unique concept provides proti

Original and unique concept provides protection from some clust and other contaminants harmful to delicate crossts and moving parts. Our covers have outstanding features which provide a functional, durable and attractive alternative to other mostly.

September 1983 COMPUTE 183

op Quality Broadcloth	# Easy to Store # Attractive
urable + Washable	* Custom Orders — Call Us
/ill Not Crack or Dry Out	* Toll Free Ordering
llows Ventilation	★ 7-10 Day Delivery ★ Satisfaction Guaranteed
revents Condensation esigned to Fit Your Equipment	Satisfaction Guaranteed or Your Money Back
eagned to Fit Tool Equipment	· · · · · · · · · · · · · · · · · · ·

Ship To: (PRINT)				
City	State	Zip	Phone	
MakeMode!SandNavyPewterCrace Measgrammleg: (add 55 EU/cover and extra days for delivery. We carnot according recognization of thems)	nterry allow 5 ept resures	Printers Single DD	\$ 9.00 (Prices Include Sh Subsotal \$ Monogramming \$ (TN Residents add (% Sales Tax	
				_

Mail To: B.L.&W., BOX 381078, GERMANTOWN, TH 38183 (800) 821-7709 or (801) 754-4465

non-array variables; HELP, which shows where an error has occurred: and TRACE, which LISTs out your program lines as they run.

There are also commands intended for use with any "Centronics" type printer (with no extra hardware needed besides a cable to connect the printer to the parallel user port of your computer). Skyles will supply you with this cable for \$29.95, or the VicTree and a cable as a package for \$109.95

Multiple-Computer Communication

Skyles is planning to come out with a device called the Cee-Net which will allow up to 64 VICs or Commodore 64s to communicate with each other and to share disk drives and printers. The VicTree is designed to work with Cee-Net when it arrives and has a command to ATTACH itself to the network

On the 64, the VicTree "covers up" memory from 32768 to 40959. This means you have about 30,000 bytes left for your BASIC program. The VicTree also uses up memory from 49152 to 53247, so it cannot be used in conjunction with other software which uses these locations such as the Wedge or Micromon. When used with software that does not require that area of memory, however, it seems to work fine. I have had no trouble using the VicTree with Supermon, and with the PAL assembler

On the VIC-20, the VicTree uses locations 24576 to 32767 and 45056 to 49151, leaving 21,000 bytes free if you have enough expansion RAM. If you have an unexpanded VIC, the VicTree will not use up any of your memory.

The VicTree also allows the machine language programmer to add his own commands to BASIC, with descriptions in the manual of how to do it The manual contains over

100 pages of clearly written in-184 COMPUTE! September 1983

formation about the 42 commands. Each command is given its own page (or more) with examples, explanations, and special notes. Also included is a very complete technical description about the machine language applications of the VicTree. This

is one of the most convenient and useful manuals I have ever seen.

Skules Electric Works Mountain View, CA 94041 (415) 965-1735

Crisis Mountain For Apple And Atari Patrick Parrish, Editorial Programmer

Crisis Mountain, programmed in machine language by Ron Aldrich and David Schroeder, is an excellent, exciting game, requiring an Apple II or Apple II Plus with 48K RAM (also available for the Atari 400/800 with 48K) and a disk drive. This oneplayer contest from Synergistic Software can be played with either a joystick or the game paddles.

The scenario of the game is that a group of terrorists was hiding out in the caverns of a dormant volcano in the Pacific Northwest. The volcano erupted unexpectedly, forcing the terrorists to abandon their hideout As they fled, they left behind their loot and supplies - and several nuclear bombs. To save the West Coast from impending disaster, www must venture into Crisis Mountain, dig up and defuse the bombs while avoiding numerous hazards

Nine Skill Levels

Crisis Mountain alternates between two cavern scenes as you progress through nine skill levels. In the beginning of the game, you are given three lives. And if you're skillful enough you can earn a life at 10,000. 30,000, and 50,000 points. On each level you are presented with a labyrinth of passageways, precipices, and fiery lava pits which sporadically spew rocks and debris

Scattered about the cavern. in addition to innocuous objects left by the terrorists, are active bombs positioned randomly in one of five locations. Each displays a time, also randomly chosen, before detonation. As you advance from one skill level to another, you are challenged with more bombs and less time to defuse them. Thus, picking the appropriate route through the maze of passageways becomes more and more critical.

Scoring Points

Points are awarded for the completion of several tasks. Nominal scores are given for gathering the loot, gun caches, and boxes left by the terrorists. Once you've collected all items, certain bonus forms appear in random positions about the cave. Another way to score points

is to leap boulders. The larger the boulder, the more points you receive. Being struck by a boulder, on the other hand, diminishes your strength. The strength level is indicated with a number from one (weakest) to three (strongest). When you are weakened, your point scoring abilities are significantly impaired. In fact, at strength level one, scoring becomes secondary to mere survival since you can rarely manage to leap boulders in this weakened condition. Fortunately, there are several safe nooks around the cavern where you can recover.

Treacherous Caverns

There are other ways you can be



Call (213) 470-1888 and ask us about.

STORE - 2357 Westwood Blvd., West Los Angeles, CA 90064



Your running figure (center) leaps a tumbling boulder in Crisis Mountain.

destroyed in the game. You can fall or be knocked into a lava pit by a boulder, a bomb can detonate, or you can be bitten by the deadly bat, Bertrum.

It is obvious that tremendous effort went into designing this game's high-resolution graphics. Each form is drawn in intricate detail. The frothing lava pits and tumbling boulders are remarkably realistic.

The Deadly Bat

But the most remarkable graphic element of the game (and the most confounding to any player) is Bertrum, the bat. Bertrum flits about the cavern in a way that resembles a real bat. If a boulder is blasted from a nearby lava pit, Bertrum will dart toward it for a quick inspection, determine the rock is not prey, and fly off to another part of the cave.

But Bertrum is more than just a visual surcess. His presence adds a degree of chance to the game which makes it faster and more challenging. This dreaded but has a knack for determining where your player is at any moment in the game. Sometimes, you can avoid Bertrum with a last minute duck or leap. At other times, excape is simply impossible. Fey ey to detail the contraction of the details of the contraction of the details. The details are the simple of the details are details.

There are several other ex-

cellent features of this game. For one, the ESC key allows you to halt or resume a game at any 100 COMPUTE September 1983 time during play. With Crisis Mountain, a game can sometimes last an hour or more. A break during such a prolonged period of play, beyond being a convenience, is often essential for maintaining your concentration. (No "save game" option is offend.)

Although the sound effects are very good, you may want to turn them off occasionally. If so, you can cancel output to the Apple speaker with CTRL-S. On the other hand, if you want an engulfine, environmental audio

effect, output can be sent to external speakers via the cassette port. You can also store on disk, and subsequently display, the high score to date.

Overall, Crisis Mountain is a superior programming achievement and a thoroughly entertaining game.

Crisis Mountain Synergistic Software 830 N. Riverside Drive Suite 201, Renton, WA 98055 \$34-95

Magic Storybook: Three Little Pigs For Atari

Orson Scott Card

Editor, COMPUTE! Books

Five-year-old Geoffrey sat down at the computer, and a woman introduced a wolf named Wasco. "Move him to the magic door," she said. He pushed his joystick and the wolf walked over to the door, waving his arms and moving his legs. When he reached the door, the wolf flashed different colors and

disappeared.
Then the picture on the screen changed, as if it were a camera panning from left to right. Geoffrey saw a straw house, with a nervous pig inside, wigging its ears and tail. The straw salesman walked by as the woman told how the house came to be built. Then Wasco came back.

"Little pig, little pig, let me

in," said the wolf, in a voice that echoed strangely.
"Not by the bair of my

"Not by the hair of my chinny-chin-chin," said the squeaky-voiced pig. Geoffrey laughed aloud.

e The woman told him to move Wasco to Door Number One. Geoffrey did it – pausing on the way to let the wolf have a chance to take a few bites of the pig through the window. The pig was apparently safe inside, so

Geoffrey moved the wolf the rest of the way to the door.

Huffing And Puffing

The wolf started dancing around while he huffed and puffed. Sure enough, the sky flashed, the "camera" panned to the right again, and the house was now a wreck. The same thing happened with the wood house, and then the wolf failed in two tries at the brick house.

The woman told Geoffrey to move Wasco to the chimney. When Geoffrey got him there, the wolf climbed up and jumped down. But there was a pot waiting down in the fireplace, and the wolf dropped neatly inside. "I want another story now!"

said Geoffrey.
But there was no other story.



The wolf turks outside the first pig's house in The Magic Storybook: Three Little Pigs.

Sell Your Software TO MAJOR PUBLISHERS!

Would you like the appartunity to discuss you software or software development skills with major publishers looking for product and development assistance, venture capitalists looking for investment opportunities and agents looking for software developers? At The Great American Software Contest you can do all that and compete for prizes worth up to \$10,000 at the same time!

In addition, you'll spend the day before the exhibit in seminars with software market analysts from TALMISthe same people consulted by IBM, Atari and other major companies for information and advice. They'll tell you what it will take to sell software yourself; how you might work with an agent; what publishers and venture capitalists are looking for, what to watch out for when negotiating contracts, how the software market is changing and more important selling tips

We've tried to make this conference as inexpensive for you as possible. You won't need any fancy booth or signs. Curtained booths are available for those with top-secret programs. Just bring yourself, your micro computer and your unpublished software. The cost for you to compete for prizes up to \$10,000, learn the ropes of software selling and discuss your products or talents with publishers, agents and venture capitalists is \$195 plus \$15 for electricity (that's less than it costs us) Special hotel rates are available

Space is limited so call today to enter The TALMIS/InfoWorld Great American Software Contest. And get busy on that software - the publishers are waiting for you! For more details contact Master Plans Conference Management, 111 E. Chestnut St., Suite 24F, Chicago, IL 60611: (312) 944-1711.

Enter rnntest Ten \$250 Third Prizes in category

Nov. 1-9

Boston Park Plaza Boston, MA

One \$10,000 Grand Prize Five \$3000 First Prizes in category Five \$500 Second Prizes in category

+\$30,000 IN PRIZES

TALMIS/InfoWorld

Affiliates of International Data Corporation

So Geoffrey happily repeated "The Three Little Pigs" about six times before his parents sent him to bed with a promise that he could play it again tomorrow.

By the fairest standard of judgment I know, that makes Magic Storubook's animated, interactive computer story a success. It is meant for children. and my very picky son Geoffrey thought it was great.

And it was, in many ways. The pictures of the houses were beautifully done, with display list interrupts allowing eight colors and many different shades on the screen at a time. The wolf and the salesman were each made up of four player/missiles combined, and despite the limitation of the 16-bit-wide format (they were tall and thin), the animation was well-done.

Artistic Screen Display There were thoughtful extras, too. Stars twinkled. The pigs' eyes, ears, and tails were in con-

stant motion. The artistry of the screen display was delightful. The horizontal scrolling was bled like an earthquake when

beautifully done - it even tremthe wolf blew and blew at the brick house. The cassette loaded correctly the first time, every time, and when we wanted to repeat the story, the other side of the tape had the storytelling soundtrack only, so we didn't have to wait for a load. There was even a line-drawing replica of the cover picture, for a kid to

color There were trade-offs, of course. That can't be helped. To create fluid, lifelike cartoon movements requires a new picture for every different body position of an onscreen character. That kind of quality takes a lot of artists a lot of time and money. That's why cheaply made cartoons have stiff, unnatural movements, faces that show no expressions, and dull backgrounds that repeat end-

The same limitations apply to computer animation, only in addition to time and money, a third limitation is memory Smooth, lifelike movement requires that every single picture be in RAM, where it can be accessed instantly. Player/missile graphics compensates a lot, because figures can be moved smoothly. But as soon as you want arms and legs to move naturally, or faces to change expressions, you run into the same old problems - every shape has to be in memory.

Limited Interaction But that doesn't excuse all the

flaws. For one thing, the interaction was very limited. All the child can ever do is move the wolf from right to left. There's a little bit of freedom: the wolf can go up and down about an inch. But if the child plays around with the wolf too long, the program takes over and moves the

GOOD'S EDUCATIONAL SOFTWARE FOR THE APPLE®?

COMPress HAS IT!

Interactive Computer Assisted Instruction Materials for High School and College Levels

INTRODUCTION TO GENERAL CHEMISTRY INTRODUCTION TO ORGANIC CHEMISTRY ORGANIC OHALITATIVE ANALYSIS IMPROVING YOUR WRITING SERIES: A Rhetoric Program STATISTICS AND PROBABILITY DEMONSTRATIONS AND TUTORIALS

ENGLISH AS A SECOND LANGUAGE Demonstration Diskettes

EnBASIC™ AUTHORING SYSTEM MOLECULAR ANIMATOR INTRODUCTION TO CRYSTALLOGRAPHY ENGLISH GRAMMAR DRILLS

WORLD CLOCK

INDEXOR

TEST GENERATOR PACOR: Multiple Choice Tester CASE HISTORY: Multidiscipline Problem-Solving Our package for the TRS-80* Model I and III: INDEX COMPILER

- Available -



Call us now and request our catalog and demonstration diskettes.

282 (603) 764-5225/5831

wolf against the child's will

That seems like an unnecessary precaution. Why shouldn't children be free to move the wolf all around the house, if they feel like it, and take as long as they want doing it, too? It would have taken only a few dozen machine the wolf to go behind the house in the effort to get inside – a lot of drama would have been added to the story, and nothing is gained by making children hurry

Soming the tale.

The sound was another problem. The background music was tolerable but unexciting. The funny voices for the wolf and the pigs were great - Geoffrey and his three-year-old sister, Emily, laughed out loud the first narrator! She read in a monntone, as if she were hopelessly bored, repeating an elocution [Lesson, carefully pronouncing]

every vowel and consonant. I couldn't help but compare Magic Storubook with PDI's interactive story Sammy the Sea Serpent. The graphics and programming in Magic Storybook are lightyears beyond Sammy, But Sammy's narrator is an excellent, excited storyteller, and the child is given meaningful tasks to perform and games to play. The six high-resolution screens and player/missile graphics in Magic Storubook cost the children the chance to really become part of the story.

The glow on my son's face when the narrator of Sammy the Sea Serpent tells him, "Sammy is home now. He couldn't have done it without you," just wasn't there at the end of "The Three Little Pigs." Some things count even more than graphics.

Magic Storybook: The Three Little Pigs Amulet, Enterprises, Inc. P.O. Box 25612 Carfield Heights, OH 44125 (216)475-7766 \$29.95

Type Attack

Type Attack, a program from Sirius Software, is a basic course in touch typing enlivened by the challenge and addictive qualities of an arcade game. The program is available in disk versions for the Apple, Atari, and Commodore 64, and on cartridge for the VIC-20.

The Game

Each lesson in Type Attack has two modes. In the first – Character Attack – characters march down the screen in Space Invaders fashion. By pressing the proper key on the keyboard, you wipe out the bottom character. If the wrong key is pressed, reserve energy is reduced.

There are three waves of characters. In the first two waves, the characters are in a set pattern; in the third, the characters appear in a random pattern.

In the second mode – Word Attack – words travel across the screen. One vulnerable word is indicated by a flashing marker. When you correctly type the entire word and press the space bar, the word is wiped out and you gain energy units.

If a word goes off the left side of the screen, it reappears at the right side at the cost of energy units. If all the words are correctly typed on the first pass, a set of bonus words come marching by in double time. If you complete Word Attack without losing all your energy, you advance to the next lesson.

Scoring is based on the number of characters and words destroyed. Points are lost for pressing the wrong keys. Bonus points are computed at the end of each lesson by multiplying the average words per minute by the speed level at which you played.

The Lessons

Type Attack has 39 planned lessons that follow typical keyboard J. David Keller

manuals. Lesson I uses the home Keys A SDF. Lesson 2 uses J K L; Subsequent lessons build skills by using additional keys, usually two at a time. After the alphabet and basic punctuation marks are studied, numbers are added, and eventually, the symbols that utilize the shift key are introduced.

In Word Attack, early lessons have two to four characters per word. Later, up to 12character words are presented. Many of the words in Word Attack are computer commands, such as GOTO and 5 HOME.

After the 39 planned lessons, you can add programs to practice specific skills. For example, a lesson which uses only two keys could be designed for very yound pypists. Or, advanced lessons could utilize a series of programmine commands.

You can set the speed at which the letters and words move. The variety of the settings is sufficient to make a beginner feel confident and the pro feel inadequate. Higher score values are given for higher speeds. However, I found I made my highest scores with lower speed

settings.

At the left edge of the screen,
a bar graph shows the speed at
which you are typing the lesson.

The manual is well written and the directions are clear, but more information on typing skill development and the content of each lesson would have been helpful.

"Type Attack is a well-balanced game and learning program. The challenge is certainly there and as a result, players will surely develop better typing skills.

Type Attack Sirius Software, Inc. 10364 Rockingham Drive Sacramento, CA 95827 (916)366-1195

Mutant Herd For The VIC

Tony Roberts, Assistant Managing Editor

If your fire-button finger is worn out from trying to shoot down everything that moves, Mutant Herd from Thorn EMI Video may be the prescription. In this VIC-20 cartridge game, the fire button does come into play, but only occasionally. There's much more than dodging and shooting here.

Your assignment is to protect a powerhouse, which pulsates at the center of your screen, from an invasion of mutants, who crawl from burrows located at each corner of the display.

Your weapon is a pair of laser beams – one horizontal and one vertical – that are controlled by joystick or the keyboard.

At the game's start, everything is quiet, the beams intersect
at center screen, no mutants
are in sight. Move one of the
beams—even slightly—and the
burrows erupt. Red, green,
purple, and yellow mutants
stream from the burrows and
pour toward the power station.

If They Form A Ring

Use the beams to stop the wave of attackers and push them toward the edges of the screen. Don't push them too far, though, for as you push the attackers to
one side, the inhabitants of the other burrows creep in from the
other side. If the mulants mange to form a ring around the perimeter of the powerhouse, one of your three lives is lost, and you
start again.

As you defend the rumbling powerhouse, you'll soon hear the high-pitched sound of the Mutant Slayers as they begin to suppear on the screen. The Mutant Slayers, though not unlike the mutants in appearance, are the key to eliminating these power production pests.

Dower production pests. Use the laser beams to guide a slayer into one of the four burrows. By pressing the fire button, ti

you allow the slayers to pass through the beams. If you push one of the slayers – you get ten – off the screen or into the powerhouse, color it gone.

Once you guide a slayer into one of the burrows, the scene changes. You find yourself in the shoes of a Mutant Slayer near the top of the burrow you just entered. You see a ladder leading down past abandoned caverns to the bottom of the screen where the Mutant Queen protects 15 of her precious eggs.

You're working against time, so don't spend too long admiring the sights. Get down the ladder into the Queen's cavern and put down an explosive charge. Dart back up the ladder and touch the detonator to destroy five of the eggs and seal the hurrow.

It's not as easy as it sounds. The mutants, though they are admirable burrowers, know little about engineering. The abandoned caverns are deathtraps. Rocks continually fall from the walls and ceilings and bound down the ladderway. Step quickling into the gaps to the left of the ladder to avoid the falling rocks. You can't survive a direct hit.

While you're dodging rocks on your way to the top of the burrow, the Mutant Queen attempts to move your explosive away from her eggs. If she succeeds, you must go back and replace it. Be forewarmed: them Mutant Queen considers Mutant Slayers a delicacy and will not hesitate to eat one if it ventures too close.

If you successfully plant the charge, dodge the rocks, and return to the detonator before the explosive has been moved, you will destroy five eggs and seal the burrow. Congratulations. But you've only just begun

When you return to the powerhouse, things will have changed. Only three burrows remain, but your laser beams have been weakened. They're filled with gaps where mutants can slip through. Despite the difficulties, you must press on; you must seal the remaining burrows.

Guide a slayer into another burrow, and the scene shifts as before. This time, however, the Queen guards only ten eggs. You'll have to get closer to the Queen to plant the charge (risking ending up as a light lunch), and the Queen needn't go as far to move the explosive away from the eggs.

Use The Patrol Schedule Though the Mutant Queen is vicious and certainly voracious, she does have a weakness: her pacing is predictable. She ambles back and forth through her nar-

row cavern almost like clockwork. Use her patrol schedule to your advantage. If you manage to seal the second burrow, you'll return to

second burrow. you'll return to the powerhouse, you'll eams weaker still. Send a slayer into one of the remaining burrows, plant the charge, dodge the rocks and the Mutant Queen, and detonate the explosive to destroy the final five eggs. Once the eses are de-

stroyed, you can turn your full attention to the Queen herself. Back at the powerhouse, you have only one burrow of mutants to contend with, but your laser beams look like Swiss cheese. Guide a slaver into the final

burrow. Plant your explosive in the Queen's cavern and crawl for cover. When the Queen is directly above the charge, press the fire button to trigger the explosion and complete the round.

Once the Queen has been destroyed, you move on to new rounds, and new hazards. Mutant Herd includes op-

tions for one or two players. No gun. pause option is available, but



only **\$259**

Lowest price quality tractor friction printer in the U.S.A. • Fast 80 characters per second
 40, 46, 66, 80, 96, or 132 characters per line spacing • Prints labels, letters, graphs, and tables
 List your programs • Print out data from modem services

COM-STAR FIT

COMSTAR F/T PRINTER — \$259.00

The Comstar is an excellent addition to any micro-computer system. (Interfaces are as available for Apple, VIC-20, Commodore-64, Pet, Atan 400 and 500, and Hewlett Packard). At only \$259 the Comstar gives you print quality and features found only on printars coating.

twice as much. Compare these features.

• BI-DIRECTIONAL PRINTING with e LOGIC SEEKING CARRIAGE CONTROL for higher through-put in actual taxt printing. 80 characters per second.

characters per second.

• PRINTING VERSATILITY: stendard 96 ASCII character set plus block graphics end internetional scripts. An EPROM character generator includes up to 224 characters.

 INTERFACE FLEXIBILITY: Centronics is standard. Options include EIA RS232C, 20mA Current Loop. (Add \$20.00 for RS232)

LONG LIFE PRINT HEAD: 100 million cheracter life expectancy.

THREE SELECTABLE CHARACTER PITCHES: 10, 12 or 16.5 cheracters par inch. 122 columns maximum, Double-width font elso

is standard for sech character pitch.

THREE SELECTABLE LINE SPACINGS: 8, 8 or 12 lines per inch.

 PROGRAMMABLE LINE FEED: programmable langth from 1/144 to 255/144 Inches.

COMSTAR F/T

VERTICAL FORMAT CONTROL: programmable form length up to 127 lines, useful for short or over-sized preprinted forms.

 FRICTION AND TRACTOR FEED: will accept single sheet paper.

224 TOTAL CHARACTERS
 USES STANDARD SIZE PAPER

Premium Quality COMSTAR F/T SUPER-10" PRINTER — \$299.00

More Features Than MX-80 For 1299 you gat ell of the features of the Comstar plus 10° certifage 120° cps, 460 doi: 10° cps, 460 doi: 10

80 COLUMN PRINTER \$189 Super allent operation, 60 CPS, prints Hiresolution graphics end block graphics, socharacters, anneatic set, exceptionally clear characters, inhestic print quelity, uses inex-

Double Immediate Replacement Warranty

We have doubled the normal 90 day werranty to 190 days. Therefore if your printer faile within "180 days. Therefore if your printer faile within "180 days" from the deep of purchase you simply send your printer to us via United Percel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge via United Parcel Service, prepaid. This werranty, once open, proves the VIE LOVE CUBY.

15 DAY FREE TRIAL

\$40,00 for CANADA, PUERTO RICO, HAWAII, ALASKA orders. WE DO NOT EXPORT TO OTHER COUNTRIS. Enclose cashiers check money order or personal chack, Albow 14 days for delivery, 2 to 7 days for phone orders, 1 days sorphone orders, and experience of the enclose of t

PROTECTO ENTERPRIZES

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312382-8244 to order

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdef9hiJk 1mn opgretuvwxyz 1234567B9O ABCDEFGHIJKLNNOPRSTUVWXYZabcdef9hiJklmnopgretuvwxyz1234567B9O

SUPER-10" ABCDEFGHIJKLMNOPGRBTUVWXYZ
ABCDEFGHIJKLMNOPGRBTUVWXYZ 1234567890

sive tharmal roll papari

the peck!

each time you return to the powerhouse, either by losing a life or sealing a burrow, the game waits until you initiate action by moving the laser beams.

Though a little luck will get you started with Mutant Herd, you'll need to develop strategies. both for the surface and the underworld, to keep going for long. There are enough little problems to always keep you thinking about what you'll have to do

Mutant Herd Thorn EMI Video Programs Limited 1370 Avenue of the Americas New York, NY 10019

c30 05 COMPUTE!

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

24K Golden RAM® Expansion Chassis ONLY \$149.00

player's delight. Boosts VIC

memory to 29K1 4 expansion slots with switches for instant cartridge selectio faster than a disk.

 Accepts any cartri designed for the VIC 20°. System Reset Button.

 Plugs directly into your VIC 20°. · 8 memory control switches—easy to configure in 8K banks for custom

 Factory tested—one year limited warranty. VOICE WORLD

 Start address selection at 2000. 4000, 6000, A000 HEX. ROM mode switches for memory write protec tion and PROM EPROM

emulation • Memory hanks hold programs/data

 Gold-plated connectors switch contacts for high reliability. Fused to protect your VIC 20^e

TO ORDER: Send check or money order. Add 3.00 shipping and handling. California residents add 6% sales bax. COD residents add 6% sales tax. CC /IC 20 is a registered trademark of Commodore Business Mechines, INC.

Where's the Applause?

You're creative, original, competent You've written programs that entertain educate, organize, anolyze. So where's the opplause?

Let us find your audience

That is our business. When we accept a program tar publication, we do more than list it in a catalag We put it in the most effective packaging. We expond its potential with translations for other computers. We devise a campetitive marketing strategy. And then aur soles statt runs it thraugh a notional distribution network. That's why aur pragrams such as EARLY GAMES ore bestsellers. That's how yours could become one.

We will mare than tind your audience, we will create it. And you'll love the applouse. Submit your programs far review and expect o response within ten business days.

counterpoint software inc. new products editor guite 218e

4005 west sixty-fifth street minneapolis minnesota 55435



Malifile

Exclusively from AdVentures	Ī
Gypsum Cavas by Brian Wagner	
A revolutionary new game requiring more	
then just hand-eye coordination, Gyosum	
Caves is a word-adventure trek through	
endless caverns. Use objects found along	
the way and your imaginetion to gain the	
final test - then try to get out alive! 3-D	
Color Graphics	
Vic 20 Cassatte\$14.95	
C64 D/sk \$16.95	

Ak-Ak Man by Brian Wagner The old standby with a new twist - random screens. The computer devises a new pettern every time, for edded challenge and

Vic 20 Cassette \$9.95

New Releases from AdVentures

excitement

Leap-Man (+ 3K) by Brian Wagner Experience 5 screens worth of action as Leap-Man treverses the structure of girders, walls, floors, and ladders in this fast-paced adventure game. Vic 20 Cassette \$14.95

Earthinator (+ 3K) by Brian Wagner Pursue various subterranean denizens through tunnels, shafts, and solid rock in your capacity as EarthInator, structural pest control technician for the entire nlenet

Vic 20 Cessette \$14.95 Huntman By Earnest Hunter Scramble to avoid the wild hogs and collect enough emmunition to defend yourself in this wild ection chase challenge. V/c 20 Cassette

Mind Binder by Steve Fogolini A mind boggling matching game of skill, tactics, and memory. 5 levels of difliculty for hours of enjoyment. C64 Disk \$14.95

World Conquest by Todd Seidel Combined skill and luck are required to master this intriguing quest for world domination, C64 D/sk \$18.95

by L. A. Enterprises A software directory for your home computer. Mailfile stores and retrieves names. numbers and addresses by name end zip Atari 400/500 Cassette\$9.95

C64 D/sk\$11.95 Math Tutor by Royce Webb A valueble tool for young children to

simultaneously develop their math skills and their understanding of the use and value of the computer. For grade levels 4 and up, with emphasis on problem-solving using elementery math principles. Varying skill levels, question sets, end choice ar-

Atari 400/800 Cassette \$8.95

Home Budget/Finance (+ 3K) by Carter Jones

This is a variable program that can help ou organize your budget and stick to it. Pre-programmed with various expenditure/income categories as well as untitled columns for specific regular expenses, this planner is e valuable tool for any Vic 20 Cessette\$9.95

My ARC's by L.A. Enterprises Software designed to help young children get e head start in language as well as familiarize them with the potential of the computer

My First Numbers by Carter Jones An extensive elementery mathematics progrem designed for children up to 4th grade levels. This software can provide the basis for superior achelvement in all levels of mathematics by assuring a complete grasp of the basic principles.

Vic 20 Tape FPYY Jumpman

C64 ...

As Jumpmen, you will be the only one capable of negotiating the wreckage of headquarters to find the bombs planted there. Watch your step! Atari 400/800 Disk \$29 95

920 05

Aggrassor Protect the precious ore fields of

Freeworld 6 in your advanced VX6 Merauder Ramjet fighter. 10 levels of difficulty. Vic 20 Certridga \$32.95

Gridrunnar Combat the enemy drolds on the Grid, a

huge orbiting solar power station, in e specially constructed Gridrunner ship. Vic 20 and C64 Cartridge \$32.99

RRODERRUND A.E. The newest import from Japan has surpassed its function as a pollution control robot and become a nulsance. A light-

hearted game regulring speed, agility, and a sense of humor. Joystick required. Ateri 400/800 Disk \$24,99 DATA SOFT

Zaxxon

Official home version of the famous 3-D ercade adventure. Pilot your aircraft through the battlefield and to the showdown with the deadly armored robot. Sound effects and color graphics. Ateri 400/900 Cassette\$29.95

1701 Monitor Cat les \$11.25

Dealer/Distributo's inquiry welcome. Attention Programmers: Top dollar for original programs. We provide copyright Other mejor credit cards accepted.



In D.C. Metro area 703-360-0301

or Write to: AdVanturas 8718-A Richmond Highway Alexandrie, VA 22309 Include \$2.00 for Postage and Handling.

ULTRASORT For Commodore

John W Ross

This is probably the fastest sorting program ever published for any home computer. It will alphabetize 1000 items in less than eight seconds.

There are versions here for the 64, VIC, and 4.0 RET. You might want to change the amount sorted in the test program to reflect the available memory in your computer. If so, change N in line 110 of Program 4. The test generates random "words" so you can see how the program works.

This article is a sequel to my earlier article "Super-Stell Sort for PEICDM" (Perhuary 1989). In this article, I described a shell sort program for the CDM 8022 written entirely in machine language. It performed as expected and was, overall, very fast, however, it had a couple of shortcomings. First of all, it had a rather chumsy interface with ASSIC; that is, the calling sequence was not very nea; and second, sorting was performed by the actually quite efficient, octanity for abter than a bubble sort, for instance. Nevertheless, there are better sorts.

C.A.R. Hoare's Quicksort algorithm is possibly the fastest yet developed for most applications. So, I rewrote my machine language sortprogram based on the Quicksort algorithm.

Speed Improvements

How much better is it? In order to test the program, I wrote a small sort test program (Program 4), similar to the one in my original article. This program generates a character array containing N items (line 110).

Different items are generated depending on the value of the random number seed, SD in line 140; SD must be a negative number.

I generated six 1000 element arrays and sorted them using both the shell sort and Ultrasort. Super

Shell Sort required an average of 29.60 seconds to sort all 1000 elements, while Ultrasort required an average of only 8.32 seconds. The sorting time has increased 72%. I don't believe you will find a faster sort for an eight-bit machine anywhere.

The way you start the sort (see Program 4) has also been refined. To RUN the sort on the PET, you simply type:

SYS 31744, N, AAS(K)

For the 64, use:

SYS 49152,N,AA\$(K)

The format is the same for the VIC, but the loader for the VIC version (Program 2) is designed to release tisself to the top of available memory, which will vary according to the amount of expansion memory added to your VIC. (Ultrasort is too long for the unexpanded VIC.) The loader program will tell you the proper SYS address to use on your VIC.

RUNning The Program

Ultrasort can be used either from within a program or in immediate mode. RUNning Ultrasort causes. N elements from array AAS, starting with element K, to be sorted into ascending order. The sort occurs in place; there is no additional memory overhead. N and K can be constants or variables, and any character array name can be substituted for AAS.

Before RUNning the sort, though, it must be LOADed by BASIC. The appropriate loader is supplied in Programs 1-3. The tradeoff for the increased speed of Ultrasor is increased complexity, especially in machine language. The sort program runs from \$700 to \$7876 (908 bytes) on the PET. The increased size, of course, creates a greater possibility of errors when you enter the numbers. In order to minimize this, the PET loader

194 COMPUTEL September 1983



MARKETING SERVICES INC. 300W Martton Piles & Cherry Hel. N.J. 080023 & 608-795-9480 (Program 1) is written to be self-checking to a degree. The DATA statements are grouped in blocks of 20 lines or 140 numbers (except for the first and last blocks), each of which is supplied with a checksum. If all the numbers in a block do not add up to the checksum, an error message is printed, giving you an indication of which block is in error. VIC and 64 owners should check their typing carefully, as there is no checksum.

Notice that the first thing the loader programs do is reset the top of memory pointer. This is very important - you must use the BASIC loader before RUNning the sort program.

Once Program 1 is loaded into upper memory of the PET, you should save it to disk by entering the monitor (SYS 4) and typing:

S"0-LILTRASORT".08.7C00.7F8C

VIC and 64 owners should use a monitor program or cartridge (e.g., VICMON, Supermon 64) or a routine such as "Machine Language Saver" (COMPUTE), June 1983, p. 216) to save a copy of

the Ultrasort machine language. To load your copy of Ultrasort from the PET monitor, reset the top of memory and type:

L"0:ULTRASORT",08

From PET, VIC, or 64 BASIC type:

LOAD"ULTRASORT".8.1 for disk, or LOAD"ULTRASORT", 1,1 for tape,

You can use Program 4 to watch the action with the PET, VIC, or 64 versions of Ultrasort.

Program 1: Ultrasort For PET

1 REM ULTRASORT-LOADER 10 POKE 52,0 : POKE 53,124 : CLR

20 FOR IB=1 TO 7

30 READ N, NL, CC: CS=0 : IF NL <>0 THEN L=NL 40 FORI=1 TO N : READ X : CS=CS+X : POKE L,X

50 L=L+1 : NEXT I IF CS CC THEN PRINT"ERROR IN BLOCK"IB 68 · END

7Ø PRINT"BLOCK"IB"OK" 80 NEXT IB 90 END

199 REM ... BLOCK 1 ... 200 DATA 3,31744,300 205 DATA 76,100,124 206 REM ... BLOCK 2

207 DATA 140,31844,14808 210 DATA 32,245,190,32,152,189,32 215 DATA 45,201,165,17,141,12,124 220 DATA 165,18,141,13,124,32,245 225 DATA 190,32,152,189,56,165,68 230 DATA 233,3,133,84,165,69,233 235 DATA Ø,133,85,162,1,173,12

240 DATA 124,157,20,124,173,13,124 245 DATA 157,48,124,169,1,157,68 250 DATA 124,169,0,157,80,124,189 255 DATA 60,124,141,16,124,189,80

260 DATA 124,141,17,124,189,20,124 265 DATA 141,18,124,189,40,124,141 270 DATA 19,124,32,47,127,173,11

3Ø6 REM ... BLOCK 3 307 DATA 140.0.13385

310 DATA 124,32,47,127,173,11,124 315 DATA 48.3.76.167.125.32.131 320 DATA 127,173,16,124,141,3,124 325 DATA 173,17,124,141,4,124,173 330 DATA 14,124,141,5,124,173,15 335 DATA 124,141,6,124,32,132,126 340 DATA 32,180,126,173,11,124,48

275 DATA 124,48,4,202,208,221,96

285 DATA 80,124,141,17,124,169,1

29Ø DATA 141,18,124,169,0,141,19

28Ø DATA 189,6Ø,124,141,16,124,189

295 DATA 124,32,101,127,189,20,124

300 DATA 141,18,124,141,14,124,189 305 DATA 40,124,141,19,124,141,15

345 DATA 218,173,16,124,141,3,124 350 DATA 173,17,124,141,4,124,173 355 DATA 18,124,141,16,124,173,19 360 DATA 124,141,17,124,169,1,141 365 DATA 18,124,169,0,141,19,124 370 DATA 32,101,127,173,16,124,141 375 DATA 18,124,173,17,124,141,19 380 DATA 124,173,3,124,141,16,124 385 DATA 173,4,124,141,17,124,32

390 DATA 47,127,173,11,124,16,35 395 DATA 173,14,124,141,3,124,173 400 DATA 15,124,141,4,124,173,18

405 DATA 124,141,5,124,173,19,124 406 REM ... BLOCK 4 ... 407 DATA 140,0,13499

410 DATA 141,6,124,32,132,126,32 415 DATA 180,126,173,11,124,48,152 428 DATA 32,47,127,173,11,124,16 425 DATA 18,173,16,124,141,3,124 430 DATA 173,17,124,141,4,124,32 435 DATA 132,126,32,31,127,76,241

440 DATA 124,234,189,20,124,141,3 445 DATA 124,189,40,124,141,4,124 450 DATA 173,16,124,141,5,124,173 455 DATA 17,124,141,6,124,32,132 460 DATA 126,32,31,127,173,16,124 465 DATA 141.18.124.141.3.124.173 470 DATA 17,124,141,19,124,141,4 475 DATA 124,32,81,127,189,20,124 480 DATA 141,18,124,189,40,124,141

485 DATA 19,124,32,101,127,173,11 490 DATA 124,48,15,189,60,124,141 495 DATA 18,124,189,80,124,141,19 500 DATA 124,32,101,127,169,1,141 505 DATA 18,124,169,0,141,19,124 506 REM ... BLOCK 5 .

507 DATA 140,0,15957 510 DATA 173,3,124,141,16,124,173 515 DATA 4,124,141,17,124,173,11 520 DATA 124,16,52,189,60,124,232 525 DATA 157,60,124,202,189,80,124 530 DATA 232,157,80,124,32,101,127 535 DATA 173,16,124,157,20,124,173 540 DATA 17,124,157,40,124,32,131 545 DATA 127,32,131,127,202,173,16 550 DATA 124,157,60,124,173,17,124 555 DATA 157,80,124,76,128,126,32 560 DATA 131,127,232,173,16,124,157 565 DATA 60,124,173,17,124,157,80

570 DATA 124,202,189,20,124,232,157 575 DATA 20,124,202,189,40,124,232 580 DATA 157,40,124,202,32,101,127 585 DATA 32,101,127,173,16,124,157 590 DATA 20,124,173,17,124,157,40

SOFTWARE DEVELOPMENT SYSTEMS Help you develop your skills and the power of your com-These complete development systems for the VIC 20 and the Commodore 64 computers are tools for the professional and learning aids for the developing programmer. A must for anyone who wants to understand the internal workings of the computer or who wants to design fast-action graphics of other powerful machine language programs.

The Full-featured Assembler, Screen editor, Loader, Decoder and Debugger are accompan tutorial on machine language, graphics programming and sound generation programming. The book also guides you through step-by-step instructions for the use of the tools and contains the most complete memory map available. A complete list is included of all the internal programs in ROM and the means by which you can call them from your own programs. Sample programs are fully the means by writing you can call them from your own programs. Sample programs are fully explained.

All programs support disk, tape and printer output. A special limited-feature version is available for the 5K VIC 20. Ask for Develop-20 and Davelop-64 at your local softwere store To order direct send \$49.95 U.S. fends plus \$2.00 pth to French Selk, PO Box 207, Cannon Falls, NN 55005 VISA/IMC charges accepted (please include expiration detel Please specify Develop 20 or Develop 64 and the SK version for the VIC 20 if so desired Programs are distributed on catastile or diskette Please specify you







includes deman SIN 95 FOR TAPE SAC 95 FOR DOSE



* \$14 % FOR TAPS . \$17.95 FOR DISK



PLEASE WRITE: ABACUS SOFTWARE PO BOX 7211, Grand Rapids, MI 49510 For postage & handling, add \$1.5 (U.S. and Canada) ,add \$3.00 for foreign. Make payment in U dollars by check. money order or charge card. FOR IMMEDIATE SERVICE PHONE 616/241-5510

Mich. Residents add 456 sales tax Hours 9am -6pm EST. FREE CATALOG Ask for a listing of other soft wars for your Commodore-64

CCI Software 167 Great Portland S

Cofe des Noges Cofe des Noges

VISCOUNT ELECTRONICS 305-306 Church Street

595 DATA 124,232,76,162,124,160,3 600 DATA 165,84,133,88,133,90,165 605 DATA 85,133,89,133,91,24,165 606 REM ... BLOCK 6 . 607 DATA 140,0,15683 610 DATA 88,109,3,124,133,88,165 615 DATA 89,109,4,124,133,89,24 620 DATA 165,90,109,5,124,133,90 625 DATA 165,91,109,6,124,133,91 630 DATA 136,208,223,96,160,0,140 635 DATA 11,124,177,88,141,7,124 640 DATA 177,90,141,8,124,200,152 645 DATA 205,7,124,240,2,176,13 650 DATA 205,8,124,240,21,144,19 655 DATA 238.11.124.76.30.127.205 660 DATA 8,124,240,2,176,62,206 665 DATA 11,124,76,30,127,140,9 670 DATA 124,160,1,177,88,133,86 675 DATA 200,177,88,133,87,172,9 680 DATA 124,136,177,86,141,10,124 685 DATA 140,9,124,160,1,177,90 690 DATA 133.86.200.177.90.133.87 695 DATA 172,9,124,177,86,200,205 700 DATA 10,124,208,3,76,195,126 705 DATA 144,184,76,224,126,96,160 786 REM ... BLOCK 7 ... 707 DATA 108,0,11613 710 DATA 2,177,88,72,177,90,145

715 DKTA 89, 104, 145, 99, 136, 16, 243
728 DKTA 96, 164, 91, 11, 1124, 173
728 DKTA 96, 164, 91, 141, 11124, 173
738 DKTA 96, 164, 91, 141, 1124, 173
738 DKTA 11, 124, 96, 173, 161, 164, 285
738 DKTA 11, 124, 96, 173, 161, 164, 285
738 DKTA 11, 124, 96, 173, 161, 164, 285
738 DKTA 11, 124, 96, 173, 161, 124, 189
739 DKTA 19, 124, 141, 17, 124, 189
739 DKTA 19, 124, 141, 17, 124, 96, 189
739 DKTA 173, 177, 124, 277, 19, 174, 116, 124
770 DKTA 173, 177, 124, 277, 19, 174, 116, 124
738 DKTA 173, 177, 124, 277, 19, 124, 141

Program 2: Ultrasort For VIC 5 I1=PEEK(56)*256-1024

785 DATA 17,124,96

6 POKE 55,0:HI=INT(I1/256):POKE 56,HI:CL R

R 7 I1=PEEK(55)+PEEK(56)*256 8 HI=INT(I1/256)

10 I=I1 20 READ A:IF A=256 THEN PRINT"TO RUN SOR T, USE: SYS"I1:END

6856 DATA 20,-26,141,18,-26,189,40

6864 DATA -26,141,19,-26,32,47,-29

6872 DATA 173,11,-26,48,4,202,208 6880 DATA 221,96,189,60,-26,141,16 6888 DATA -26,189,80,-26,141,17,-26 6896 DATA 169,1,141,18,-26,169,0 6984 DATA 141,19,-26,32,101,-29,189 6912 DATA 20,-26,141,18,-26,141,14 6920 DATA -26,189,40,-26,141,19,-26 6928 DATA 141,15,-26,32,47,-29,173 6936 DATA 11,-26,48,3,76,167,-27 6944 DATA 32,131,-29,173,16,-26,141 6952 DATA 3,-26,173,17,-26,141,4 6960 DATA -26,173,14,-26,141,5,-26 6968 DATA 173,15,-26,141,6,-26,32 6976 DATA 132,-28,32,180,-28,173,11 6984 DATA -26.48.218.173.16.-26.141 6992 DATA 3,-26,173,17,-26,141,4 7000 DATA -26,173,18,-26,141,16,-26 7008 DATA 173,19,-26,141,17,-26,169 7016 DATA 1.141.18.-26.169.0.141 7024 DATA 19,-26,32,101,-29,173,16 7032 DATA -26,141,18,-26,173,17,-26 7848 DATA 141,19,-26,173,3,-26,141 7848 DATA 16,-26,173,4,-26,141,17 7056 DATA -26,32,47,-29,173,11,-26 7064 DATA 16,35,173,14,-26,141,3 7072 DATA -26,173,15,-26,141,4,-26 7080 DATA 173,18,-26,141,5,-26,173 7088 DATA 19,-26,141,6,-26,32,132 7096 DATA -28,32,180,-28,173,11,-26 7184 DATA 48,152,32,47,-29,173,11 7112 DATA -26,16,18,173,16,-26,141 7120 DATA 3,-26,173,17,-26,141,4 7128 DATA -26,32,132,-28,32,31,-29 7136 DATA 76,241,-26,234,189,20,-26 7144 DATA 141.3, -26, 189, 40, -26, 141 7152 DATA 4,-26,173,16,-26,141,5 7160 DATA -26,173,17,-26,141,6,-26 7168 DATA 32,132,-28,32,31,-29,173 7176 DATA 16,-26,141,18,-26,141,3 7184 DATA -26,173,17,-26,141,19,-26 7192 DATA 141.4.-26.32.81.-29.189 7200 DATA 20,-26,141,18,-26,189,40 7208 DATA -26,141,19,-26,32,101,-29 7216 DATA 173,11,-26,48,15,189,60 7224 DATA -26,141,18,-26,189,80,-26 7232 DATA 141,19,-26,32,101,-29,169 7240 DATA 1,141,18,-26,169,0,141 7248 DATA 19,-26,173,3,-26,141,16 7256 DATA -26,173,4,-26,141,17,-26 7264 DATA 173,11,-26,16,52,189,60 7272 DATA -26,232,157,60,-26,202,189 7280 DATA 80,-26,232,157,80,-26,32 7288 DATA 101,-29,173,16,-26,157,20 7296 DATA -26,173,17,-26,157,40,-26 7384 DATA 32.131.-29.32.131.-29.282 7312 DATA 173,16,-26,157,60,-26,173 7320 DATA 17,-26,157,80,-26,76,128 7328 DATA -28,32,131,-29,232,173,16 7336 DATA -26,157,68,-26,173,17,-26 7344 DATA 157,80,-26,202,189,20,-26 7352 DATA 232,157,20,-26,202,189,40 7368 DATA -26,232,157,40,-26,282,32 7368 DATA 101,-29,32,101,-29,173,16 7376 DATA -26,157,20,-26,173,17,-26 7384 DATA 157,40,-26,232,76,162,-26 7392 DATA 160,3,165,75,133,79,133 7400 DATA 81,165,76,133,80,133,82 7408 DATA 24,165,79,109,3,-26,133 7416 DATA 79,165,80,109,4,-26,133

BUSIWRITER





BUSIWRITER A Honey of a Word Processor

Why word processors?

Word processors allow the user to quickly and easily create letters, memos, notes, reports, term papers, manuals, poterly and any other written information using the memory of the computer as a pencil and paper. The computer display or terminal eats as a window through which the user views the information as it is entered. The outstanding advantage of using BUSIWHITER is that it acts not only as a pencil and paper but as a perfect eraser and automatic typewriter.





For Commodore CBM-64

Commodore 1515, 1525, Epson, C. Itoh, Qume, Diablo, NEC Spinwriter, Starwriter, Prowriter, Okidata, Microline, Gemini-10

And many more printers
BUSIWRITER The Queen Bee of Word Processors

BUSINITER allows the uner to quickly and easily make any number of other of a directions to feel attentions to the text. BUSINITERS will instantly element your text and show you exactly and continuously how the final output will appear. BUSINITERS have more functions than any other known indicocomputer on indicocomputers and any other known indicocomputers with a businiters assisting in the entry of text, provided in the preparation of written data is far faster and outstandfully more accurate than if it were prepared to the work of the work of the preparation of written data is far faster and outstandfully more accurate than if it were prepared to the work of the work



BUSIWRITER With the Sting Removed from the Prices

BUSIWRITER 64 only \$99.00 for the CBM 64

ioni, tonico ioi me onico

BUSIWRITER AVAILABLE NOW FROM YOUR LOCAL DEALER (800) 227-9998

FOR THE NAME OF YOUR NEAREST DEALER
California, Canada, Alaska and Hawaii please call (415) 965-1735



7424 DATA 80,24,165,81,109,5,-26 7432 DATA 133,81,165,82,189,6,-26 7440 DATA 133,82,136,208,223,96,168 7448 DATA Ø,140,11,-26,177,79,141 7456 DATA 7,-26,177,81,141,8,-26 7464 DATA 200,152,205,7,-26,240,2 7472 DATA 176,13,205,8,-26,240,21 7480 DATA 144,19,238,11,-26,76,30 7488 DATA -29,205,8,-26,240,2,176 7496 DATA 62,286,11,-26,76,30,-29 7504 DATA 140,9,-26,160,1,177,79 7512 DATA 133,77,200,177,79,133,78 7520 DATA 172,9,-26,136,177,77,141 7528 DATA 10,-26,140,9,-26,160,1 7536 DATA 177,81,133,77,200,177,81 7544 DATA 133,78,172,9,-26,177,77 7552 DATA 200,205,10,-26,208,3,76 7560 DATA 195,-28,144,184,76,224,-28 7568 DATA 96,168,2,177,79,72,177 7576 DATA 81,145,79,184,145,81,136 7584 DATA 16,243,96,169,0,141,11 7592 DATA -26,173,17,-26,205,19,-26 7600 DATA 144,6,240,8,238,11,-26 7608 DATA 96,206,11,-26,96,173,16 7616 DATA -26,205,18,-26,144,244,208 7624 DATA 238,96,173,16,-26,24,109 7632 DATA 18,-26,141,16,-26,173,17 7640 DATA -26,109,19,-26,141,17,-26 7648 DATA 96,169,0,141,11,-26,56 7656 DATA 173,16,-26,237,18,-26,141 7664 DATA 16,-26,173,17,-26,237,19 7672 DATA -26,141,17,-26,176,3,206 7680 DATA 11,-26,96,238,16,-26,208 7688 DATA 3,238,17,-26,96,256

Program 3: Ultrasort For 64 1Ø T=49152 20 READ A: IF A=256 THEN END 30 POKE I,A:I=I+1:GOTO 20 49152 DATA 76,100,192,170,170,170,170 49159 DATA 170,170,170,170,170,170,170 49166 DATA 170,170,170,170,170,170,170 49173 DATA 170,170,170,170,170,170,170 49180 DATA 170.170.170.170.170.170.170.170 49187 DATA 170,170,170,170,170,170,170 49194 DATA 170,170,170,170,170,170,170 49201 DATA 170,170,170,170,170,170,170 49208 DATA 170,170,170,170,170,170,170 49215 DATA 170,170,170,170,170,170,170 49222 DATA 170,170,170,170,170,170,170 49229 DATA 170,170,170,170,170,170,170 49236 DATA 170,170,170,170,170,170,170 49243 DATA 170,170,170,170,170,170,170,170 49250 DATA 170,170,32,253,174,32,158 49257 DATA 173,32,247,183,165,28,141 49264 DATA 12,192,165,21,141,13,192 49271 DATA 32,253,174,32,158,173,56 49278 DATA 165.71.233.3.133.75.165 49285 DATA 72,233,0,133,76,162,1 49292 DATA 173,12,192,157,20,192,173 49299 DATA 13,192,157,40,192,169,1 49306 DATA 157,60,192,169,0,157,80 49313 DATA 192,189,60,192,141,16,192

49320 DATA 189,80,192,141,17,192,189

49327 DATA 20.192.141.18.192.189.40

49334 DATA 192,141,19,192,32,47,195

49341 DATA 173,11,192,48,4,202,208

49348 DATA 221,96,189,68,192,141,16 49355 DATA 192,189,80,192,141,17,192 49362 DATA 169.1.141.18.192.169.8 49369 DATA 141.19.192.32.101.195.189 49376 DATA 20.192.141.18.192.141.14 49383 DATA 192,189,40,192,141,19,192 49390 DATA 141.15.192.32.47.195.173 49397 DATA 11,192,48,3,76,167,193 49484 DATA 32,131,195,173,16,192,141 49411 DATA 3.192.173.17.192,141.4 49418 DATA 192,173,14,192,141,5,192 49425 DATA 173,15,192,141,6,192,32 49432 DATA 132,194,32,180,194,173,11 49439 DATA 192,48,218,173,16,192,141 49446 DATA 3,192,173,17,192,141,4 49453 DATA 192,173,18,192,141,16,192 49460 DATA 173,19,192,141,17,192,169 49467 DATA 1,141,18,192,169,0,141 49474 DATA 19,192,32,101,195,173,16 49481 DATA 192,141,18,192,173,17,192 49488 DATA 141,19,192,173,3,192,141 49495 DATA 16,192,173,4,192,141,17 49502 DATA 192,32,47,195,173,11,192 49509 DATA 16,35,173,14,192,141,3 49516 DATA 192,173,15,192,141,4,192 49523 DATA 173,18,192,141,5,192,173 49530 DATA 19,192,141,6,192,32,132 49537 DATA 194,32,180,194,173,11,192 49544 DATA 48,152,32,47,195,173,11 49551 DATA 192,16,18,173,16,192,141 49558 DATA 3,192,173,17,192,141,4 49565 DATA 192,32,132,194,32,31,195 49572 DATA 76,241,192,234,189,20,192 49579 DATA 141,3,192,189,40,192,141 49586 DATA 4,192,173,16,192,141,5 49593 DATA 192,173,17,192,141,6,192 49600 DATA 32.132.194.32.31.195.173 49607 DATA 16,192,141,18,192,141,3 49614 DATA 192,173,17,192,141,19,192 49621 DATA 141.4.192.32.81.195.189 49628 DATA 20.192,141,18,192,189,48 49635 DATA 192,141,19,192,32,101,195 49642 DATA 173,11,192,48,15,189,60 49649 DATA 192,141,18,192,189,80,192 49656 DATA 141,19,192,32,101,195,169 49663 DATA 1,141,18,192,169,0,141 49670 DATA 19,192,173,3,192,141,16 49677 DATA 192,173,4,192,141,17,192 49684 DATA 173,11,192,16,52,189,60 49691 DATA 192,232,157,60,192,202,189 49698 DATA 80.192,232,157,80,192,32 49705 DATA 101,195,173,16,192,157,20 49712 DATA 192,173,17,192,157,40,192 49719 DATA 32,131,195,32,131,195,202 49726 DATA 173,16,192,157,60,192,173 49733 DATA 17,192,157,80,192,76,128 49740 DATA 194,32,131,195,232,173,16 49747 DATA 192,157,60,192,173,17,192 49754 DATA 157,80,192,202,189,20,192 49761 DATA 232,157,20,192,202,189,40 49768 DATA 192,232,157,40,192,202,32 49775 DATA 101,195,32,101,195,173,16 49782 DATA 192,157,20,192,173,17,192 49789 DATA 157,40,192,232,76,162,192 49796 DATA 160,3,165,75,133,79,133


Strengthen your hand with Superbase 64

The complete information control system for the Commodore 64. Ideal for any home, business or professional environment where records are kent. Create the format you.

need and enter your records. If the layout or data field sizes are not quite right, correct them and carry on. Superbase gives you an unrivalled range of powerful features including:

> Surrey KT4 7JZ England Telephone: 01-330 7166 Telex: 8955021 PRECIS G

Software



49803 DATA 81,165,76,133,80,133,82 49810 DATA 24,165,79,109,3,192,133 49817 DATA 79,165,80,109,4,192,133 49824 DATA 80,24,165,81,109,5,192 49831 DATA 133,81,165,82,109,6,192 49838 DATA 133,82,136,208,223,96,160 49845 DATA 0,140,11,192,177,79,141 49852 DATA 7.192.177.81.141.8.192 49859 DATA 200.152.205.7.192.240.2 49866 DATA 176,13,205,8,192,240,21 49873 DATA 144,19,238,11,192,76,38 49880 DATA 195,205,8,192,240,2,176 49887 DATA 62,206,11,192,76,30,195 49894 DATA 140,9,192,160,1,177,79 49901 DATA 133,77,200,177,79,133,78 49908 DATA 172,9,192,136,177,77,141 49915 DATA 10,192,140,9,192,160,1 49922 DATA 177,81,133,77,200,177,81 49929 DATA 133,78,172,9,192,177,77 49936 DATA 200.205.10.192.208.3.76 49943 DATA 195.194.144.184.76.224.194 49950 DATA 96,160,2,177,79,72,177 49957 DATA 81,145,79,104,145,81,136 49964 DATA 16,243,96,169,0,141,11 49971 DATA 192,173,17,192,205,19,192 49978 DATA 144,6,240,8,238,11,192 49985 DATA 96,206,11,192,96,173,16 49992 DATA 192,205,18,192,144,244,208 49999 DATA 238,96,173,16,192,24,109 50006 DATA 18;192,141,16,192,173,17 50013 DATA 192.109.19.192.141.17.192 50020 DATA 96.169.0.141.11.192.56 50027 DATA 173,16,192,237,18,192,141 50034 DATA 16,192,173,17,192,237,19 50041 DATA 192,141,17,192,176,3,206 50048 DATA 11,192,96,238,16,192,208 50055 DATA 3,238,17,192,96,170,170 50062 DATA 170,170,170,170,170,170,170 50069 DATA 170,170,170,170,170,170,170 50076 DATA 170,170,170,170,170,170,170 50083 DATA 170,170,170,170,170,170,170 50090 DATA 170,170,170,170,170,170,170 50097 DATA 170,170,170,170,170,170,170 50104 DATA 170,170,170,170,170,170,170 50111 DATA 170,170,170,170,170,81.85 50118 DATA 73.67.75.83.79.82.84 50125 DATA 32,76,79,65,42,32,32 50132 DATA 3,255,50,48,44,82,69 50139 DATA 65,68,32,69,82,82,79 50146 DATA 82,44,49,56,44,48,48 50153 DATA 0,170,170,170,170,81,85 50160 DATA 73,67,75,83,79,82,84 50167 DATA 32,76,79,65,68,69,82 50174 DATA 16,255,256

Program 4: Sort Test Program

100 PRINT "{CLR}"

118 N=1888 128 DIM AAS(N) 136 PRINT "CREATING"N" RANDOM STRINGS"

140 SD=-TI : A=RND(SD)

150 FOR I=1 TO N 160 PRINT I"{UP}" 170 N1=INT(RND(1)*10+1)

18Ø A\$="" 190 FOR J=1TO NI

202 COMPUTEI September 1983

Special PET Version Note

PETs with BASIC 4.0 do not have the problem of lengthy garbage collection times (this occurs when the computer finds that it has run out of memory, and must eliminate all strings that are no longer "active"). The price of this convenience is that all dynamic strings are now two bytes longer. Those two bytes are a "back-pointer" from the top of the memory (where the actual data contained in the string is kept) to the bottom of memory where the variable keeps a pointer to that data.

This sort does not modify the backpointers. So, if after sorting you continue using the new data, it will eventually be

garbled.

There is a solution. Immediately after sorting, write the data to disk as a file. Then issue a CLR command. This will remove all your variables. Then read the data back off the disk into a new array.

This problem does not occur on the VIC-20 or the Commodore 64

200 B\$=CHR\$(INT(RND(1)*26+65)) 210 AS=AS+BS

220 NEXT J 23Ø AAS(I)=AS

240 NEXTI 250 PRINT "HIT ANY KEY TO START SORT"

260 GET A\$: IF A\$="" THEN 260 270 PRINT "SORTING..." 288 T1=TI

290 REM SYS 31744, N, AA\$(1) FOR PET/CBM 291 REM SYS 49154,N,AAS(1) FOR 64 292 REM USE SYS VALUE GENERATED BY THE

LOADER FOR VIC 300 SYS 31744.N.AAS(1)

2-T1)/60"SECONDS"

310 T2-TI 320 PRINT "DONE"

338 PRINT "HIT ANY KEY TO PRINT SORTED S TRINGS"

340 GET A\$:IF A\$="" THEN 340 350 FORI=ITON: PRINT I, AA\$ (I): NEXT 360 PRINT: PRINT N" ELEMENTS SORTED IN" (T

Use the card in

the back of this magazine to order

Our COMPUTE! Books.



USER COMPATIBLE SOFTWARE FOR YOUR VIC 20 or '64

- Freduring FORMATTED SCREENS
 SELECTIVE RECALL TO
 SCREEN OR PRINTER
- ADD: DELETE, REVIEW, UPDATE, REPORT FUNCTIONS

 THESIS MASTER

THESIS MASTER
Organizes research notes and creates
bibliography. Report generator with

three level sort/select Large text area VIC requires 8K expansion. DISK ONLY 529.96

STAMP COLLECTOR

Computerize your collection. Ideal for beginners and experts. Store up to 14 fields for each sace including multiple.

cat nos, cat value, cond, perf, wtmk, color VIC requires 8K expansion DISK OR TAPE (Specify) 929 95 HOME LIBRARIAN

For the collector and avidreader. Random access to your own electronic card catalogue. VIC requires 8K expansion DISK ONLY \$29.95

Send check or money order + \$1.50 p/h to MicroClear - P.O. Box 9368 Raytown, MO 64133

Missouri residents add 5.825% sales tax Specify VIC or '64 DEALER INOLIBRES INVITED

CARDETTE LETS YOU USE ANY CASSETTE

PLAYER/RECORDER WITH YOUR VIC-20®

With the new CARDETTE from Cardoo, Inc. you can interface with any standard cassette player/fecorder to save programs and load

them with ease into yur VIC-20°. No longer are you restricted to using only the VIC Datasette. Just add a CARDETTE and you can use the tape unit of YOUR choice.

The CARDETTE comes with all

The CARDETTE comes with all necessary cables and wires to complete the hook-up. Nothing else to buy All-you need is YOUR tape player/recorder and your

tapes

Price: Just \$30 95

TO ORDER P O BOX 768 WICHITA, KS 67201





C O B (Add \$2 00) Personal checks office 3 week delivery VIC-201 is a registered trademark of Commodor



With the ESI (Bloctronic Sothware, Inc.) Time Planner, a personal calendar and apparatment like for your Commodine CBM or 64, your fame is like money in the bank. On either a daily or monthly calendar, the "basy to use" ESI Time Planner can help you

plan and program schedules for yourself, your personnel or your equipment. With over 40 powerful commands you can schedule in 15 or 30 minute intervals, an entire day, week or morth. And to repeat, move, or insolvable and weet, available time can be found materity "Expty", is exactly how the EST Time Planter operates, with on him HELP functions, color and sound assistance (SA), time deaths cross references, souther beautions and RVM-11.

- 1800 to 8000 scheduled events per disk.
 Schedule from now until the year 2000
- Schedule unitriated number of people or resources
- Unlimited comments and reminders per day per person Act SI for shoping and



SELECT YOUR TIME PLANNER TODAY Retail is pross

Euctronic Softwire, In P.O. Box 765 Boomfield Hills

- Michigan 43303

□ 64 msm only 1899
□ 4032 read only 1149
□ 4032 read only 1189
□ 8032 read only 1249
□ 8032 read only 1289

Remorrator Time is Money Dig this ad and order today he who hesitates wastes to and money



VIController

BAC or # Vico Arrount /

HOME CONTROL SYSTEM FOR THE VIC 20 & CBM 64

- . Control up to 256 lights & appliances
- 9 levels of brightness
 Manual & time control software

· Plugs into user port

Manual & time control software
 Uses BSR remote switches

ONLY \$5995

Plugs into user port
 EXTENDED TIME CONTROL PROGRAM FOR CBM 64... 5995

COMVOICE NEW SPEECH SYNTHESIZER FOR VIC 20 & CBM 64

- Unlimited Vocabulary
 Automatic English to Speech Conversion
- Automatic English to Speech
- New BASIC Command "SPEAK"
- Will Speak String Variables
 Speaks with Four Levels of Inflection
- Plugs into Expansion Port
 Built in Audio Jack

It in Audio Jack
AS EASY TO USE AS A PRINT STATEMENT!
Call (215) 861-0850 to order



INSIGHT: Atari

Bill Wilkinson

The new 600XL and 1400XL computers were exactly what I expected (except that Atari goofed and changed the number on the 1201 XL - and that's a joke until you study the case designs of the 1200XL and 1400XL). The 800XL was a little bit of a surprise, but kind of a logical step now that I have the benefit of hindsight. The 1450XLD was a pure delight.

I really could envision a 1450XLD doing some nice, small business work. Especially if you put one of the new three-inch hard disk drives (that's over four megabytes of disk space) into that empty space supposedly designed for a second floopy.

If Atari has any problems at all with the XL line of computers, it may be simply that they are priced too close together. After all, an 800XL is essentially a 600XL with 64K of RAM, and the already announced RAM-pack for the 600XL ends up producing an equivalent machine for the same price. Redundancy.

The 1400XL suffers a little, also, After all, if the rumored price of the 1450XLD holds up (\$800-\$900 retail), why would you buy a 1400XL and then add a snail's-pace 1050 drive when you can have the much faster XLD for less money? And who but the more sophisticated user will buy a 1400XL when the 600XL (even with expansion to 64K) is so much less? Will the modem and speech synthesizer really prove attractive to a first-time user? Atari marketing obviously thinks so. I think that people who know they want those features will also know enough to want a disk drive.

Anyway, all of that is crystal-balling and nitpicking on my part. The new lineup of computers is one that any company could be proud of. Atari should be doubly complimented after the fiasco with the 1200

The New Disk Drives

Before I stop making observations about Atari. though, I would like to carp a bit about one thing: the new Atari disk drives and DOS III (or is it DOS 3?). When I first heard that Atari was going to throw away a potential 50K per disk drive, I thought there was an almost-good excuse. After all, Atari DOS 2.05 could, with absolutely minimum modifications, utilize all the sectors of the one-and-one-third density 1050 drive, so the change, though inefficient when compared to true double-density drives, would allow many current programs to work without modification. 204 COMPUTE September 1983

It is not to be. Atari DOS III is just as different from DOS 2.0S as our own Version 4 OS/A + is Which means many, many programs (including data base programs, etc.) simply will not work without modification. I do not feel this is inherently bad. Let's face it: DOS 2.0S is not a particularly good DOS and it is totally inadequate for larger disk drives. DOS III is actually a very nice DOS for small drives (say up to 128K per drive). It goes downhill rapidly when used on larger drives. This means that if you convert your programs and data files from DOS 2.0S to DOS III this year. you will have to convert to some other DOS again next year, when you move to one of those nice little hard disks I mentioned.

Anyway, when the 1050 finally appears, watch here (I hope) for instructions for using DOS 2.05 (or OS/A + Version 2) in one-and-one-third density mode, so you won't have to convert all your programs. (You'll still have to convert the diskettes themselves, which won't be easy or fast if you only have one drive, but the same holds true of DOS III - and, to be fair, OS/A + Version 4 - so you won't have lost anything.)

Self-Relocatable

Machine Language, Part III

This month, I will discuss some more techniques which can be used to make your machine language self-relocatable. Last month, we noted which kinds of instructions were implicitly "safe" (registeronly instructions, branches, etc.). There was also a list of "Safe Relocatable Techniques." To summarize, the safe techniques mentioned were:

Change IMPs to branches.

2. Save register values in the stack, not in fixed memory.

3. From BASIC, pass the address of a string as a location (or series of locations) to load from or store to.

4. Move code from relocatable memory to fixed memory temporarily.

I also promised to discuss two points this month: (1) where the "safe" locations in Atari memory are; and (2) some special techniques usable only with Atari BASIC. Let me fulfill my promise.

Safe Locations

There are none. Next topic.

ATARI RODUCTS for GREAT COMPUTERS

ATABI BASIC, Learning by Uning. his is an action book. You program with it more than you read it. You use ou discover with it Learn ATARI

BASIC easily through the short ograms provided A great source of work problems for teacher or student 73 pages ISBN 3-92-1682-88-X \$5.95 Earnes Fer The ATABL Provides

on how to create your own computer games Contained primar-ity BASIC examples but, for very

arranced programmers. If machine language example is included at the end of the book 115 pages. ISBN 3-911682-84-3 S7-95
How to Program Your ATARI In 6502 Machine Language. To breach the nowice nputer user machine language,

the use of an assembler, and how to interpreter 106 pages ISBN 3-921682-97-5 \$995 FORTE on the ATABL Explore this

amples Designed for both the novice SN 3-88963-170-3 \$7.95 ATABI BASIC Faster and Better regramming tricks and techniques

28D pages, ISBN D-936200-29-4 \$29.95 IS ORETS OF ATABLUO, Theory of operation and anglication programs for input/output to disk, screen, cas-setta, and RS232 senal port. Ma-Setts, and INSESS Serval port. Ma-chine language with POKE tables for use with BASIC programs. Compan-ion software available on disk (sold separately), 285 pages ISBN 0-936200-33-2

\$29.95 mtsil

CASBUP 1.8 & 2.8. To or BODT tapes and car 10 is a tile coper 2 tiles a copier Cassette only \$24 CASDIS To transfer mo tapes and casse

Disk only \$24.95 FULMAR BASIC Utility Package VMAP-variable cross-refere CMAP-constant cross-refere cludes indirect address references) LMAP-line number cross-rel FMAP-all of the above. Will list "unlistable" programs. Also works with Editor/Assembler cartridge to allow editing of string packed machine language subroutines All out-puts may be dumped to printer.

Cassette or disk \$39.95

It \$15M. To disassemble mechine inguage programs. Works with or without Editor Assembler cartridge. May be used to up or down load single boot files. All output can be ped to printer Cassette or Disk \$24.95 DISDUP. For disk sector informa-

tion copying. May specify single sector, range of sectors, or all Copies may be made without road verify V-035 Cassette Operating System, Control based rate, leader time

oreen width, background and letto enr. cassette motor (olyotte pro sea cassette file verification. LD Diskette Download Utility Allows single BD0 I files and Binary DDS files to be transferred from disk

In cassette Fast easy menu-d NOT FOR PROTECTED SOFTW Disk \$19.95 BISKPAK A program that frees the unused sectors on a boot disk for storage of normal DDS fries without

bing the boot file. May be used on all boot files including multi-stage files NDT FOR PROTECTED SDFTWARE Disk \$24.95 embly Disk Co software to ATARI BASIC Faster

and Better. Ten assembly languag source programs and ten objet programs. Disk \$19.95

ABFAS Arbrary Disk B1 subrou-tines that can be included in your BASIC programs Includes BASIC

and machine language (some programs PDKEd into memory) Disk ABFAB Demy/Applications Disk Eleven application programs and

from the ATARI BASIC Faster and Better book Disk \$19.95 SECRET Library Disk for the ATARL More than a dozen VD routres that examplify material in SECRETS OF ATARI VD (sold sop-arately) includes Super Menu Screen Dump, BASIC AutoRUN, B+

nary Loader, String Search, Disk Copier Cassette Copier and much much more. Disk \$19.95 UG products are available at computer stores, B. Dalton Book-

sellers and independent dealers around the world It IJG products are not available from your local dealer, order direct

Include \$4.00 for shapping and handling per item Foreign residents add \$11 DD plus purchase price per item U.S. funds only, please.

J.G. Inc. 1953 W 11thus

ATABL TM Warner Communications, Inc.

Oh, all right, I admit that is a bit of an exaggeration, but it is dismayingly close to the truth. When I write machine language routines, I really do prefer that they be usable with as many products as possible. Just as a start—and not as a comprehensive list—I would hope that they would work with the following software: Atari BASIC, Atari DOS, OSA+, BASIC A+, Atari Microsoft BASIC, Autriuriter, Atari Assembler Editor Cartridge, MACIGS, AMAC, and a few more.

Okay. Not too long a list. How many zero page locations are not used by any of those? None. How many Page Six locations (\$600 through \$6FF) are not used by any of those? None. How many.... But I think you get the idea. Is all this strictly true?

Actually, there are quite a few bytes which can be used for your temporary storage. And I suggest you consult your temporary storage. And I suggest you consult your Adar! Tethnical Iden's Note or Mapping the Adar (from CONTUTE Phase) to the control of the contr

Perhaps I am being a bit of a purist here. Certainly very little of my own programming is this clean, this free of conflict with other potential programs. And yet it really does require only a little more work to write a program "correctly" (by my definition), so why not do it rish? Let's trv.

So, we must assume that no location outside our own, self-redocatable, properly-loaded-ast LOMEM program is safe at all times. Unpleasant. In Comment of the control of the

Sounds complicated? It is. And yet you might be surprised at how seldom you really need to go through all that.

So what zero page locations are safe, even as temporaries? Probably the safest spots, as long as you aren't writing an interrupt handler, are those locations used as temporaries by the DOS File Manager. Locations \$43 through \$59, Inclusive, are always reinfulidated by FMS every time it gest control. FMS does not presume the locations have maintained their contents from one call to the next. (In fact, the locations should properly be called "Oveice Oriver Zero Page Temporaries".

since that is what they were intended for.)

And one more comment before I leave you with the impression that absolutely nothing is safe to do on the Atari computers. If you are writing routines specifically designed to be used with Atari BASIC (as I suspect the majority of you are, there are several safe temporates. First, you can always use the floating point work area, SDF and the summer should be sufficiently as the summer should be sufficiently as a SDF and the summer should be sufficiently as a summer should be sufficiently as a custom routine. Be sure there is no conflict.

A Built-In Relocatable Pointer

If's true. There really is such a thing. There are some #s though: #y ou are using Atari BASIC or OSS BASIC A+ or OSS BASIC XL; #you have placed your relocatable program in a string and are calling a machine language routine via USR(ADR(STRINGS)) or USR("...machine-languagestring..."); #you don't mind a small trick.

First, the trick. It's really quite simple. Whenever BASIC calls a USR routine, it calls the routine by placing the routine's calculated address in location \$104-\$105 (which just happens to be the first two bytes of floating point register zero). It then JSRs to a routine which simply does a "JMP (\$504)", a jump indirect to the USR routine).

But why can't we take advantage of that pointer? It already points to our relocatable program, so why can't it point to our relocatable data? Perhaps a demonstration is in order.

USEROUTINE COC START ; branches are o)

SAVESTE .

Saveste ; some data

; begin actual code

FRS

START	
LDY #SAVEBYT	E-USEROUTINE : index
PLA	; count of parameters
CMP #1	2 how many?
ENE HOPARAMS	; none, we presume
; the user is passing	a byte to us
PLA	; high byteignored
PLA	: low bytestored
STA (FRS), Y	; thusly
; we join here, wheth	er a byte is passed or not
BOPARAMS	
LDA (FRØ), Y	; get the byte
STA FRØ	; to be returned

This program is a very dumb one, for demonstration purposes only. If you call it from BASIC via, for example, "PRINT USR(routine)", your program will print the byte value saved in location SAVEBYTE czro, initially). On the other hand, if you use "JUNK=USR(routine, 97)", the routine will store the second parameter (97) in location

; high byte zero

PRS+1

THE PROGRAM STORE

Guarantee: We will ship your order for items in this ad within 48 working hours or you get 20% OFF! (Books/non-released items excluded. Gift certificate issued when shipped. Offer expires September 10, 1983)

FINAL FLIGHT

and Description

Expenses the thrill and tension of paging a small plane this real-time flight and landing simulator. Look out o focosy weather it's investor's controlled with 4 levels and multiple screen updates per second. Don't crash or it will

20912 Atari 24K Tape 10900 Atari 24K Disk 29-95 \$25.46

low 15% off till Sept 10 SUSPENDED

on of a great adventure, you are frozen in the planet's idenground complex. Wired to computers, you control robots to solve the challenge of survival. Features a multi die zwe fasture to good the secrets of your mind 25186 Atari 32 Disk \$49.95 Also available for C-64. Apple, IBM and

TRS-80 TIME TRIALS

from Coo If is a timed road nally that gives kids 5-10 years practice in curse to much the number opel Levels of difficulty based 31015 Atari Rom Cartridge \$49.95

\$39.95 MAGIC STORYBOOK

or young and old. See three little pigs unfold before you in outiful scrolling storybook. Encry aremation and a de-30261 Atari 16K Tape \$29.95

White Flint Mall, Rockville Pike, Rockville, MO

Harvard Square, 13 Ounster St., Cambridge, MA

SCRAPER CAPER A.

by any Hogge story and to The legendary mounts. Bounty Bob seturnel He's taken a formed is solve the city to fund the charse by Yuken Yuken. You can help Bob rescue Miss Belty's pet poodle from the burning skyscraper Witch out for collegising sterwings onishing elevators and witter huzards! 31206 Atari Rom Cartridge

\$49.95 \$42.46 Now 15% off til Sept 10 Also Miner 2049'er, the original

adventures of Bounty Bob! 39204 Ateri Rom Cartridge \$49.95 DEMON

ATTACK Margoned on the ice planet Krybor, watch ease creatures stream overhead and hover orangually. Attack and destroy

41656 ROM Cartridge \$39.95 Also available for VIC 20 JUMPMAN

New science fiction game! Jumpman levels of Jupter Hendquirriers Scale leakery, girders and perious ropes while tighting off demons destr slick controlled, 5 game variations, 5 speed, m effects and graphics The ultiplayers Atlari 41713 32K Disk

BURIED BUCKS Fast areas. 'Veredevil' game! Egupping your helicopte with explosives, you extend to blast the gold But your archierenty plans to keep the treasure you buried by ble 99 levels of joystick controlled asson for 1-2 players BASIC COMMANDED Atkn Basic was made for 6K, so many features were left out. Now you can add capabletes including Single key-

sees Look at directory, RENAME, DELETE, LOCK, UN-LOCK NUMBER and FORMAT from Basic This version is 12182 Atari 16K Disk \$34.98 \$29.71 NOW 15% off til Sept 10

BANK STREET WRITER

The first word processor designed for the whole family? Every function and command is fully and clearly prompted on the screen. You'll want to try all of the powerful features 43850 Atari 48K Disk \$69.95 Also available for C-64 and Apple II

Preparing for the SAT

from Program Design, the Learn how to take the SAT! Features analogies, worship

16K Tape \$99.95 24K Disk \$99.95 **New Stores Now Open In**

St. 225 Pa Termeike Plymouth Meeting Mall Plymouth Meeting, PA

> Cherry Hill Mall Cherry Hill, NJ

FRANCHISE

32364 16K Tape or 35873 16K Disk \$29.95 Over 2500 Programs for TRS-80, ATARI 400/800, APPLE, IBM & VIC 20,

Visit our other stores: Opening Soon in Tutsa and Oklahoma City Westmeesland Mall. Php. 30 East, Greensburg, PA 129 Rethel Rd Columbus Obio Plymouth Meeling Mall, SIG Germantown Pike, Plymouth Meeting, PA Seven Corners Center Falls Church Wil W. Bell Plaza, 6600 Security Blvd., Baltimore, MO. Cherry Hill Mail, Rie. 38 & Haddenfield Rd., Cherry Hill, NJ

OPENINGS IN SELECTED CITIES Namuel Mall Riv. 59 & Middletown Road Namuel No. Monmouth Mall, Rte. 35 & Wyckoff Road, Extortown, NJ © 1983 THE PROGRAM STORE

To Order Call Toll Free 800-424-2738 For Information Call (703) 556-9778

TO 04



Send check or M.O. for total ourchase plus \$2.00 shipping and handling. VA add 414 sales tax Charge cards - include all embossed information THE PROGRAM STORE *Dept. 10-09-3 . Box 9582 . 4200 Wisconsin Avenue, NW . Washington, D.C. 20016 Tape/Disk/Rom/Book Price Postage \$2.00 Address Total CHECK UVISA CRY_ Zip_

> □ MASTERCARD Ero Computer For the ATARI 46

SAVEBYTE. Presumably, you could then later recover the 97.

The point to be made, however, is that this program is completely self-relocable and yet is able to load and store data from within its own relocatable block! The secret is the "LDV #SAMEDATEL'SERROUTINE" line directly after the label START. Since location FIRO contains the address of USRROUTINE. When the "Low Famel" is the secretary of USRROUTINE. When the "Low Famel" is the secretary of USRROUTINE. When the "Low Famel" is the secretary of USRROUTINE. When the "Low Famel" is the secretary of USRROUTINE will allow us to do indirect loads and stores to any location within 255 brets following USRROUTINE.

Ćan I put that more clearly? Since, when we do either the "LDA (FR0), Y" or the "STA (FR0), Y", the Y register contains the value 3 and location FR0 points to the location USRROUTINE, the LDA and STA instructions will reference the third byte after USRROUTINE. Which just happens to

be SAVEBYTE.

De SAVEB11E.

And just a reminder if you don't know or remember what the PLA instructions in this program are for. Whenever BASIC calls a USR routine, it pushes all the parameters it is given onto the CPU stack (after first converting them to 16-bit integers, of course). Then, the last thing it does before the call is to push a count of the number of parameters (presumed to be 1 or 0 in our example) onto the same stack. Thus, the first PLA lets us

discover how many parameters were passed. The other two PLAs are necessary if a parameter is passed; otherwise the RTS instruction will return to an unknown location and will likely crash the system. (Note that in our simple-minded example you can probably crash BASIC by calling the routine with two parameters, since no check is made for more than one parameter.)

Next month we're going to take this technique a couple of steps further. We will discover how to have more than 255 bytes of relocatable storage (which may or may not be useful to you) and how to generate similar self-pointers when the routine in question has not been called from BASIC.







compiler for ATAH 400° and 800, you develop and obsup pro- grams using your ATAH BASIC can drigg, then your ATAH BASIC can drigg, then compact code that runs by 10 to 12 times faster, without the carridge (and protects your source goods, too). 40K and disk required. For your ABC diskette and manual. Send check of for manual alone), Monarch Data Systems P.O. Box 207, Coorhituste

Mastercard/Visa by phone Dealer inquiries invited, Mass residents add 5% sales tax ATARI, ATARI 400, and ATARI 800 are trademarks of ATARI, Inc.

MA 01778. (617) 877-3457.

Easy Atari Page Flipping

Chris Allen

Here's a short program that lets you display one screen creation while drawing another offscreen. Put them together and you've got page flipping.

Have you ever wished that you could just POKE a couple of locations and have a complicated picture appear on your Atar? This demo program will show you how to use page flipping—changing, the addresses that tell the Atar there screen memory is. Page flipping will allow you to show one picture and, at the same time, draw another picture offscreen. You don't see it drawn: it tust "appears," instantly.

Pagé flipping allows you to draw offscreen using the normal graphics commands (PLOT, DRAWTO, etc.), or, if you use a text mode, to PRINT normally. You don't have to do any spectacular POKEIne.

The method is simple. The Atari keeps two separate two-byte registers for the address of screen memory. The first register, locations 88 and 89 (decimal), sue sed solyt por PRINTing, PLOTing, etc.; it is not concerned with display. FLOTing, etc.; it is not concerned with display. FLOTing, etc.; it is not concerned with display. But flocated by PERK(560) + PERK(561) (256), play list (located by PERK(561) (256), play list (loca

Aftew cautions are in order. First, page flipping uses a lot of menory. Since one CRAPHICS 7 screen uses 3200 bytes, two such pictures are impossible on an 8K machine. However, CRAPHICS 5 uses only 800 bytes, ideal for computers with limited memory. Second, be sure to clear any garbage from the area you have reserved for your new screen. Third, if you modify the display list, be aware that your new display list may not have the screen address register in the same location as

a normal list. (If you can change the display list, you should be able to handle this minor problem.)
Now that the warnings are out of the way, let's do some page flipping. First, type in this

short program:

10 GRAPHICS : 20 GOSUB 200

200 COLOR 1:FOR I=0 TO 79:PLOT I,0:D RAWTO I,39:NEXT I:RETURN

When you run it, notice that you can see the screen being filled in. Now add these lines to enable page flipping:

5 POKE 106.PEEK(106)-4:SCREEN2=PEEK(

196) 15 SCREEN1=PEEK(89):POKE 89,SCREEN2

25 B=PEEK(560)+PEEK(561)*256 30 FOR I=1 TO 100 35 POKE B+5.SCREEN2

35 POKE 8+5, SCREEN2 4Ø FOR J=1 TO 200:NEXT J

45 POKE B+5,SCREEN1 50 FOR J=1 TO 200:NEXT J 55 NEXT 1

The picture is drawn offscreen, where you can't see it. By switching values in the display register (B+5 is the sixth, or high byte), you can alternate or "flip" between screens. Here's a lineby-line explanation:

Line 5 reserves memory for the second screen and sets up a pointer to the reserved area. Line 15 sets a pointer to the present screen, then flips the draw register over to screen two.

Line 25 finds the start of the display list. Lines 30-55 simply loop 100 times, alternating the screen displayed each time.

Although we changed only the high byte, the low byte (88 or B+4) can also be changed. (Try changing just B+4 – and you're screen scrolling.)

How To Create A Data Filing System

Part III. Planning The Input

Jm Fowler

A little foresight in planning your input can save a lot of time and frustration. In Part III, the author tells how to handle some common input problems and offers some advice on how to prevent problems down the road.

In the first two installments we discussed setting goals for the kind of system you want, the types of files, and what kind of sustem yets. For most cases, a relative file structure with index files gives flexibility and speed. The index files will be composed of index words which will be either shorted versions of data in the records themselves or bytes encoded with some kind of bitmapping.

Before discussing input strategies, let's reviews some of the ideas from Part II in a bit more detail. We discussed setting up a builter for inputting keys or index words. This buffer can be any free area of unused RAM memory. It must be large enough to accommodate the record or field to be compared. For example, if your index word is the first eight letters of the author's name, create an eight-byte buffer for your comparison.

A Closer Look At Indexing

Another technique we discussed was building your index file into your record format. For example:

AUTHOR	SUBJECT	TITLE	YEAR	INDEX	AUTHOR	
2 14 . 2 . 10						

After entering your first record – author, subject, title, year – you can reserve several bytes at the end of that record to create an index file. If you choose to bitmap here, as illustrated in last month's installment, you gain search efficiency, although it may at first seem tedious when creating the index this way.

If you use one byte in the index for each field, you then have 256 possibilities for each field, which in most cases would be more than adequate. Using last month's silustration, a bit configuration of 1000 0000 would indicate a subject on computers. Since the integer equivalent of a binary 1000 0000 is 128, you can use this with an AND for compare.

Let's say you've chosen the variable SU (for subject field). The appropriate line would be: JESU AND 128 THEN GOTO P.

where n is a line that will direct a PRINT to screen or printer.

When using an AND, the computer will test individual bits. The value in SU, 1000 0000, is compared to 128:

1000 0000 (SU) 1000 0000 (128)

1000 0000 (result)

The Boolean truth table, remember, makes this compare result "true," thus a "hit" is made in your search.

In some cases, depending on the total number of subjects you want to index, it might be practical to assign variable names to the binary equivalents:

A=1 E=16 B=2 F=32 C=4 G=64

C=4 G=64 D=8 H=128

Then, IF SU AND H THEN n. Let's say you're searching for a more specific

210 COMPUTE! Sectlember 1983

THE BUSINESS MANAGER...

FULLY INTERACTIVE ACCOUNTING SYSTEM. ND DISKETTE CHANGING! FINALLY ALL THE FEATURES YDU'VE BEN WAITING FOR — IN DNE COMPLETE INTERACTIVE SYSTEM.

FULL SOFTWARE SYSTEM

ONLY \$995.00

UESTAR NEEDWIN MANUAL CNLY - \$40.00 REFUNDABLE UPON SYSTEM PURCHASE



HARDWARE REQUIREMENTS

- Commodore Model 8032 or SuperPET or 8096 Micro-computer
- Commodore Model 8050 One Megabyte Dual Disk Drive
 Commodore Model 4022 (or Larger) Printer
- Commodore PET IEEE cable
- Commodore IEEE IEEE cable

DISHSHARE

WORKS WITH ALL COMBINATIONS PETICIBM 100% HARDWARE NO SDFTWARE REQUIRED! UP TO B USERS SHARE DISK AND/IDA PRINTER CONNECTS IN MINUTES — NO TODLS REQUIRED. INCREASES PRODUCTIVITY — REDUCS COSTS. IDEAL FOR EDUCATION AND BUSINESS. CABLE LENGTHS UP TO 50 FEET.

ONLY \$74900

8 USER SYSTEM ONLY \$1149

DEALER INQUIRIES WELCOME.



Multi User System

subject, computers in education. We'll assign the subject of education a binary 0100 0000 (or integer 64). A computer subject, remember, was assigned 1000 0000 (128). A book dealing with computers and education would then be 1100 0000 (192). Our search statement would be:

IF SU AND 192 THEN n

Obviously, if you use this method, you'll have to be very thorough in creating your index. No matter what method of indexing you choose, do it carefully - your search speed and accuracy depend on it.

If you choose not to use the bitmapping method, a word of caution is in order: be sure to write the data that makes up your index file(s) also in the records themselves. You may later decide to change the format of an index file to rewrite a search routine. Maybe you will be forced to do this to accommodate an index file you found you needed. The easiest way to create the new index file is to read it item by item from the disk and assemble the index that way, rather than to type it in by hand. The accuracy will be much greater. Remember that one wrong bit in an index makes the record it refers to "invisible" to a search.

System Input Problems

Now for the problems with input. You want a system which is easy to use. This means giving cues that tell the user what is going on. One way is to use the top one or two lines on the screen to indicate what the program is doing or expecting at all times. Another important feature is to make the screen format logical and easy to understand.

Finally, when inputting new records, there should be ample opportunity to edit, erase, change, or abort without disturbing or crashing the program.

Some computers, including my CBM, cannot handle a string input containing commas. The operating system looks for these delimiters in an input string. When I input titles of publications, commas are important punctuation. That means I have to use a roundabout way of getting the string in without having it cut off at the comma. There are several ways of doing this. You can use GET and assemble the string byte by byte.

I have used a nice routine for Commodore equipment written by Jerry Dunmire (COMPUTE), December 1981). This routine takes up to 80 characters in a string which can contain any symbols you want. If the 80-character limit is exceeded, you can tell by the value of ST, a status byte in the operating system. Problems like this shouldbe handled at the outset. Make the system easy to use. A little frustration becomes a big one when you are typing in data. Having to substitute something else for commas would be very frustrating.

One thing to remember in connection with input is that the program must "know" at all times the number of records on the disk and the length of each index file. When you enter a new record. it must go into the very next empty location on the disk. The new record's index words must be put at the end of the appropriate index files. The way to save this information from one run to the next is to have a register pointing to the next record number. Inputting a new record will cause the register to be incremented by one. When you SAVE the index files, you should also SAVE this register and if the register is adjacent to the index files, you can save them all at once.

Writing The Input

Any writing of data should be done as it is input. For example, if there is to be a change from ASCII letters (or in my case, PETSCII), then that ought to be done when the time delay is not objectionable. After you type a name, and after you have a chance to edit it, you should be asked to give a final approval. Once this is given, the program ought to translate parts of the input before writing (sending the input) to the disk. This might take a few seconds, but if you are typing records from a list or card file, you will be reading the next item or moving the pointer on the copy stand while this goes on

For example, this is how I handle my index file of authors. On the disk, the author's name is in capital and lowercase, last name first, with commas and periods after initials. In the index file all letters are written as pseudo-ASCII caps. and the index word ends with the eighth letter of the last name. To make pseudo-ASCIL all you need to do is shorten each ASCII byte to five bits with "AND 31" (or AND #\$1F). If the last name is shorter than eight letters, I let the following comma and initials appear, too. The key used in searching for an author is also changed to pseudo-ASCII caps. After the last letter, the extra bytes, if any, are nulls. As mentioned, the search program then considers it a match when the next byte of the key is a null. That way you can search for SMITH, J. or SMITH, or even all the S's. That's very helpful when you aren't sure about the spelling of a name. Program 1 in the previous article illustrates this search technique

Bitmapping is not hard. You can do it in machine language, but there is no particular advantage in doing so, except saving program space. The byte in question is zeroed and then the nth power of two is added to it whenever you want the bit in the nth position set. You can clear the same bit by subtracting. Be sure the bit is set before you do any subtracting and vice versa, and be sure it is clear before setting it. You must arrange it so the user cannot inadvertently set a bit twice

212 COMPUTEI September 1983

Complete Personal Accountant: we've made the best much more friendly.

If you have any doubts that we offer the best and ackage with full screen editi

ECKBOOK MAINTENANCElly balances your checkbook n entry; manages checks

ly and accurately.

2. CHART OF ACCOUNTS —
maximum of user flexibilty with to 99 accounts plus 9 sub

CHECK SEARCH—I -reference; tracks iten n every field including ax deductibles. . NET WORTH/ VCOME/EXPENSE

planning. 6 CHECK WRITER—prints ersonalized checks*

PAYMENTS/APPOINTMENTS CALENDAR — monthly displays of up to 250 bills and 200

COLOR GRAPH DESIGN PACKAGE - graphs

MAILING LIST—maintains all records, sorts by me or zip, allows add/change/delete.

0. FRIENDLY USER MANUAL—complete

h indexing, flow charts and diagrams; the

This all adds up to the finest personal ive enough for a small be

reatures 7, 8 and 9: \$22 diskette, \$26.95 cassette save \$19.90 or \$15.90 respectively by buying th entire system for \$79.95 d kette, \$74.95 cassette.

re con acount

a division of Tilture p.o. box 3470, dept. C. chapel hill, north carolina 27514, 919-967-0861

Routine To Set Bits In An Index Word.

(This routine is based on Y/N response with cursor moving down list on screen. You must arrange a stop or wraparound when N gets to maximum and P=7. Same at N=0:P=0.)

- 1. DIM the array IW(x) to nr of bytes in index
- Zero IW if not already done initially.
- 2. Print subjects in list on screen. N=0:P=0 Zero byte nr and bit nr. Print "cursor" opposite zeroth subject.
- 3. GET loop
- If SPACE, move cursor down: P=P+1. IF P = 8, then N = N + 1; P = 0.
- 5. If SHIFT-SPACE, move cursor up. IF P = -1, then N = N-1: P = 7.
- 6. If Y, then move cursor down. If subject is marked, then GOTO 3.
- Else, add 2 P to IW(N); mark subject. 7. If N. move cursor down.
- If subject not marked, GOTO 3 Else, subtract 2 P from IW(N); clear mark, 8. Other inputs invalid: GOTO 3.

or clear a bit that isn't set. The table shows a routine for inputting subjects by bitmapping. Particularly sticky situations can always be

handled with a table. An array with the existing value for each value of the input is one way of doing this: A(N) contains the value used for N, the input value.

Editing The Files

By all means, make it easy to display a record entered some time ago, edit the display, and write the newly changed data in place of the original record. If you use subroutines for inputting each

kind of data, this is easy to program For example, I have a subroutine that takes as input an author's name, then when it's acknowledged to be correct, writes it in the correct place on record "n" and also puts a corrected entry in the author index file in the right place. The record "n" may be an old one or the one we are writing for the first time. All you need to do is branch to such routines as one of the options given on a menu at the top of the program. Some errors will inevitably get by in your initial input. You need a way to correct errors both at the input and later as well.

Next issue we will outline the main program and talk about other techniques.

THIS FUNNY-LOOKING LITTLE DEVICE


Introducing the Disc-Doubler. the funny-looking amazing little device that actually doubles your "floory disc"* capabilities! Just put a floppy disc in and it's realigned for use on its "flip side" it's that simple! And at just \$14.95 (plus \$1.50 for postage and handling) it'll pay for tself the minute you use it! From Link Marketing, where we looked at the problem from both sides...and found a way to save you money!

CAN DOUBLE YOUR DISC CAPABILITIES!

Just \$14.951 (plus \$150 postage and handling-BC residents add 696 text

IN CANADA:

write: Link Marketing 1480 West 58th Avenue, Vancouver, B.C. V6P IWS



1-800-323-1717, operator 127 Illinois I-800-942-8881, operator 127 or write: Link Marketing 219-1st Ave. N., Suite 215, Seattle, WA 98109



Steer your way to greater efficiency and meet all your administrative needs of the future with the SUPER range of quality software

Whether you want a fast and flexible database, a comprehensive and easy to use word processor, or a completely integrated office 'manager'. Precision Software has the answer. With software that harnesses the full power of the new Commodore "B" Business Computer (known as the 700 in Europe).

, Database manager for all business environments where accurate and up-to-date information is the key to success

SUPERBASE sets new standards in flexibility and ease of use, with large record sizes, fully re-definable multi-screen record formats, spreadsheet-like calculation facilities, fast 'B+ tree' kevaccess with selective retneval, transaction linking, sorting and fully definable report formats. SUPERBASE can also be linked to SUPERSCRIPT II.

Superscript 1 Enhanced version of the popular full feature word processor. Unrivalled table-handling with 240 column wide screen, scrolling in all directions, arithmetic, memory calculator, column manipulation and mail merge with record selection. Comprehensive editing and finish quality output formatting. Handles up to

2,100 lines of 80 column text. And it spells Versatile, fast, simple to learn and use SUPERSCRIPT II processes letters, quotat reports, mailshots and standard forms with professional ease, enhancing presentation and ensuring perfect copies every time.

Superspell Fast, effective spalling checker ensures 100% typogramhic accuracy SUPERSCRIPT II, SUPERSPELL checks documents against a standard 30,000+ word dictionary and displays a list of every unrecognised word SUPERSPELL handles both English and American spelling variants. You can accept, ignore, correct or add new words, building up your own dictionary

extension. SUPERSPELL also includes a word look- up facility with full records management, calculation, word processing and spell checking.

SUPEROFFICE combines the database handling of SUPERBASE with the document editing and formatting power of SUPERSCRIPT II

The availability of SUPERSCRIPT II as an integral word processor enables lists selected from data files to be used for mailshots, tables, standard forms and labels SUPEROFFICE includes a powerful programming capability enabling you to build up a library of your own programs System-wide help screens are supported by cleacomprehensive manuals and tutorials

Choose an off-the-shelf application to suit your business from a steadily expanding library.

Find out more about the Superseries range of Software. Contact your local Commodore Dealer or Precision Software at our U.K. office



Software Telex: 8955021 PRECIS G

Precision Software Limited Park House, 4 Park Terrace, Worcester Park, Surrey, KT4 7IZ. Telephone: 01-330 7166

Mixing Graphics Modes On The 64

Part II

Sheidon Leemon

The two programs in the first part of this article (last month's COMPUTE!) showed you how to have different graphics modes simultaneously on the 64 screen. To conclude this discussion of mixing modes, here is a machine language program which uses a mixed graphics mode distulav to demonstrate the raster interrunt.

The interrupt uses a table of values that are POKEd into four key locations during each of the three interrupts, as well as values to determine at what scan lines the interrupts will occur. The locations affected are Control Register 1, Control Register 2, the Memory Control Register, and Background Color 0.

Control Register 1 (at location 53265) allows the selection of extended background color text mode, bitmap mode, screen blanking, and 24 or mode, bitmap mode, screen blanking, and 24 or mode of the selection of multicoler mode, and of a 35 or 40-column display. The Memory Control Register (33272) allows you to select which portion of VIC memory will be used for the video display before the selection of the selection about the bit assignments of these locations can be Guide and in the Provenumer's Reference Guide.

The data for the interrupt routine is contained in lines 49152-4976. Each of these line numbers corresponds to the location where the first data byte in the satement is POKE4 into memory. If you look at lines 49264-49276 of the BASIC program, you will see REMark satements that explain which VIC-II registers are affected by the DATA statements in each line. The numbers in these DATA statements appear in the reverse order in which they are put into the VIC register.

For example, line 49273 holds the data that will go into Control Register 2. The last number, 8, is the one that will be placed into Control Register 2 while the top part of the screen is displayed. The first number, 24, is placed into Control Register 2 during the bottom part of the screen display and changes that portion of the display to multicolor

The only tricky part in determining which data byte affects which interrupt comes in line 49264, which holds the data that determines the scan line at which each interrupt will occur. Each DATA statement entry reflects the scan line at which the next interrupt will occur. The first item in line 49264 is 49. Even though this is the entry for the third interrupt, this number corresponds to the top of the screen (only scan lines 50-249 are visible on the display). That is because after the third interrupt, the next to be generated is the first interrupt, which occurs at the top of the screen. Likewise, the last data item of 129 is used during the first interrupt to start the next one at scan line 129, in the middle of the screen. Try experimenting with these values to see what results you come up with. For example, if you change the number 169 to 209, you will increase the text area by five lines (40 scan lines)

Changing Effects

By changing the values in the data tables, you can alter the effect of each interrupt. Change the 20 in line 340 to 22, for example, and you will get lower-case text in the middle of the screen. Change the first 8 in line 49276 to 24, and you will get multi-cotor text in the center window. Each of these table cotor text in the center window. Each of these table you would use the corresponding register, in order to change background color, to obtain text or bit-map graphics, regular or multicolor modes, screen blanking, or extended background color mode.

COMMODORE 64X American Peripherals

GAMES	EDUCATIONAL	EDUCATIONAL
(on tape)	(on tape)	Series on disk
646 Pacacuda 19.95	644 Type Tutor 19.95	Computer Science (30 programs) \$350
650 Logger 19.95	645 Assembly Language	HS Biology (70 programs) \$500
651 Ape Craze 19.95	Tutor 14.95	HS Chemistry (40 programs) \$450
652 Centropod 19.95	687 Fractional Parts 14.95	HS Physics (60 programs) \$475
653 Escape 19.95	902 Estimating Fractions 14.9	
641 Monopoly 19.95	695 Tutor Math 14.95	Elem. Social Studies (18 pr.) \$225
642 Adventure #1 19.95	870 Square Root Trainer 14.95	
648 Galactic Encounter 9. 667 Yahtzee 14.95	699 Counting Shapes 14.95 694 Money Addition 14.95	Elem. Library Science (12 pr.) \$170
671 Robot Blast 14.95	689 Math Dice 14 95	Librarians Package (4 utilities) \$110 3rd Grade Reading (20 lessons) \$99.
673 Moon Lander 14.95	678 Speed Read 14.95	4th Grade Reading (20 lessons) \$99.
676 Othello 14.95	643 Maps and Capitals 19.95	5th Grade Reading (20 lessons) \$99.
686 Horserace-64 14.95	645 Sprite Editor 19.95	6th Grade Reading (20 lessons) \$99.
692 Snake 14.95	904 Sound Synthesizer Tutor 19	Spanish Teaching (12 lessons) \$95.
697 Football 14.95	696 Diagramming	PARTS OF SPEECH (9 lessons) \$95.
819 Backgammon 24.95	Sentences 14.95	
822 Space Raider 19.95	690 More/Less 14.95	
846 Annihilator 19.95	688 Batting AVERAGES 14.95	BUSINESS
842 Zwark 19.95	802 TicTac Math 16.95	(all on disk)
845 Grave Robbers 13.95	904 Balancing Equations 14.95	5 WORD PRO 3+ 95.00
841 Pirate Inn Adv. 22.95	905 Missing Letter 14.95	DATAMAN-64 data base program. 49.95
904 Shooting Gallery 14.95	864 Gradebook 15.	PERSONAL FILING SYSTEM
816 Dog Fight 19.95	810 French 1-4 80.	(index card style) 19.95
817 Mouse Maze 19.95 818 Ski Run 22.	811 Spanish 1-4 80.	HOME FINANCE 19.95 CYBER FARMER \$195.
818 SKI HUN 22. 820 Metro 22.	807 English Invaders 16.95 809 Munchword 16.95	GA 1600 Accounting System 395.
823 Sub Warfare 29.	812 Puss IN Boot 20.	PERSONAL TAX 80.
838 Retroball 39.95	813 Word Factory 20.	ACCOUNTS RECEIVABLE 22.
(cartridge)	660 Hang-Spell 14.95	New York State Payroll 89.
839 Gridrunner 39.95	905 Division Drill 14.95	MAILING LIST 24.
(cartidae)	ADE Multirlin Drill 14.35	1/oxidartuting Inventory, 58
825 Mine Field 13.	907 Addition Drill 14.95	Stock Market Package 39.
672 Dragster 14.95	908 Subtraction Drill 14.95	Finance 16.95
662 Oregon Trail 14.95	910 Simon Says 14.95	
679 3-D TicTacToe 14.95	911 Adding Fractions 14.95	
655 Castle Advent. 14.95	912 Punctuation 14.95	
ORDERING BLANK		ITEM DESCRIPTION PRICE
To: American Peripherals		
122 Bangor Street	-	
Lindenhurst, NY 11757	_	
		VY State Residents
Town, State, ZIP		only add 71/4% tax Shinning \$1.50
		Shipping \$1.50 COD, add 1.50
☐ Please send your comple	te 64K catalog,	ada or Mexico, add additional 2.00
free of charge.		TOTAL AMOUNT
Commodore 64 is a requested trader	nark of Commodore LTD.	TOTAL AMOUNT

```
00012 0000
                    , VIC CHIP EQUATES
00013 0000
                    SCROLY = $D011
                                          CONTROL REGISTER 1
00014 0000
                                          RASTER LOCATION
00015 0000
                   RASTER = $D012
00016 0000
                   SCROLX = $D016
                                          *CONTROL REGISTER 2
                                          ; V/C BASE ADDRESS
00017 0000
                    VMCSB = $D018
00018 0000
                   VICIRO = SD019
                                          LATCHES ON IRQ PROM VIC
                                          ;VIC IRQ ENABLE
00019 0000
                   IROMSK = $D01A
                   BGCOLO = $D021
                                          :BACKGROUND COLOR O
00020 0000
00021 0000
                   CTAICR = SDC0D
                                          INTERRUPT CONTROL
00022 0000
00023 0000
                    INTNO = $PB
                                          ; INTERRUPT COUNTER
00024 0000
00025 0000
                           * = SC000
00026 C000
00027 C000 78
                    SETIRQ SEI
                                          DISABLE ALL INTERRUPTS
00028 C001 A9 7F
                           LDA #$7P
                                          ;DISABLE CIA INTERRUPTS
00029 C003 8D 0D DC
                           STA CIAICR
                           LDA #01
00030 C006 A9 01
00031 C008 8D 1A DO
                           STA IROMSK
                                          :ENABLE RASTER IRO
                           LDA #03
00032 C00B A9 03
                                           :INITIALIZE INTERRUT NO.
00033 C00D 85 FB
                           STA INTNO
00034 COOF AD 70 CO
                           LDA RASTBL
00035 C012 8D 12 D0
                           STA RASTER
                                          SET SCAN LINE OF TOP RIRO
00036 C015 A9 18
                           LDA #24
00037 C017 8D 11 D0
                           STA SD011
                                          ISET HIGH BIT OF RIRO SCAN LINE
00038 C01A
00039 C01A AD 14 03
                           LDA $314
                                          ;SAVE OLD IRQ VECTOR AND
00040 C01D 8D 6E C0
                           STA OLDIRO+1
                                          MODIFY OLDIRO TARGET ADDRESS TO
00041 C020 AD 15 03
                           T.Da $315
                                          ; INSURE AGAINST CHANGE IN ADDRESS
                           STA OLDIRO+2
                                          OF NORMAL INTERRUPT ROUTINE
00042 C023 8D 6F C0
00043 C026
00044 C026 A9 32
                           LDA #<RASIRO
                                           :SET IRO VECTOR
00045 C028 8D 14 03
                           STA $314
                                           ;TO USER ROUTINE
00046 C02B A9 C0
00047 C02D 8D 15 03
                           LDA #>RASIRO
                           STA $315
00048 C030 58
                           CLT
                                          *RE-ENABLE INTERRUPTS
00049 C031 60
                           RTS
00050 C032
00051 C032
00052 C032 AD 19 DO RASIRQ LDA VICIRQ
00053 C035 8D 19 D0
                           STA VICIRO
                                          *CLEAR VIC INTERRUPTS
00054 C038 29 01
                           AND ±01
                                          :IS RASTER THE SOURCE OF IRO?
00055 C03A F0 2B
                           BEO INTRY
                                          :NO. EXIT
00056 C03C C6 FB
                           DEC INTNO
                                          NEXT INTERRUPT
00057 C03E 10 04
                           BPL RAS1
                                          NOT LAST INTERRIPT
00058 C040 A9 02
                           LDA #2
                                          :LAST INTERRUPT, RESET COUNTER
00059 C042 85 FE
                           STA INTNO
00060 C044
00061 C044 A6 FB
                    RAS1
                           LDX INTNO
00062 C046 BD 73 C0
                           LDA COLTBL, X
                                          *SET BACKGROUND COLOR
00063 C049 8D 21 D0
                           STA BGCOLO
00064 C04C BD 76 C0
                           LDA CRITBL.X
                                          ISET CONTROL REG 1
00065 CO4F 8D 11 DO
                           STA SCROLY
00066 C052 BD 79 C0
                           LDA CR2TBL, X
                                          SET CONTROL REG 2
00067 C055 8D 16 D0
                           STA SCROLX
00068 C058 BD 7C C0
                           LDA MEMTBL, X
                                           SET MEMORY CONTROL
00069 C05B 8D 18 D0
                           STA VMCSB
00070 C05E BD 70 C0
00071 C061 8D 12 D0
                           LDA RASTBL.X
                                          RESET INTERRUPT SCAN LINE
                           STA RASTER
00072 C064 8A
                           TXA
                                          :LAST INTERRUPT EXITS
00073 C065 F0 06
                           BEO OLDIRO
                                          THROUGH OLD VECTOR
00074 C067
00075 C067 68
                    INTRT
                          PLA
                                          :RESTORE STACK
00076 C068 A8
                           TAY
```



COMMODORE 64

INS MACHINE CODE



. REAL TIME MESIC · COLORFIL SCROLLING GRAPHRES . GOOD PLAY ABILITY

\$23,95

KOOKY CLIMBER

 INS. MACHINE CODE ARCADE QUALITY GRAPHICS · EXTENDED REAL TIME MUSIC EXCITING ANIMATED SPRITES



ass. \$24.95 SPECIFY CASSLITTE OR DAY NY RESIDENTS PLEASE AND PARISHEES TAX PERSON AND STOR SHIPPING AND HANDLING PREPARE ICHELY OF MOVED OFFICE OF CHILD GIVE

POBOX 170 Coram SOFTWARE AUTHORS WANTED

TTENTION

64 PROGRAMMERS

large retail chains in all 50 States and Canada. Ou icts are sold in over 1000 retail outlets, computer

merchandising. Our programs are both User smart and fulfill a specific need. Entertainment software always.

feel your program meets our standards, we'll pay rous royalises and fringe benefits for accept ks. Let Timeworks put your program in major stores

nation, feel free to contact me on a rs Hot Line, or write to Vic Schiller, Vice

Programmers' Hot Line 800-323-9755

TIMEWORKS, INC 405 Lake Cook Road Deerfield IL 60015

the

"REALLY FOXY IS BEING LETTER PERFECT"

WORDPROCESSOR FOR THE COMMODORE 64" ALSO CHECKS YOUR SPELLING!

Songt 64 is a trademork of Richarle Tele

Suggested Retail: \$99.95

Contact Your Nearest Commodore Dealer Today . . . You'll Be So Glad You Did!

Distributed By: COMPUTER MARKETING SERVICES INC



300 W. Marlton Pike Cherry Hill, New Jersey 08002 (609) 795-9480

```
00077 C069 68
                            PLA
00078 C06A AA
                           TAX
                            PLA
00079 C06B 68
00080 C06C 40
                            RTI
00081 C06D
00082 C06D 4C 31 EA OLDIRQ JMP SEA31 ;OLD IRQ--ADDRESS MODIFIED ABOVE
00083 C070
00084 C070 31
                     RASTBL .BYT 49,170,129; SCAN LINE OF NEXT INTERRUPT
00084 C071 AA
00084 0072 81
00085 C073 00
                    COLTBL .BYT 0,6,0
                                           ; BACKGROUND COLORS
00085 C074 06
00085 0075 00
00086 C076 3B
                    CRITBL .BYT 59,27,59 ; CONTROL REGISTER 1 VALUES
00086 C077 1B
00086 C078 3B
00087 C079 18
                    CR2TBL .BYT 24,8,8
                                           CONTROL REGISTER 2 VALUES
00087 C07A 08
00087 C07B 08
                    MEMTEL .BYT 24,20,24 ; MEMORY CONTROL REGISTER VALUES
00088 C07C 18
00088 C07D 14
00088 C07E 18
00089 C07F
00090 CO7F
                            . END
```

WE MAKE A GREAT CASE FOR YOUR COMPUTER.

One size does not fit all. Our cases are designed for specific bardware configurations. When you put your computer in our case, it lifs hand-in-glove Once your equipment is sately inside the attache-style carrying case, it never has to be taken out again. To operate, simply remove the lid and connect the gower. To store your computer, disconnect the power, enclose your disks, working papers



C. Itoh Prownter 2 Printer

 CC90 Matching Attache Case (3") • CC91 Matching Accessories Case (51/4" Diskettes, Paper, etc.) . . . CC92 • CC50

 HP601 HP41 with Accessories

IR501

C. Itoh Prowriter (Apple Dot Matrix) or NFC PC8023 Printer.

IBM Monochrome Monitor

CM704 Commodore Model 64 with Dataset

100

IR502

• P409

IBS01

IBS02



C Regena

Subscripted Variables

TI BASIC allows variable names to be subscripted, or used in arrays of up to three dimensions. Examples of subscripted variables are A(1), ING\$(2,6), and N(7,2,8).

Both numeric and string variables may use subscripts, which are written as numbers in parentheses after the variable name. The subscript itself may be a numeric variable or numeric expression. One constraint is that you cannot use the same variable name both with and without a subscript, that is, you cannot use the variable N and the variable N(3).

Just Like Mailboxes

I often think of variables as a mailbox system in memory:



Here are two variables, named A and B. Initially, they each have the value of zero. As your program runs, you may assign values to these boxes. Supnose you have the statements:

The computer will put the value 7 in B's mailbox, then any later statement using B will simply use 7 in the formula instead of B. Line 150 says to add 1 to the value that is currently in A, then place the new value in A.

Some mailboxes are larger than others, and I compare these to subscripted variables. You might think of it as a big box for the Smith family - the first part of the box for John, the second part for James, and the third part for Jeremy. Here is our mailbox again:

A B

The C box actually holds two values, which are written in TI BASIC as C(1) and C(2).

Boxes can be even larger – representing 1, 2, or 3 "dimensions," or using 1, 2, or 3 numbers in the subscripts. C(2) is the second element in the one-dimensional array of C above. N(2,4) would be an element in a two-dimensional array. X(3,4,2) would be an element in a three-dimensional

Arrays Are Workhorses

Arrays or subscripted variables can make a computer program more efficient in many cases. If you use a process several times, it may be worth using a variable with a subscript rather than several variables.

For example, suppose you are using your computer to sort a list of 25 students with their sorters on a particular test. You could use the following method:

200 INPUT A\$, A (FIRST STUDENT, SCORE) 210 INPUT B\$, B (SECOND STUDENT, SCORE) 220 INPUT C\$, C (THIRD STUDENT, SCORE)

ETC., FOR 25 STUDENTS

(SORT ROUTINE USING 25 VARIABLES)

.
600 PRINT A,A\$
610 PRINT B,B\$
620 PRINT C.C\$

ETC., FOR 25 SORTED SCORES AND STUDENTS.

Using arrays or subscripted variables, you could INPUT the names as the NS array and the

corresponding scores in the SC array, sort, and then print using this method:

200 FOR C=1 TO 25 210 INPUT N\$(C),SC(C) 220 NEXT C (SORT ROUTINE)

600 FOR C=1 TO 25 610 PRINT SC(C),N\$(C) 620 NEXT C

Here is another example program that would be considerably longer if you did not use subscripted variables. Lines 110-130 READ from DATA a subject, a verb, and a phrase and put them in the SS, VS, and PS arrays. Lines 140-190 contain the data (you could combine data lines if you visib.) For the first time through the loop, SS(1) would be "T VS(1) would be "RAN", and SS(1) would be "T VS(1) would be "RAN" and SS(1) would be "GS(1) in "TO THE STORE" and SS(2) in "TO THE STORE".

Line 200 uses the DEF function to define R6 as a random integer from 1 to 6. Each time R6 is used in the program, the computer will choose a

used in the program, the computer will choose a random number from 1 to 6. Line 210 clears the screen, and line 220 prints a title. Lines 230-240 choose a random \$\$, a random V\$, and a random P\$ to make up a sentence and print it. Line 250 returns to line 230 to repeat

the process until you press CLEAR.

110 FOR C=1 TO 6 120 READ S\$(C),V\$(C),P\$(C)

130 NEXT C 140 DATA I,RAN,TO OUR HOUSE.

150 DATA HE, WALKED, TO THE STORE. 160 DATA SHE, HOPPED, AROUND THE ROOM. 170 DATA IT, SPED, UP THE HILL.

178 DATA IT, SPED, UP THE HILL. 188 DATA WE, ZOOMED, ACROSS THE GRASS. 198 DATA YOU, JUMPED, ALONG THE PATH.

200 DEF R6=INT(6*RND)+1 210 CALL CLEAR 220 PRINT *** RANDOM SENTENCES ***:::

220 PRINT "" RANDOM SENTENCES ""::: 230 RANDOMIZE 240 PRINT :S\$(R6);" ";V\$(R6);" ";P\$(R6)

250 GOTO 230 260 END

Memory Reserved

As soon as you specify a variable name with a subscript, the computer automatically reserves memory for an array with that name. If you use a variable 103, the computer will automatically reserve elements up to D(10). In two-dimensional arrays, the computer will reserve up to N(10, 10); and in three-dimensional arrays, the computer will reserve up to X(10, 10, 10).

If you need more than ten elements, use a DIMension statement to clear enough space. For example, for our 25 students and 25 scores in the program discussed previously, we would need a DIMension statement:

100 DIM N\$(25),SC(25) 222 COMPUTE! September 1983 If your program is running nearly full memory and you do not need all the elements automatically reserved, you may save memory by dimensioning the array for the exact number you need:

100 DIM N(6)

The DIMension statement must appear before any reference to the array. I usually put my DIMension statements near the beginning of the program. You may specify several variables in one DIMension statement.

The computer actually starts all subscripts with the zero element, N(0). Thus, the automatic dimensioning includes 11 elements in arrays. If you prefer to use only elements numbered 1 and above, you may use the OPTION BASE statement to avoid reserving space for the zero elements:

100 OPTION BASE 1 110 DIM D(25,6)

Note: The OPTION BASE 1 statement must precede the DIM statement.

Combining The Ingredients

Following is an educational program which illustates the use of subscripted variables. The program prints a recipe conversion problem for a math competency test. First, one of three recipes is printed. A random ingredient is chosen, and a random multiplication factor is chosen to print the problem. The student must choose from four possible answers.

Line 140 DIMensions the RS array and the R array so the first subscript may go up to 3 and the second subscript may go up to 6. The first subscript may go up to 6. The first subscript will actually be 1, 2 or 3, which will correspond to the first, second, or third recipe. RS(C,0) will contain the tile of the recipe for each of the three recipes, R(C,0) will be the number of servings each of the three recipes will make. R(C,1) and contain the tile C and the contain the tile C and the contain the containt the containt

Lines 410-440 define values for the elements of the J array. These elements are multiplication factors for the conversion problem. These variables are used first to choose a factor for the problem, then to calculate the multiple-choice

answers.
Program Structure

Lines 100-130 Print title screen.

140 DIMension arrays for recipe elements. 150-200 READ from DATA the values for the RS and R arrays.

210-230 DATA for recipes (please be careful while copying these lines – watch the commas and decimals).

240 Branch around subroutines.

250-390 Subroutines to convert decimals to fractions for

printing the recipes and the multiple-choice answers

Clear screen for problem,

410-440 Define multiplication factors.

450-460 Randomly choose Recipe 1, Recipe 2, or Recipe 3. 46Ø C=INT(RND#3)+1 470 PRINT TAB (7) : R\$ (C,0) The variable C refers to the recipe number. 470-480 Print title of recipe and number of servings. 490-530 Print amount, measure, and ingredient six times One of the recipes contains only five ingredients, so line 500 checks for a zero value. Line 5t0 converts the amount from a decimal to a fraction if necessary. 540-560 Randomly choose a multiplication factor for the problem. If F = 1 then I(1) = 1 which indicates no recipe conversion, and another number is chosen. 570-590 Draw a horizontal line of a random color under the given recipe 600-640 Print the question, where A is the randomly chosen ingredient. 650 Calculate correct answer as N1. 660-750 Randomly print multiple-choice answers 760-780 Sound a "beep" then wait for answer. 790-820 If answer is incorrect, play "uh-oh" and return for another answer. 830-870 Indicate correct answer and play arpeggio. 880-910 Print option to try another problem and branch appropriately. 920-930 Clear screen and END. Math Competency Recipe Conversion 100 CALL CLEAR 110 PRINT TAB(6): "MATH COMPETENCY" 120 PRINT ::: TAB(5); "RECIPE CONVERS ION" 13Ø PRINT 140 DIM R\$ (3,6),R(3,6) 15Ø FOR C=1 TO 3 160 READ R\$ (C, Ø) ,R (C, Ø) 170 FOR I=1 TO 6 180 READ R(C. I) . R*(C. I) 19Ø NEXT I 200 NEXT C 210 DATA CHEESE SOUFFLE, 2, 2, TBSP BU TTER, 2, TBSP FLOUR, 1, C. MILK, . 75 ,C. GRATED CHEESE, 2, EGGS, .5, TSP SALT 220 DATA DUMPLINGS. 4.1.C. FLOUR. 2.T SP BAKING POWDER, . 5, TSP SALT. . 5 .C. MILK. 2. TBSP SALAD DIL. 0. "" 230 DATA PRONTO PUPS. 6.2. EGGS. . 5. C. MILK..75,C. FLOUR, 1, TSP BAKING POWDER. 1. TSP SALT. . 5. C. CORN M EAL 246 BOTO 466 250 N=R(C.I) 260 IF N<1 THEN 290 270 N#=STR# (N) 28Ø RETURN

480 PRINT : "SERVES"; R(C,0):: 490 FOR I=1 TO 6 500 IF R(C, I) = 0 THEN 530 510 GOSUB 250 520 PRINT NS; TAB(5); R\$(C. I) 530 NEXT I 548 F=INT(RND#4) 550 IF F=1 THEN 540 560 F=J(F) 578 H=INT(RND#12)+5 580 CALL COLOR (13, H, H) 590 CALL HCHAR (24,1,128,32) 600 PRINT ::: "IF YOU WANTED TO MAKE 610 PRINT R\$(C,0);" TO SERVE";F#R(C .0) 628 A=INT(RND#5)+1 63# PRINT "HOW MANY ":R\$(C.A) 648 PRINT "WOULD YOU NEED?":: 658 N1=F*R(C.A) 668 FOR CH=1 TO 4 676 Y=INT(RND#4) 68Ø IF J(X)=-1 THEN 67Ø 698 N=J(X) *R(C,A) 700 IF N1<>N THEN 720 718 ANS-CH 726 BOSUB 246 73# PRINT TAB(6): CHR\$(64+CH): " "&N\$ 74Ø J(X)=-1 750 NEXT CH 760 CALL SOUND (150, 1497, 2) 770 CALL KEY(0,K,S) 786 IF S<1 THEN 776 796 IF K=ANS+A4 THEN 836 800 CALL SOUND (100.330.2) 81# CALL SDUND(1##, 262, 2) 820 GOTO 770 836 CALL HCHAR (19+ANS, 7, 42) 840 CALL SOUND (100, 262, 2) 950 CALL SOUND (100, 330, 2) 86# CALL SOUND (1##, 392, 2) 87# CALL SOUND (2##, 523, 2) 880 PRINT : "ANOTHER PROBLEM? (Y/N)" 890 CALL KEY (0, K, S) 986 IF K=89 THEN 486 91Ø IF K<>78 THEN 89Ø 920 CALL CLEAR 93Ø END

> Use the card in the back of this magazine to order

> > vour

COMPUTE! Books

386 NS="1/4" 398 RETURN 400 CALL CLEAR 410 J(0)=.5 420 J(1)=1 43Ø J(2)=2 446 J(3)=4 45Ø RANDOMIZE

298 IF N<>.75 THEN 328 366 Ns="3/4" 310 RETURN

320 IF N<>.5 THEN 350 336 Ns="1/2" 340 RETURN

350 IF N<>.375 THEN 380 360 N#="3/8" 37Ø RETURN

.lm Butterfield Associate Editor

Bagel Break, Part 2

Last month we outlined the logic of a simple machine language program to play "Bagels," a well-known guessing game. Let's pause and look at the various ways we can change our planned program into a real machine language program.

You may have a tiny assembler that is built into your monitor system. This type of simple assembler is often called a nonsymbolic assembler for reasons well discuss in a moment. If so, you'll not reason well discuss in a moment if so, you'll in as you jot down the program coding. The type of outline you write will be similar to that in Program. 2-You'll need to guess at some of the "for-garm 2-You'll need to guess at some of the "for-garm 4-You'll need to guess at some of the more many than the cast destination, you won't know what the exact destination, you won't know what the exact destination, you won't know what the exact destination is not to the program of the control and the control and

You may have purchased a full-scale assembler, in which case you'll write the program as shown in Program 1. It's still the same logic flow, but now we can give a name (or "symbolic address") to the various parts of the program. We'll let the assembler figure out when these locations are and compute the correct branch for us. This work of the program is not provided to the program and the program of the prog

Symbolic names, or labels, seen like a convenience feature at first not too important, but handy, in fact, they change the nature of the work in a cruple of ways. First, we now have the freenance of the control of the control of the conand work locations. The program is easier to read. Second—and this can be very powerful—we can move the logic to an entirely new part of memory everthing out for it. the assembler will figure everthing out for it. the assembler will figure everthing out for it. the sea-most read of all, if we wish to change or correct the program, we can do so without needing to type everything in again; the "Source" coding will be saved on a limit of the control of the control of the control of the in whitever fashion we write our program.

outline, we'll still need to change it into machine

language. We may use an assembler – symbolic or nonsymbolic – or we might do the job by hand. Program 3 shows the output from a typical assembly. It's full of information, but the only data that really count are the two-dight hexadecimal numbers found to the left of the printout. (The four-digit hex numbers at the extreme left are addresses, to help you know where the code is located.)

An assembly listing is a rich source of information, especially if if s well commented. But the business end—the two-digit hex numbers—is all that is needed to do the job. Those numbers are all that we need to put into the computer. Program 4 shows a hexaderiand dump of memory with the program in place. All the pretty trimmings from the assembly listing are gone. All that we have the assembly listing are gone. All that we have probably the ways, ready to go to work. That's probably the ways, the proper is the second of the program of the theory of the program of the machine language monitor to change memory until it looked like Program 4.

But our game isn't completed yet. We need to generate the mystery numbers from BASIC, and tie all the pieces together. Next time....

Program 1: Code As Prepared For A Full Assembler

NGUESS	
EXACT	=\$8241 rexact count
MATCH	=\$8242 ;other match count
INCHAR	
SECRET	
SCOPY	
UGUESS	
	*= \$833C ;start program here
	; start came
START	LDA #\$88 ; quesses to zero
	STA NGURSS
	; accept next quess
GUESS	INC NGUESS ; count the guess
	LDA NGUESS ; look at it

CMP #18

BEQ QUIT ; yup, quit

JSR PLAY ; take guess
BNE GUESS ; not finished? back

; over nine?






- + 2nd PRIZE + \$50000 and Royalties
- * 3rd PRIZE * -UNLIMITED-\$10000 and 1 year Magnetic Magazine subscription

Do something with your Programs! Send them to us and receive \$\$s, royalties, directions, suggestions, and marketing assistance. Winning programs will be marketed individually or as a part of our Magnetic Magazines. If you have an Atari 400/800, Commodore 64, VIC-20, TRS-80 Color, IBM PC, Apple II you could be a contestant.

For complete information write or call toll-free:

programmer's institute a dession of FUTUREHOUSE, INC.

ox 3470, chapel helt, month caroline 27514, 919-967-0861 1-800-334-SOFT



Large Selection - BIG Savings



CITOH Prowriter \$375 CITCH Prowriter II \$710





Full complement of PRINTERS Dikidata 83 655 Radio Shack Computers: Smith Corona TPI \$495 Dikidata 84 999 Hardware & Software Silver Read EXP 550 D.W. 665 375 Caler Computer 16K 319 W/extended basic CITCH Prowritor Call Star Gernini 10 Dixidata 82A 1715 Color Computer 32-64K 399 Radio Shack DWTF Okudata 92 510 Radio Shack DWP410 1320 Clodata 93 Radio Struck DMP120 410 Model IV 16K Partin Sharck DMP200 599 Model IV 84K 2 drives & RS23

Radio Shack DMP2100 1779 Radio Shack DGP115 199 Model 100 8K

Write for FREE catalog TOST FREE 1-800-343-8124

Model 100 248 -0 0. 80x 926 • 480 King St. • Letteton, MA 014

679

835

	RTS	; end of game		BPL COMPAR	t-	of-place matches
PLAY	; get guess & ORA #\$30	;ascii numeric		LDY #\$ØØ	,	first secret char
	JSR \$FFD2	; print		LDX #\$ØØ		first guessed char
	LDA #\$20	;ascii space	CHECK	LDA SCOPY,Y BEO PASS		is character wiped? yes, ignore next bit
	JSR \$FFD2 : set counts !	; print it		BEQ PASS	7	yes, ignore next bit
	; set counts :	to zero		CMP UGUESS.X		compare it to quess
	STX EXACT			BNE PASS		nope, move on
	STX MATCH			INC MATCH		yup, count it
	STX INCHAR			LDA #\$00		and wipe out
	; get 4 chara			STA SCOPY, Y		matching
	JSR SFFE4	; get char		STA UGUESS,X INX		characters next quessed characte
	CMP #\$41	; less than A	PASS	CPX #4		tried them all?
	BCC INLOOP CMP #\$47	: over P		BCC CHECK		no, try next one
	BCS INLOOP	reject it		INY		next secret character
	JSR \$FFD2	OK, print it		CPY #4		tried them all?
	LDX INCHAR	get position		BCC RETRY		no, keep going
	INC INCHAR	; bump position		; print result		
	STA UGUESS,X	; store character		LDX #Ø		start at exact
	LDA SECRET,X	; copy secret char	PLOOP	LDA #\$20 JSR SPPD2	7	print a space
	STA SCOPY,X CPX #3	; to copy area ; four chars?		LDA EXACT.X		get the number
	RNE INLOOP	nope, go back		ORA #\$30		to ascii numeric
	; check quess			JSR SFFD2	÷	and print
COMPAR	LDA SCOPY.X	; test character		INX	,	move to 'match'
	CMP UGUESS, X	; against guess		CPX #\$Ø2		too far?
	BNE SKIP	; nope, try next		BCC PLOOP	7	nope, keep printing
	INC EXACT	, yes, count it		LDA #\$ØD	7	print 'return'
	LDA #Ø STA SCOPY,X	; and wipe out		JSR \$FFD2 LDA EXACT		four exact?
	STA UGUESS,X	: characters		CMP #4		if so, set z flag
SKIP	DEX	, onatuccars		RTS	•	22 00, 000 £ 1149

Drogram 2
Program 2:
Code As Prepared

	Prepared For		
		NGUESS =\$Ø24Ø ; num	ber of quesses
A Tiny Ass	embier	EXACT =\$0241 ;exa	ct count
		MATCH =\$0242 ; oth	er match count .
(Ø33C)	LDA #\$00	INCHAR -SØ243 :inp	ut char count
	STA \$0240		ret code
(Ø341)	INC \$0240	SCOPY =\$Ø248 :cop	y secret code
	LDA \$0240		r's quess
	CMP #10	*= \$Ø33C :sta	rt program here
	BEO SØ35Ø		; start game
	JSR \$0351	Ø33C A9 ØØ START LDA #SØØ	; quesses, zero
		Ø33E 8D 4Ø Ø2 STA NGUESS	
	BNE \$0341		; accept next quess
(Ø35Ø)	RTS	Ø341 EE 4Ø Ø2 GUESS INC NGURSS	; count quess
(Ø351)	ORA #\$3Ø	Ø344 AD 4Ø Ø2 LDA NGUESS	; get it
	JSR SFFD2	Ø347 C9 ØA CMP #1Ø	; over nine?
	LDA #\$2Ø	Ø349 FØ Ø5 BEO QUIT	, yup, quit
	JSR SFFD2	Ø34B 2Ø 51 Ø3 JSR PLAY	; take guess
	LDX #\$00	Ø34E DØ F1 BNE GUESS	; not finished?
		Ø35Ø 6Ø QUIT RTS	; end of game
	STX \$Ø241		; get guess & play
	STX \$Ø242	Ø351 Ø9 3Ø PLAY ORA #\$3Ø	;ascii numeric
	STX \$Ø243	Ø353 20 D2 FF JSR \$FFD2	; print
(Ø366)	JSR \$FFE4	Ø356 A9 2Ø LDA #\$2Ø	;ascii space
	CMP #\$41	Ø358 2Ø D2 FF JSR \$FFD2	; print it
	BCC \$Ø366		; set counts to zero
	CMP #\$47	Ø35B A2 ØØ LDX #Ø	
	BCS \$Ø366	Ø35D 8E 41 Ø2 STX EXACT	
	JSR \$FFD2	Ø36Ø 8E 42 Ø2 STX MATCH	
	IDV CG242	Ø363 8E 43 Ø2 STX INCHAR	; get 4 character

Program 3: Code As Assembled By A Full Assembler

guess

LDX \$0243



(commodore VIC 64 \$229.00



VIC 20 SPECIAL \$89.00 INCLUDES GORTEK & MICROCHIPS VL110 Cassette program (retail value \$19.95).

\$239.00 Commodore VIC20/64 1541 Single Disk Drive Commodore VIC20/64 1530 Datassette 65.00 Commodore VIC20/64 1525 Printer 229 nn Commodore VIC20/64 1701 Color Monitor 249.00 Commodore VIC20/64 1600 Vicmoden (Telephone 55.00 Everything you need



PractiCalc 20 For the Commodore VIC-20-16K RAM required Tape (CV2T10)

PractiCalc 64 For the Commodore 64

to support your COMMODORE VIC20 AND VIC64 elievable prices for game and business software for your

TOO MANY TO LIST BUT WE GOT IT Disk (C60D11) Cardco, Creative Software, EPYX, HES, UMI, WICO, Romox



Texas Instruments TI-99/4A Home Computer ONLY \$109.00*




. \$28.00

MORE GOOD DEALS

FREE EXPANSION BOX (\$183. VALUE) with the purchase of any three of the following low price items:

PHP 1220 RS 232 CWI PHP 1250 Expansion System Disk Drive PHP 1260 Memory Expension Cert 32% HM 3111 TI Wines FREE SPEECH SYNTHESIZER when you buy

six solid state software, command cartridges QUANTITIES ARE LIMITED!



PriM 3051-T Adverture (Prints Adv.) PHM 3090/97 Million Florre Math Serva K 8th grade 9HM 3059-62 Scholastic Spelling Level 3-6 PHM 3046 48 Scott Foresmin Reiding Pkgs PHM 3064 Touch Typing Tutor PHM 7008 Sperking Scholastic Spelling

1782 Marietta Blvd , N.W., Atlanta, Georgia 30318

Order Toll Free 1-800-241-2682 In Georgia (404)-351-8459

Get the best prices on TI Hardware and software. For a complete listing of all SAVE's products, send \$5.00 for our catalogue (refundable with your first order)

Enjoy the convenience of in-home shopping. Call our toll free number today for orders only.

Use your American Express, VISA, Mastercard, check or money order. Minimum order of \$50. Dutaide continental U.S.A. minimum order \$250 U.S. currency Shipping and handling charges are extra. All prices are subject to change good through November, 1983 *\$50 00 Rebate expires January, 1984

	INC \$0243	0366 20 E4 FF 1	INLOOP JSR SPFE4	; get char
	STA \$024C,X	Ø369 C9 41	CMP #\$41	; less than A
	LDA SØ244.X	Ø36B 9Ø P9	BCC INLOOP	
	STA \$0248.X	Ø36D C9 47	CMP #\$47	; over F
	CPX #\$Ø3	Ø36F BØ F5	BCS INLOOP	; reject it
	BNE SØ366	Ø371 2Ø D2 FF	JSR \$FFD2	; OK, print it
	RNE 20300	Ø374 AE 43 Ø2	LDX INCHAR	; get position
(Ø387)	LDA \$Ø248,X	Ø377 EE 43 Ø2	INC INCHAR	; bump position
	CMP \$024C,X	Ø37A 9D 4C Ø2	STA UGUESS,X	1 store
	BNE \$Ø394			character
	INC \$0241	Ø37D BD 44 Ø2	LDA SECRET,X	; copy secret
	LDA #\$ØØ			ch
	STA \$0248.X	Ø38Ø 9D 48 Ø2	STA SCOPY,X	; to copy
	STA SØ24C.X	0383 EØ Ø3	CPX #3	
(Ø39A)	DEX	0385 DØ DF	BNE INLOOP	; four chars?
(03 JA)	BPL \$Ø381	9365 D9 DE	BNE INDOOP	; nope, go back ; check quess for
	LDY #SØØ			exact matches
(~~~~)		#387 BD 48 #2 #	COMPAR LDA SCOPY.X	: test
(Ø39F)	LDX #\$00		oomin man occityn	character
(Ø3A1)	LDA \$Ø248,Y	Ø38A DD 4C Ø2	CMP UGUESS.X	
	BEQ \$Ø3BØ	038D DØ ØB	BNE SKIP	; against guess ; nope, try
	CMP \$024C,X	6360 06 68	BAL BAIL	next
	BNE \$03B0	Ø38F EE 41 Ø2	INC EXACT	
	INC \$0242	Ø392 A9 ØØ	LDA #Ø	; yes, count it ; and wipe
	LDA #\$ØØ			out
	STA \$0248,Y	Ø394 9D 48 Ø2	STA SCOPY.X	; matching
	STA \$024C,X	8394 90 40 02	DIN DODITYX	, macching
(Ø3B6)	INX			
(0380)	CPX #SØ4	Ø397 9D 4C Ø2	STA UGUESS,X	; characters
	BCC \$Ø39B	039A CA :	SKIP DEX	
	INY	039B 10 EA	BPL COMPAR	
	CPY #SØ4			; check for match
		Ø39D AØ ØØ	LDY #\$00	; first secret
	BCC \$0399 LDX #\$00		RETRY LDX #500	; first secret ; first quessed
		Ø3A1 B9 48 Ø2		; char wiped?
(Ø3C2)	LDA #\$20	03A4 F0 10	BEQ PASS	; yes, ignore
	JSR \$FFD2	Ø3A6 DD 4C Ø2	CMP UGUESS,X	; compare
	LDA \$0241,X	03A9 D0 0B	BNE PASS	: nope, move on
	ORA #\$3Ø	Ø3AB EE 42 Ø2	INC MATCH	; yup, count it
	JSR \$FFD2	03AE A9 00	LDA #\$00	; and wipe
	INX			out
	CPX #\$Ø2	Ø3BØ 99 48 Ø2	STA SCOPY, Y	; matching
	BCC \$Ø3BC			
	LDA #\$ØD	Ø3B3 9D 4C Ø2	STA UGUESS.X	; characters
	JSR \$FFD2	Ø3B6 E8 I	PASS INX	; next guess
	LDA \$0241	03B7 E0 04	CPX #4	; tried all?
	CMP #\$Ø4	Ø3B9 9Ø E6	BCC CHECK	; no, try next
	RTS	Ø3BB C8	INY	; next char
		Ø3BC CØ Ø4	CPY #4	; tried all?
		Ø3BE 9Ø DF	BCC RETRY	; no, keep on ; print results
				; print results
	T	03C0 A2 00	LDX #0	; first numbr
	To receive	Ø3C2 A9 2Ø 1	PLOOP LDA #\$20	; print space
	additional	Ø3C4 2Ø D2 FF	JSR \$FFD2	
	information	03C7 BD 41 02 03CA 09 30	LDA EXACT,X	; get number
fre	om advertisers	Ø3CA Ø9 30 Ø3CC 2Ø D2 FF	ORA #\$30 JSR SFFD2	; to ascii num ; and print
	in this issue.	Ø3CF E8	INX	; and print ; move on
	ise the handy	Ø3DØ EØ Ø2	CPX #502	; too far?
		Ø3D2 9Ø EE	BCC PLOOP	; nope, loop
read	der service cards	Ø3D4 A9 ØD	LDA #\$@D	; print return
	in the back	Ø3D6 2Ø D2 FF	JSR \$FFD2	
of	the magazine	Ø3D9 AD 41 Ø2	LDA EXACT	; four exact?
		Ø3DB C9 Ø4 Ø3DD 6Ø	CMP #4	; z flag
		מס ממנש	RTS	

Program 4: Hexadecimal Dump Of Memory

PC IRQ SR AC XR YR SP B78Ø E455 2C 34 3A 9D F8 033C A9 00 8D 40 02 RR 40 02 . : Ø344 AD 4Ø Ø2 C9 ØA FØ Ø5 . : Ø34C 51 Ø3 DØ F1 6Ø Ø9 3Ø 2Ø . : . : 0354 D2 PF A9 20 20 D2 FF A2 . : 035C 00 8E 41 02 8E 42 02 . : Ø364 43 Ø2 2Ø E4 FF C9 41 9Ø Ø36C P9 C9 47 RØ P5 20 D2 PP Ø374 AE 43 02 PF 43 02 9D 4C Ø37C Ø2 BD 44 Ø2 9D 48 Ø2 EØ 0384 03 DO DE BD 48 02 DD 40 . : Ø38C Ø2 DØ ØB EE 41 Ø2 A9 ØØ . : Ø394 9D 48 Ø2 9D 4C Ø2 CA . : 039C FA A0 00 A2 00 n9 03A4 PØ 10 DD 4C 02 DØ A9 88 99 . : 93AC 42 92 48 Ø2 9D Ø3B4 4C Ø2 E8 EØ Ø4 9Ø E6 . : Ø3BC CØ Ø4 90 DF A2 00 A9 20 . : 03C4 20 D2 FF BD 41 02 09 30 . : . : Ø3CC 2Ø D2 FF E8 EØ Ø2 9Ø . : Ø3D4 A9 ØD 2Ø D2 FF AD 41 Ø2

ATTENTION PROGRAMMERS!!

DATASOFT is currently sealing programs and programmers to add to their narrolly growing and expanding operation. A lisating marketer and developer of personal computer softwere. DATASOFT offers experienced assembly-ingrugage programmers the opportunity to join their staff to develop and translate across genes such as SAXXON**—as well as to author original material for their games, education and home menagement product lines. DATASOFT pags competitive salents, pub showest best as a validable, if needed.

If you have working knowledge of Atan, Apple, TI, or Commodore operating systems, graphics, animation and sound, call or write the Product Development Department at



ZAXXXXN and SEGA are registered trademarks of Sega Enterprises DATASOFT is a registered trademark of Depasoft, Inc.

BIG MONEY SELL VIDEO GAME SOFTWARE

Ø3DC C9 Ø4 6Ø

...Spare Time to Friends and Reighbors Make S50-S100-S200 Per Weeki

NO MONEY NEEDED TO START NO RISK NO MINIMUM ORDER

Boone a Part Time Video Garre Clear De de Per env. Video Garre Schweg et Lize Castler Wholessie Prices: (Castlere Castler Wholessie Prices: (Castlere Castler Wholessie Prices: (Castlere State (Compression Castlere State State (Compression Castlere State State APPLE, COMMODONE: TROB. 11: in or APPLE COMMODONE: TROB. 11: in or APPLE

We also carry Educational Games.

* ACT NOW For Complete Basier ER *

MAIL S4.95 TODAY TO:

GAMES " CLEANING HOUSE INC.



a

10 03

LENGTH PACK PACK C-05 79¢ 69¢ C-10 89¢ 79¢ C-20 99¢ 89¢ Boxes 26¢ 21¢ UPS \$3.00 Pkg. \$18.00 Case

> (Min. 500 Case Lot) wilabels ADD 4¢, wiboxes AOD 13¢

1-800-528-6050 Extension 3005

MICRO-80TM INC. 2665-C Busby Road Oak Harbor, WA 98277

FREE ZX81/TS1000 CATALOG



his direct go before? You will vision this wide to selection of up-to-date safetime, books and hardware add-ons anishable to got the most fiven year personal owners. This secoling new years and outself of the programs, because and outselform is used to programs, because and outselform is used to beginned as well as experienced outself.

to the convenient outpon
when and seed for jeer FREE
when Long SOUAN.

New! Write for yours Today!
Compilete and mail now for your FREE copy!
Ear information cell (718 of 374-5510

GLADSTONE (NAMED AND ADDRESS OF THE PROPERTY O

Name _____

City State Zip Mail to 1666 Kenenore Ave , Buffalo, N Y 14217 In Canada 1736 Avenue Rd , Toronto, Dre MSM 3Y:

September 1983 COMPUTE: 229

ISAM

Building Your Own Random File Manager

Michael D Lipay

There are several approaches to handling computer files (collections of data). Among the fastest and best is the random access disk file which uses special techniques to quickly locate any piece of information from anywhere within the entire file.

This tutorial explains how random access can be achieved and examines alternative ways to process data files. It includes a sample program, written in Applesoft BASIC, but which can easily be adapted to work on other computers using Microsoft BASIC.

Besides protecting earth from aliens, a main purpose of a computer is processing information. This data processing can be anything from keeping track of your stamp collection to maintaining a running inventory for your business. When it becomes necessary to retain the information long after the computer has been turned off, tape or disk storage is used.

Magnetic storage devices are capable of storing information indefinitely (provided they are kept clean and away from magnetic fields). Basically, there are two types of magnetic storage devices available to the micro computer user tape and disk. Both devices are capable of storing large amounts of information, and do so in groups called files. A file is a collection of related information, and the user has three primary types of files to select from:

Sequential Tape Files
 Sequential Disk Files
 Random Access Disk Files

Which of the three you decide to use for a given program will depend on many factors. Each has its own advantages and disadvantages; they are discussed here in an effort to help you select the best one for your needs.

Sequential Tape Files

If you have large amounts of data which you do not need to process frequently, then tape files should be considered. Tapes can store vast amounts of data in a relatively compact space, and at a very low price. Tapes serve as an excellent medium to keep a backup of disk programs and files. The big drawback to using tapes is that they are slow, so make sure vou have plenty of time,

Sequential Disk Files

Sequential disk files are best if you have small amounts of data to process. The files have the advantages of being faster than tape and more space conservative than random accoss files. Trobably the only disadvantage of sequential disk robably the only disadvantage of sequential disk produced to change a single record on a sequential file, you must copy all records to a work file, changing any records desired along the way, then delete the old file and rename the work file. This not for the speed of the disk.

Random Access Disk Files

Large volumes of data which must be updated with any frequency should be held in random access files. This type of file lets you easily update any given record without having to process or read through any other record on the file. It also has disadvantages such as requiring all records to be of the same, fixed length and needing to know where on the file a particular record is located.

There are several methods available to help

230 COMPUTE! September 1983



Lducational News

Legal Apple Type Compatible

New Computer runs CP/M & Apple Type Software

CALABASAS - Now instructors can teach Apple-type programs such as LOGO in one class and professional-style word processing in another without any hardware changes. Dual microprocessors (Z80-A & 6502, two computers in one case), with the radical new Orange Plus development the "EuroROM", allows the machine to read/write/work with Appletype software as well as CP/M programs and access either CPU via the keyboard.

The "ORANGE+TWO" is a brand new direction in the evolution of the personal computer, ORANGEFORTH-83, a Fig-FORTH derivative and readily accessible public domain language, is resident in the ROM*. Also included is CP/M 3.0. Digital Research's latest CP/M version There is also a built-in disk drive controller for two Apple-type drives, a cassette interface, joystick port, color graphics and ASCII keyboard with numeric keypad. For expert word processing, the keyboard features upper and lower case (lower case characters are true descenders) with auto repeat.

This new breed of computer is a breakthrough for educators and school systems throughout the world. The ability to run both Apple-type and CP/M software on the same machine relieves financiallypressed educators from expensive equipment burdens, allowing them to spend more money where it counts...on the teachers.

*Available on disk at extrta cost THE LEASING

CALABASAS - Through select leasing companies, Orange Plus Computer Systems will offer the following lease programs to qualified corporations and educational institutions: An "ORANGE+ TWO" computer with a green monitor and one disk drive for only \$59.55 per month...36 month closed end lease. Alco included is a full maintenance program and all revisions and upgrades that may be available during the term of the lease. Subject to credit approval. Call for

DISTRIBUTORS:

additional information.

amount of individual inquiries and dealer applications, qualified stocking distributors are needed. Select areas available!



MORE FOR LESS
The "ORANGE+TWO" 64K computer includes these standard features.
Built-in CP/M 2.2 compatibility no charg
Digital Research's CP/M 3.0 no charg
Built-in disk drive controller for two Apple-type drives no charg
Numeric keypad with separate return key no charg
110/220 volt switch selectable power supply, 50-60 Hz no charg
Full function ASCII keyboard with auto repeat no charg
Cassette interface
Fully grounded metal base plate no charg
Adjustable audio volume control no charg
ORANGEFORTH-83, Z80-A FORTH language, resident in ROM no charg
Z80-A CPU, a second computer no charg
6 slot double sided logic board no charg
Bank switchable RAM, fully socketed, expandable to 256K no charg
Programmable 2764 EPROMs no charg
TOTAL: "ORANGE+TWO""
Compare these features included on the "ORANGE+TWO" with the compet

MORE PRODUCTS FROM ORANGE PLUS COMPUTER SYSTEMS TO ENHANCE YOUR "ORANGE+TWO"". ADDLE HALDLIS OR FRANKLIN ACE 1000

tion's over \$2000 for equivolent product.

Disk-based ORANGEFORTH-83 language with full documentation \$99.95	
Digital Research's CBASIC with disk and documentation	
Drange Plus KoalaPad" Touch Tablet w/Micro Illustrator" \$124.95	
Orange Plus Joystick (works on "ORANGE+TWO", Apple II, II+, & //e) \$29.95	
Trange Plus self-centering investick	
IOMB (Formatted) 5%" half-height Winchester Hard Disk Drive \$1495.00	
Controller & Interface for Hard Disk\$395.00	

The above are suggested retail prices. Prices may vary from state to state.

Collins International Trading Corporation. 23801 Calabasas Road, Suite 2050, Calabasas, CA. 91302 you to determine where a particular record is located on a random access file. John Hudson covered the HASH/LINK method in the March 1982 issue of COMPUTE. He did an excellent job; and if you desire to learn more about it, I suggest that you read this article. The HASH/LINK method does have some problems. For example:

- If you fill the overflow area, you will have to reorganize the file again.
- As soon as you initialize the random file, you take up more space than you may
- III) Successive "collisions" can greatly increase access time (rec 100 links to rec 212, rec 212 links to rec 487, rec 487 links to...).
- IV) Expanding the main and overflow areas of the file may require major program revisions (deciding the main area should be 2000 recs instead of 1000 recs will require changes to your hashing logic). as well as requiring you to reload the file.
- V) Sequential (ascending or descending) processing is almost impossible.
- VI) If you need to "key" on an alphabetic field (such as a name), you must first convert it to a numeric value.
- VII) Once the file has been created, it is impossible to select an alternate key (e.g., a file is hashed on the last name, but you need a report in social security number order).
- VIII) Deleting a record requires several Read/ Write steps to keep the link field updated. Once a record has been deleted, the position that it occupied on the file is unusable, since all adds occur at the end of the file.
- In the rest of this article I will cover an alternate method known as Indexed-Sequential Access Method (ISAM).

ISAM

ISAM can solve all the problems associated with HASH/LINK files, but it has some problems of its own. ISAM works on the principle that it is faster to search memory than a disk. Unfortunately, before you can search memory, you must have something in it, and this is the problem with ISAM.

ISAM works by loading the desired "key" field of each record in a file into an array. This is done by placing the key field of the first record into the first position of the array, the key from the second position of the array, the condition the first position of the array, the condition array, etc. Once the array has been loaded, you simply search the array for the desired key; its position in the array is the record number for the

random access file. Described below are the procedures necessary for the most common types of file processing:

- I) ADD A RECORD
 - Search the array to determine if the record already exists.
 Move the new "key" to the end of the
 - array, or to the first "open" position in the array. c) Use the position number of the array to
 - c) Use the position number of the array to write the record to the file.
 - a) Find the key in the array.
 - b) "Open" the entry in the array by moving a "dummy" key into the array (such as zeros).
 c) Write the dummy values to the file.
- III) CHANGE A RECORD
- a) Find the key in the array.
 b) Use the position number to read in
- the record.
 c) Make your change to the record (even
- c) Make your change to the record (even change the key). d) Write the new record to the file using
- the position number.

 e) If you changed the key, move the new
- key into the array.

 IV) PROCESS SEOUENTIALLY BY KEY
 - Sort the array into the desired order (ascending or descending).
 - b) Process the records sequentially through the array.
- PROCESS BY A DIFFERENT KEY
 a) Load the array with the new keys from
 the file.

 b) Process normally using the new array.
 Listed below are sample programs, written in Applesoft, which illustrate ISAM programming

techniques. The programs are shells which can easily be modified to suit your own purposes. Note that all branch instructions bypass the REM statements; thus, if you want to key the program in without remarks, no line numbers will have to be changed. Variables used in the programs are:

- D\$ Control-D (disk access)
- IA Index Array IE - Index End (last entry used)
- IP Index Pointer (entry number for the part searched for)
- IO Index Open (entry number for first "open" or empty record)
- FOUND Switch to indicate if part searched for is in the index: 0 – part not in index
- 1 part in index PART – Part number being searched for


IT'S HERE AT LAST!

THE FIRST LOW COST 6502 COMPUTER WITH 48K RAM THAT'S COMPLETELY COMPATIBLE WITH APPLE II®

Introducing the RAM-TECH*RT 2 computer which offers you greater flexibility than the Apple III+° at a price that's easier on your finances. The RT 2 will run all software and use all peripheral hardware designed for the Apple II+.º II'e 100% Apple' compatible yet it offers you features not available on the Apple III+.º II'e 100% Apple' compatible yet it offers you features not available on the Apple III+.º II'e 100% Apple' compatible yet it offers you features not available on the Apple III+.º II'e 100% Apple' compatible yet in order to be a second or a second or

COMPARE THESE FEATURES:

- supports upper & lower case characters from the keyboard
 high quality ABS case will not crack and is light weight
 RF modulator included in addition to composite video output
- high quality light-touch keyboard with upperflower case key
 15 key numeric key pad for fast data entry (optional)
 high power switching power supply (8.5 amps totel) will power two
- disk drives and several peripherals easily, has internal circuit breaker
 eight expansion stots to increase flexibility with peripheral cards
 46K RAM expandable to 64K (193K RAM upgrade card available soon)
- Socketed IC's for quick and easy service
- thousands of programs (business & home) available
 operates identically to the Apple II+* with exception of extra features on RT 2
 full 90 days parts and labor warranty with fast service turn-around



COMPARED TO APPLE IN WHICH RETAILS AT MORE THAN DOUBLE THIS PRICE AND DFFERS YOU LESS, YOU CAN SEE WHY THE RAM-TECH* RT 2 SHOULD BE YOUR CHOICE. MAKE NO SYNTAX ABOUT IT, THE RT 2 IS FOR YOU!

PERSONAL I.D. OPTION — We will burn your name into ROM. When you power up your Ram-Tech your name will be displayed on the screen. AN EXTRA MEASURE OF SECURITY AGAINST THEFT.

Middate on your order what name you wish to use (maximum 8 stems including spaces) — ADD: \$25.00 for LD. option.

ALSO AVAILABLE: (sub-esembles for doity ourseless) — 90 days warranty
1 – ABS cess high quells, Speller bolos-this and color matched, will replace Apple® case
2 – same as if 1 done but with numeric lexyand cutout
3 – keyboad with upperflower case key, direct replacement for Apple® or Ram-Tech*

3 - keyboard with upperflower case key, direct replacement for Apple" or Ram-Tech*	\$110.00
4 - same as #3 above but with numeric keypad, use in combination with #2, also fits Apple®	\$139.50
5 - RF modulator with TV switch and cable, also fits Apple®	\$ 19 50
6 - switching power supply, 8.5 amps, internal circuit breaker, high power, also fits Apple®	
7 - motherboard, completely assembled & tested, fully operational with burned ROMS	
8 - bare motherboard w/ parts discription screened on board end instructions, highest quality G10 epoxy	\$ 48.00
SHIPPING & HANDLING FOR ABOVE: cases #1 & 2 add 10%; all others add 5%	

PERIPHERALS, CARDS & ACCESSORIES FOR YOUR RAM-TECH* OR APPLE®

all items #1 to 19 guaranteed for	one year (disk drives for six months)
1 - 16K RAM card\$ 58.00	11 - interger card\$ 97.50
2 - 80 column card \$ 94.50	12 - PAL card. \$114.00
3 - clock card	13 - language card
4 - communications card	14 - RS-232 serial card. \$ 84.00
5 - disk controller card	15 - Z-80 CP/M card
6 - EPROM writer card	16 - VERSA card
7 - FORTH card	17 - analogidigital card\$116.50
8 - IEEE-488 cerd w/cable	18 - system cooling fan \$ 63.00
9 - parallel printer card wicable \$112.00	19 - iov stick wibutton
10 - parallel printer buffer and grappier card with cable	
DIGIT DEBUTES	

DISK DRIVES: Guaranteed high quality for use with all Applie® compatible (or Ram-Tech*) controllers – DOS 3.3 &:

USES SPECIAL LOW POWER CONSUMPTION CIRCUITRY

TRAC 55A . \$325.00 \$370,00 with controller

SHUGART ... \$285.00 \$330.00 with controller SHIPPING & HANDLING, add \$3.50 per Item #1 - 19 . . . disk drives add \$10.00

TO ORDER

- ALL PRICES IN U.S. CURRENCY
 VISA OR MASTER CARD: SEND NUMBER, EXPIRY DATE, BANK NAME & CARD HOLDER'S NAME, INCLUDE PHONE
- NUMBER

 CHECKS & MONEY ORDERS O.K. CHECKS NEED THREE
 WEEDS OLIAR, NO C.O.D.'S TO U.S. DUE TO POSTAL
 DOCUMENT ATTOMOS
- CANADIAN ORDERS ADD 25% FOR CON FUNDS EXCHANGE
 U.S. CUSTOMERS WILL HAVE TO PAY U.S. CUSTOMS
 4.7% DUTY DUTIES COLLECTED BY POST OFFICE
 WE ASSUME NO LIABILITY FOR CUSTOMS CLEARANCE.

DEALER INQUIRIES REQUESTED

BYTE-RYTE

DEPT. CP P.O. BOX 205, STATION CART. MONTREAL, QUEBEC, CANADA H4K 2J5 (514) 335-1717

..., ----

"Rum-Tech is a trademark of \$5606 CANAGA INC.

10-13 This section goes to a one-time routine to load the index array with the desired key field (in this case a part number).

100-114 Display the options available in a menu format.

120-122 This gets the option into a string. Then, using the VAL command, goes to the appropriate routine. Note that if zero, a non-numeric character, or a number greater than five is entered, the

menu is displayed again. 200-215 The index array is searched sequentially in this section. If the key is found, the following

values are returned-FOUND = 1

IP =Entry in array for desired key IO = First open entry in array (entry with key of zero)

If the key is not found, the following values are returned:

FOUND = 0

Ю =First open entry in array Note on lines 212 and 213 the method used to exit from the FOR/NEXT loop. This is the method suggested by Apple to exit the loop from other than normal completion. Its purpose is to prevent ?OUT OF MEMORY errors from occurring as a

result of too many "open" loops. 300-324 ADD A PART

310 Accepts the part number to be added to the

311 Goes to the routine to search the index. If the part already exists (FOUND = 1), an error message is displayed and control is returned to the menu. 321-322 The new part is written to the master file using the open entry pointer (IO) as the record

number. 323 If the new part is added to the end of the file, the number of the last entry (IE) is updated.

324 Returns to the menu.

400-424 DELETE A PART 410 Accepts the part to be deleted.

411 Goes to the search routine. If the part is not on file (FOUND = 0), an error message is displayed and control is transferred to the menu.

420 The part is removed from the index by making the entry zero.

421-422 The part is removed from the master file. 423 If the part was the last one in the array, the ending pointer (IE) is reduced by one.

424 Return to the menu. 800-813 LIPDATE INDEX POINTER

810-811 Write the number of the last entry in the index to record zero of the master file.

812 Closes the master file 813 Stops the program

234 COMPUTE! Soplember 1983

900-930 LOAD THE INDEX ARRAY

910 Initially sets up variables. 911 Sets up an error routine to handle end-of-data

and not-found conditions 912 Opens the master file. 913-914 Read the number of the last record on the

master file

915 Turns off the error routine, dimensions the index array to allow up to ten records to be added to the end of the array (this can be changed to allow for more expansion). 916 If no records exist on the master, control goes

to the menu. 920 Sets up the error routine.

921-924 Load the key field (part number) into the array.

930 Turns the error routine off; returns to the menu.

The second program offers a different method of handling the index. Type in lines 10-630 from Program 1, then add the lines from Program 2. In this program the index is kept on a sequential disk file, for speed of loading the array.

800-833 Save the index array.

810 Check the index change switch: if it is zero. the index has not changed and does not have to be rewritten. Control goes to 832.

811 Deletes the index file

820-823 Write the array to the index file. 830-831 Write the number of the last entry in the

index to record zero of the master file 832 Closes the master file.

833 Stops the program. 900-940 LOAD THE INDEX ARRAY

910 Initially sets up variables.

920 Opens the master file. 921 Sets up the error routine.

922-923 Read the number of entries in the index file.

930 Sets up a new error routine. 931 Dimensions the index array (with expansion of 10)

932-934 Read the index file into the array. 935 Turns the error routine off and closes the index

940 Turns control over to the menu.

Program 1: ISAM

101 REM

10 REN 11 REM CALL INDEX LOAD ROUTINE DEH 13 GOTO 910 100 RFM SELECT OPTION

```
812 PRINT D$; "CLDSE MASTER"
110 HDME : PRINT "1) ADD PART"
                                              813
                                                    END
     PRINT "2) DELETE PART"
                                               900
                                                    REM
     PRINT "3) CHANGE PART"
                                              901
                                                    REH
                                                        LDAD INDEX ARRAY
    PRINT "4) DISPLAY PART"
113
                                              902
                                                   REH
    PRINT "5) STOP"
114
                                               910 Ds = CHRs (4): IE = 0: IP = 0: IO = 0: FDUN
120
     PRINT : INPUT "SELECT OPTION: ": DPT$
                                                    D = 0:PART = 0
121
     DN VAL (DPTs) + 1 GOTD 110,310,410,510
                                              911
                                                    DNERR GOTO 915
     .610,810
                                              912
                                                    PRINT DS; "DPEN MASTER, L25"
122
     GOTO 110
                                              913
                                                    PRINT D$: "READ MASTER, RO"
200
    REM
                                              914
                                                    INPUT IE: PRINT DE
201
    REM SEARCH INDEX ARRAY
                                                   PDKE 216, 0: DIM IA(IE + 10)
202
                                              916
                                                   IF IE - 0 GOTD 110
210 ID = IE + 1: IF IE = 0 THEN FOUND = 0:
                                                    DNERR GDTD 924
     RETURN
                                               921
                                                    FOR I = 1 TO IE
211
     FOR I = 1 TO IE
                                              922
                                                    PRINT Ds; "READ MASTER, R"; 1
     IF IA(I) = PART THEN IP = I: I = IE + 1:
                                                   INPUT IA(I)
     NEXT :FDUND = 1: RETURN
                                              924
                                                    NEXT I: PRINT DE
213
     IF IA(1) = 0 AND IO = IE + 1 THEN IO =
                                              930 PDKE 216,0: GDTD 110
     I: NEXT
                                              Program 2: Index Array Routine
214
    NEXT I
215 FOUND - O: RETURN
                                                  REM
300
    DEM
                                              801
                                                   REM
                                                        SAVE INDEX
301 REM ADD A PART
                                              802 RFM
302
   REM
                                                   IF IC = 0 60T0 832
                                              810
    INPUT "ENTER NEW PART NUMBER: "[PART
                                              811
                                                   PRINT D$; "DELETE INDEX"
    GOSUB 210: IF FOUND = 1 THEN PRINT "PA
311
                                              820
                                                   PRINT D6: "OPEN INDEX"
     RT ALREADY DN FILE": GDTD 110
                                              821
                                                   PRINT DS; "WRITE INDEX"
320 IA(ID) - PART
                                              822
                                                   FDR I = 1 TO IE: PRINT IA(I): NEXT I
321
   PRINT Ds: "WRITE MASTER.R": ID
                                              823
                                                  PRINT D$: "CLOSE INDEX"
322
    PRINT PART: PRINT DS
                                              830
                                                   PRINT DS; "WRITE MASTER, RO"
323 IF IO > IE THEN IE = ID
                                              831
                                                   PRINT IE
324
    GDTD 110
                                                   PRINT D$1 "CLOSE MASTER"
400
   REM
                                              833
                                                   FND
401
    REM DELETE A PART
                                                   REH
402
    REM
                                              901
                                                   REM LOAD INDEX ARRAY
    INPUT "ENTER PART TO BE DELETED: ":PART
410
                                              902 REM
                                              910 DS = CHR$ (4):IE = 0:IP = 0:IC = 0:IO =
     GDSUB 210: IF FOUND = 0 THEN PRINT "PA
411
                                                    OFFILIND = OFPART = 0
     RT IS NOT ON FILE": GOTO 110
                                              920
                                                  PRINT D4: "DPEN MASTER.L25"
420 IA(IP) = 0
                                                    ONERR GOTO 930
                                              921
421 PRINT Ds; "WRITE MASTER, R"; IP
                                              922
                                                   PRINT D6; "READ MASTER, RO"
422 PRINT D: PRINT DS
                                                    INPUT IE
423
    IF IP = IE THEN IE = IE - 1
                                              930
                                                    ONERR BOTO 935
424
    GDTD 110
                                              931
                                                    DIM IA(IE + 10)
500
    REM
                                              932
                                                   PRINT De; "DPEN INDEX"
    REM CHANGE A PART
501
                                              933
                                                   PRINT De; "READ INDEX"
502
    REM
                                              934
                                                   FDR I = 1 TD IE: INPUT IA(I): NEXT I
510
     INPUT "ENTER PART TO BE CHANGED: "; PART
                                              935
                                                    PDKE 216.0: PRINT D$: "CLDSE INDEX"
                                               940
                                                    GOTO 110
     GOSUB 210: IF FOUND = 0 THEN PRINT "PA
511
     RT IS NOT DN FILE": GOTO 110
520
     PRINT D&; "READ MASTER, R"; IP
521
     INPUT PART: PRINT De
    REM CDDING TO CHANGE PART
530
540 IA(IP) = PART
                                                         Use the handy
541
   PRINT DS: "WRITE MASTER, R": IP
542
    PRINT PART: PRINT DS
                                                    reader service cards
```

in the back of the magazine for information on products advertised in

COMPUTE!

GOTD 110 R11 PRINT IE September 1983 COMPUTEI 235

543 GDTO 110 600 REM

REM DISPLAY PART

INPUT PART: PRINT DE REM CODING TO DISPLAY PART

INPUT "ENTER PART NUMBER: ": PART

RT IS NOT DN FILE": GDTD 110

PRINT DS: "READ MASTER, R": IF

REM UPDATE INDEX PDINTER

PRINT DS: "WRITE MASTER. RO"

GDSUB 210: IF FDUND = 0 THEN PRINT "PA

601

602 REM

610

411

612

613

620 630

800 REH 801

802 810

102 REM

TI Cadette: Computer Aided Design

Bradley Roger

This clever program should provide hours of amusement for children who enjoy creating pictures. Similar to coloring or cut-and-paste, the computer screen becomes a magic window allowing easy design, color selection, and erasure. Requires Extended BASIC and joysticks.

"Cadette" is for children. Based on a scaled-down version of CAD (the Computer Aided Design), it transforms your TV screen into an electronic easel on which children can "draw" tropical birds, planes, surreal landscapes, or any number of other fascinating pictures. Joysticks and fire buttons are used instead of conventional pens and brushes.

Using these simple instruments, children can create intricate designs from a basic stockpile of 16 different shapes. Each shape can assume five different colors chosen at the start of the program. Cadette calls upon the imagination, but does not require highly developed motor skills. Most children over five should be able to manage it nicely.

dren over five should be able to manage it nicely.

Cadette is simple to use, with only four basic activities required:

- Choosing a page (screen) color;
- 2. Choosing five brush (shape) colors
- Moving joysticks to position the shapes or the eraser; and
 Pressing fire buttons to print or to erase.
- Pressing fire buttons to print or to erase
 The process is the electronic equivalent to

ne process is the electronic equivalent to pasting cutouts on construction paper. However, the program involves considerably less frustration than conventional craft activities. It permits children to erase neatly or to change their minds at any point without having to start over with a clean sheet.

Running The Program

Once the RUN command has been entered, a brief message appears, instructing you to select a page color. The page in this case is, of course, the TV screen. Next, you are confronted by a display of 12 colors, each identified by a number from 1 to 12. From this menu you select a screen color by pressing the appropriate number key and then 28° COMMUN Section 25° COMMUNI SECTIO

the ENTER key. If you enter anything other than numbers 1 to 12, the computer waits patiently for you to reconsider.

A second message now appears on the background color you chose. You are to select five brush colors. This message disappears, and you are asked to choose five from among twelve brush colors. The brushes in this case represent the colors of the shapes you will eventually use to create your design. Simply enter your five choices and remember to press ENTER after each selection.

After the color choices, the screen will blank and 16 geometric shapes will appear, eight across the top of the screen, and eight across the bottom. The consist of a circle, a square, assorted lines, triangles, and semicircles. Every few seconds the color of all 16 shapes changes, running through a cycle of five color changes, and then repeating.

Near the center of the screen is a small hollow box, which is the cursor. By using either of the joysticks, you move the cursor to capture and transport the colored shapes. After deciding which shape you want to capture, move the cursor to position immediately adjacent to the shape. Once the shape turns the desired color, position the cursor on the share existed color, position the

The cursor will then disappear, and a duplicate of the colored shape you chose will appear immediately above or below the original, depending upon whether you selected from the top or bottom row. This duplicate may now be moved with the joystics to any desired focation. It will maintain its shape and color no matter what else happears on the screen. The original from which it was copied will remain in its display row and continue to undepo color transformations.

The duplicate shape, which now represents the cursor, can be placed at any position on the screen. Move it to the location you want and simply press the fire button. You will hear a low tone indicating that the button has done its job. If you have picked up the right loystick, the shape will "lock" at that screen location. Even if you move the cursor, the shape will remain fixed as

236 COMPUTE! September 198



Twelve page and twelve brush colors are available in "Cadette" from the TI-99.

long as the program runs. If you have picked up the wrong joystick, the shape will be erased. Assuming you have the "lock" joystick, you

now have two options. You can move the cursor shape to a new position and print it again, or you save the proposition and print it again, or you save shape to a new position and print it again, or you save shape another olse. If you done a teach shape, repeat the initial capture procedure. Remember, however, that the cursor no longer appears as a hollow box, but in the shape of your previous selection. But once it is placed on a new colored shape, it will automatically assume the new shape and color.

The "lock" joysick locks your selection at the location you want. The other joystick also controls the cursor, but is used to erase. To erase a "locked" shape, simply move the cursor on top of that shape and press the fire button. A higher tone will sound, the shape will disappear, and the other control of the shape and press the fire button. A bigher tone will sound, the shape will disappear, and the other "crase".

Extensions And Modifications

If you want to alter the shapes, you can change lines 540, 560, 580, and 600, which are DATA statements that contain the hexadecimal representations of the shapes. Each shape is defined by a string of 16 hexadecimal numbers.

Some children may find that the cursor moves too quickly, rushing past the space in which they wanted to print a shape. You can change the cursor's speed in line 920 by adjusting the limit (4) in the FOR/NEXT loop.

One interesting modification to the program would make it more versatile without requiring a great deal of extra programming. For example, a larger menu of shapes could be shown initially, and 16 could then be chosen from it. This would not be a terribly complicated program adjustment as long as you remember that the shapes must be

read into SS. It is better to present the shape menu before the color menus, one you start fooling, with color statements, all kinds of unexpected complications develop. In considering such modifications, just remember that often there is a tradeoff between versatility and user-convenience. The program could become less fun to use if a child has to make too many decisions.

Cadette

- 100 CALL CLEAR 110 CALL SCREEN(15)
- 110 CALL SCREEN(15) 120 DISPLAY AT(5,6): "SELECT PAGE CO LOR, 1 TO 12."
- 130 FOR I=1 TO 800 :: NEXT I :: CAL L CLEAR 140 DIM Z(5):: DIM S\$(16)
- 150 As="3C7EFFFFFFFFF7E3C" :: X=4 160 FDR I=62 TO 142 STEP B :: CALL CHAR(I,As):: CALL COLOR(X,X-1.1
-):: X=X+1 :: NEXT I 170 CALL CHAR(40, A\$):: CALL CDLOR(2, 16, 1):: CALL CDLOR(9, 14, 1):: C ALL VCHAR(12, 5, 40):: X=3
- 180 FOR I=62 TO 142 STEP 8 :: CALL VCHAR(12, X*2+1, I):: X=X+1 :: NE XT I
- 198 CALL CHARPAT(56,Z\$):: CALL CHAR PAT(57,W\$):: CALL CHAR(33,Z\$):: CALL CHAR(34,W\$)
- 200 FOR I=1 TO 12 210 IF I=8 THEN CALL VCHAR(10,19,33):: GOTO 240
-):: 60T0 240 220 IF I=9 THEN CALL VCHAR(10,21,34):: 60 TO 240
- 238 DISPLAY AT(10,I\$2):USING "##":I 248 NEXT I 258 ACCEPT AT(24,1)VALIDATE(DIGIT)8
- 250 ACCEPT AT (24,1) VALIDATE () EEP: Y 260 IF V(1 OR V)12 THEN 250
 - 260 IF Y<1 DR Y>12 THEN 250 270 IF Y=7 THEN Y=13
- 280 IF Y=1 THEN Y=15 290 CALL SCREEN(Y+1):: CALL CLEAR 300 FOR I=1 TO 14 :: CALL CDLOR(I,2
- ",1):: NEXT I :: DISPLAY AT(6,4)
 :"SELECT 5 8RUSH COLORS,(6 SPACE
 S)1 TO 12."

 310 FOR I=1 TO 800 :: NEXT I :: CAL
- L CLEAR
 32# FOR I=4 TO 14 :: CALL COLOR(I,I
 -1,1):: NEXT I :: CALL COLOR(2,
- -1,1): NEXT I :: CALL CUCUR(2, 16,1):: CALL COLDR(9,14,1) 338 A\$="FF7E3C1B183C7EFF" 348 FOR I=62 TO 142 STEP 8 :: CALL CHAR(I,A\$):: NEXT I :: CALL CHA
- R(40,A\$) 350 IF Y=15 THEN Y=0 360 IF Y=13 THEN Y=7
- 378 CALL CDLOR(Y+2,2,1):: X=6 :: CA LL VCHAR(12,4,48) 388 FOR I=62 TO 142 STEP 8 :: CALL
- VCHAR(12, X, I):: X=X+2 :: NEXT I 398 FOR I=1 TO 12 488 IF I=B THEN CALL VCHAR(18, 18, 33
-):: 60T0 430 410 IF I=9 THEN CALL VCHAR(10,20,34):: 60T0 430
- 420 DISPLAY AT(10, 1*2-1):USING ****

430 NEXT I 440 FOR I=1 TO 5 450 ACCEPT AT(24,1)VALIDATE(DIGIT)F

EEP:Z(I) 460 IF Z(I)<1 OR Z(I)>12 THEN 450 470 IF Z(I)=1 THEN CALL VCHAR(18,I*

2+2,40)ELSE 490 480 GO TO 500

490 CALL VCHAR(18, I + 2 + 2, 46 + 8 + Z(I))
500 NEXT I
510 FOR I=1 TO 500 :: AA=8 + 8 :: NEX

520 CALL CLEAR

530 FOR I=1 TO 16 :: READ S\$(I):: N EXT I 540 DATA 187E7EFFFF7E7E18,0107070F0 F070701,00E0E0F0F0E0E080,FF7E7E 1800000000

560 DATA 00000000187E7EFF,FFFFFFFF FFFFFFF,FFFEFCF8F0E0C080,000103 070F1F3F7F

0101010101 600 DATA FF000000000000000,000000000 00000FF,8040201008040201,010204 0810204080

610 X=40 620 FOR I=1 TO 5

630 P=Z(I)+1 640 IF Z(I)=1 AND Y=0 THEN CALL COL OR(I*2,2,1):: CALL COLOR(I*2+1;

2,1):: 60 TO 69# 65# IF Z(I)>1 AND Z(I)=Y THEN CALL COLOR(I#2,2,1):: CALL COLOR(I#2

+1,2,1):: 60 TO 690 660 IF Z(I)=1 AND Y>0 THEN P=16 670 IF Z(I)=7 AND Z(I)<>Y THEN P=14

680 CALL COLOR(I#2,P,1):: CALL COLO R(I#2+1,P,1) 690 FOR J=1 TO 16 :: CALL CHAR(X,S\$

(J)):: X=X+1 :: NEXT J 700 NEXT I

710 62=32 :: H1=12 :: F1=16 720 CALL CHAR(37, "FF81818181818181FF"

):: CALL VCHAR(H1,F1,37):: J=39 73Ø QW=1 :: UU=1 74Ø FOR I=1 TO 8 :: CALL VCHAR(24,I

740 FOR I=1 TO 8 :: CALL VCHAR(24,I *2+4,J+1):: NEXT I 750 FOR I=9 TO 16 :: CALL VCHAR(1,I *2-12,J+1):: NEXT I

760 X=1 770 CALL JOYST(UU,F2,H2)

770 CALL JOYST(UU,F2,H2) 780 CALL KEY(UU,RV,SV) 790 IF (H1=1 AND H2=4)OR(H1=24 AND

H2=-4) OR (F1=2 AND F2=-4) OR (F1=3 Ø AND F2=4) THEN F2=Ø :: H2=Ø :: 60 T0 900

800 IF F2=0 AND H2=0 AND SV=0 THEN 900

810 H3=H1-H2/4 :: F3=F1+F2/4 820 CALL GCHAR(H3,F3,G3):: CALL GCH AR(H1,F1,G1)

830 IF RV+QW=19 AND(H1=24 OR H1=1) T HEN 890 840 IF H3=24 AND G3<>32 THEN H3=23 1: CALL VCHAR(H1,F1,32):: CALL

VCHAR(H3,F3,63):: 62=32 :: 60 T0 878 858 IF H3=1 AND(63<>32)THEN H3=2 :: CALL VCHAR(H1,F1.32):: CALL VC

238 COMPUTEL September 1983

HAR(H3,F3,63):: 62=32 :: 60 TO 870

868 IF (H3<>24 AND H3<>1) OR (H3=24 A ND G3=32) DR (H3=1 AND G3=32) THEN CALL VCHAR (H3,F3,G1):: CALL VC HAR (H1,F1,G2):: G2=G3 B78 IF RV+DN=19 THEN CALL VCHAR (H3.

870 IF RV+QW=19 THEN CALL VCHAR(H3, F3,61):: 62=63 :: CALL SOUND(10 0,110,2):: 60 TO 890 880 IF RV+QW=17 THEN CALL VCHAR(H3,

F3,37):: G2=32 :: CALL SOUND(10 8,220,2) 890 H1=H3 :: F1=F3 900 DW=-DN

908 OW=-OW 910 IF OW=1 THEN UU=1 ELSE UU=2 920 FOR AA=1 TO 4 :: NEXT AA 930 X=X+1 :: IF X=10 THEN 940 ELSE 770

948 J=J+16 958 IF J>183 THEN J=39 968 80 TO 748

> COMPUTE! is looking for good articles, tutorials, and games for the Timex/Sinclair, Commodore 64, and Color Computer.

FOR T.I. ONLY!

Not another computer game but an actual speed handicapping aid for thoroughbred racing, handling up to sixteen horses per race from 4% furloings to 2 miles



IT'S FAST

Just sux bits of information from The Daviy Racing Formth and your 119914 (4A) returns speed of each horse in Itusec, at each quarter, plus predicted finish timel Manages horse numbers, OTB letters and scratches, adjusts routers and sprinters User friendly and error proof. Package contact casett and steep to the instru-

len booklet Data displays on screen and/or Ti the mal printer (recommended) or competable RS232 ONLY \$34.957

TRACKSMITH

ATARI FONTBYTER

Orson Scott Card

It's hard to tell, when you're using "Fonthyter, whether this is a utility or a game. You can easily create graphsk sloppia many times the second of he screen and save them to disk, using the ROM character set you have designed yourself. And because Fonthyter allows you to use two "hidden" character modes, ATME modes 4 and 5, you get all the high-resolution color of Craphics 7 with the convenience and memory usage of Craphics 0.

Once you have a character set designed and a picture drawn on the screen using Fonthyter, 'changing an 8-by-8-pixel character block takes only one PORE. This allows easy, almost instant animation; your programs can be shorter than they would be if you tried to get the same effect with Graphics 7; and you have more memory used to be considered to the procure the screen displays take used so you less you.

up less room.

The problem is creating the actual display In
The problem is creating the set of 40 characters, in
ANTICA, by have 24 lines of 40 characters, in
ANTICA, by the problem is a set of 40 characters, in
ANTICA, by the problem is a set of 40 characters, in
ANTICA, by the problem is a set of 40 characters, in
ANTICA, by the problem is a set of 40 characters are in the right or member what each character looks like and
make sure that the characters are in the right
order in the DATA statements you create. And
when you want to change a display, you have to
go lack and find the right DATA statements and
one lack and find the right DATA statements and

and introduced the speak create and edit in ANTIC 4 or 5 right on the screen. Not don't have to write down the number of the character and POKE it into memory; you only have to press a key or combination of keys, and your character will be displayed exactly where you want in on the screen. Simple commands allow you to fill large areas with a sangle character; insert of deter lines, screen. Simple commands allow you to fill large areas with a sangle character; insert of deter lines, screen. Simple commands allow you to fill large areas with a sangle character; insert of deter lines, screen simple commands allow you to fill large areas with a sangle character; insert with a sangle character; insert with a simple character in the same and the same and

Best of all, you can save your screen to disk at any point and return to continue editing it. Using a simple subroutine, you can then load your screen into memory in your own program. The first eight bytes of every file Fontbyter creates contain the mode number, the display width, the display height, and the five colors of the screen display.

Starting Fontbyter

Character set. When you RUN Fontbyter, the program accesses your disk and shows you a directory of all the files with the filetype ".SET". Fontbyter assumes that these are all character sets. The program then asks you to choose which one you want to use. Or, if you wish to use the built-in ROM character set, enter the character "@" as the

filename.

There is only one custom character set included with Fontbyter, but by using a character editor you can create as many different sets as you want.

If the character set you ask for is not on the disk in drive. I, the program will prompt you to either insert the correct disk or ask for a different set. Also, whenever Fonthyter asks you for a filename, you don't need to enter more than the eight-character name. Fonthyter always a superior or "SCK". If you use an illegal name, Fonthyter will ask you to try again.

Screen files. When you have chosen your character set, Fontbyter displays a directory of all the files with the filetype ".SCR". Fontbyter assumes that these files contain screen displays created and saved by Fontbyter. If no directory is displayed, it means that there are no files with the filetype ".SCR" on the disk.

At the end of the directory, you will be told the number of sectors left on the disk. Be sure that the disk you use for saving screens has enough room for the screen you intend to save. A maximum-size display is almost 4K, which will create a file of 33 sectors. Disks can fill up pretty fast at that rate.

Save file. The program asks you what name your saved screen file should have. When you are through editing and want to save your finished screen, this is the filename that Fontbyter will use to create the save file. You can use a filename that you used before, but saving the new file will erase the old one.

Load file. The program asks you if you want to edit a screen that was previously saved. If you do, you will be asked the name of the file you

want to load from.

Notice that this system allows you to load from a file and then save your edited version back to the same file, erasing the old version; or you can choose to save the file under a different filename, so that both versions will exist. There is an added safeguard, too. When you save the screen display, it is first saved under the name "D1.TEMPFILE.SCR". Then Fontbyter asks you if you want to save it under the name you chose at the beginning of the program. If you change your mind about the save filename then, you can exit Fontbyter and use DOS to change "D: TEMPFILE.SCR" to whatever name you want.

Load file parameters. If your load file is found, Fontbyter immediately opens it and reads the first three bytes. Then it reminds you of the ANTIC mode, width (in characters), and height (in lines) of the file as it was saved. If you don't want to change those parameters, you can proceed directly to the final check; if you do want to change them, Fontbyter will ask you to choose the mode, width, and height of the file as if you were creating

a new screen. ANTIC mode. Fontbyter asks you to choose which ANTIC mode you want. The only choices are 2 (Graphics 0), 4, or 5, Mode 4 has shorter. squarer characters, and fits 24 lines on a screen. Mode 5 has tall, thin characters and fits only 12 lines on a screen. This means that a display file a hundred lines from top to bottom will give you more than eight distinct screen displays in ANTIC 5, but only just over four distinct displays in ANTIC 4. ANTIC 2 (Graphics 0) is included, even though it is not a four-color mode, so that you can use Fontbyter to create displays using the built-in ROM character set.

If you own an XL model (600XL, 800XL, 1200XL, 1400XL, or 1450XLD), ANTIC 4 and 5 correspond to Graphics 12 and 13.

Display width. The minimum width of a line is 40 characters. If you enter a number less than 40, Fontbyter will change it to 40. The maximum width depends on the mode. The limiting factor here is that all screen displays must fit within 4K. Because of this, the wider a screen display you choose, the fewer vertical lines you can have. You cannot have a line so wide that it would not allow the minimum number of lines. Since you will not be allowed any fewer than 24 screen lines in ANTIC 2 or 4, you naturally can't have as wide a screen as in mode 5, which has a minimum of 12 lines per screen

Display height. The minimum height, in number of lines, is 12 lines for ANTIC 5 and 24 240 COMPUTEL September 1983

lines for ANTIC 2 and 4. The maximum height depends on the line width you chose. If you ask for more lines than the allowable maximum, Fontbyter will change the figure to the maximum.

Final check. Fontbyter clears the screen and then displays what your choices were: the character set, the file in which to save your screen, the file (if any) to load from, the mode, the width (in characters), and the height (in lines). If you want to make any changes, press OPTION. If you are satisfied with your choices, press START

Fontbyter will display a wait message for a few moments, and then the screen will go completely blank. This is so that the setup operations will run faster. When Fontbyter is ready to go on and it won't be long - either the load screen you asked for will appear or a cursor will appear in the upper-left-hand corner of a blank screen. The cursor is whatever the ESCAPE character looks like in the character set you chose

Also, part of the character set will be displayed on the bottom four lines of the screen. The characters are arranged in the same order as the computer keyboard, so that you can easily figure out which key to press in order to display a particular character.

Editing Features

To use the keuboard. The character set is divided into three groups: regular, shifted, and control. You can change from one to another using the CAPS/LOWR key. To get the regular character group, press CAPS/LOWR. To get the shifted character group, press SHIFT and CAPS/LOWR at the same time. To get the control character group, press CONTROL and CAPS/LOWR at the same time. As soon as you make the change, the character keyboard display at the bottom of the screen will change to show you the characters now available.

Instead of the usual computer keyboard system of locking only the alphabetic keys into shifted and control functions, Fontbyter shifts the entire keyboard. After you press SHIFT and CAPS/ LOWR, you can press any key on the keyboard and get the shifted character - without pressing SHIFT again. The same applies to CONTROL with CAPS/LOWR.

Some keys, of course, don't have a shifted or control value (ESC, DEL, and RETURN, for instance), and others usually display only the inverse of another character (SHIFT-TAB, for instance). Since these don't display a separate character, pressing them only produces the same character that you would get if you pressed the space bar - a blank. In addition, if your character set redefines the space bar character, that character will fill your display when it first comes up, and

will appear on the screen whenever you enter a

EXPLORE A NEW DIMENSION IN SOFTWARE



source library files.

ACTIONI is provided in cartridge form only. Introductory price for ATARI Version \$99.00 Call or write for availability of Apple II and Commodore 64 Versions.

A Strong Software Family

Other major systems software products from OSS includes

the only logical upgrade to Atan BASIC with extra features for sames and business programs... \$80.00 BASIC A+ the first native mode "small c" compiler for Atan and Apple computers....580 00 C/65

the finest and fastest complete 6502 macro assembler/editor package you can buy.....\$60.00 MAC/65 a powerful, self-relocatable debugger. PREE with MAC/65....534.93 BUG/65

And Morr...

OS/A+, the first and finest operating system for BOTH Atasi and Apple II computers, is NOW included FREE as a part of every OSS systems software package. OS/A+ features a keyboard-driven, easy-to-us command processor, several simple resident commands, and logical and readable requests for even the most sophisticated utility commands. Versions of CG/A+ for some higher capacity drives are available at extra cost. NOTE: Unless otherwise noted, all OSS products require 46K and at least

one disk drive

ASK YOUR DEALER, or call or write for our brochure. ATARI, APPLE II, and TINY C are trademarks of Atan, line, Apple Computer, Inc., and Try C Associates, respectively: MAC/161, C/65, BASIC A+, BUG/65, and OS/A+ are trademarks of Optensed Systems Software, Inc. nonprinting character.

The keys do not produce their normal clicking sound, except for the command keys, which are

described next

Command keus. No matter which character group you are using, there are some key combinations that Fontbyter interprets as commands. Pressing INSERT and SHIFT together will insert a blank line on the screen. Pressing DELETE and SHIFT together will delete a line. Pressing CON-TROL and an ARROW key together will cause the cursor to move.

Remember, to print the character represented by the CONTROL-ARROW combination, press only the ARROW key while the control group is locked in. To move the cursor, press CONTROL and ARROW at the same time, regardless of which

group is locked in.

Inverse video (Atari logo) key. This key is a toggle. Pressing it switches between inverse and regular video. In ANTIC 2 (Graphics 0), this will cause all the characters you enter to be reversed. as the computer normally does. In ANTIC 4 and 5, however, this will cause Color 3 to take its value from color register 4 (memory location 711 instead of 710). It will affect, therefore, only one of the colors, and if a character does not contain any dots of Color 3, inverse mode won't have any effect at all.

CONTROL-ESC. This key combination is a toggle. It will switch between Still and Auto-Advance modes. In Still Mode, pressing noncommand keys will display a new character in the same place on the screen. In Auto-Advance Mode, pressing noncommand keys will display a new character and then advance the cursor to the next position to the right, unless doing so would take

the cursor beyond the edge of the display. To move the cursor. Either move the joystick in the direction you want to move, or press the appropriate CONTROL-ARROW key combination.

Only the joystick allows diagonal movement. When the cursor reaches the edge of the screen, the display will begin to scroll until it reaches the limits of display height and width you specified during start-up. If you are at the edge of the display, the cursor simply won't move

any farther that direction.

Fast-fill function. Sometimes you will have large areas or lines to fill with the same character. Instead of entering the character by typing it in each space where it is to appear, you can use the joystick and fire button. First maneuver the cursor until it is on top of the character you want to copy, or move it to the place where you want to begin the fast-fill operation and enter the character from the keyboard. Then press down the joystick button and hold it down while you use the joystick to move the cursor. From then on, until you let up

on the button, wherever you move the cursor using the joystick, a trail made up of that character will be left behind.

You can also use this function to erase areas of the screen fairly quickly. Just move the cursor to a blank, press down the button, and the cursor will leave blanks behind it wherever you make it go. Clear screen function. To erase the entire dis-

play, press CONTROL-SHIFT-CLEAR

Delete line function. To delete an entire line of your screen, move your cursor to the line you want to delete and press SHIFT-DELETE. The line will vanish, and the entire display below that line will move upward one line on the screen. Whether the very bottom of your display is visible on the screen or not, a line of blanks will be inserted as the last line in your display.

Insert line function. To insert a blank line in your display, move the cursor to the position where you want the new line. Then press SHIFT-INSERT. The line that the cursor was on will move down, as will all the other lines below it in the display, and the cursor will now be on a blank line. At the bottom of the display, whether it is visible on the screen or not, the last line of your display will be deleted completely.

With both the delete and insert line functions. the line that disappears is irrecoverably lost. To get it back, you will have to enter all the characters just as you did before. So take care when using

these two functions

By using the delete and insert functions in succession, you can quickly blank large areas of the screen, a line at a time. Simply move to the top of the area you want to blank out, and press SHIFT-DELETE as often as it takes to erase all the lines you wanted to get rid of. Then press SHIFT-INSERT until the desired number of blank lines appears.

You can also use these functions to move the entire picture up or down in the display. For instance, suppose you loaded a display that had been created and saved with only 24 lines, and you want to add another 24-line picture above it. At the beginning of the editing session, simply specify 48 lines as the height of the display. Fontbyter will put the 24 new blank lines at the end of the display. To move the old picture down into that blank area, start at the top of the screen and press SHIFT-INSERT 24 times

Three joystick modes. We've already gone over the use of the joystick in Cursor Mode. The joystick can also be toggled into two other modes. If you press the START button while in Cursor Mode, the joystick will change to Scroll Mode. If you press the START button in Scroll Mode, the joystick will shift to Color Mode. And pressing the START button in Color Mode will shift you back to Cursor Mode again.

242 COMPUTE! September 1983

ComputAbility ..

The Discount Software Company That Pays You A Dividend!!

ATARI 800 48KCALL	MOSAIC
ATARI 800XL 64K CALL	64K Ram/400 1/9 00
ATARI 810 DISK DRIVE CALL	64 K Ram + Cable Kit /400/800 169.00
ATARI 1050 DISK DRIVECALL	48K Ram Kit
ATARI 850 INTERFACE GALL	16/32 Expander
ATARI 1010 RECORDER	32 K Ram
HOME MANAGER KIT 64.95	Mosaic /daptor
ATARI 1027 PRINTER 289 00	B-KEY 400
Call for PERCOM Disk Drive Prices.	AMDEK COLOR 1 289.00

Suncom Joysensor34.95 30 day money back guarantee
PRINTERS PROWRITER 8510 AP CALL Seikosha W/Parallel Port289.00

ADVENTURE INTERNATIONAL Ртесом - О/Т SAGA Adventures - D . Sea Dragon - D/I Stratos - D/I Bugoff - D/I Preppie II - D/C ... Stone of Sisyptus - D Eliminator - D/T By Speedway - Carl Dimension X - D/T Shadow World - D/T Reinbow Welker - D/T Drebs - D/T Shamus II - D/I Blue Max - D/T Fort Apocalypse - D/T Necromancer - D/T Pharsen's Curse - D/T PARKER BROS O-Berl Frogge Astro Chase Tutankhamor Chass

FROGGER ZAXXON \$22.95 DISK/TAPE

ATAB

SUPER SPECIALS REPTON PREPPIE II CHOPLIFTER \$26.95 DISK/TAPE \$26.95 DISK \$22.95 DISK/TAPE \$21.49 DISK PRICES EFFECTIVE NOW THROUGH SEPTEMBER 30, 1983

FREE* SOFTWARE AND ACCESSORIES

ATAHI	
Conversational Languages - T . 43.95	COMPUTABILITY DIVIDEND COUPON PREMIUMS
Programming 2 & 3 - T 21.95	3 M Blank Disk - Box of 10
Music Composer - C 32.95	Elephant Disks - Box of 10
My First Alphabet - D 26.95	Flip 'n File Clisk Holder
Touch Typing - T 19.95	Flip 'n File Cartridge Holder
Home Filing Manager - D 37.95	Monster Stand 27.95 or 10 Coupons
Making List - T 1995	VU - Case Disk Holder W/Look
Asteroids - C. 26.95	Heavy Plastic Dust Cover 800 or 810
Caverns Of Mars - D 25:95 Computer Chess - C 26:95	First Book of Atan Software 1983
Computer Chess - C 26.95	Kids & The Aten
Missile Command - C 26.95	The Atan Assembler
Super Breakout - C 26.95	Atan Games & Recreation 14.95 or 6 Coupons
Star Raiders - C 32 95	Atan Price for Beginners
Assembly Editor - C	The Visicalc Book Atan
Basic - C 3995 Macrossambler - D 6595	Atan Base
Macrosssembler - D 65.95	Aten Sound & Graphics 995 or 3 Coupons
Microsoft Basic - D	Starfighter
Priot (Home Package) - C 58:95	SNk S1k 995 or 3 Coupons
InvitationToProgramming1-T 1895	Extension Cable - 6 ft
Speed Reading - T	Lefty Adaptor 9 95 or 3 Coupons 51k Stand 6.99 or 3 Coupons
Baskerball - C 2695 Gmobill - T 1595	Suncom Tap II
Graph-H - T	Suncom Fac II
Jupples House - D/T 22,95	Ti Adeptor
Prior (Educator) - G 9795 Valeo Fasel - G 26.05	Kraft Switch Hitter Joyatck
Defender C 26 95	
Galasian - C 3295	Maxell 2 Pack Disks 8 95 or 3 Coupons
Garakan - C 3295 Gw - C 32.95	Inside Atan Dasic
Dig Dug - C 32.95	Compute's First Book of Aten
ET - C 37 96	Compute's Second Book of Atan 12.95 or 5 Coupons
Timewae - D 2395	De Re Atas
Attriwritor - C	Wico Jovanok 24.00 or 10 Coupons
Donkay Kong - C 37 95	\$24.00 Worth of Software 10 Coupons
Ms Pap-Man - C 39.95	
Tennis - C. 35.95	*COUPON PROGRAM
	The purchase of each program (with the exception of Super
Donkay Kong Jr - C 39.95	Specials Attriand APX will earn you 1 COMPUTABILITY DIVIDEND
Logo - C 79.95	COUPON. Save 10 coupons and redeem them for your choice of
Robitme - C. 35.95	any program we self for \$24 00 or less. Less than 10 coupons may

ms as indicated. You pay only a \$2.50 shipping & handling charge. SIRIUS DATASOFT

Bandills - D

Pooyan - D/T Moon Shutte - D/T Astro Chase - D/I Bristles - D/I Sands of Egypt - D hp Flop - D/T Rant Wars - D/T Basic Compiler - D **BIG FIVE** Teletak - D Miner 2049 or - Car Carvon Cheber - D/T

voe Attack - D per Run - D Orlical Mass - D We Carry Hundreds of Items for ATARI 400/800, Ask for Our FREE CATALOG

MISCELLANEOUS Night Mission - D/T Jumpmen - D/T Juice - D/T aste-Wolfanstein - D Finencial Wizerd - D PM Animator - D Starbowl Frontiell - D/ Ali Baba - D Ultima II - D Crisis Mountain - D Star Langua Besaball - D/I Homa Accountant - D

Mountain King - Cart

D - Drak T- Ceasette C - Certridge ATARI is a trademark of ATARI, Inc. /351-2007

Mastercard/VISA Order Toll Free

ORDER HOURS Mon-Fri 12 9 PM (CS 12-5 PM (CS)

P.O. Box 17882 (waskee WI 53217

Microsoft Basic II - C

Caverns of Mars - C

FIRST STAR

ORDERING INFORMATION: to order by maximum discours, order conflict practice of the control of the department of CMRPTARELINF include \$2.00 days price and department orders. Include 18.00 days not control orders, another \$2.50 Magnetical and Visig phases encladed conditionable and expansion table. We form the condition of the control orders, another and expansion table. We form the condition of Sat

1. Scroll Mode. This mode enables you to scroll the TV screen window around the entire display by moving the joystick in the appropriate direction. When you move, the cursor character will disappear. When you return to Cursor Mode, the cursor will come back to the middle of the

2. Color Mode. In this mode, the joystick controls the color registers as follows:

· Forward and back: Color register 1 (Memory location 708)

· Left and right: Color register 2 (709)

· Forward and back with joystick button

depressed: Color register 3 (710)

. Left and right with joystick button. depressed: Background color register (712) · Forward and back with SELECT depressed:

Inverse color register (711) **Summary Of Command Keys**

START. Cycle from Cursor Mode to Scroll Mode to Color Mode and back to Cursor Mode.

SELECT. Save the current display without interrupting the edit. In Color Mode, moving the joystick forward and back with SELECT pressed will change the inverse

OPTION. Save the current display and

stop the editing session. CONTROL-ARROW. Move the cursor. SHIFT-INSERT. Insert a blank line

where the cursor is, and delete the bottom line of the display. SHIFT-DELETE, Delete the cursor line.

and add a blank line at the bottom of the display. Atari logo key, Toggle back and forth

between inverse and regular characters. SHIFT-CAPS/LOWR. Select the shifted character group.

CONTROL-CAPS/LOWR. Select the control character group.

CONTROL-ESC. Toggle between Still and Auto-Advance modes

CONTROL-SHIFT-CLEAR, Erase the entire display.

As you press the joystick forward or to the right in Color Mode, that particular color will get brighter and brighter until it reaches maximum brightness; then it will jump to the next color at its darkest value and get brighter and brighter with that color. Pushing leftward or backward cycles through the colors from bright to dark. 244 COMPUTE Sentember 1983

There are 16 colors, each with eight levels of brightness. You can cycle through the colors endlessly in either direction

When you start editing with a new display. the colors are the system default colors. When you load a previously saved display, however, you start with the colors saved with that display. You can change the colors however you like, and whatever the colors are when you save your display, those values will be saved with it.

Ending And Saving There are two ways to save a screen.

1. You can press the SELECT button when the joystick is in Cursor Mode, and the display will be saved as "D1:TEMPFILE.SCR". The screen

is not changed, and you can resume editing as soon as the joystick or keyboard respond again. 2. You can press the OPTION button. Font-

byter will save the entire display in a file named "D1:TEMPFILE.SCR". The screen then clears. and Fontbyter asks if you want to save the display in the save file you asked for at the beginning of the edit. If you answer yes, "TEMPFILE" is renamed with the save filename you chose at the beginning. If a file with the same name already exists on the disk, it will be erased at this time.

If you are merely saving a half-done file to make sure some catastrophe doesn't lose it for you, then "TEMPFILE.SCR" should be security enough - if the system crashes, you'll know that the screen as you last saved it is in that file.


You will then be asked if you want to return to edit the same screen. If you say yes, your saved screen will quickly be reloaded into memory, and the program will reinitialize. If you say no, you will be asked whether you want to guit or start Fontbyter over again. If you choose the quit option and change your mind, don't worry. Just give the direct command RUN, and Fontbyter will begin again with the setup prompts

Using Fontbyter Screens In Your Programs

lust because Fontbyter scrolls doesn't mean you have to make one continuous scrolling display You can create many different screen displays in one file, "stacking" them vertically, and then use page flipping in your own program to move instantly from one to another. The advantage of using Fontbyter is that while you are creating them, you can scroll from one to the other to compare them and make sure that any animation effects you are trying for are working properly

The diagrams will show you the variety of display configurations you can choose. Here are subroutines you can include in your

own programs to use the displays you have created with Fontbyter.



program will need to load a character set and the display file. Subroutine 1 loads slowly, entirely from BASIC. Subroutine 2 loads quickly, using a machine language routine that accesses an operating system fast-load program.

Subroutine 1. Slow Load

10 REM Slow load (character set) 100 OPEN #1,4,0,"D1:CHARACT.SET":FOR 1=0 TO 1023:GET #1,N:POKE CH,N: NEXT I:CLOSE #1:RETURN

NEXT TICLUSE WITHER UNN
190 REM SIOW IOad (display file)
200 OPEN #1,4,0,"D1:DRAWING.SCR":GET

#1,MD:GET #1,WD:GET #1,LN:IF MD >5 THEN MD=MD-10:WD=WD+256 205 FOR I=708 TO 712:GET #1,N:POKE I ,N:NEXT I:FOR I=0 TO MD#LN-1:GET #1.N:POKE SC-I.N:NEXT I:CLOSE #

1 : RETURN Subroutine 2 Fast Load

10 REM Set up variables 28 X=16:ICCOM=B34:ICBADR=B36:ICBLEN= B40:REM See text for meaning of v ariables SP and CHBAS

90 REM Fast Ioad (display file) 100 DPEN #1,4,0,"D1:DRAWING.SCR":GET #1,MD:GET #1,WD:GET #1,LN:IF MD >5 THEN WD-WD+256:MD=MD-10

>5 THEN WD=WD+256:HU=HU-10 110 SZ=WD*LN:FOR I=70B TO 712:GET #1 ,N:POKE I,N:NEXT I 120 POKE ICBADR+X+1,SP:POKE ICBADR+X

POKE ICBANK***I, 3FIFORE ICBANK**

POKE ICBLEN*X*I, 1*INT(SI/256)

**POKE ICBLEN*X,#

13# POKE ICCOM*X,7:I=USR(ADR(*hhh@LV)

g"),X):CLOSE #1:RETURN 190 REM Fast Ioad (character set) E ICBADR+X+1, CHBAS: POKE ICBADR+X , Ø: POKE ICBLEN+X+1, 4: POKE ICBLEN +X, Ø 218 POKE ICCOM+X, 7: C=USR (ADR("hhhm.

E*),X):CLOSE #1:POKE 756,CHBAS:R ETURN

Display list setup. Subroutine 3 sets up an ANTIC 2 or 4 display list that can be horizontally or vertically scrolled. Subroutine 4 sets up an ANTIC 5 display list that can be horizontally or vertically scrolled. Subroutines 5 and 6 set up display lists that cannot be horizontally scrolled—use these only to load displays that were created with the minimum line width.

On XL models, the simple display list can be set up with the BASIC statements Graphics 12+16 and Graphics 13+16, making the non-scrolling display list subroutine unnecessary. For horizontally scrolling displays, however, these subroutines are still needed.

Subroutine 3.

. and WIDE.

Horizontal Scroll Display List, ANTIC 2 or 4

10 REM Lines 20 and 30 are just a de monstration. Change the value of SC and see what happens!

20 DL=PEEK(88)+256*PEEK(89):SC=DL:MO DE=4:WIDE=40:GOSUB 100 30 FOR I=0 TO 1000:NEXT I:SC=0:MODE=

2:GOSUB 100:FOR I=0 TO 1000:NEXT 1:GOTO 20 90 REM This ANTIC 2 or 4 display lis t can be horizontally scrolled. Just set the values of SC.DL.MODE

- 100 FOR I=0 TO 2:POKE DL+I,112:NEXT I:N=Ø: H=HODE+64
- 110 FOR I=DL+3 TO DL+72 STEP 3:C=SC+ N: POKE I, M: POKE I+2, INT (C/256): P OKE I+1, C-256*PEEK (I+2): N=N+WIDE
- 120 POKE I.65: DLHI=INT (DL/256): DLLO= DL-DLH1#256: POKE I+1, DLLO: POKE I +2, DLHI: POKE 561, DLHI: POKE 568, D I LO: RETURN
- Subroutine 4. Horizontal Scroll Display List, ANTIC 5 10 REM Lines 20 and 30 are just a de monstration. Change the value of

SC and see what happens! 20 DL=PEEK (88) +256 PEEK (89) : SC=PEEK 106) \$256: HODE-5: WIDE-40: GOSUB 100 30 FOR I-0 TO 1000: NEXT I: SC-0: GOSUB

100:FOR I=0 TO 1000:NEXT 1:60TO 20 98 REM This ANTIC 5 display list can be horizontally scrolled. Just

set the values of SC.DL.MODE, and WIDE. 100 FOR I=0 TO 2: POKE DL+I, 112: NEXT

I:N=Ø:H=MODE+64 118 FOR I=DL+3 TO DL+36 STEP 3#C=SC+ N:POKE I.M:POKE I+2.INT(C/256):P OKE I+1, C-256*PEEK(I+2): N=N+WIDE : NEXT I

120 POKE I,65:DLHI=INT(DL/256):DLLO= DL-DLHI#256:POKE I+1.DLLO:POKE I +2.DLHI:POKE 561.DLHI:POKE 568.D LLO: RETURN

Subroutine 5. Regular Display List, ANTIC 2 or 4 10 REM The actual subroutine is line

s 100-120. You set the value of DL, SC, MODE, and WIDE. 20 DL=PEEK (88) +256*PEEK (89): MODE=2: W

IDF=46 30 SC=0:MODE=2+2*(MODE=2):GOSUB 100 40 TRAP 30:0N PEEK(753)<>3 GOTO 40:5

C=SC+48Ø:SP=INT(SC/256):POKE DL5, SP: POKE DL4, SC-256#SP 50 FOR I=0 TO 30: NEXT 1:60TO 40

90 REM This ANTIC 2 and 4 display 1i st can be page flipped from BASIC POKE the screen address into D L4 and DL5.

100 FOR I=0 TO 2:POKE DL+1.112:NEXT I: DL4=DL+4: DL5=DL+5

118 POKE DL+3,64+MODE: POKE DL5, INT(S C/256): POKE DL4. SC-256*PEEK (DL5) :FOR I=DL+6 TO DL+28:POKE I,MODE :NEXT I

128 POKE I,65: DLHI=INT(DL/256): DLLO= DL-DLHI#256: POKE I+1. DLLO: POKE I +2. DLHI: POKE 561. DLHI: POKE 560. D LLO: RETURN

Subroutine 6. Regular Display List, ANTIC 5 18 REM The actual subroutine is line s 188-128. You set the value of

DL, SC, MODE, and WIDE. 28 DL=PEEK (88) +256*PEEK (89) : MODE=5: W IDE-40: GOSUB 100

3Ø SC=Ø 40 TRAP 30: ON PEEK (753) <> 3 80T0 40: S C=SC+480: SP=INT(SC/256): POKE DL5, SP: POKE DL4, SC-256#SP

50 FOR I=0 TO 30:NEXT I:60TO 40 90 REM This ANTIC 5 display list can

be page flipped from BASIC. Jus t POKE the screen address into DL 4 and DL5.

188 FOR 1=8 TO 2: POKE DL+I, 112: NEXT I: DL4=DL+4: DL5=DL+5 118 POKE DL+3,64+HODE: POKE DL5, INT (S C/256) : POKE DL4. SC-256 * PEEK (DL5) :FOR I-DL+6 TO DL+16:POKE I, MODE

:NEXT I 128 POKE I,65: DLHI=INT(DL/256): DLLO= DL-DLHI#256: POKE I+1, DLLO: POKE I +2, DLHI: POKE 561, DLH1: POKE 560, D LLO: RETURN

These routines use the following variables:

TOP is the page number of the top of memory. The Atari will not touch anything located above the top of memory - but anything below it is fair game. The display list, character set, screen memory, and machine language routines should all be placed above SP. So the load routines find out where the top of memory is and move it down enough pages to leave room for all the protected program areas. SC is the absolute address of the top of memory (SP*256); it is also the start of screen memory, so that it is POKEd into both the display list and location 106.

How much room should you leave? The character set takes 1K (four pages) and must start on a 1K boundary. Screen memory will never take more than 4K (16 pages), and should start on a 4K boundary, since ANTIC has problems when screen memory crosses that line. If your display is less than 2K, you can probably skip back from the top of memory a mere 4K (16 pages, or PEEK(106)-16), place screen memory at the new top of memory, and put the display list, machine language routines, and character set above it. If your display list is 3K or more, you should probably skip back 6K (24 pages, or PEEK(106)-24), place the character set at the new top of memory, followed by the display list, machine language subroutines, and then screen memory beginning at the 4K boundary line, 16 pages before the old top of memory. This routine assumes that arrangement

SP is the page number of the start of screen memory, and SC is the absolute address of the start of screen memory (SP*256).

DL is the start of the display list. For page flipping, DL3 is DL+3, and DL4 is DL+4. These will contain the low byte and high byte of screen memory, and POKEing new values into these locations will flip screen memory.

CHBAS is the page number of the character set, and CH is the absolute address (CHBAS* 256)

MODE is the ANTIC mode number - either 2, 4, or 5. Adding 64 to MODE each time it is POKEd in tells the computer to look for a new screen memory address in the next two bytes in the display list.

WIDE is the width, in characters, of the entire horizontal line, not just the 40-character portion

visible on screen at any one time. Thus, every MODE instruction is followed by a two-byte address, C, which tells it where to find the start of the next horizontal line.

POKEII p560 and 561 with 0 and DL/256 is what actually makes the display list start working. Until that moment, the display list is just a series of numbers in memory. But once 560 and 561 contain the address of the start of your display list, the TV screen is under your program's control.

ICBADR, ICBLEN, and ICCOM are the adcresse of key locations in the IOCB handler. ICCOM must contain the number of the operation to be performed (7 to load, 11 to save). ICBADR must contain the low byte of the starting address of the area in memory to be saved from or loaded to (ICBADR+1 will contain the high byte). ICBLEN must contain the low byte of the length

ICBLEN must contain the low byte of the length of the file to load (ICBLEN +1 will contain the high byte). The variable X represents the offset into the ICOE area. If you OPEN #1, then X = 16. If you OPEN #2, then X = 32. And so on, in multiples of 16. You on might not get good results using OPEN #0 or OPEN #6 - those are reserved for System use.

With screen files created by Fontbyter, remember that the first eight bytes always contain the following information:

- ANTIC mode number (plus 10, if width is greater than 255 characters)
 width, or number of characters per line
- (low byte only, if width is greater than 255 characters)
- display height, or number of lines in the entire display
- colors to POKE into locations 708 through 712

To calculate the number of bytes in the whole screen display (SZ), multiply the height by the width. The number of bytes in the file is that number plus eight.

Typing The Program

The bulk of the program is written in BASIC. The shortest machine language routines are included as string constants. The longer routines, however, DISFIAP, EXPAND, and DELETE, and two data files, MENU.DAT and CHARDATA.DAT, are listed after the main program. These should be entered using the BASIC loader program provided specified. Fourlier visible load for these files and load them into strings or particular areas or memory during the run of the procuration.

Since Fontbyter works most efficiently with a disk drive, the program as written assumes a disk drive. However, a patient cassette user can remove all the routines related to choosing and testing

filenames, and simply assign the value "C." to all filename variables. All machine language routines could be added as DATA statements. You may also want to add prompts to tell the user what file also want to add prompts to tell the user what file and the program tests the saved screen file once, then loads it again later. If you decide not to revise the program, make sure that you everind the cassette containing the screen files filer that initial test, so screen load subroutine.

Program 1: Fontbyler

- 5 DIH F\$(20),FSAVE\$(20),FLOAD\$(20),F L\$(40),FLL\$(20),DELETE\$(124),EXPAN D\$(124),CLEAR\$(33),C(255)
- 1# GRAPHICS 0:X=16:ICCDM=834:ICBADR= 836:ICBLEN=840
- 15 COL1=708:CDL2=709:COL3=710:COL4=7 11:CDL5=712:SHIF=64:SCDN=PEEK(559):POKE 16,112:GDTD 440
- 26 DPEN #1.4,6,FL*:GET #1,MD:GET #1, WD:GET #1.LN:IF MD>5 THEN WD=WD+2
- 56:MD=MD-10 25 SZ=WD#LN:FDR I=CDL1 TO COL5:GET #
- 1.N:POKE I.N:NEXT I 30 SC=SP*256:PDKE ICBADR+X+1.SP:PDKE ICBADR+X,0:PDKE ICBLEN+X+1.1+INT
- (SI/256):PDKE ICBLEN+X,0 35 PDKE ICCOM+X,7:I=USR(ADR(*hhhtalvt "),X):CLDSE #1:RETURN
- 40 DPEN #1,8,0,"D1:TEMPFILE.SCR":WD= WIDE:HD=MODE:IF WIDE>255 THEN WD= WIDE-256:HD=MDDE+10
- 45 PUT #1, MD: PUT #1, WD: PUT #1, LINE: F OR I=COL1 TO COLS: PUT #1, PEEK(I): NEXT I
- 50 PDKE ICBADR+X+1, SP:PDKE ICBADR+X, 0:PDKE ICBLEN+X+1, 1+INT((LINE*WID E)/256):PDKE ICBLEN+X,0
- 55 PDKE ICCOM+X,11:I-USR(ADR("hhhmly
- 68 IF ((LINE*WIDE-PIX)(WIDE) THEN RE TURN 65 LDWAD-SC+WIDE*INT(PIX/WIDE)-1:HIA DD=LDWAD+WIDE:PDKE 286,INT(HIADD/
- 256):PDKE 205,HIADD-PEEK(206)*256
 70 PDKE 204,INT(LDWAD/256):POKE 203,
 LDWAD-PEEK(204)*256:PDKE SC+PIX,0
 - 75 POKE 207, INT ((LINE*WIDE-PIX)/WIDE):PDKE 208, WLD:PDKE 209, WHI
- 80 C=USR(ADR(DELETE\$)) 85 DLD=PEEK(SC+PIX):PDKE SC+PIX,91:R
- 96 IF ((LINE*WIDE-PIX)(WIDE) THEN RE TURN 95 HIADD=SC+WIDE*(LINE-1)-1:LDWAD-HI
 - ADD-WIDE:PDKE 206,INT(HIADD/256): PDKE 205,HIADD-PEEK(206)*256 100 PDKE 204,INT(LDWAD/256):PDKE 203 ,LDWAD-PEEK(204)*256:PDKE SC+PIX ,DLD
 - 185 PDKE 287,INT((LINE*WIDE-PIX)/WID E):POKE 288,WLD:POKE 289,WHI 118 C=USR(ADR(EXPAND*))
 - 120 DLD=PEEK(SC+PIX):POKE SC+PIX,91: PDKE 559.SCON:PDKE 16,112

- 125 MV=0:V=0:H=0:OPT=PEEK(53279):OI= PEEK(632):T=PEEK(644):E=0 130 IF OPT=6 THEN GOSUB 870:GOSUB 26
- 0:60T0 125 135 IF 01<15 THEN GOSUB 155:60T0 125 140 IF PEEK(753)=3 THEN GOSUB 220:0N
- MV GOSUB 165:GOTO 125 145 ON OPT=3 GOTO 705:IF OPT=5 THEN GOSUB 40:POKE SC+PIX,91:GOTO 125
- 150 GOTO 125 155 V-WIQE#((OI=9 OR OI=13 OR OI=5)-(DI=10 OR DI=14 OR OI=6)):POKE 7 7.0
- 7,8 168 H=(DI=6 OR GI=7 OR DI=5)-(DI=18 OR DI=11 OR DI=9)
- 165 UQ=INT(PIX/WIDE):IF UD-(V<#)<# 0 R UD+(V>#)=LINE THEN V=# 17# LR=PIX-WIGE#UG:IF LR+H<# OR LR+H
-)WIDE-1 THEN H=0 175 IF H=0 AND V=0 THEN 215 180 WH=0:WV=0:W=PEEK(QL4)+256*PEEK(Q
- 188 WH=0:WV=0:W=PEEK(QL4)+256#PEEK(U L5)-SC 185 U=INT(W/WIQE):IF V<>0 THEN WV=(U D-U-(V<0)<0)+2#(UD-U+(V>0)>8+12# (MQDE<>>5)
- (MODE<>5)) 190 IF H<>0 THEN L=W-U*WIDE:WH=(LR+H -L<0)+2*(LR+H-L>39)
- 195 IF WHYØ OR WYYØ THEN POKE DL+114 ,WH:POKE DL+115,WY:C=USR(DISPLAY) 200 POKE SC+PIX,GLO:PIX=PIX+H+V:POKE
- 53279,1 205 IF T=1 THEN OLD=PEEK(SC+PIX):POK E SC+PIX,91:GOTO 215
- 210 POKE SC+PIX,OLD 215 RETURN 220 GOSUB 785:ON (C=134)+(C=135)+(C= 142)+(C=143)+2*(C=116)+3*(C=119)
- +4*(C=246) GOTO 250,60,90,645 225 IF C=156 THEN AV=1*(AV=0):GOTO 9 20
- 230 IF N=60 THEN SHIF=4+C-64:PDKE 53 279,4:60SUB 930:RETURN 235 IF N=39 THEN VERS=128*(VERS=0):6
- OTO 920 240 OLO=C(N+SHIF)+VERS:POKE SC+PIX,O
- LO:ON AV GOTO 245:RETURN 245 C=135 250 V=WIGE*((C=143)-(C=142)):H=(C=13
- 5)-(C=134):HV=1:RETURN 255 GOSUB 920:POKE SC+PIX,91:RETURN 260 GOSUB 920 265 DI=PEFK(632):T=PEFK(644):DI=DI+5
- *(DI=7):DI=DI-10:OPT=PEEK(53279) :IV=(OPT=5):IF OPT=6 THEN 255 270 IF OI(1 OR OI>4 THEN 265
- 270 IF QI<1 OR QI>4 THEN 265 275 ON (4*T)+QI GOSU8 280,285,290,29 5,300,305,310,320:00T0 265 280 POKE COL5.PERK(COL5)-2+25A*(PEEK
- (COL5)(2):RETURN 285 POKE COL5, PEK (COL5)+2-256* (PEEK
- (COL5)>253):RETURN 290 POKE COL3,PEEK(COL3)-2+256#(PEEK (COL3)<2):RETURN
- 295 POKE COL3, PEEK (COL3) +2-256* (PEEK (COL3) >253): RETURN
 300 POKE COL2, PEEK (COL2) -2+256* (PEEK (COL2) <2) : RETURN
- 305 POKE COL2, PEEK (COL2) +2-256* (PEEK (COL2) >253): RETURN
- 310 IF IV THEN POKE COL4.PEEK(COL4)-2+256*(PEEK(COL4)<2):RETURN 315 POKE COL1.PEEK(COL1)-2+256*(PEEK
- (COL1)<2):RETURN
 320 IF IV THEN POKE COL4.PEEK(COL4)+
 248 COMPART September 2003

- 2-2564 (PEEK (COL4) >253): RETURN 325 POKE COL1, PEEK (COL1) +2-256* (PEEK (COL1) >253): RETURN
- 338 FLL%=FL%:FOR I=1 TO LEN(FL%):N=A SC(FL%(I,I)):ON N=58 GDSUB 378:N EXT I:FL%=FLL%
- 335 FLL=FL=:FOR I=1 TO LEN(FL=):N=A SC(FL=:(I,I)):ON N=46 GOSUB 375:N EXT I:FL==FLL=
- 348 IF LEN(FL\$) >8 THEN FL\$=FL\$(1,8) 345 IF LEN(FL\$) <1 THEN 398 358 N=ASC(FL\$(1,1)):IF N>98 DR N<65
- 350 N=ASC(FL*(1,1)):IF N>90 DR N<65 THEN 385 355 IF LEN(FL*)<2 THEN GOTO 365 360 FOR I=2 TO LEN(FL*):N=ASC(FL*(I,
- I)):ON (N>90 OR N<65) AND (N>57 OR N<48) GOTO 380:NEXT I 365 FLL="D1:":FLL=(4)=FL=:N=0:RETURN
- 376 FLLs=FLs(I+1,LEN(FLs)):RETURN 375 FLLs=FLs(I,I-1):RETURN 380 PDP :2 "(CLEAR)":? "IIIegaI char
- acters in ";FL1:GOTO 398 385 ? "(CLEAR)":? FL1: aust start w ith a capital":? "letter.":60TO
- ith a capital":? "letter.":8010 398 398 ? "Let's try that name again.":N =1:RETURN
- 395 TRAP 400: OPEN #1,4,0,FL\$: N=0: CLO SE #1: RETURN 400 ? :? FL\$; " isn't on disk in":? "
- drive 1":? "Insert disk with ";F L2; "and":? "press RETURN.":CLOSE #1 485 ? "Or to try another file name,
 - 485 ? "Ur to try another file name, press anyother key." 418 ON PEEK(753)<>3 GOTO 418:GOSUB 7 85:ON N=12 GOTO 395:N=1:RETURN
- 415 TRAP 435:OPEN #1.4,0,FL5:7 FL5:7
 is already on disk.":? "Unless
 you change the name, the old"
 420 ? "file will be lost. To change
- the namepress RETURN": " "Or pre ss any other key to continue.":C LOSE #1 425 ON PEEK(753)<>3 GOTO 425:GOSUB 7
- 425 ON PEEK(753)<>3 GOTO 425:GOSUB 85:ON N=12 GOTO 430:N=0:RETURN 430 N=1:RETURN 435 CLOSE #1:N=0:RETURN
- 435 CLOSE #1:N=0:RETURN 440 ? "(13 SPACES) #771*571*12:2:2:2:2:3:05UB 905
- 445 GOSUB 850:? "What is the name of your character(4 SPACES)set? (E nter "2" for ROM set)":POKE 764, 255:INPUT F\$
- 450 IF Fs="0" THEN 465 455 FLs=Fs:GOSUB 330:ON N GOTO 445:F s=FLLs:Fs(LEN(FLLs)+1)=".SET"
- 460 FLS=FS: GOSUB 395: ON N GOTO 445 465 GOSUB 840:7:? "What file should hold your finished(3 SPACES) scr eep? (Fight characters)": POKE 76
- 4,255:INPUT FSAVE\$
 478 FL*=FSAVE\$:GOSUB 338:ON N GOTO 4
 65:FSAVE\$=FLL\$:FSAVE\$(LEN(FLL\$)+
 1)=*.SCR*
- 475 FLS=FSAVES:GOSUB 415:ON N GOTO 4 65 488 FLOADS="":? :? "Would you like t
- 488 FLOAOs="":? :? "Would you like t o edit a screen you(3 SPACES)hav e already saved? (Y or N) " 485 GOSUB 785:ON N=35 GOTO 535:ON N=
- 43 BOTO 490:BOTO 485 490 ? :? "What is the name of the sa ved screen file? ":POKE 764,255

- INPUT FLOADS 495 FL\$=FLOAD\$: GOSUB 338: ON N=# GOTO 500 GOTO 480
- 500 FLOAD\$=FLL\$:FLOAD\$(LEN(FLL\$)+1)= ". SCR"
- 505 FL\$=FLOAO\$: GOSUB 395: ON N GOTO 4 88: OPEN #1,4.8,FLOAOS: GET #1,MO: GET #1.WO:GET #1.LN:CLOSE #1:FLO
- AD=1510 IF MD>5 THEN MD=MO=10:WO=WD+256 515 ? :? FLOAD9:" was saved as:":? "
 Mode ";M0;",":? "with ";LN:" lin es":? "of ":WD;" characters per
- line." 526 ? "If you wish to Parties these p arameterspress RETURN, ": " "To le
- ave then making press any (5 SPACES) other key. 525 ON PEEK (753) <> 3 60T0 525:608UB 7
- B5: IF N=12 THEN 540 538 MODE=MO: WIDE=WO: LINE=LN: GOTO 585 535 FLOA0=Ø
- 540 ? 1? "What Antic mode will you w ork in?":? "(Antic 2, 4, OR 5) " 1POKE 764,255 545 GOSUB 785: ON N<>30 AND N<>24 AND
- N<>29 60TO 545 55Ø MODE=C(N)-16 (Ms
- 555 ? :2 "How wide a line?":? " nimum 40 characters":? " (3 SPACES) maximum ": 176+170* (MOD E=5); " characters) "
- 560 POKE 764,255: TRAP 560: INPUT WIDE :WIDE=INT(WIDE):ON WIDE(40 OR WI OF > 176 GOSUB 796
- 565 ? :? "How many lines do you want to edit?(5 SPACES)(Minimum ":12 +12# (MODE(>5):17 "(3 SPACES) Max 1 mum ": INT (4096/WIDE);")"
- 578 TRAP 578: INPUT LINE 575 LINE=INT(LINE): IF LINE>INT(4096) WIDE) THEN LINE=INT (4096/WIDE) 580 IF LINE(12+12*(MODE=4) THEN LINE
- =12+12* (MODE=4) 585 ? "(CLEAR)":? "You have chosen:" :? "Character set -- ":F\$:? "Save
- file--";FSAVE\$:? "Load file--";F 590 SZ=LINE*WIDE-1:? "Mode ":MODE:?
- LINE: " lines of ":WIDE; " charact ers" 595 ? "If this is right, press arms
- (9 SPACES) To make changes, press TOTAL WATER 688 ON (PEEK (53279) =6) + (2# (PEEK (5327
- 9)=3)) GOTO 605,440;GOTO 600 605 A=PEEK (106): TOP-A-24: CHBAS=TOP: C H=CHBAS#256:SP=T0P+8:SC=SP#256:P OKE 106.TOP: OLOCHBAS=224: GRAPHIC
- ? "Just a minute while I get mys 616 elf(6 SPACES)together . . . " 615 IF F#="@" THEN CHBAS=224:CH=CHBA 8 * 25 A : BOTO 638
- 620 OPEN #1,4,0,F%:POKE ICBAOR+X+1.C HBAS: POKE ICBAOR+X. Ø: POKE ICBLEN +X+1.4: POKE ICRIEN+X.0 625 POKE ICCOM+X.7:C-USR(AGR("hhhpt.V
- E") . X) : CLOSE #1 630 POKE 559,0:GOSUB 640:GOSUB 655:G OSUB 810:60SUB 635:0N FLOAD GOSU
- B 450: GOSUB 925: GOTO 120 635 POKE 756, CHBAS: RETURN
- 640 OPEN #1,4,0,"D1:CLEAR.SUB":FOR 1

- =1 TO 33:6ET #1,N:CLEAR#(I,I)=CH R\$(N):NEXT I:CLOSE #1 645 C=USR (ADR (CLEAR\$), SP, X): RETURN 65# T=SZ:FL\$=FLOAO\$: GOSUB 20:SZ=T:RE
- 655 DL=256*(TOP+4):DL4=DL+4:DL5=OL+5 :FOR I=# TO 2:POKE OL+I, 112:NEXT I:PIX=0:N=0
- 66# FOR I=DL+3 TO DL+27+36*(MODE<>5) STEP 3:C=SC+N#WIDE:POKE 1,64+MO
- DE: POKE 1+2, INT (C/256) 665 POKE I+1.C-256*PEEK(I+2):N=N+1:N EXT I
- 678 N=8: MENU=256* (TOP+5)+64: OLMEN=DL +32+36*(MODE(>5):POKE OLMEN=2.MO OE+64: POKE OLMEN, INT (MENU/256)
- 675 POKE OLMEN-1.MENU-256*PEEK(OLMEN):FOR I-OLMEN+1 TO DLMEN+3:POKE I, MODE: NEXT I ABB POKE I, 65: POKE I+1, 0: POKE I+2, DL
- /256: OPEN #1,4,0,"0: DISPLAY. SUB" 685 DISPLAY=DL+12B:TRAP 690:FOR I=0 TO 186:GET #1, N: POKE DISPLAY+I, N INEXT ILGOTO 695
- 696 POP 695 WHI=INT(WIGE/256): WLD=WIGE-256*W HI:POKE DL+112, WLO:POKE DL+113, W
- HI 700 POKE 560.0:POKE 561.0L/256:CLOSE #1:RFTURN
- 705 POKE SC+PIX.OLD: GOSUB 40: POKE 75 6, OLDCHBAS: GRAPHICS Ø: POKE 764,2 718 ? "Screen is saved as O1: TEMPFIL
 - E.SCR":7:? "Oo you want to save the screen as":? FSAVE:"? (Y o r N1 -
- 715 GOSUB 785: ON N<>43 AND N<>35 GOT 0 715: IF N=43 THEN GOSUB 765: 601 0 725 720 FSAVE-0
- 725 ? :? "Oo you want to quit? (Y or N) ": POKE 764, 255 73Ø GOSUB 785:ON N<>43 AND N<>35 GOT
- 0 738:0N N=35 GOTO 735:0N N=43 G OTO 768 735 ? :? "To return to edit the same
- screen. (4 SPACES) press Market 7 17 "To start FONTBYTER over, p ress Britis
- 748 OPT=PEEK (53279): ON ((OPT=6)+(2*6 OPT=3))) GOTO 745,750:GOTO 740 745 POKE 106, A: GRAPHICS 0: GOTO 10
- 75# POKE 1#6, TOP: GOSUB 635: FL = "01: T EMPFILE.SCR": IF FSAVE=1 THEN FLS =FSAVF4
- 755 GOSUB 20:GOSUB 655:GOTO 120 760 POKE 106.A: POKE 764.255: GRAPHICS G. FNO
- 765 FSAVE=1:TRAP 770:OPEN #2,4,0,FSA VE\$:CLOSE #2:XIO 36, #2, 8.8.FSAVE \$: XID 33, #2, Ø, Ø, FSAVE\$: GOTO 775
- 770 CLOSE #2 775 FL\$="D1:TEMPFILE.SCR.":FLL\$=FSAV E\$(4.LEN(FSAVE\$)):FL\$(17)=FLL\$
- 78# XIO 32, #1, #, #, FL%: RETURN 785 C=PEEK (764): N=C-64* INT (C/64): RET URN
- 790 IF WIDE<40 THEN WIDE=40:RETURN 795 IF WIDE>170 AND MODE<>5 THEN WID E=170: RETURN
- BØØ IF WIDEC34Ø THEN RETURN BOS WIDE-340-RETURN
- 810 TRAP B15: OPEN #1.4.0. "D: DELETE. S September 1983 COMPUTE: 249

UB":FOR I=1 TO 124:GET #1, N:DELE 1872 DATA 264,233,0,133,264,24,166.3 TE\$(I,I)=CHR\$(N):NEXT I:60T0 828 1080 DATA 177, 212, 240, 42, 201, 2, 208, 1 815 POF 820 CLOSE #1:WHI=INT(WIDE/25A):WLD=W 1088 DATA 24,165,203,160,0,113,212,1 IDE-256#WHI TRAP 830: OPEN #1.4.0. "D: EXPAND.S 1696 DATA 203, 200, 165, 204, 113, 212, 13 UB*: FOR I=1 TO 124: GET #1.N: EXPA 3.264 ND\$(I,I)=CHR\$(N):NEXT I:GOTO 835 1184 DATA 24,144,19,56,165,283,168,8 83Ø POF 1112 DATA 241,212,133,203,165,204,20 835 CLOSE #1:RETURN 6.241 1120 DATA 212,133,204,24,144,0,160,8 840 TRAP 865:XIO 36.#1.0.0."D:#.SCR" 845 ? :? "Eurrently saved screen fil 1128 DATA 165,207,201,5,240,2,160,20 es:":FLL\$="SCR":60T0 866 1136 DATA 162, 0, 165, 203, 129, 205, 230, 265 TRAP 865: XIO 35, #1, Ø, Ø, "D: #.SET" 855 ? :? "Currently available charac 1144 DATA 165,264,129,265,132,267,24 .165 ter sets: ":FLL\$="SET" 860 FLS="D1: *. ":FLS(LEN(FLS)+1)=FLLS 1152 DATA 203,160,0,113,212,133,203, : OPEN #1,6,0,FLS:FOR I=0 TO 50:I 165 NPUT #1,FLL\$:? FLL\$:NEXT I 1160 DATA 204.200.113.212.133.204.23 865 CLOSE #1:RETURN 6.265 870 GOSUB 920:POKE SC+PIX.OLD:GOTO 8 1168 DATA 230, 205, 164, 207, 136, 208, 21 9.165 875 WV=2*((DI=5)+(DI=13)+(DI=9))+(DI 1176 DATA 203,129,205,230,205,165,20 4,129 -10)+(DI=6)+(DI=14):WH=2*(DI<8 A ND DI>4)+(DI<12 AND DI>8) 1184 DATA 205.96 88# W=(PEEK(DL4)+256*PEEK(DL5))-SC:U Program 3: EXPAND, SUB =INT(W/WIDE): WV=WV-(U-Ø AND WV=1)-2*((U+7+12*(MODE<)5)=LINE-2) A Machine Language Line Insert Subroutine ND WV=2) 988 OPEN #1.8.8. "D1:EXPAND.SUB" 885 L=W-(U#WIDE):WH-WH-(L=Ø AND WH=1 910 FOR I=1 TO 122: READ N: PUT #1, N: N)-2*((L+40)=WIDE AND WH=2) EXT I: CLOSE #1:? I: END 890 POKE DL+114. WH: POKE DL+115. WV: C= 1888 DATA 184, 166, 287, 169, 8, 165, 289, USR (DISPLAY) 240 895 IF PEEK (53279) <>6 THEN DI=PEEK (6 1888 DATA 29,168.255,177,283,145,285 32):ON DI<>15 GOTO 875:GOTO 895 .136 988 PIX=PEFK (DL4)+256*PEFK (DL5)+(6+6 1816 DATA 288,249,238,284,238,286,16 *(MODE(>5)) *WIDE+20:OLD=PEEK(PIX 4,268):PIX=PIX-SC:RETURN 1824 DATA 177, 283, 145, 285, 136, 288, 24 965 OPEN #4,4,0,"D:CHARDATA.DAT" 910 FOR I=0 TO 255:GET #4,N:C(I)=N:N 9,198 1832 DATA 284,198,286,24,144,9,164,2 EXT I 915 CLOSE #4:RETURN Ø8 1848 DATA 177,283,145,285,136,288,24 928 FOR I=8 TO 18: POKE 53279, 4: NEXT 9.202 I: RETURN 1848 DATA 248.29,56,165,285,229.288, 925 OPEN #1.4.0, "D: MENU. DAT": FOR I=4 TO 483: GET #1, N: POKE HENU+I, N: N 1856 DATA 285,165,286,229,289,133,28 EXT I: CLOSE #1 6.56 930 MENSH=MENU+160*INT(SHIF/64):POKE 1864 DATA 165, 283, 229, 288, 133, 283, 16 DLMEN, INT (MENSH/256) : POKE DLMEN -1.MENSH-256*PEEK (DLMEN): RETURN 5.204 1872 DATA 229, 289, 133, 284, 24, 144, 182 Program 2: DISPLAY, SUB . 165 1080 DATA 209, 240, 27, 160, 255, 169, 0, 1 Machine Language Scrolling Subroutine 45 900 OPEN #1,8,0,"D1:DISPLAY.SUB" 1888 DATA 203,136,208,251,230,206,23 910 FOR I=1 TO 186: READ N: PUT #1. N:N 0,264 EXT I:CLOSE #1:7 I:END 1896 DATA 164,288,145,283,136,288,25 1000 DATA 104,173,49,2,133,206,133,2 1,198 1184 DATA 286,198,284,24,144,11,164, 1008 DATA 173,48,2,105,3,133,205,105 208 1816 DATA 189,133,212,162,8.161.285. DATA 248,7,169,8,145,283,136,28 1824 DATA 191, 133, 287, 238, 285, 161, 28 1120 DATA 251.96 5,133 DATA 203, 160, 1, 177, 205, 133, 204, Program 4: DELETE, SUB

Program 4: DELETE, SUB Machine Language Line Delete Subroutine

966 OPEN #1,8,6,"D1:DELETE.SUB" 916 FOR I=1 TO 122:READ N:PUT #1,N:N EXT I:CLOSE #1:9 I:END 1666 DATA 184,166.287,169,6,165,269, 246

1888 DATA 29,168,255,177,285,145,283

1848 DATA 177,212,248,34,281,2,288,1

1848 DATA 24,165,283,185,1,133,283,1

1056 DATA 204,105,0,133,204,24,144,1

1064 DATA 56,165,203,233,1,133,203,1

1016 DATA 208.249,230,204,230,206,16 4.208 1024 DATA 177, 205, 145, 203, 136, 208, 24 9.198 1032 DATA 204,198,206,24,144,9,164,2 1040 DATA 177,205,145,203,136,268,24 9.262 1648 DATA 246,29,24,165,265,161,268, 1056 DATA 205,165,206,101,209,133,20 6,24 1064 DATA 165,203,101,208,133,203,16 5.204 1072 DATA 101,209,133,204,24,144,182 . 165 1080 DATA 209,240,27,160,255,169,0,1 45 1088 DATA 205,136,208,251,230,206,23 0,204 1896 DATA 164.288,145,285,136,288,25 1.198 1184 DATA 286, 198, 284, 24, 144, 11, 164, 1112 DATA 248,7,169,8,145,285,136,28

Program 5: MENU, DAT 900 OPEN #1.8.0."D1:MENU.DAT" 910 FOR I=1 TO 482:READ N:PUT #1.N:N EXT I:CLOSE #1:7 I:END 1000 DATA 0.0.91.0.17.0.18.0 1008 DATA 19.0,20,0,21,0.22.0 1016 DATA 23.0.24.0.25.0.16.0 1024 DATA 28,0,30,0,126,0,0,0 1032 DATA 0,0,0,0,0,0,0,0 1040 DATA 0, 0, 0, 127, 0, 113, 0, 119 1048 DATA 0,101,0,114,0,116,0,121 1056 DATA 0,117.0,105.0,111.0.112 1064 DATA 0,13,0,29,0,0,0,0 1072 DATA 0.0.0.0.0.0.0.0.0 1086 DATA 0.0.0.0.0.0.97.0 1088 DATA 115.0.100.0.102.0.103.0 1096 DATA 104.0.106,0.107.0,108.0 1184 DATA 27.6.11.6.18.8.8.8.8 1112 DATA 6.6.6.6.6.6.6.6.6 1120 DATA 0,0,0,0,0,0,0,122 1128 DATA 0.120.0.99.0.118.0.98 1136 DATA 8,118,8,189,8,12,8,14 1144 DATA 0.15.0.0.0.0.0.0 1152 DATA 0.0.0.0.0.0.0.0.0 1160 DATA 8.0.0.0.1.0.2.0 1168 DATA 3.0.4.0.5.0.6.0 1176 DATA 7,0,32,0,8,0,9,0 1184 DATA 125,0,0,0,0,0,0,0

1192 DATA 0.0.0.0.0.0.0.0.

1232 DATA 0,0,0,0,0,0,0,0.0 1240 DATA 0,0,0,0,0,0,0,33,0

1272 DATA 0.0.0.0.0.0.0.0.0 1280 DATA 0.0.0.0.0.0.0.0.58

1200 DATA 0,0.0.0,0,49,0,55 1208 DATA 0,37,0,50,0,52.0,57

1216 DATA Ø,53,0.41,0.47,6,48

1248 DATA 51,0,36.0,38,0,39.0

1256 DATA 40.0,42.0,43.0.44.0

1288 DATA #.56.0.35.0.54.0.34

1296 DATA Ø, 46, Ø, 45, Ø, 59, Ø, 61

1384 DATA 0.31.0.0.0.0.0.0.

1312 DATA 8.0.0.0.0.0.0.0.

1320 DATA 0.0.0.0.0.0.0.0.0

1224 DATA 6.63.0.124.0.0.0.0

1120 DATA 251,96

1344 DATA 0.0.0.0.0.0.0.0. 1352 DATA 0,0,0,0,0,0,0,0 1360 DATA 0,0,0,0,0,81.0,87 1368 DATA Ø,69,Ø,82,Ø,84.Ø,89 1376 DATA Ø,85,8,73,0,79,8,80 1384 DATA Ø. 92. Ø. 93. Ø. Ø. Ø. 1592 DATA 0,0.0,0.0,0,0,0,0 1400 DATA 0,0.0,0,0,0,6,65.0 1408 DATA 85.0.68,0.70.0.71,0 1416 DATA 72.0.74.0.75.0.76.0 1424 DATA 123,8,94,0,95,0,0,0 1432 DATA 0.0.0.0.0.0.0.0. 1446 DATA 8,8,8,8,8,8,8,8,96 1448 DATA 0,88,0,67,0,86,0,66 1456 DATA Ø,78,0,77,0,64,0,96 1464 DATA 8.8.8.8.8.8.8.8. 1472 DATA 0,0,0,0,0,0,0,0 1480 DATA 0.0

1328 DATA 0.0,0,0,0,0,0,0

1336 DATA 0.0.0.0.0.0.0.0.

Program 6: CHARDATA DAT

980 OPEN \$1.5.6, "DisCHARDATA_DAT"
PLE FOR I= 17 0 256-RED N:FUT \$1,N:N
1690 DATA 169,166,27,0.6,187.11,10
1690 DATA 111,6,112,117,6,165,13.29
1615 DATA 111,6,197,6,96,120.122
1632 DATA 12,6,14,116,6,169,15,6
1632 DATA 14,6,161,21,17,16,119

1848 DATA 25,8,16,23,126,24,28,36 1856 DATA 182,184,188,8,8,183,115,97 1864 DATA 44,42,26,8,8,43,68,62 1072 DATA 47,0,48,53.0.41,63,124 1080 DATA 54,0,35,0,0,34,56,58 1088 DATA 4,0,3,6,0,5,2,1 1896 DATA 59.8.61.46.8.45.31.8 1184 DATA 58,8,37,57,8,52,55,49 1112 DATA 8,0,9,7,0,32,125,0 1120 DATA 38.40.36.0.0.39.51.33 1128 DATA 76.74.123.0.0.75.94.95 1136 DATA 79,0,80,85,0,73.92,93 1144 DATA 86,0,67,0,0,66,88,98 1152 DATA 0,0,0,0,0,0,0,0 1160 DATA 64.0.96.78.0.77.0.0 1168 DATA 82.0.69.89.0.84.87.81 1176 DATA 0,0,0,0,0,0,0,0 1184 DATA 70.72.68.0.0.71.83.65 1192 DATA 8,8,8,8,8,8,8,8,8 1200 DATA 0.0.0.0.0.0.0.0

1288 DATA 0,0,0,0,0,0,0,0

1216 DATA 8,8,8,8,8,8,8,8,8

1224 DATA 8.8.8.8.8.8.8.8.8

1232 DATA 8,8,8,8,8,8,8,8,8

1248 DATA 8,8,8,8,8,8,8,8,8

1248 DATA 0.0.0.0.0.0.0.0.0

1832 DATA 96

Program 7: CLEAR. SUB Machine Language Screen Clear Subroutine

Timex/Sinclair Making Change

Michael B Williams

This game is an excellent educational tool for children and is based on a previously published COMPUTE! article. The author also includes conversion tips for T/S users who want to translate programs originally written for other computers.

Converting a program written for one computer to another computer can get difficult if the program contains machine-dependent features (graphics commands, for instance) or a lot of POKEs. If a program has many such features, it would probably be easier to rewrite it from scratch, once you understand it.

With modification, many programs published in COMPUTEI and other computer magazines can be converted to run on the Timex/Sinclair. One of these is "Making Change," by Myron Miller (COMPUTEI, February 1983), a program written to help children learn how to count money, divide money, and make change.

Program Conversion

When you transfer any program, your conversion should make up for deficiencies in one area by compensating for them in another area. If your computer has himtled graphics, liven it up with sound, and vice versa. The Sinclair has no sound, no color, and limited graphics. But that does not mean we cannot make the program interesting for the user.

First of all, I decided which version of "Making Change" to convert. I chose the Atari version and went to work. I made multiple statements into individual lines and added STRS when printing numbers so there would be no pause before they were displayed. Congratulating myself on my were displayed. Congratulating myself on my had the huge task of debugging ahead, I eliminated one bug only to find several more.

Finally, I concluded it would be easier to re-202 COMPUTE Suprement 1983 write the program using the listing as a guide. In doing so, I just went about program conversion in a different way. Instead of interpreting the listing line by line, I first tried to understand what it did as a whole. The result was a bug-free program that made it fun to learn about money.

Each problem is a question about money: how to count it, how to divide it – in short, how to make change. It addresses the child by name and asks him or her directly. If the child answers incorrectly, the program encourages the child to try once more, and the question is repeated by the third attempt, if the child has not correctly solved the problem, he or she is given the answer.

A correct answer causes the program to call the machine language routine in line 1. This routine is very important to the program, but you can modify it as you wish.

Regardless of whether or not the question was answered correctly, the child is given the option of receiving his or her score, continuing, or stopping the program. In this way the child's progress may be evaluated at any stage of the program.

Special Program Notes Program 1 POKEs a machine language routine

into the REM statement in line 1. After typing in Program 1, proofread it carefully. Type RUN and ENTER. Test it by using RAND USR 16514. The screen should fill up very fast with inverse spaces. List Program 1 and note that the REM statement in line 1 has been altered. It now contains a machine language subroutine.

Now, delete lines 10-60 and type in Program 2 with line 1 still in memory. When typing in Program 2, use the following instructions where graphics characters appear:

- 60: Graphics, SHIFT-S, and SHIFT-D 5010: Underlined letters are inverse video
- 5115: Graphics and SHIFT-D

Program 1: Machine Language Loader 10 LET 22=16514 20 LET A\$="2A0C40017618237EB92604C6807704 3190 IF INKEYS="" THEN GOTO 3190 10F5C9* 30 POKE ZZ, 16*CODE A\$+CODE A\$(2)-476 46 LET ZZ=ZZ+1 50 LET A\$=A\$(3 TO) 66 GOTO 36 Program 2: Making Change 50 SLOW 60 PRINT " -MAKING CHANGE 70 PRINT .." TIMEX/SINCLAIR VERSION 80 PRINT ,, "HELLO. PLEASE TELL ME YOUR N AME." 90 INPUT NS 100 GOSUB 2000 1000 REM PROBLEMS 1010 REM 1020 LET TP=TP+1 1030 LET CT=INT (100*RND)+1 1040 LET TR-0 1050 LET PT-NOT PT 1060 LET QU=INT (CT/25) 1070 LET DI=INT ((CT-QU*25)/10) 1080 LET NI=INT ((CT-QU*25-DI*10)/5) 1898 LET PE=INT CT-QU*25-DI*18-NI*5 1100 GOTO PT*1000+3000 2000 REM VARIABLES 2010 LET TP=0 2020 LET TC=0 2030 LET TW-0 2040 LET ME=0 2050 LET ML=0 2060 LET FI=0 2070 LET PT=0 2080 LET SCORE=5000 2100 DIM R\$(5,10) 2110 FOR X=1 TO 5 2120 LET RS(X)="FANTASTIC.GREAT. TERRIFIC. VERY GOOD. " (X*10-9 TO X*18) 2130 NEXT X 2999 RETURN 3000 REM COUNT CHANGE 3010 CLS 3020 PRINT TP;") ";N\$;", IF I HAVE..." 3040 PRINT ,,TAB 5;QU;" QUARTER*+("S" AN D QU<>1) 3050 PRINT , , TAB 5: DI; " DIME"+("S" AND D 3868 PRINT , TAB 5; NI; " NICKEL"+("S" AND NI (>1): ", AND 3070 PRINT ,, TAB 5; PE; " PENN"+("Y" AND P E=1)+("IES" AND PE<>1); ", THEN" 3080 PRINT , "HOW MUCH CHANGE DO I HAVE? 3110 INPUT CH 3120 PRINT CH 3130 LET TR=TR+1 3140 IF CH=CT THEN GOTO 3500 3150 PRINT , , "NOPE. THAT'S "+STR\$ ABS (C T-CH)+" CENT"+("S" AND ABS (CH-CT) < >1)+" TOO "+("MUCH." AND CH>CT)+("L ITTLE." AND CH<CT)

```
3210 PRINT ,, "THE ANSWER IS "+STR$ CT+", "+N$+"."
3226 GOTO SCORE
3500 LET ZZ=USR 16514
3516 PRINT
3520 PRINT N$+", "+"THATS "+R$(INT (5*RN
      D)+1)
353Ø LET ZZ=USR 16514
3540 IF TR=1 THEN LET TC=TC+1
3550 LET ME-ME+1
3560 GOTO SCORE
4000 REM GIVE CHANGE
4010 CLS
4020 PRINT STRS TP+") "+NS+", IF I HAVE
      "+STR$ CT+" CENT"+("5" AND CT<>1)+"
4030 PRINT .. "HOW MANY QUARTERS DO I HAV
     E? ";
4040 INPUT O
4050 PRINT Q, , TAB 9; "DIMES? ";
4060 INPUT D
4070 PRINT D, , TAB 9; "NICKELS? ";
4080 INPUT N
4090 PRINT N, TAB 9; "PENNIES? ";
4100 INPUT P
4110 PRINT P
4115 LET TR=TR+1
4120 IF Q=INT Q AND N=INT N AND D=INT D
      AND P=INT P THEN GOTO 4200
4130 PRINT ,, "THATS NOT FAIR, USING DECI
MALS. YOU MUST PAY A FINE, "+N$+"."
4140 LET FI=FI+1
4150 GOTO 4220
4200 IF 25*0+10*D+5*N+P=CT THEN GOTO 440
4205 PRINT .. "NOT QUITE -- THAT MAKES "+ST
      R$ (25*0+10*D+5*N+P)+" CENTS."
4210 LET ML=ML+1
4215 IF TR=1 THEN LET TW=TW+1
4220 IF TR=3 THEN GOTO 4300
4230 PRINT , , "PRESS ENTER TO TRY ONCE MO
      RE."
4240 IF INKEYS="" THEN GOTO 4240
4250 GOTO 4000
4300 PRINT ,, "A THOUSAND TIMES NO, "+N$+
4310 PRINT ,, "I WOULD HAVE "+STR$ QU; " Q
      UARTER"+("S" AND QU<>1); TAB13; STR$
      DI+" DIME"+("S" AND DI ()1)
4320 PRINT TAB 13:STR$ NI+" NICKEL"+("S"
      AND NI<>1);", AND ":TAB 13;STR$ PE
+" PENN"+("Y" AND PE=1)+("IES" AND
      PE<>1);"."
4330 GOTO SCORE
4400 IF Q=QU AND D=DI AND N=NI AND P=PE
      THEN GOTO 4500
4410 PRINT ,, "TRUE, BUT YOU COULD HAVE U
SED FEWER COINS, "+N$+"."
4420 GOTO 4210
4500 LET ZZ=USR 16514
4510 PRINT
4520 PRINT "HEY..."+R$(INT (5*RND)+1)
4530 LET ZZ=USR 16514
4540 LET ME=ME+1
                         September 1983 COMPUTE: 253
```

316Ø LET ML=ML+1 3165 IT TR=1 THEN LET TW=TW+1

3200 GOTO 3000

3170 IF TR=3 THEN GOTO 3210

3180 PRINT ,, "PRESS ENTER TO TRY AGAIN."

4550 IF TR=1 THEN LET TC=TC+1 5000 REM SCORE

5010 PRINT , , "PRESS C TO CONTINUE, S YOUR SCORE, OR ENTER TO STOP." 5020 LET IS-INKEYS

5030 IF I\$="" THEN GOTO 5020 5848 IF IS="C" THEN GOTO 1888

5050 IF IS "S" AND IS CHR\$ 118 THEN GO TO 5020 51.00 CLS 5118 PRINT NS+"S "+("PINAL " AND IS=CHRS

118)+"SCORE: " 5115 PRINT "

9999 RUN

5126 PRINT , "NUMBER OF PROBLEMS: "+STRS 5130 PRINT , "TOTAL CORRECT: "+STR\$ TC 5140 PRINT , "TOTAL WRONG: "+STR\$ TW 5150 PRINT , "PERCENT CORRECT: "+STR\$ IN

T ((TC/TP)*100) 5160 PRINT ,,, "MONEY EARNED: "+STR\$ ME 5170 PRINT ,, "MONEY LOST: "+STR\$ ML 5180 PRINT ,, "FINES: "+STR\$ FI

5190 LRT X-MR-ML-FI 5200 PRINT ,, ("I OWE YOU" AND X>0)+("YOU OWE ME" AND X<0)+" "+STR\$ ABS X+"

CENT"+("S" AND ABS X<>1); ". 5210 IF IS=CHRS 118 THEN GOTO 5250 5220 PRINT ,, "PRESS ENTER TO CONTINUE " 5230 IF INKEYS="" THEN GOTO 5230

5240 GOTO 1000 5250 PRINT ,, "BYE, "+N\$+". I HAD FUN." 9997 5701 9998 SAVE "MAKING CHANGE"

SUPER DISK

Floppy Disk Drive For VIC - 20 & Commodore 64

ed to interface to the various Commodore computers such as the PET! VIC-20 and the Commodore 641 The disk drive is compatible to the model 4040, 2031, 1540, and the 1541 disk drives and recognizes programs generated on any or these disk drives. The capacities are comparable to those found on the Commodore drives, and Super Disk recognizes the full instruction set of the Commodore drives. Super Disk? offers RAM area within the disk unit, a serial and an IEEE bus interface

Call Toll Free For Latest Price Information 1-800-527-7573

Also Available: emini-10 w/Interface \$399. V3K RAM CPI Parallel Interface 65. VBK RAM Expandoport 3 VIC 25. V16K RAM Expandoport 6 VIC V24K RAM Expandoport 4 OS4 65. CIF (IFFF for C64)

CATALOG OF OTHER HARDWARE & SOFTWARE AVAILABLE ON REQUEST. We accept: VISA, Mastercharge, and AF

Southwest Micro Systems, Inc. 2554 Southwell - Dallas, Texas 75229 (214) 484-7836 rik of Commodore Int. ²Truderzark of MS

GOSUB

VIC-20

C64

INTERNATIONAL INCORPORATED

Retail

\$69.95

The Flexikey System



VISA & MASTERCARD WELCOME Prices subject to chance

gram listings!

Features 19 Keys, each of which may have 3 seperate definitions! Complete documentation including pro-

Works on the VIC20 (Expanded) and C-64 computers

Compatible with most existing software!

Great for use with business programs and

electronic spread sheets!

Ideal for machine language programmer!

Dealer Inquires Invited - (316) 265-9856 GOSUB International - 501 E Pawnee - Suite 430 Wichita, Kansas 67211

*C-64 and VIC 20 are registered trademarks of Commodore International

Relative Files For VIC-20 And Commodore 64

Part I

. Im Butlerfield, Associate Editor

You can use relative files with your VIC or 64 computer and 1540/1541 disk drive. If you have the appropriate IEEE interface, you can do the same job on the 4040, 8050, or other recent Commodore disk units. It takes a little more work, and careful programming. But it can

All the examples given here will work on all PETs and CBMs. On 4.0 BASIC, there are easier ways, but this will work.

Binary Numbers: High And Low

We'll be talking about some numbers packed into ASCII characters. In the expression CHSRO), we can't use a value of N greater than 255. Sometimes we will want to select record number 1000 of a relative file, we'll need to split it into two parts. The "high," part would be the number divided by 256, the low part would be the remainder. So a value of 1000 would split up into a high part of 3 and a low part of 220, since 1000 divided by 256 gives 31.

with 232 remainder.

When we send a number this way, we almost always send the low part first. So to send 1000,

we'll eventually send to the disk: CHR\$(232):CHR\$(3).

In Part II, we'll indicate a number that is split in this manner with the terms "High" and "Low."

Creating A Relative File Decide how long you want a record to be. For

example, you might have a file that will contain a name, a set of initials, and a date. You could allow 15 characters for the name; two characters for the initials; and seven characters for the date. Additionally, you'd need two extra characters as "separators" between the three data fields, giving a total of up to 26 characters in a record. You can go as high as 254, but no higher.

When we create a relative file, we must give

the record length. After it is created, we don't need to specify the length: the disk will remember.

Let's open a relative file using direct statements. You can do this in a program, of course, but you may find it interesting to see things happening. First, however, we'll set up a program to allow us to check for errors on the command channel. Enter this program:

100 INPUT#15,E,E\$,E1,E2

Now type, as a direct command: OPEN 15,8,15.
This will open the command channel for us. Anytime we want to look at a disk error condition, we
can type GOTO 100, and the error will be printed.
We're ready to open our relative file. Type:

OPEN 1,8,2,"RANDFIL,L," + CHR\$(26)

That does the job. The name of the new file is RANDFIL. The L stands for length: don't forget to put a comma both before and after. Finally, the CHR\$(26) gives the length of our record. We don't need to use all 26 characters, but we must not exceed this value when we write a record.

Positioning To A Specific Record We've created the file, but we have not written

any records yet. It's a good idea to bring enough records into existence to fill more than one disk sector, which takes up 254 bytes. In the case of 26-character records, this means that we should create at least ten records.

We could do this with ten PRINT#1 state-

ments, but I'd like to show you another way. Let's position directly to record number 10 and write something there. Automatically, all missing records (in this case, 1 to 9) will come into existence. So we'd better learn how to position a relative file.

Now, we send our "position" command down the command channel. To identify to the

September 1983 COMPUTE 255

disk which file we want to position, we use the secondary address. For our relative file in progress, that would be 2. That's important: secondary address, not logical file number. Now, another thing about the disk: it likes to see you add 96 to the secondary address, so we should send 98. We have said that we want to go to record

number 10. We must split this number up into high and low byte: we get 0 high and 10 low. Finally, we want to choose the start of the record, or position 1. Let's put it all together and type in: PRINT#15.7P*+CHRS10H+CHR

PRINT#15,"P" + CI (0) + CHR5(1)

You'll see the disk error light go on – we'll account for this in a moment. To review: P for position; 96+2 for secondary address 2; 10 and 0 for record number 10; and 1 for the start of the record.

Why did the error light go on? Because there is no record number ten—yet. You may type GOTO 100 and look at the error notice; you'll see RECORD NOT PRESENT, which makes sense. The moment we write something, we'll bring this missing record into existence. Let's do that:

PRINT#1,"DOAKES"+CHR\$(13)+"J"+CHR\$(13)+

"AUGIS";
We have just written record number ten. Note
that we are using a Return character to separate
the fields (name, initial, date), and note that the
PRINT statement ends with a semicolon. This
seems puzzling it doesn't work that way on sequential files. Let's give the golden rule for writing
relative files:

Rule: One PRINT statement writes one and only one record to a relative file.

So the semicolon at the end does not change anything; we've written a complete record. And the Return characters in the middle do not change anything; we've written only one record.

Let's tie up this file for the moment. Close it with:

CLOSE 1

No need to close the command channel.

After Creation

Let's write a program to read and write this little file that we have created. Here we go:

100 OPEN 4,8,5,"RANDFIL"

I've changed the logical file number and secondary address just to prove that it doesn't matter. Note that we don't need to specify the length, once the file exists.

110 OPEN 15.8.1S

Now for the main user interface. We'll ask for a record number, and quit if the user types zero:

256 COMPUTE! September 1983

200 INPUT"RECORD NUMBER";R 210 IF R <1 GOTO 600

Let's position to the record: 220 R0 = INT(R/256):R1 = R-R0*256

R0 is the high part of the number, and R1 is low.

Now we can position:

230 PRINT#15,"P"+CHR\$(101)+CHR\$(R1)+CHR\$ (R0)+CHR\$(1)

We remember that 101 is 96 plus 5. Let's look for an error:

240 INPUT#15,E,E\$,E1,E1 250 IF E 00 THEN PRINT ES:GOTO 200

We've positioned at a valid record. Now let's ask if we want to read or write:

300 INPUT"R OR W";C\$ 310 IF C\$ = "R" GOTO 400 320 IF C\$ = "W" GOTO 500 330 GOTO 200

Now for the reading part. We are already positioned, but first we must learn another golden rule, this one for reading records:

Rule: Variable ST signals end of record with value 64.

This, too, is different from sequential files, where ST signals end-of-file. Now we can read however

many fields are in the record, since we'll detect the end of record in ST: 400 F=0 410 F=F+1:INPUT#4.PS

420 PRINT "FIELD";F,":";F\$ 430 IF ST = 0 GOTO 410 440 GOTO 200

Thus, we keep reading until we have gathered all the fields within the record. Now, for the writing part. We've been here before:

500 FOR F=1 TO 3 510 PRINT"FIELD";F; 520 INPUT F\$(F)

530 NEXT F S40 PRINT#4,P\$(1) + CHR\$(13) + F\$(2) + CHR\$(13) +

F\$(3); 550 GOTO 200 That's it except for quitting. We must remember

to close our file: 600 CLOSE 4

Try playing with this program. You might like to try for nonexistent records, or writing records that are too large to fit. You'll quickly see

how it all works. Note the curiosity: the character "pi," or CHR\$(255), is stored in unused records. It's not too hard and can be very useful. With relative records, you can go directly to any chosen

part of your file. You can read or write as desired. It's another tool for effective use of your computer.

Copyright © 1983 Jim Butterfield

Maximum Memory=Maximum Application!



Prone prime Col (805) 482-3604 APROPOS TECHNOLOGY.



SPECIAL

Only \$124.95

ID DAY MONEY SACK GUARANTE EN! RAMAX JR."

SPECIAL \$109.95 PM

games SAM (Sk Act 1924-1995) SEST (Streets comparine without power office) . Bullin electrical Tuse to protect equipment

· Totals self-contained No-esternal power supp-

 High reliability galaystated connectors are designed for long life. Complete Operating Manual

· a month ports and labor warranty to prished

on \$69.95

JOIN THE COMPUTER REVOLUTION WITH A MASTERY OF THE KEYBOARD!

In the age of the computer, everyone from the school child to the Chairman of the Board should be at home at the computer keyboard. Soon there will be a computer terminal on every desk and in every home. Learn how to use it right and have some fun at the same time!

Rated THE BEST educational program for the VIC 20FM by Creative Computing Magazine

TYPING TUTOR PLUS WORD INVADERS — \$21.95

(2 programs on one cassette tape for the unexpanded VIC 20TM) Typing Tutor plus Word Invaders makes learning the keyboard easy and fun! Typing Tutor teaches the keyboard in easy steps. Word Invaders makes typing practice an entertaining game. Highly praised by customers.

"Typing Tutor is great!", "Fantastic", "Excellent", High quality", "A source of great (oy and learning for our children", "Even my little sister likes it", "Word

Customer comment says it all . and it was everything you advertised it would be in three weeks, my 13 year old son, who had never typed before, was typing 35 w.p. in 1 had improved my typing speed 15 w.p.m. and my husband was able to keep up with his college typing class by practicing at home

WOED INVADER

50 M. Lembarra Ave., Suite 82

SPECIAL VERSION OF TYPING TUTOR PLUS WORD INVADERS NOW AVAILABLE FOR THE COMMODORE 64"... \$21.95 (Tape)

All of the features of the VIC 20™ Version and more

SPRITE DESIGNER by Dr. Lee T. Hill

\$16.95(Tape) \$21.95(Disk) Create and then transform sprites automatically. We

one we use to make sprites. The automatic transfor Shipping and handling \$1.00 per order California residents add 6% sales tax. VISA and Mastercard

orders must include full name as shown on card, card number, and expiration date. Free catalog sent with

P.O. Box 9403, San Rafael, CA 94912 (415) 499-0850 Programmers: Write to our New Program Manager concerning any exceptional VIC 20TM or Commodore 54TM game or other program you have developed

Sprite Editor For TI

Larry Long

10

Here's a way to get maximum use of sprites on the TI-99/4A – and a program that generates listings for your sprite creations.

A very powerful yet often unused feature of the TD-994A is its ability to display and control spritse. TD-994A is its ability to display and control spritse. With the 994A and the Extended BASIC Module, it is possible to generate 28 sprites for display and independent simultaneous movement. Program 1 should convine any doubters that this can be done. Although a lot of colored letters floating around the screen are a bit pointless, if we can modify and control the sprites, we will have a most useful feature.

most userul nearmer.

Sprites can be designed by drawing on a piece.

Sprites can be designed by drawing on a piece.

Sprites can define converting the colod report of the color of the co

Your Options

When you run the program, the first display scene will be a design grid with a box-eshaped cursor. The area under the cursor will initially be white (signifying an "off" pixel). Press 1 to change the color beneath the cursor to black (representing an "om" pixel or to move the cursor about the grid with the arrow keys. To turn off a particular pixel, press 0 and the background color will be returned press 0 and the background color will be returned. press they key to see it displayed as a sprift. At this point, you are given several options. You can magnify your newly constructed sprite (M key), change is back (M key), change is to key (K key), change is back ground color (B key), or set it in motion (E, S, D, X keys). If you are not pleased with the sprite's shape, you can modify it by striking the T key or (if the changes required are quite drastle) simply press the A key to start with a fresh grid. On the other hand, if you are astifsized with your sprite and its color and directional parameters, pross to color and directional parameters, pross to achieve these first. BASE statements needed

If using the sprite editor is your only concern, then skip the rest of this article and go straight to Program 2 and enjoy this easy access to sprites.

How The Editor Works

To understand what makes the editor work, let's take a general overview of the program:

ines	
00-260 70-460	Set up screen display. Are the main loop of the designing portion of the

470-680 Evaluate the design, put its values in an array, read the values in the array, convert them to hexadecimal numbers, and then build a 64-character string to describe the spride pattern.

690-770 Put the sprite on the screen and display new program instructions.

780-930 Main loop of the implementation portion of the

program.

Change size of sprite.

1000-1150 Display a listing of the sprite program.

1160-1220 Change the color of the sprite and screen.

A cursor is needed to indicate where you are located on the design grid. I hose to use a sprile (line 220) because I could move it around freely without disturbing the display under it. Repositioning the cursor is accomplished in line 380 with a CALL LOCATE. The arrow keys reposition the cursor, and the ENTER key changes the area under the cursor.

What makes "Sprite Editor" so valuable is its ability to generate the hexadecimal pattern for the sprite. The loop from line 500 through line 560 determines the character in each position of the design grid and stores that value in the array B (R,C). Line 570 provides a string with all of the possible hexadecimal digits placed in ascending order. Line 580 sets M\$ to be "null." The loop from line 590 to line 630 evaluates the array elements and converts each row in the left half of the design grid to a pair of hexadecimal digits and concatenates them to M\$. Line 620 is probably the most significant line in this loop, as it provides the hexadecimal numbers. It causes the computer to look at a particular digit (element) in HEXS determined by the values calculated for HIGH and LOW. Lines 630-680 perform the same operation as 590-630, only for the right half of the design grid

Line 690 assigns the hexadecimal numbers to ASCII characters 104, 105, 106, and 107. It is necessary to specify only the first character number in the CALL CHAR statement. When this feature is used, it is required that you start with a character that is evenly divisible by 4. Line 730 actually displays the sprite.

Lines 740-770 provide instructions for the implementation portion of the program. Lines 780-830 check for specific key presses and provide appropriate branching to list the program; end the program; start from the beginning; change the background color; modify the existing sprite; change sprite size; or change sprite color. Lines 840-920 check for arrow key presses and then increment or decrement sprite speed.

Lines 940-980 change sprite size. Lines 1000-1150 display a program listing that would generate a sprite like the one designed by the Sprite Editor. One problem with listing the program is displaying the quote character. The computer inter-

prets it to mean that you want to end the PRINT statement. The solution is to redefine an unused character (I chose the lowercase "n") to look like the quote character. Finally, lines 1160-1220 allow you to change

the color of the sprite and screen.

Program 1: Sprite Generation 100 CALL MAGNIFY(2)::FOR X=1 TO 28:: CALL SPRITE (#X, 64+X, X/2, 96, 128, 1 NT (RND #166) -56, INT (RND #166) -56) INEXT X1160TO 100

Program 2: Sprite Editor 100 REM SPRITE EDITOR 110 DIM 8(16.16):: SC-1 13Ø C1=7

140 CALL CHAR(100, "") 150 CALL CHAR(101. *FFFFFFFFFFFFFFFF

160 CALL CHAR(102, "FFFFC3C3C3C3FFFF 170 CALL COLOR(9,2,16)

18Ø CALL CLEAR

190 DISPLAY AT(1,10): "SPRITE EDITOR"

200 FOR R=1 TO 16 :: CALL HCHAR (4+F .2.188.16):: NEXT R 218 CALL MAGNIFY(1) 212 IF K=84 THEN 60TO 217

215 CALL SCREEN(8) 217 CALL DELSPRITE (ALL) 22# CALL SPRITE(#28,1#2,14,32,8)

225 CALL HCHAR (21,1,32,31):: CALL H CHAR(22,1,32,31) 238 DISPLAY AT(22,2): "E-UP X-DOWN S

-LEFT D=RIGHT* 248 DISPLAY AT (23,2): "PRESS 1 - PIX EL ON .0 - DEF*

250 DISPLAY AT (24.2) 1 "PRESS P TO DI SPLAY SPRITE" 268 R=1 :: C=1

270 CALL KEY(0.K.S) 271 IF S=Ø THEN 276 272 IF K=48 THEN KHAR=100

274 IF K=49 THEN KHAR=181 280 IF K-83 THEN C-C-1 :: GOTO 320 298 IF K=68 THEN C=C+1 :: BOTO 320 300 IF K=69 THEN R=R-1 :: 60TO 320

310 IF K=88 THEN R=R+1 :: 60TD 320 312 IF K=86 THEN 476 320 IF C<1 THEN C=16 330 IF C>16 THEN C=1

340 IF R<1 THEN R=16 350 IF R>16 THEN R=1 380 CALL LOCATE (#28, (8#R)+25,8#C+1)

42# CALL HCHAR (4+R. 1+C.KHAR) 438 CALL SOUND (28, 288, 5) 460 GOTO 270 478 CALL DELSPRITE (ALL)

48Ø CALL HCHAR (21.1.32.128) 498 DISPLAY AT(22,2): "PLEASE WAIT W HILE I THINK.

500 FOR R=1 TO 16 518 FOR C=1 TO 16 52Ø CALL GCHAR(4+R.1+C.GC) 536 GC=GC-166

54Ø 8(R.C)=8C 556 NEXT C

560 NEXT R 578 HEX#="0123456789ABCDEF" 586 Ht ...

598 FOR R=1 TO 16 688 LOW=8(R,5) #8+8(R,6) #4+8(R,7) #2+ 8(R.8)+1

61# HIGH=8(R,1) #8+8(R,2) #4+8(R,3) #2 +8(R,4)+1 620 MS=MS&SEGS (HEXS, HIGH, 1) &SEGS (HE

X*.LOW.1) 638 NEXT R 64Ø FOR R=1 TO 16 65# LOW-B(R, 13) #8+8(R, 14) #4+8(R, 15)

\$2+8(R, 16)+ 66# HIGH=8(R.9) #8+8(R.1#) #4+8(R.11) \$2+8(R, 12)+1 678 MS=MS&SEG\$ (HEX\$, HIGH, 1) &SEG\$ (HE

X5.LOW.11 68Ø NEXT R

698 CALL CHAR (184. M\$) 788 CALL MAGNIFY(3) 716 MM=3

728 M=4 738 CALL SPRITE(#1,184,C1,58,178,8, 8 BACKGRD

748 DISPLAY AT(21,2):"C CDLOR GNIFY T EDIT 750 DISPLAY AT(22,2): "A ERASE

September 1983 COMPUTEL 259

760 DISPLAY AT(23,2): "E=UP X=DOWN S -LEFT D=RIGHT" 770 DISPLAY AT(24,8): "L LISTS PROGR AM"

78Ø CALL KEY(Ø,K,S)
79Ø IF K=76 THEN GOTO 1000
80Ø IF K=81 THEN GOTO 990
81Ø IF K=65 THEN GOTO 100
812 IF K=66 THEN GOSUB 120

918 IF K-65 THEN GOTO 100 912 IF K-65 THEN GOTO 100 915 IF K-84 THEN GOTO 210 920 IF K-77 THEN GOTO 940 930 IF K-67 THEN GOTO 1160 940 IF K-93 THEN H-H-2 960 IF K-69 THEN V-V-2 970 IF K-98 THEN V-V-2

970 IF K-88 THEN V=V+2 880 IF V>120 THEN V=120 890 IF V<-120 THEN V=-120 900 IF H>120 THEN H=120 910 IF H<-120 THEN H=-120 920 CALL MOTION(*1,V,H)

930 80TO 780 940 CALL MAGNIFY(M) 950 MM=M 960 IF M=3 THEN M=4 ELSE M=3 970 FOR D=1 TO 20 :: NEXT D

98Ø 60TO 78Ø 99Ø STOP 1000 REM PROGRAM LISTER

1010 CALL CHAR(110, "002424") 1020 CALL CLEAR 1030 PRINT "(6 SPACES)PROGRAM LISTI

NG" 1035 CALL DELSPRITE(ALL)

1040 PRINT 1050 PRINT ">106 CALL CHAR(104,n":: : FOR W=1 TO 64 :: PRINT SEG*(" Ms,W,1);:: NEXT W :: PRINT "n)" 1055 PRINT ">1055 CALL SCREEN("SC:"

)"1068 PRINT ">118 CALL MAGNIFY(";MM;
")"
1078 PRINT ">128 CALL SPRITE(#1,184

","C1;",150,150,",",",",",","," 1080 PRINT ">130 CALL KEY(0,K,S)" 1090 PRINT ">140 IF K-68 THEN H=H+2 1100 PRINT ">150 IF K-83 THEN H=H-2

1110 PRINT *>160 IF K=88 THEN V=V+2

"
1130 PRINT ">180 CALL MOTION(#1,V,H
)"
1140 PRINT ">190 GOTO 130"

1150 PRINT :: PRINT :: PRINT :: PRI NT :: PRINT 1155 DISPLAY AT(21,3): "A - ERASE (3 SPACES)0 - DUIT"

1156 CALL KEY(Ø,K,ST):: IF ST=Ø THE N 1156 1157 IF K=81 THEN GOTO 99Ø

1156 IF K=65 THEN GOTO 106 1159 GOTO 1156 1168 C1=C1+1 :: IF C1>16 THEN 1180 1170 CALL COLOR(*),C1):: GOTO 780 1180 C1=2 :: CALL COLOR(*),C1):: GO

TO 780 1200 REM SCREEN COLOR CHANGE 1210 SC-SC+1 :: IF SC-17 THEN SC-2 1220 CALL SCREEN(SC):: RETURN ATARI'ATARI' ATARI'ATARI

S INTRODUCING... NEW!!! From Alari

INTRODUCING.

Alabatics +

Alabatics New

S49.95

The Mich like Feedy Mill Management progress modeled from allowing the collecting two crost, beat or the collections, limited with any assignation or the collection, limited on single or distable feedby formal. Accordance designations describ formal. Accordance designations described from the collection of the artificial feedby for similar and artificial feedby for similarity of feedbase and collections.



FREE CATALOG

 With ANY ORDER. ... OR SENDS1.00 (Returnables with Orde
 OVER 1000 items for your ATARI! Including product descriptions.

EPSON • PERCOM
 BRODERSUND • APX
 ROKLAN • ON-LINE
 DATASOFT • ATAPI
 ADVENTURE INT'L

ADVENTURE INT'L
 SYNAPSE • VISICALC • Much More

★ We handle only ATARI compatible hardware & software . . . so we know what works best! CALL US FIRST!!!



Pharaoh's
Curse Multiple Screens
Grat Graphics
32X Topo. Disk. Action Adventure
Multiple Players

\$31.50 809 \$34 95

Protect Your Investment

DUST COVERS

Durable Brown Vinyl

410 • 400 • 800 • 810

Please Specify \$8.95

Please Specify \$8.95 au * Top-Ten Programs * 1. Zarron 6. Astro Chase Disk, Tape \$35.10 Disk Tape \$26.90 2. Dankey Kang 7.00 Cart \$44 50 Durt-\$39.50 3. Dig Deg. S. May Ou Car1539.50 Disk \$11.50 4. Necromance 3. Motkey Wreach II Disk Tage \$31 50 Cart \$54 m 5. Football

CREDIT CARD ORDERS - • Master Card
TOLL FREE 1-800-452-8013 • American
(ROBERS ONLY-For Information (2009838-8620
Express
Shipping & Hendling: UPS or PARCEL POST \$2.00

Visa

Desk Lane \$28.90

UPS Air (48 hr. Delivery!) \$3.90
COMPUTER
PALACE Royal Solve

2160 W. 11th Ave. Eugene, OR 97402 ... (503)683-6620

260 COMPUTER Sectionsher 1983.

Atari Menu Buttons

Joseph D. Korman

This utility streamlines the menu selection process by using the OPTION, SELECT, and START keys. The resulting program can be stored on tape or disk and can then be used as the beginning of new programs requiring menu selections.

After catching the programming bug and purchasing an Atari 801, 1 began to write custom programs for home use. These included checking account, household inventory, telephone book, and the like. In all the programs, the menus ended with an input statement requesting the code for the desired choice. For example:

- D. ENTER DEPOSIT
 C. ENTER CHECKS
 L. LIST CHECKS
- S. SAVE REVISED DATA ENTER NEXT FUNCTION:

After input of the variable, the program would run a series of IE tests to determine the choice and proceed to the indicated line number for exception. Although the programs worked well, I felt that something was missing to streamline the selection process. I found the answer in James Brunn's article in COMPUTE's First Book of Atari. The article included information about using the OPTION / SELECT / STAKT buttons on the 800 keeboard.

The menu create utility is actually a skeleton of a program designed to left the user move the cursor to each of the menu options by pressing the OFITON key. Once the cursor is at the film of the desired option, the SELECT key is used in the desired option, the SELECT key is used line. After the skeleton is loaded, the titles and option names should be changed to reflect the requirements of the new program. After this is done, the programmer need only enter the logic menu after their execution.

The following program provides ten options starting on line five (5) and printing on each odd line. The user may add more selections to this column and may add a second column to the right side of the screen. If this is done, some changes in the cursor movement logic will be required. This will allow the user to make truly custom menus for the Aurit 400/800 programs.

The -] is printed in reverse mode and moves down each time the OPTION button is pressed. The menu created by this program looks like

this on the screen:

ITEM 1
ITEM 2
ITEM 3
ITEM 4
ITEM 5
ITEM 6
ITEM 7
ITEM 8
ITEM 9

Each time the OPTION button is pressed, the arrow moves down the menu one position. Holding the OPTION button causes the arrow to continuously move from top to bottom and jump back to the top. The operator releases the button when the arrow is adjacent to the desired option.

back to the top. The operator releases the butto when the arrow is adjacent to the desired optic The SELECT button is then pressed to execute that part of the program.

Menu Buttons

```
18 GRAPHICS 8: SETCOLOR 2,2,8: SETCOLO
  R 1.2.6
11 POKE 752, 1
21 POSITION 2,317 "(3 SPACES) ITEM 1"
22 POSITION 2,5:? "(3 SPACES) ITEM 2"
23 POSITION 2,7:7 "(3 SPACES) ITEM 3"
24 POSITION 2,9:7 "(3 SPACES) ITEM 4"
25 POSITION 2,11:? "(3 SPACES) ITEM 5
26 POSITION 2, 13:? "(3 SPACES) ITEM 6
27 POSITION 2,15:? "(3 SPACES) ITEM 7
28 POSITION 2,17:? "(3 SPACES) ITEM 8
29 POSITION 2.19:2 "(3 SPACES) ITEM 9
3# POSITION 2,21:? "(3 SPACES) ITEM :
31 REM POSITION ENTRIES ON ALL LINES
    TO INCREASE THE NUMBER OF SELECT
```

35 POSITION 2.3:L=3:? "DU"

46 IF PEFK (53279) =3 THEN 56

41 IF PEEK (53279) = 5 THEN 68 42 IF PEEK (53279) = 6 THEN RUN

43 GOTO 46

52 ? "

50 REM DISTRIBUTED

51 POSITION 2.L

September 1983 COMPUTE: 261



Allen, Texas 75002

```
ON ALL LINES
54 IF L=23 THEN L=3
       RT
       GOTO 48
A1 TE 1 = 3 THEN 188
62 IF L=5 THEN 200
63 IF L=7 THEN 300
64 IF L=9 THEN 400
45
              L=13
66
67
68 IF L=17 THEN 800
69 IF L-19 THEN 900
70 IF L=21 THEN 1000
71 IF L=23 THEN L=3:80T0 61
72 REM ADJUST THE ABOVE LOGIC FOR SI
       NGLE LINE SELECTIONS AND DUAL COL
       UMN MENUS
100 GRAPHICS 0: SETCOLOR 2,1,2: SETCOL
OR 1,1,8
110 POSITION 12,1:7 "FREEDING TAX IP"
115 REM PUT LOGIC FOR THE SELECTION
         HERE
116 REM DON'T FORGET LOGIC TO RETURN
            TO THE MAIN MENU AFTER THE SELE
         CTION IS COMPLETED.
117 REM CONTINUE FOR ALL OTHER SELEC
          TIONS
12Ø FOR T=1 TO 5ØØ: NEXT T: RUN
200 GRAPHICS 0: SETCOLOR 2.8.2: SETCOL
         OR 1,8,8
218 POSITION 12.1:? "FORTER PONTS:
220 FOR T=1 TO 500:NEXT T:RUN
300 GRAPHICS 0: SETCOLOR 2, 8, 8: SETCOL
         OR 1.8.2
310 POSITION 12,1:? "FET-20 (00 74:00"
320 FOR T-1 TO SOULNEXT TIRUN
488 GRAPHICS #: SETCOLOR 2, 4, 8: SETCOL
         OR 2,4,2
418 POSITION 12,1:? "MARGE CONTRACT"
428 FOR T=1 TO 588: NEXT T: RUN
500 GRAPHICS 0: SETCOLOR 2, 11, 8: SETCO
         LOR 2, 11, 2
518 POSITION 12,1:? "Ferential and the state of the state
528 FOR T-1 TO SERINEXT TIRUN
600 GRAPHICS 0: SETCOLOR 2, 1, 2: SETCOL
OR 1,1,8
610 POSITION 12,1:? "10.00 TUBBLE C"
620 FOR T=1 TO 500: NEXT T: RUN
700 GRAPHICS 0: SETCOLOR 2, 8, 2: SETCOL
715 IF L=23 THEN L=3:60T0 61
720 FOR T=1 TO 500: NEXT T: RUN
800 GRAPHICS 0:SETCOLOR 2,8,8:SETCOL
         OR 1,8,2
810 POSITION 12,1:? "Person descriptions
828 FOR T=1 TO 588: NEXT T: RUN
988 GRAPHICS 8:SETCOLOR 2,4,8:SETCOL
```

OR 2,4,2

OLOR 2,11,2 1818 POSITION 12, 1:7 "Feres (5-14:18)

918 POSITION 12,1:? "Ference design" 928 FOR T=1 TO 588: NEXT T: RUN

1888 GRAPHICS #: SETCOLOR 2.11.8: SETC

1828 FOR T=1 TO 588: NEXT T:RUN

53 L=L+2:REM USE L+1 IF ENTRIES ARE 55 POSITION 2.L:REM FOR TWO COLUMN M ENU POSITION 21, L AND ADD LOGIC T O RETURN TO LEFT COLUMN FROM BOT ? "DO": FOR T=1 TO 40: NEXT T: REM U SE HIGHER NUMBER TO SLOW DO REM PROMOTERATOR IF 1=11 THEN 500 THEN AGG IF L=15 THEN 700

All About The Hardware Interrupt

Peter Marcotty

Using the hardware interrupt vector is not something that you can learn by reading a user's manual. This article defines it and discusses how to use it in your machine language programs.

An interrupt is a hardware event. Every 60th of a second, a clock inside the computer causes a change in voltage on one of the pins of the 6502 chip (65101 you have a 64). This change tells the 6302 to stop (interrupt) whatever it is doing, remember how to get back to it, and go to the member how to get back to it, and go to the period of the computer which points to the address inside the computer which points to the address of a machine language program that normally "services" the interruption.)

Usually the vector sends the computer to a program that updates the screen, looks at the keyboard, and changes the value of TIS. (This is the 'servicing.') No matter what you are doing in BASIC or machine language, the interrupt will happen 60 times a second unless you specifically turn it off.

Perhaps the most effective use of the interrupt is that you can wedge a routine of your own into the process, before it goes off to its regular house-keeping chores. Simply point the interrupt vector to the beginning of your routine, do whatever you want to do, and then send the computer to

In order for us to change the interrupt vector, we must stop the hardware interrupt action altogether. If it tried to jump to the location pointed to by the interrupt vector, and we had changed only one byte of the two-byte vector (nemember, interrupts can happen at any time), we'd get some very undesirable results.

Implementing The Interrupt

where it usually goes.

It will be helpful if you refer to the program for your machine while reading this section.

The first line of your program should be the SEI command. SEI stands for SEt Interrupt mask, and it will stop the computer from interrupting until you let it. After an SEL, you have about 0.00 seconds to change the interrupt vector before the computer gets imputient and caselses. Fortunately, this is pelany to firme for our purposes. The next four lines take the address of our program (both the low and high byte) and put them in the hardware interrupt vector. Next we have a CLI (CLear Interrupt mask) which tells the computer it can start performing interrupts again. Finally, and the computer of t

The program does not finish running with the RTS command; in fact, it's only just beginning. Since the hardware interrupt vector now points to our own routine, every 60th of a second our main program will be run, almost without any delay in whatever else we might be doing.

At the end of the routine that does the actual work, we cannot return from wherever we were called with a simple RIS. The screen has yet to be updated, and the keyboard hasn't been checked to see if any keys are down. We must JMP to the location where the vector usually points. That's so the hardware interrupt vector for various computers are given in the table.

The sample program should help you understand how your interrupt routines must be set up. To turn off your interrupt-driven program,

you can change the pointer back to its original value, or on the VIC and 64, simply hit RUN/STOP and RESTORE.

The example programs simply take a look at the contents of the memory location that shows what key is currently being pressed and puts it in the top left corner of the screen.

Two programs are given for each machine. The first can be typed in with an assembler, and the second is a hexadecimal dump to be entered with a monitor. Both have exactly the same effects. To RUN the programs on a PET. type SYS 826, no a VIC or 64, SYS 828. The programs are located in a VIC or 64, SYS 828. The programs are located in ory that is usually safe for small machine language proceasus.

Note that interrupt-driven programs will interfere with the normal operation of LOAD and SAVE commands.

Interrupt Memory Locations

The hardware interrupt on the 64 and VIC works in exactly the same way as on the PET, although memory locations will be different.

This table shows all the differences:

	Location	Points to	
Upgrade PETs	144-145	(\$90-\$91)	\$E62E
4.0PETs 64		(\$90-\$91) (\$314-\$315)	\$E455 \$EA31
VIC	788-789	(\$315-\$315)	\$EABF

Program	4:	Hardware	Interrupt	Routine	-VIC	Version
2						

2							
41	Ø33C					.OPT	P4,00
6:	Ø33C					*=	\$Ø33C
					:VIC	VERSION	
10:	Ø33C	78				SEI	
20:	Ø33D	A9	49			LDA	#\$49
30:	Ø33F	8D	14	Ø3		STA	\$314
40:	0342	A9	03			LDA	#\$Ø3
50:	0344	8D	15	03		STA	\$315
60:	0347	58				CLI	
7Ø:	0348	60				RTS	
80:	0349	Α5	CB			LDA	203
90:	Ø34B	8D	00	1E		STA	\$1E00
95:	Ø34E	Α9	00			LDA	80
97:	Ø35Ø	8D	99	96		STA	\$9600
1000:	0353	4c	BF	EA		JMP	\$EABF
C*							

; DISABLE INTERRUPTS
; LOAD LOW BYTE OF ROUTINE IN LINE 80
; STORE LO BYTE OF INTERRUPT VECTOR
; LOAD HI BYTE OF ROUTINE IN LINE 80
; STORE HI SYTE OF INTERRUPT VECTOR
; REINABLE INTERRUPT
RETURN

;LOAD CURRENT KEY PRESSED ;STORE IT ON THE SCREEN

;SET COLOR TO BLACK

PC IRQ SR AC XR YR SP .; B780 E455 2C 34 3A 9D FA .: 033C 78 A9 49 8D 14 03 A9 03

.: 0344 8D 15 03 58 60 A5 CB 8D .: 034C 00 1E A9 00 8D 00 96 4C .: 0354 BF EA 49 56 2E 36 34 2E

Interrupt Applications

Eric Brandon, Editoriol Programmer

Interrupts can be used in many different applications, but the two most common are within utilities and games.

Because an interrupt-driven program is in the "background" of whatever the user is doing, it is ideal for applications where we want to do something concurrent with the normal operation of the computer. Good examples of this are found in "Marquee" (COMPUTE, February 1981), which displays a message across the top of the screen as a sort of electronic "string around your finger," of the control of the screen to remind you to stop playing Allien Zap and go to bed.

Other uses for interrupt-driven utilities are programs which constantly check which keys are pressed and act accordingly. My favorite from this class is "Keyprint" (COMPUTEL, November/December 1980). Whenever you hit the & and the shift simultaneously, the computer freezes and sends whatever is on the screen to the printer.

In games, interrupts can be used for convenience or smoothness. Suppose you want to write a space game which has a moving starfield in the background. You could worry about writing a program which simultaneously moves your spaceship, the mutant ants, and the starfield around, or you could use interrupts. It is a simple matter to write a routine which moves some stars you will be considered to the star of the st

Best of all, when something holds up your main program for a second or two, such as a sound effect or an explosion, the background won't freeze up but will keep moving, making your game look "smoother" and more professional.

D.E.S.-SOFT

DES-Data Equipment Supply Corp



ZARCON By Steven Prentise

Destined to be one of the best arcade style games on commodore computers.Can you in your Zarcon Fighter shoot all the alien formations

while flying through an asteriod field! 5 Levels of excitement Joystick required Vic-20 cassette Commodore 64 cassette

9.95 9.95

SHROOMS

Subterranean Encounter By Michael Koberstein

Inner Earth has invaded the surface world. The mutant spiders and the moles have taken humans captive and changed them into mussrooms. To rescue them you must enter the caverns. You are their only hope. Good Luck! Vic-20 & 8K Expander, -Joystick-cass



SPHINX

3-D ADVENTURE

By Cory Christensen

You the Adventurous Explorer are looking for the lost treasure of the Sphinx. It is rumored to be in the Ancient Pyramid of RA. Beware of deadly traps and hidden passage ways. Commodore 64-cassette





You are the commander of squadron of laser ships. It is your duty to defend the cities of earth against incoming alien attack. Spectacular Hi-Res graphics and machine code for super fast action Joystick Vic-20 cassette 9.95



SEE YOUR LOCAL DEALER TO SEE OUR FINE PRODUCTS

Software Distribution Available (714)Data Equipment Supply Corp. 8315 Firestone Blvd., Downey, CA 90241

COMMODORE", COMMODORE 64", and CRM" are trademarks of Commodore Business Machines, inc

Program 1: Hardware Interrupt Routine - 4.0 BASIC Version (4032, 8032)

```
.OPT P4.00
4:
       Ø33A
6:
       Ø33A
                              ..
                                    SØ33A
                      :PET 4.0 VERSION
                                            DISABLE INTERRUPTS
10:
       Ø33A 78
                              SET
                                    #$45
                                            :LOAD LOW SYTE OF ROUTINE IN LINE 86
20:
       Ø338 A9 45
                                            STORE LO BYTE OF INTERRUPT VECTOR
30:
       Ø33D 85 9Ø
                              STA
                                    598
       Ø33F A9 Ø3
                              LDA
                                    #$83
                                            ; LOAD HI BYTE OF ROUTINE IN LINE 88
40:
       0341 85 91
                                            STORE HI BYTE OF INTERRUPT VECTOR
50:
                              STA
                                    591
60.
       0343 58
                                            REENABLE INTERRUPT
70:
       0344 60
                              RTS
                                            RETURN
80:
       Ø345 A5 97
                              LDA 151
                                            LOAD CURRENT KEY PRESSED
90.
       Ø347 8D ØØ 8Ø
                              STA $8800
                                            STORE IT ON THE SCREEN
1000:
      Ø34A 4C 55 E4
                              JMP
                                    SE455
C
     PC IRQ SR AC XR YR SP
    878Ø E455 2C 34 3A 9D F8
```

.: 834A 4C 55 E4 38 2C 38 38 3P Program 2: Hardware Interrupt Routine - Upgrade ROM Version (3016, 3032)

```
2
4
       Ø338
                               OPT P4.00
6:
       Ø33A
                               .-
                                    $Ø33A
                       ; PET UPGRADE (2.0) VERSION
10.
       Ø33A 78
                               SEI
                                            :DISABLE INTERRUPTS
                                    #845
20:
       Ø338 A9 45
                               LDA
                                            *LOAD LOW BYTE OF ROUTINE IN LINE RE
30:
       Ø33D 85 9Ø
                               STA
                                    $90
                                            STORE LO SYTE OF INTERRUPT VECTOR
48:
       Ø33F A9 Ø3
                               LDA
                                    #SØ3
                                            *LOAD HI BYTE OF ROUTING IN LINE 80
50.
       6341 85 91
                               STA
                                    $91
                                            STORE HI BYTE OF INTERRUPT VECTOR
60
       Ø343 58
                               CLI
                                            REENABLE INTERRUPT
78
       6344 66
                               RTS
                                             RETURN
BØ.
       Ø345 A5 97
                               I.DA
                                    151
                                            : LOAD CURRENT KEY PRESSED
                                    $8000
98:
       Ø347 8D ØØ 88
                               STA
                                            STORE IT ON THE SCREEN
1000:
      034A 4C 2E E6
                               TMP
                                    SE62F
CA
     PC IRO SR AC XR YR SP
   878Ø E455 2C 34 3A 9D FA
. .
   Ø33A 78 A9 45 85 9Ø A9 Ø3 84
   Ø342 91 58 6Ø A5 97 8D ØØ 8Ø
   Ø34A 4C 2E E6 3Ø 2C 3Ø 3Ø 3F
```

Program 3: Hardware Interrupt Routine - 64 Version

033C 78 A9 49 8D 14 03 A9 03 0344 8D 15 03 58 60 A5 CB 8D 034C 00 04 A9 01 8D 00 D8 4C 0354 31 EA 49 56 2E 34 2E 30

. :

833A 78 A9 45 85 98 A9 83 85 8342 91 58 68 A5 97 RD 88 88

```
4:
       Ø33C
                               .OPT P4,00
6:
       Ø33C
                                    $Ø33C
                       :64 VERSTON
10
       Ø33C 78
                               SEI
                                             DISABLE INTERRUPTS
20:
       Ø33D A9 49
                                    #$49
                               LDA
                                             ; LOAD LOW SYTE OF ROUTINE IN LINE 80
30:
       Ø33F 8D 14 Ø3
                               STA
                                    $314
                                             STORE LO BYTE OF INTERRUPT VECTOR
40:
       Ø342 A9 Ø3
                                   #SØ3
                                             ; LOAD HI SYTE OF ROUTINE IN LINE 80
                               LDA
50:
       Ø344 8D 15 Ø3
                               STA
                                   $315
                                             STORE HI BYTE OF INTERRUPT VECTOR
60
       6347 58
                               CLI
                                             : REENABLE INTERRUPT
78:
       Ø348 6Ø
                                             RETURN
80:
       Ø349 A5 CE
                               LDA
                                    283
                                             :LOAD CURRENT KEY PRESSED
98.
     · Ø34B BD ØØ Ø4
                                    $8488
                                             STORE IT ON THE SCREEN
95:
       Ø34E A9 Ø1
                               LDA
97:
       0350 AD 00 DE
                               STA
                                    SDRØØ
                                             :SET COLOR TO WHITE
1000:
      Ø353 4C 31 EA
                               JMP
                                    SEA31
C*
     PC IRQ SR AC XR YR SF
   B780 E455 2C 34 3A 9D FA
```

Gcommodor	e	Parallel interface (Epson, Okidara,
		10 S, NEC) 70
NEW COMMODORE PRODUCT		Programmers Reference Guide 18
The Executive 64	Call	Verbatim Diskettes (10 per box) 26
CBM C128-80\$		Hes Modem
CBM BX700 2		A0A 1450 149
	Call	ADA 1800 (new) 129
	169	Numenc Keypad
	349	VIC PRODUCTS & ACCESSORIES
SOFTWARE FOR CBM 64	9	BK RAM Memory Expansion Cartridge \$ 40
BUSINESS		16K RAM 70
	69	24K RAM 105
Quick Brown Fox	56	VIC 3 Stof Expander
Writers Assistant	99	VIC 6 Stof Expander. 70
Spell Master	75	Cossette Interface
	125	Gorf (64 also)
Busicalc II	95	Omega Race
Spread Sheet Assistant	99	Aroade Joystick - Heavy duty w/2 firing
Data Manager	70	buttons! Great for the VIC or 64 25
M File (merge with WordPro)	89	Auto Clock 125 MONITORS - GREAT
	139	RESOLUTION (64 OR VIC)
64 Mailing List	28	CBM 1701 Calor Monitor
The Manager	50	Amdek Color Plus
Home Accountant (cantinental)	75	Pongsonic TR-120 (w/speaker) 155
Finance Assistant	45	Panasonic CT-160
Stock (investment analysis)	80	BMC (green screen)
Agriculturol Management	Call	Transfor 20 (high resolution
General Ledger, A/R, A/P, P/R, Inv	Call	
RECREATION		green phosphor)
Assembler Pockage (cossette or disk,		PRINTERS - LETTER QUALITY
compiled, includes editor, loader,		CBM 6400, 40 cps
disassembler)	39	Oligbio 620, 25 cps 949
Sprife Master (access)	30	Transfer 140 (serial)
Neutral Zone (access)	35	Transfer 130, 16 aps (auto logd,
Space Belt.	19	wp featurest)
Pet Emulator	30	NEC 3500 Series
Coco II (build your own games)	40	NEC 7700 Series
Vic Tree (programmers utilities)	75	PRINTERS - DOT MATRIX
Micro-Term (save to printer disk)	39	CBM 8023, 150 cps/graphics \$ 545
Hesmon	35	CBM 4023 Printer
Synthesound	45	Epson FX Printer, 160 cps 549
Gothmogs Lair	30	Epson MX-80 FT w/graftrax Call
Road Tood.	15	Epson FX-100
Cammodore Games	Call	Okidato B2A, 120 cos (seria)
INTERFACES & ACCESSORIE	S	ond parallel)
	159	NEC 8023A (ografiel)
VIC 1600 Modem	95	Okidata 92
VIC 1650 (auto answer, auto dial)	150	Stor Gemini 10
VIC 1525 Grophic Printer	225	Stor Gemini, 15
VIC 1530 Datasette Recorder	65	Transfer 315 (hi-res, color) 575
VIC 1541 0isk Onve	249	COMMODORE BUSINESS
VIC Switch (connect B 64's or Vics		SERIES
to printer, dd)	149	SuperPot (5 languages,
PET-IEEE cable	33	2 processors) \$1059
IEEE-IEEE cable (2m)	49	CBM 8032 Computer, 80 Column 595

1	MODORE.
- 4	CBM Memory Expansion, 64K
70	C8M 8050, 1 mg. Dual Drive 995
18	C8M 8250, 2 mg Duol Orive
26	CBM 09080, 5 mg. Hard Disk 1995 CBM D9090, 7.5 mg. Hard Disk 2250
75	C8M 2031, 170K Single Drive (New) 395
149	OC Haves Smart Modern
65	BUSINESS SOFTWARE-8032
ES	WordPro 4* or 5* \$ 309
40	InfoPro
70	Administrator
105	VisiCalc (expanded)
27	Poyroll
70	MasterCard, Visa,
30	Money Order, Bank Check
30	COO (add \$5) accepted.
-	Add 3% surchgrae for credit cords.
25	In stock items shipped within 48 hours.
125	F.O.B, Dallas, Texas
	All products shipped with manufacturer's warranty.
249	Prices are subject to change without natice.
299	TO ORDER
155	CALL TOLL FREE
279	800-527-4893
95	800-442-1048
	(Within Texas)
129	Business Hours Man Fri. 8 to 6, Sat. 10-2
15	Mon Ht. 6 to 6, Sdl. 10-2
¥ 450	Write for free catalog.
949	
395	
000	GAME OF THE MONTH
769	Adventu-Writer (make your
600	own adventure games) Join the Adventu-Writer Club
350	Adventu-Wyler Club
545	PRODUCT OF THE MONTH
395	INTERPOD (intelligent IEEE
549	RS232, serial interface
Call	for VIC or C64)\$ 179
859	
429 429 559	43
329	1
499	N.

SJB DISTRIBUTORS INC. 10520 Plano Road, Suite 206 Dallos, Texas 75238 (214) 343-1328

Cracking The Kernal

Peter Marcatty

What is the 64 Kernal? How is it available and how a you use it? This article answers these questions and summarizes each of the Kernal's routines - a real machine language programmer's aid.

What if you want to write a machine language (ML) program for the Commodore 64 that uses the disk drive? Or what if you would like to have your ML program print out to the printer? Whe do you begin?

First of all, when you're writing ML program it is often helpful to use the routines that are already part of the computer's operating system. But sometimes these routines are buried in ROM among countless other things and they can seen impossible to find. For Commodore 64 users, th Kernal simplifies the search. The Kernal is the 6 operating system and contains a collection of ex tremely useful subroutines that are often quite easy to use

The wonderful thing about these routines i the incredibly simple way to communicate with them and the powerful results of such brief programming. Often all that is necessary to utilize the subroutine is to load the accumulator (LDA) with one number. Occasionally, a routine will o for another preparatory subroutine to be called first, but these setup routines are just as easy to

Using the Kernal involves just these three simple steps: 1) setting up, 2) calling the routine and 3) handling any errors.

User Callable Kernal Routines Address

	Hex	Decimal	
	\$FFA5		Input byte from serial port.
CHKIN			Open channel for input.
CHKOUT		65481	Open channel for output.
CHRIN		65487	Input character from chang
CHROUT	SFFD2		Output character to channe
CIOUT	SFFA8	65448	Output byte to serial port

Initialize screen editor

do	CLALL	\$FFE7	65511	Close all channels and files,
	CLOSE	\$FFC3		Close a specified logical file.
	CLRCHN	\$FFCC	65484	Close input and output channe
	GETIN	\$FFE4	65508	Get character from keyboard
				buffer.
_	IOBASE	SFFF3	65523	Return base address of I/O
				devices.
	IOINIT	SFF84	65412	Initialize input/output.
	LISTEN	SFFB1	65457	Command devices on serial
				bus to LISTEN.
re	LOAD	\$FFD5	65493	Load RAM from a device.
re	MEMBOT	SFF9C	65436	Read/set bottom of memory.
	MEMTOP	\$FF99	65433	Read/set top of memory.
	OPEN	\$FFC0	65472	Open a logical file.
ns,	PLOT	\$FFF0	65520	Read/set X,Y cursor position.
	RAMTAS		65415	Initialize RAM, reset tape buffe
	RDTIM	\$FFDE		Read realtime clock.
M	READST	SFFB7	65463	Read I/O status word.
m	RESTOR	SFF8A	65418	Restore I/O default vectors.
ne	SAVE	SFFD8		Save RAM to device.
	SCNKEY	SFF9F	65439	Scan keyboard.
4	SCREEN	\$FFED	65517	Return X, Y organization of
(-				screen.
	SECOND	\$FF93	65427	Send secondary address after
				LISTEN.
is	SETLFS	\$FFBA	65466	Set logical, first, and second
				address.
l.	SETMSG		65424	Control Kernal messages.
-	SETNAM		65469	Set filename.
		\$FFDB		Set realtime clock.
	SETTMO			Set time-out on serial bus.
all		\$FFE1	65505	Check for STOP key.
911	TALK	\$FFB4	65460	Command serial bus device to
				TALK.
	TKSA	\$FF96	65430	Send secondary address after
				TALK.
		SFFEA		Increment realtime clock.
2,	UNLSN	SFFAE	65454	Command serial bus to
,		erran		UNLISTEN.
	UNTLK VECTOR	SFFAB SFF8D		Command senal bus to UNTALI
	VECTOR	2018D	65421	Read/set vectored I/O.

Here is a brief summary of each routine with examples:

ACPTR is used to get data off the serial bus. TALK and TKSA must be called first.

: Get a byte from the serial bus ISR ACPTR

STA \$0800 ;This example only shows the end result: call TALK and TKSA first.

September 1983

Name

Cassettes are slow...

If you own a Commodore 64th or VIC 20th computer, you already know how long it can take to load or save a pro How much time are you wasting just waiting for READY to appear on the screen? Probably a lot, end that's why you need THE SIGNAL® from ZAXIS.

THE SIGNAL outomatically keeps track of cossette operations and signals you with a pleasant "beep" when both a

program header is found and when a Load or Save is

completed. You no longer need to stare at the screen for what seems like endless minutes... instead you can go on to other work and when you heer THE

SIGNAL, you know that things are READY THE SIGNAL also provides a reassuring power-on under program control.



THE SIGNAL plugs right into the back of your VIC 20 or Commodore 64 computer, and your cassette cable plugs into THE SIGNAL. That's all it takes to start making your c operations more efficient. After you've used THE SIGNAL, you won't know how you got along without it!

THE SIGNAL is available from your favorite computer dealer, or order direct \$29.95 plus \$3.00 for UPS shapping and handling (CA residents add 6.5% sales tox). We accept VISA, MasterCard, theck or money order Do not send cash Sorry, no CODs. Seets Squares Webson



P.O. Box 666 San Carles, CA 94070 (415) 592,4334

Commodore 64" -VIC-20" software from







ALIEN INVASION 4 piowes Creatures descend Game ATOMIC MAN Super hero rescues a cit Pak

SERPENTS 2 players. Snakes entangle each other

Specify Commodore 64 or VIC-2O, Disk-Pak or Cassette Pak To order: Mail address along with check or money order to: ADVANCED ARCADEWARE A

P.O. Box 845 Thomasville, NC 2736O (919) 431-3231

Accounts Payable Receivable

Program

- Business or Home owner, keep track of your accounts payable and
- receivables 300 entries per disk
- · 75 entries per cassette
- Printer option Automatic Sort
- Requires 8K or 16K Expander

Disk - \$35.95

Cassette - \$29.95 """COMPU SENSE":"







irsonal checks allow 3 week didners noes subject to altange

"SMART TERMINAL" TELECOMPUTING POWER FOR VIC - 20 COMMODORE 64

"Smart-Term" does more than convert your VIC or 64 to a null terminal, if gives you features other programs don't offer, such as

A PFT to asci conversion test mode

Transmits all ascir control characters Transmits 122 ascir codes Receives 92 ascir codes Has recest key festure Alignes you to enter and save four perma-

nent messages (up to 80 characters each) for one key, transmission of code, pass word, names, messages, etc.

word, names, messages, etc. Easy to read, smooth scrolling characters Fully menu driven for reliability and case rangents and receives in seperate cha racter colors (selectable) Many other features

One of the best telecommunications programs wallacle, "Smart-Term" converts your VIC or 64 into a SMART TERMINAL. Requires minimum SK

Specify VIC-20 or 64; TAPE \$16.95 or DISK: \$18.95 (u.s. funds) + \$1.50 P&H

TO ORDER SEND CHECK OR MONEY ORDER, CHECK NEED THREE WEEKS TO CLEAR, NO.C.O.D. 'S TO U.R. CANADIAN ORDERS ADD 25'4 FOR CON. TURDS. BYTE - RYTE
P.O. BOX 205, STATION CART. MONTREAL, QUEBEC Hak 2.15 CANADA

DEALER INQUIRIES INVITED VIC-20 and Commodore 64 are registered?

64K MEMORY FOR THE *VIC 20? YES, IT'S HERE!

ANNOUNCES THE BAKY MEMORY EXPANSION MODULE THE BAKY MEMORY EXPANSION + 40K 400 WISH OF NORMAL EXPANSION THAT AND POR PROGRAM OR DATA STOPAGE THE IS PAGED IN OR OUT IN SK SLOCKS WI SINGLE POKE INSTR. THE GRKV LISES S OF THE ART CYMAMIC RAMS WITH TRAP

OF THE ART OYNAMIC RAMS WITH THAN RENT REFRESH ALL EX BLOCKS ARE BA SELECTABLE AND THE ENTIRE UNIT OF ONLY 250 MA PLUOS ORBCTLY INTO PORT ML THIS AT A PRIOR YOU CAN ARE ONLY \$179.95

ISHIPPING AND HANGLING INCLUDED SO ONLY I MATER WARRANTY

0HQ RESIDENTS AGO SALES TA	٥
LETCO 7310 WELLS RO PLAN CITY DH 43084 CEPT CM 1-814-873-4410	

1-814-873-4410					
NAME					
ADDRESS					
OTY STATE					
ZP-CD09					

WE ACCEPT WAS OR MASTERCARD PLEASE INCLUDE CARDING EXPLORED AND SIGN. "VICEO IS A REGITM OF GISIM INC

```
; The accumulator designates the file #.
     JSR CHKIN
     : The X register designates which file #.
                                                       CLRCHN resets all channels and I/O registers -
CHKOUT. Just like CHKIN, but it defines the file
                                                       the input to keyboard and the output to screen.
for output. OPEN must be called first
                                                             ; Restore default values to I/O devices
                                                             ISR CLRCHN
     : Define logical file #4 as an output file
     LDX #4
                                                            : The accumulator and the X register are altered.
     ISR CHKOUT
     ; Once again the X register defines the file #.
                                                       GETIN will get one piece of data from the input
CHRIN will get a character from the current input
                                                       device. OPEN and CHKIN can be used to change
device. Calling OPEN and CHKIN can change
                                                        the input device.
the input device.
                                                               Wait for a key to be pressed.
                                                             WAIT ISR GETIN
      ; Store a typed string to the screen
                                                                  CMP #0
           LDY #500
                                                                   BEO WAIT
     LOOP JSR CHRIN
                                                              ; If the serial bus is used, then all registers are altered
           STA $0800.Y
                                                        IOBASE returns the low and high bytes of the
           CMP #S0D
                                                        starting address of the I/O devices in the X and Y
           BNE LOOP
                                                        registers.
      ; This example is like an INPUT statement, Try
                                                             ; Set the Data Direction Register of the user port to 0
        running it
                                                             ISR TORASE
CHROUT. Load the accumulator with your
                                                             STX POINT
number and call. OPEN and CHKOUT will change
                                                             STY POINT+1
the output device.
                                                             IDV #2
                                                             LDA #0
     ; Duplicate the command of CMD 4:PRINT "A":
                                                             STA (POINT), Y
     LDX #4
                                                             ; POINT is a zero-page address used to access the DDR
     ISR CHKOUT
     LDA #'A
     ISR CHROUT
                                                        IOINIT initializes all I/O devices and routines. It
                                                        is part of the system's powering-up routine.
     ; The letter A is printed to the screen; call OPEN first
    for the printer.
                                                             : Initialize all I/O devices
                                                             ISR IOINIT
CIOUT will send data to the serial bus. LISTEN
and SECOND must be called first. Call UNLSN to
                                                             ; All registers are altered.
finish up neatly.
                                                        LISTEN will command any device on the serial
     ; Send the letter X to the serial bus
                                                        bus to receive data.
     LDA #'X
                                                             : Command device #8 to listen
     ISR CIOUT
                                                             LDA #8
                                                             ISR
     : The accumulator is used to transfer the data.
                                                             LISTEN
                                                             ; The accumulator designates the device #
CINT resets the 6567 video controller chip and
the screen editor.
                                                        LOAD. The computer will perform either the
                                                        LOAD or the VERIFY command. If the ac-
     ; Reset the 6567 chip and the 6566 VIC chip.
                                                        cumulator is a 1, then LOAD; if 0, then verify.
     ISR CINT
                                                             ; Load a program into memory.
    ; Basically, just like pressing the STOP and RESTORE
                                                             LDA #508
                                                            LDX #$02
     keys.
                                                            LDY #$00
                                                             ISR SETLES
CLALL really does what its name implies - it closes
                                                             LDA #$04
all files and resets all channels
                                                             LDX #L.NAME
                                                             LDY #H.NAME
     : Close all files
                                                             ISR SETNAM
    JSR CLALL
                                                            LDA #$00
                                                            LDY #$20
    ; The CLRCHN routine is called automatically.
                                                            JSR LOAD
CLOSE. This routine will CLOSE any logical file
                                                            RTS
270 COMPUTE September 1983
```

that has been OPENed.

ISR CLOSE

Close logical file #2 LDA #2

CHKIN is used to define any OPENed file as an

; Define logical file #2 as an input channel.

input file. OPEN must be called first.

LDX #2

SimplexSoft Ltd.

Superson Production become no resources or completes Lancousse, no complete UNITED TRANSPORT OF THE PRODUCTION OF THE PRODUCT OF THE PRODUCT

Factors Note:—It was to want to exact to page religion for to one—white must design assumment paid crospin by specim—assumed, ligher beauty line power for female, from the forther beauty for before intelliging the properties of pages to be properties for the page of the section—assumption—light department or pages is an expension or properties of pages and assumed as all and design between 5 properties of pages in the page of pages in the control pages of pages and pages to page to the page pages—assumed to page to the page pages—assumed to page to the page page. The page pages is the page page to page to the page pages and pages to the page page to page page

ACCES — "ACCESS" (ACCESS CALLES CALLE

NPAA FOR Mater-death herites agreement havens equated A red states agreement and consecution of the control of

ne conti i i mere popor ruma i a mon-pote -acros-acros-acros-acros-acros-on-pote -acros-acros-on-pote -acros-acros-on-pote -acros-acros-on-pote -acros-on-pote -acros-on-po

For Real Estate & Property Investment Agents
"REAL ESTATE ANALYSIS"
Associate popular investment and page pages do set on set our set during a special set de deposition con les considered de COMMODORE 64 Clink or Cassalle Tope

5

For Insurence Agents or Earlete Plenners
"ESTATE ANALYSIS"
for selvane product of beet years in earns glaming
CONNOCORE 64 Cask or Cessette Tape
224 55

*LOAN AMORTIZATION' progress a "ORPRECIATION" progress
COMMODORE 68 Both progress on one Olik or Tage
Specify season's laps or disk and computer model, Add \$2.00 for mailing—Send otherch or money order to:
SimplexSoft, Ltd.

617 N. Property Lane Marion, lowa 52302

VIC-90 and Commodore 64

IF YOU OWN A COMMONDER FOR SHAME AND YOU HAT TO STREET YOU. SHAME OF THE PROPERTY FORE CHILD'S MATERIALIST. WAS SHOULD SHAPE FOR CHILD'S MATERIALIST. WHICH SHAPE SHAPE

| 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100

PETAND

YORBA LINDA', CA.92686

C-64/VIC 20/PET/CBM DWNERS

RDADTDAD - Hop your load across 5 lanes of helfin, award deadly provides, and discipling the deaded tool entires. Cross a regard river full of large, applied to the control of the control of the control of the control of the page 15 stadis, you cross a tought in level where the action is stated and the base excess are more experience. ROADTOAD is written in sections language and loss high read-ling applied. The activity effects are consider and you ceruism.

a juyal or the single-out to control year treat

CASSISHIVE SIZE OF THE SIZE O

Write For NIBBLES & BITS, INC. Write For FREE P.O. BOX 2044 FREE Catalog ORGUTT, CA 93455 Catalog

on, low prices!

Wesome!

big selection!

big selection!

call us for law prices on hope, Alari, TRS-90, IBM

and Times Smithwere!

call us for low p. common to and Tr. common common

\$29.95

| Column | C

Eastern Time

(Daldren) 25-95 Facemaker (D) (Children) 29-95 Hey Diddle Diddle (D) 25-95 Fort Apocalypte (D/T) 26-25 Sunvivor (D/T) 26-15 Touch Typing Tutor (T) 14-95

VIC-20 Apple Page (C) \$29.91 Chaplifter (C) Assobitz (C) rashman (C 29 95 Black Hole (C Household Finance (T) 21 96 Ret Hotel (C) Pipes (C Home/Office (T) 21 96 Sword of Fargoal (T) (Expanded) 21.95 Rescue at Rigel (T) HES MOD IC HES Writer (WP) (C Agressor (C) Shamus (C

21 95 Bribat Pagic (C Pirate's Peni (C) Gridrunner (C) Turtie Graphics (C) Deadly Duck (C) Fast Eridic (C) Turmoil (C Type Attack (C. Astro Patrol (T) River Rescue (C) Mutant Herri (C) Fourth Encounter Submarine Commander (C) Grave Robbers (T) 11 95 Kongo Kong (T) Nite Rider (T) Trak (T) HFS Modern

Te Order: Send certified chacks; money orders; or use you Master Card or Visa and call 800-348-819. From inside the Hampshire call 803-542-8179. Personal or company check require hot to three weeks to client. All prims are subject to change without notice. Please include \$2.00 per package (1-100 pcs.) for postage and handling. Canada \$5.00 P&H. Other countries in-

P&H. For C.O.D.
\$3.63 shipping and handling. Hours:
The Sear Surfamer for Led
Claveront, NH 00140
Claveront, NH 00140

CALL NOW • 1-800-343-8016 • TOLL FREE

```
NAME .BY 'FILE'
                                                      cumulator
    ; Program 'FILE' will be loaded into memory starting at
                                                          ; Store system clock to screen
     8192 decimal, X being the low byte and Y being the
                                                          ISR RDTIM
      high byte for the load.
                                                          STA 1026
                                                          STX 1025
MEMBOT. If the carry bit is set, then the low
                                                          STY 1024
byte and the high byte of RAM are returned in
                                                          : The system clock can be translated as hours/minutes/
the X and Y registers. If the carry bit is clear, the
                                                          seconds.
bottom of RAM is set to the X and Y registers.
                                                      READST. When called, READST returns the
     ; Move bottom of memory up one page
                                                      status of the I/O devices. Any error code can be
     SEC
                                                      translated as operator error.
     ISP
         MEMBOT
                                                           : Check for read error.
     CLC
                                                           ISR READST
                                                          CMP #16
     ISR MEMBOT
                                                          BEO ERROR
     ; The accumulator is left alone.
                                                          ; In this case, if the accumulator is 16, a read error
MEMTOP, Same principle as MEMBOT, except
the top of RAM is affected
                                                      SCREEN returns the number of columns and
                                                      rows the screen has in the X and Y registers.
     : Protect 1K of memory from BASIC.
                                                           ; Determine the screen size
     ISR MEMTOP
                                                           ISR SCREEN
                                                           STX MAXCOL
                                                           STY MAXROW
     ISR MEMTOP
     : The accumulator is left alone
                                                           ; SCREEN allows further compatibility between the 64,
                                                            the VIC-20, and future versions of the 64,
OPEN. After SETLFS and SETNAM have been
                                                      SECOND. After LISTEN has been called, a
called, you can OPEN a logical file.
                                                      SECONDary address may be sent.
    ; Duplicate the command OPEN 15,8,15,'I/O'
     LDA #3
                                                           : Address device #8 with secondary address #15.
     LDX #L,NAME
                                                           LDA #8
     LDY #H.NAME
                                                           JSR LISTEN
     ISR SETNAM
                                                           LDA #15
     LDA #15
                                                           JSR SECOND
     LDX #8
                                                           ; The accumulator designates the address number
     LDY #15
     ISR SETLES
                                                      SETLFS stands for SET Logical address, File ad-
     JSR OPEN
                                                      dress, and Secondary address. After SETLFS is
     RTS
                                                      called, OPEN may be called.
  NAME BY TAY
                                                           ; Set logical file #1, device #8, secondary address of 15
    ; OPEN opens the current name file with the current LFS.
                                                           LDA #1
                                                           LDX #8
PLOT. If the carry bit of the accumulator is set,
                                                          LDY #15
then the cursor X, Y is returned in the Y and X
                                                          ISR SETLES
registers. If the carry bit is clear, then the cursor
                                                           ; If OPEN is called, the command will be OPEN 1.8.15.
is moved to X, Y as determined by the Y and X
                                                      SETMSG. Depending on the accumulator, either
registers.
                                                      error messages, control messages, or neither is
    ; Move cursor to row 12, column 20 (12,20).
                                                      printed.
    LDX #12
                                                            Turn on control messages
    LDY #20
                                                           LDA #$40
    ISR PLOT
                                                           JSR SETMSG
                                                          RTS
     : The cursor is now in the middle of the screen.
                                                          ; A 128 is for error messages; a zero, for turning both
RAMTAS is used to test RAM, reset the top and
bottom of memory pointers, clear $0000 to $0101
                                                      SETNAM. In order to access the OPEN, LOAD.
and $0200 to $03FF, and set the screen memory to
```

or SAVE routines, SETNAM must be called first.

; SETNAM will prepare the disk drive for 'FILE #1'.

; Accumulator is file length, X is low byte, and Y is high

LDA #6 LDX #L.NAME

byte.

LDY #H,NAME

ISR SETNAM NAME BY TILE#1"

JSR RAMTAS order, to the Y and X registers and the ac-272 COMPUTE! September 1983

: Do RAM test

; All registers are altered.

RDTIM. Locations 160-162 are transferred, in

\$0400

Using The Kernal From BASIC

Surprisingly, the BASIC programmer will find little use for the Commodore 64's powerful Kernal structure. The Kernal is a collection of machine language modules. Kernal routines exist for OPENing files, reading or writing data, checking the keyboard, testing memory, and reading system variables. All these routines are easily available as BASIC commands, such as OPEN, PRINT, INPUT, GET, FRE(0), etc. You, as a BASIC programmer, have a wealth of such powerful and easy-to-use commands.

When you begin to work with machine language, however, you'll discover that there are no built-in "commands" in the 6502 microprocessor for doing all these tasks. The 6502 (the Commodore 64's 6510 processor is functionally identical) deals with very small tasks, no more complicated than the BASIC statement A = 2, or POKE 100 + X.3. That's why a library of ready-to-use routines such as the Kernal is so valuable.

However, you can replicate almost anything the Kernal does in BASIC. In fact, the BASIC interpreter, which lets you edit and run BASIC programs, is just a large machine language program that itself calls the same

You can do almost everything machine language and the Kernal does in BASIC, assisted by POKE and PEEK, just more slowly (since BASIC has to be interpreted, command by command, instead of directly executed like machine language). Using the Kernal, it is easy to write very short machine language routines which do things faster and more efficiently than BASIC.

SETTIM is the opposite of RDTIM: it SETs the system clock instead of ReaDing it.

> Set system clock to 10 minutes = 3600 iiffies. LDA #0

LDX #L,3600 LDY #H,3600 to access the serial bus

ISR SETTEM : This allows very accurate timing for many things. SETTMO is used only with an IEEE add-on card

Disable time-outs on serial bus. LDA #0

call SETTMO. WAIT ISR STOP

ISR SETTMO

; To enable time-outs, set the accumulator to a 128 and STOP will set the Z flag of the accumulator if the

STOP key was pressed. : Check for STOP key being pressed.

BNE WAIT RTS

: STOP must be called if the STOP key is to remain

TALK. This routine will command a device on the serial bus to send data.

Command device #8 to TALK LDA #8

ISR TALK RTS

; The accumulator designates the file number.

TKSA is used to send a secondary address for a TALK device, TALK must be called first

: Signal device #4 to talk with command #7 -LDA #4

JSR TALK LDA #7

ISR TKSA

UDTÍM.

; This example will tell the printer to print in uppercase.

UDTIM. If you are using your own interrupt system, you can update the system clock by calling

; Update the system clock. ISR UDTIM

RTS : It is useful to call UDTIM before calling STOP

UNLSN commands all devices on the serial bus to stop receiving data.

: Command the serial bus to UNLiSteN. ISR UNLSN

: The serial bus can now be used for other things. UNTLK, All devices previously set to TALK will stop sending data.

; Command serial bus to stop sending data JSR UNTLK

; Sending UNTLK commands all talking devices to get off the serial bus.

VECTOR. If the carry bit of the accumulator is set, the start of a list of the current contents of the RAM vectors is returned in the X and Y registers. If the carry bit is clear, then the user list pointed to by the X and Y registers is transferred to the

system RAM vectors ; Change the input routines to new system.

> ISR VECTOR LDA #L.MYINE

> STA USER+10 LDA #H,MYINE

STA DISER+11 LDX #LUSER LDY #H.USER CLC VECTOR

USER DE 26

: The new input list can start anywhere. USER is the location for temporary strings, and 35-36 is the utility pointer area.

Error Codes

240

If an error occurs during a Kernal routine, then the carry bit of the accumulator is set and the error code is returned in the accumulator.

Number Meaning Routine ended by the STOP key. Too many files open. File already open. File not open. File not found Device not present File is not an input file File is not an output file 8 File name is missing. Illegal device number.

Top-of-memory change RS-232 buffer allocation.

VIC=20 ISK RAM CARDROARD (3 SLDT EXP GX 100 PRINTER IBD COLUMNI VIDEOPAK (40/80 COLUMNS) [WITH WORD PROC.]. VIC RABBIT (EASTERN HOUSE) (VIC DR 64)..... 35 HES MODEM (WITH SOFTWARE) (VIC DR 64) HES MON ASSEMBLER ICI IVIC DR 641 DUST COVER IVIC 64, 800, 400, B10, or 410 DUICK BROWN FDX ICI IVIC DR 641 SWORD OF FARGDAL (T) 21K COM-64 SEK BAM (FOR 400) 100 EDPAK 80 180 COLUMN 150 48K RAM |FOR 400 AN VINENPAK IWITH CP 12 PROF. DEV. SYSTEM IT B KEY 400 IKEYBOARDI VISICALC ID 189 ALIEN GROUP VOICE BOX (D) 40K LASER STRIKE (D.T. TECHNICAL NOTE: 25 ELEMENTARY 64 (BOOK) NEWPORT PROSTICA TOTI, LABEL IT) IVIC OR 64 28 MICROBITS MODEN PRINTER INTERFACE 155 IMP MAN IN T MULTIPOS ID DE RE ATARI IBODKI DRT APOCAL YPSE (0,T) WAL FORTH (DI 24) 29 STAR LEAGUE BAS 78 MINER 2049ER IC STAR | FACILE BASEBALL 10.T124K IN 1 JUJ 165ER 10.TI ANNIHILATOR IT STARBOWL FOOTBALL (O.T) 24K TEMPLE OF APSHALIDE ALDG PAGEWRITER (O) 329 T - CASSITTI * MOST LIEM ORDERS ONLY: 800-558-8803 COMSTAR or sand check or money arter. VISA, MC ade 3%. Shipping—\$2 for anthware yeal fo BOX 1730 GOLETA CASSI 16

AIR* SHIPPING WITHIN 2 DAY



nat) Inclores includes SAN ANALYSIS - Mag of diskette contents (Location o No. Bed sectors, etc.) INMATTING/EAO SECTORING - Nov-ATARS (IDD) metting and bed treck/sector creasor out everything we can find ATES TAKE NOTE SUPERCLORE only slows two



eveds or for queen 17021 796-4600



(805) 964-4660

KB 400™ \$80.05

Exact Atari™ keyboard layout - Full Year Warranty New! Speed Blaster = rapid fire joystick add on \$12.95

		8" Drives	
		2-Connector Drive Cable	
		8" Drive Adapter	
2-514" Tandon Drives	\$449.95	Parallel or Serial Cable	\$29.00

309/343-4114 Weekdays 9am-Spm Securday flom-12cm

832 E. Third Street Galesburg, Illinois 61401 PLEASE ADD - \$2.00 additions nis Out 5% Sales Tex

hardware), Callf add 6% tax. CEO add \$2 50

274 COMPUTE! September 1983

Mastermaze Update For The Atari

David Butler

In the February 1983 issue of COMPUTE!, there was an excellent, multilevel maze game called "Mastermaze" by Kenneth 5. Szajda. Here's a machine language routine for the Atari version that greatly speeds up the maze generator.

A game written in machine language can run far faster than a BASIC version. However, in the case of this "Mastermaze" update, the speed of the game is not affected, only the maze generator which starts things off.

Before you can even begin to play Mastermaze, your computer must generate from 1 to 32 levels of mazes. This process can take several minutes. By incorporating this new machine language routine, you should find that the maze generating part of the program runs more than ten times faster. Thirty-two levels can be generated in under 90 seconds.


To use this routine to update your version of Mastermaze, first LIST the original version of the program. Delete lines 50, 90, 100, 110, and 111. Then, substitute the lines in this new program listing where they appear in the original. Also add the new lines that did not appear in Mastermaze.

Adding An ML Maze Generator

8 DIM A\$ (37):SN=Ø

- 26 POKE 752,1:2 "(CLEAR)":POSITION 4 .10:7 "CONSTRUCTING MAZE...WAIT F OR START"
- 27 RESTORE 1000:FOR I=1536 TO 1690:R EAD A:POKE I.A:NEXT I:POKE 755,1 80 G=USR(1536,1675,A):GOSUB 500 1000 DATA 104.104.133.208.104.133.20
- 7,184,133,284,184,133,283,173,1 8,218,41,3,133,212
- 1010 DATA 133,213,24,10,168,165,203, 113,207,133,205,165,204,200,113 ,207,133,206,160,0
- 1020 DATA 177,205,201,128,208,40,165,212,24,105,1,145,205,105,3,10,168,165,203,113
- 3,207,133,204,169,0,168,145,203 ,165,205,133,203,165
- 1848 DATA 286,133,284,24,144,183,238 ,212,165,212,41,3,133,212,197,2 13,288,188,168,0
- 1050 DAŤA 177,203,133,212,152,145,20 3,169,251,24,101,212,176,24,198 ,212,165,212,24,10
- ,203,200,165,204,241,207,133,20 4,24,144,131,96,2 1070 DATA 0,176,255,254,255,80,0,1,0 ,216,255,255,255,40,0





ANTIC (from March 88)

Coverage through June 1983

Get macorous value from your periodicals and your ATABI

Extras for Articles molecules references to follow up corrections and

Estries for Articles monade references to follow up corrections and improvements
 Covers Hardware & Software for the ATARI 400, 806, 1200?
 "ATARI 400, 806, 1200 are trade curies of Atars, for

Only \$6 09 (fereign \$7 09) check or maney order to

VALLEY SOFT
Dept C1
Set 2000 SW be Armond Soft

COMPUTE! Back Issues

Here are some of the applications, tutorials and games from available back issues of COMPUTE. Each issue contains much, much more than there's space here to list, but here are some highlights:

May 1981: Named GOSUB/GOTO in Applesoft, Generating Lower Case Text on Apple II, Copy Atari Screens to the Printer, Disk Directory Printer for Atari, Realtume Clock on Atari, PET BASIC Delete Utility, PET Calculated Bar Graphs, Running 40 Column Programs on a CBM 8032.

June 1981: Computer Uning Educators (CUE) on Software Pricing, Apple II Hires Character Generator, Ever-expanding Apple Power, Color Burst for Atan, Mixing Atari Graphics Modes O and 8, Relocating PET BASIC Programs, An Assembler In BASIC for PET, QuadraPET: Multitasking?

July 1981: Home Heating and Cooling, Animating Integer BASIC Cores Graphics, The Apple Hires Shape Writer, Adding a Votee Track to Atan Programs, Machine Language Atal Joyattick Diver, Four Screen Utilities for the PET, Saving Machine Language Programs on PET Tape Headers, Commodore ROM Systems, The Voracious Butterfly on Oct.

August 1981: Minimize Code and Maximize Speed, Apple Disk Meteor Control, A Cassette Tape Monitor for the Apple, Easy Reading of the Atural Joyatick, Blockade Game for the Aturi, Aturi Sound Utility, The CBM "Fat 40," Keyword for PET, CBM/ PET Loading, Chairning, and Overhaying.

October 1981: Automatic DATA Statements for CBM and Attar, WC-News, Undlerlashle Lines on Apple, PET, VIC, Budgeting on the Apple, Swetching Cleanly from Text to Graphus on Apple, Attar Casterte Boot-Lepe, Attarl Vandles Name Unlity, Attarl Pragona Library, Train your Remote Control System to PET, A General Purpose BCD to Binary Routine, Converting to Fat-40 PET.

December 1981: Seving Fuel SS (multiple computers: versions for Apple, PEI, and Alati), Unscramble Carme (multiple computers), Mass Generator (multiple computers), Manistring Applesoff Grejness, A Simple Printer Interface for the Apple II, A Simple Printer Wordprocessor, Adding High Speal Vertical Posttioning to Atass PV M Graphics, OSI Supercusors, A Lock Ar SuperPEIT, Supermon for PEIT/CBM, PET Mine Mass Game

January 1982: Invest (multiple computers),

Developing a Business Algorithm (multiplecomputers), Apple Addresses, Lowencase with Unmodified Apple, Cryptogram Game for Atsir, Superione Design Special Character Sets on Atsir, PET Repairs for the Amsteur, Microsson for PET, Selfmodifying Programs in PET BASIC, Timymon's VIC Morattor, Vic Color Tips, VIC Memory Mag. 2AP: A VIC Game.

May 1982: VIC Meteor Mice Gone, Atan-Dask Dave Speed Check, Modifying Apple's Floating Point BASIC, Fast Sort For PET/ CBM, Extra Atani Colors Through Armiceing, Life Insurance Estimator (multiple computers), PET Screen Input, Getting The More Other Of VIC's 5000 Bero.

August 1982: The New Wev OF Personal Computers, Househald Budget Martinger (austingle computers), Word Games (multiple computers), Word Games (multiple computers), Galer Computer Borne Energy Monitor, Intelligent Apple Films Cabrice, Guess That Annual (multiple computers), PETICBM Inner BASIC, VIC Communications, Keypnert Comprending, Antary Substrain, State of Computers, Annual Substrain, Seath, PET and VIC Electric Estimation.

September 1982: Apple and Aton and the Sourad of TRGN, Commodore Automatic Daic Boot, VIC Joyateks, There Aton Diff. Articles, Calife Computer Crapping, The Apple Palet Language, Septem and Soural or case fundingle computers), Bert Domain Brill Transcenses (multiple computers), Bert Domain Brill Transcenses (multiple computers), PET Possor, Mayerine Machine Language, VIC Fosso, Mayerine Machine Language, VIC Fosso, Mayerine Machine Language, and Carriados, Process Any Apple Daic Bille.

January 1983: Sund Synthesis And The Personal Computer, Ingaler And Thussleried Gunes (multiple computers), Mosic And Sound Programs, multiple computers), Writing Transportable BASIC, Home Energy Calculator (multiple computers), All Above Commodore WAIT, Supermor64; Perfect Commodore WAIT, Supermor64; Perfect Copy I/O Dak Files, Commodore 1970.

February 1983: How The Pro-Write Computer Games, 12 Joyestech Cumpared, Shifom (a game in 3-Dier multiple computer). Super Shell Seek For PET, Aram Superficor, Plas, Centing Graphes On The VIC, Joyeste's And Syens On The 65, Bi-Directsmall Vic Centilling, Commodore 64 Viction A Guided Tow, The Attent Councher, Essy Apple Editing, WC Custelling, Ostacters For

March 1963: An Introduction To Data Storage (multiple computers), Mass Memory Now And In The Future, Games: Closeout, Boggler, Fighter Aces, Letter And Number Play (all for multiple computers), VIC Music, Direct Atan Disk Access, IRS-80 Color Computer Data Base, Apple Subroutine Capture, PET Quickplot, IT Graphos Made Easy, VIC and Atari Memory Management.

April 1983: Selecting The Right Word Processor, Air Defense (multiple computers), Scriptor. An Atan' Word Processor, Retirement Planner (multiple computers), T1-99 Match Fm. Dr. Video For Commodore, Atari Filefixer, Video 80: 80 Columns For The Atari, VICword, Magic Commodore BASIC

May 1983: The New Low Cost Printer!
Flotters, Jumping Jack (multiple computers), Deflector (multiple computers), Deflector (multiple computers), UK Aladdosoppe, Craphites on the Sinclair/Timex, Bootmaker Fev VIC, Parado 64, VICSTA TION: A "Paperless Office," The Atarn Musician, Apple Fast Sort, IT BASIC One-liners.

June 1985: How To Buy The Right

Printer, The New, Low-cost Printers, Astrostorm (multiple computers), The Hawkmen Of Dindrin (multiple computers), Musskdaster For The Commodore 64, Commodore Data Searcher, Atan Flayer/Missile Craphics Simplified, Ti Structured BaSIC, Un/NEW For The VIC and 64, Atan Fast Shuffle, VIC Contractor, Sinclaur/Timex Screen Splitter.

Home and Educational COMPUTING! (Fall 1981 and Summer 1981 – count as one back issue). Exploring The Rainhow Machine, VICA's Super Calculator, Custom Characters, Alternate Screen, Automatic Line Numbers, Using The Joystick (Sprocewar Came), Fast Tape Lucater, Window, VIC Memory Map.

Back issues are \$3 each or six for \$15. Price includes freight in the US. Outside the US add \$1 per magazine ordered for surface postage. \$4 per magazine for air mail postage. All back issues subject to availability.

In the Continental US call TOLL FREE 800-334-0868 (In NC Call 919-275-9809)

Or write to COMPUTE! Back Issues, P.O. Box 5406, Greensboro, NC 27403 USA. Prepayment required in US funds. MasterClind, Visa and American Express accepted. North Carolina Residents add 4% sales tax.

COMPUTE!'s **Machine Language For Beginners**

Author: Richard Mansfield Price: \$12.95 On Sale: Now

One of the most exoting moments in comouting is when a beginner writes his or her first program which actually works... usually after hours of effort. A new world opens up. But as beginners grow into intermediate

programmers and become more fluent in BASIC, they realize the language's limitations - slow speed, and the lack of total control over the inner operations of the computer They often develop an admiration for the programs that mark commercial software Unfortunately, too many people view machine language as mysterious and forbidding. and they are reluctant to tackle it themselves

COMPUTE! Books' latest release Machine Language For Beginners, by Richard Mansfield, introduces newcomers who understand BASIC. Machine Language For Beginners uses BASIC to explain how machine language works. A whole section of the book explains machine language in terms of equivalent BASIC commands If you know how to do it in BASIC, you can see how it's done in machine language.

Machine Language For Beginners is a general tutorial for all users of computers with 6502 microprocessors - with examples for the Commodore 64, VIC-20, Atan 400 numerous machine language programs will work on all these computers As a bonus, Machine Language For

Beginners includes something that all fledgneed to get started - an assembler. The "Simple Assembler," written in BASIC for the various computers, takes the tedium out of entering and assembling short machine language programs. The book even explains how to use the built-in machine language monitors on several of the computers. And it includes a disassembler program and several monitor extensions understandable, guide for personal computing enthusiasts. Mansfield is Senior

Editor of COMPUTE! His monthly column "The Beginner's Page," has been one of COMPUTEI's most popular features In the COMPUTEI tradition, Machine Language For Beginners has been written

and edited to be straightforward, clear, and easily understood. It is spiral-bound to lie flat to make it easier to type in programs

Table of Contents

Preface	
Introduction — Why Machine Language?	
Chapter I: How To Use This Book	. '
Chapter 2: The Fundamentals	
Chapter 3: The Monies-	2
	3
Chapter 5: Arithmetic	5
Chapter 6: The Instruction C.	6.
Chapter 7: Borrowin - (DACIO	9
Chapter 8: Building A D	, 91
Chapter 9: ML Equivalents Of BASIC Commands	
Appendices	
A: Instruction Set	_
B: Mans	
C: Assembler Programs	
D: Disassembler Programme	1
E: Number Charte	
F: Monitor Extensions	5
G: The Wedge	
335	

Index 339

September 1983 COMPUTEL 277

Available at computer dealers and bookstores nationwide. To order directly call TOLL FREE B00-334-0B6B. In North Carolina call 919-275-9809 Or send check or money order to COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403 Add \$2 shipping and handling. Outside the U.S. add \$5 for air mail, \$2 for surface mail All orders prepaid. U.S. funds only

COMPUTE!'s First Book Of Atari Graphics

Authors: COMPUTE! Magazine Price.

On Sale: COMPUTE!, the leading magazine of home,

has led the way for Atan owners since the COMPUTE! has published scores of articles on Atan graphics, and was the first to di-

vulge many important details on such techniques as redefined characters, custom graphics modes, and player/missile graphics. But those articles are scattered scarce or out of print.

That's why the editors of COMPUTE! decided to gather the very best Atan three years into COMPUTEI's First Book Of advanced techniques, here are some of the most instructive articles ever published for But that's not all. COMPUTEI's First

never before published anywhere, and this book. These include "The Basics Of Atan Graphics," an introductory tutorial which prepares beginners for the rest of the Modes," which covers the fundamentals of mixing modes on a single screen, and "Introduction To Player/Missile Graphics" a quide to understanding one of the Atan's most advanced features, written by Bill Wilkinson, a COMPUTE! columnist and a creator of Atan BASIC and the Atan Disk Operating System.

Numerous other articles include "Designing Your Own Character Sets," a new Collision Registers," and "GRAPHICS 8 in Four Colors Using Artifacts "There's even a Registers," which for the first time shows how to use player/missile graphics to create a fifth player

in the COMPUTE! tradition, Atan Graphics is crisply written and edited to be useful to beginners and experts alike. And it's spiral-bound for easy access to its dozens of ready-to-type program listings

1 Chapter One: Fundamentals Of Atari Graphics 3 The Basics Of Atan Graphics

16 Using Strings For Graphics Storage Tom R Halffull 20 Using The COLOR And LOCATE Instructions · · · Michael Boom To Program Pong-Type Games

Michael A. Greenspan 23 Chapter Two: Customizing The Graphics Modes 25 How To Design Custom Graphics Modes 37 Put Graphics Modes 1 And 2 ... Craig Chamberlain

At The Bottom Of Your Screen

46 Mixing Graphics Modes 0 And 8 Douglas Crockford 51 Chapter Three: Redefining Character Sets 53 Designing Your Own Character Sets

62 SuperFont 77 Character Set Utilities Craig Patchett Charles Brannon

89 Chapter Four: Animation With Character Graphics 98 Using TextPlot For Animated Games

188 High-Speed Animation With Character Graphics . Charles Brannow 127 Chapter Five: Animation With Player/Missite Graphics

129 Introduction To Player/Massile Graphics 140 A Self-Modifying P/M Graphics Utility Bill Wilkinson 154 Adding High-Speed Vertical Positioning Kenneth Grace, Ir.

... Charles Brannon

David Plotkin

To PM Graphics Medical Ensinorung
To PM Graphics Made Easy
To PM Graphics Made Easy
To PM Graphics Made Easy
To Manual Made Made To Tom Sak and Sad Meter
Tom Sak and Sad Meter 188 The Collisson Registers

192 The Priority Registers --- Matt Giwer . . Bili Wilkinson 201 Chapter Six: Advanced Graphics Techniques

203 GRAPHICS 8 In Four Colors Using Artifacts 208 Atari Video Graphics And The New GTIA, Part I . Craig Chamberlain 215 Alari Video Graphics And The New GTIA, Part 2 Craig Chamberlain 224 Alam Video Graphics And The New GTIA, Part 3 Craig Chamberlain 236 Protecting Memory For P/M And Character Sets . Fred Pinho

..... Joseph Trem 245 Listing Conventions (Guide To Typing In Programs)

Available at computer dealers and bookstores nationwide. To order directly call TOLL FREE 800-334-0868. In North Carolina call 919-275-9809. Or send check or money order to COMPUTEI Books, P.O. Box 5406, Greensboro, NC 27403

COMPUTE!'s Second Book Of Atari

After only three years on the market, the Atan 400/800 microcomputers have become among the most popular personal computers ever made. So it was no surprise when COMPUTE'S First Book of Atan, a collection of the best Atan articles published during 1980-81 in COMPUTE Magazine, also herame.

COMPUTE! Magazine, also became a "bestseller" with Atari enthusiasts. The first printing sold out in just a

few months.

That's why we've followed up with COMPUTEI's Second Book of Atan: Available immediately, the Second Book of Atan continues

COMPUTE'S tradition for personal computer users But the Second Book of Atari differs from the First Book in one important respect – all the articles are totally new and previously unpublished. The Second Book of Atarincludes such interesting articles as "Bege Flipping." "Fun With Scrolling." "Perfect Pitch," "Player-Missis Drawing Editor,"

and "TextPlot Makes a Game."
Whole chapters are devoted to

subjects such as "Advanced Graphics and Game Utilities," "Programming Techniques," and "Beyond BASIC." With 250 pages more than 25 percent thicker than the First Book at the same price the Second Book of Atanis crammed with information and ready-to-type program listings. And the book is

indexed for quick reference Best of all, COMPUTE's Second

Best of all, COMPUTE's Second Book of Atan, like COMPUTE! Magazine itself, is written and edited

5406. Greensboro, NC 27403.

wagazine isen, is white har de circle to appeal to all computer enthusiasts – beginners and experts alike. Priced at only \$12.95.

1 Chapter One. Utilities. Robert Lock 2 Atari BASIC Joystick Routine Kirk Gregge 5 Joystick Tester Robert Rochon
7 Keyboard Input Or Controlled Escape Brian Van Cleve 9 POKE TAB In BASIC Lawrence R. Stark 11 The 49 Second Screen Dump David Newcorn 15 Memory Test · · · Ed Stewart 21 Chapter Two. Programming Techniques. 23 Aran BASIC String Manapulation Tricks David E. Carew 26 Using The Atan Forced Read Mode 33 A Simple Screen Editor For Atan Data Files . . . Lawrence R. Stark - . Frank C. Jones 41 Graphics Generator Matthias M. Graver

44 Analyse Your Program - An Anari BASIC Utulity Fred Porbo 51 Inside Atan Microsoft BASIC: A First Look Jun Botterfield 32 Chapter Three, Advanced Graphics And Games Utilities.

55 Place-Minale Densing Editor E. H. Foerder
6 Pour Set Green Doughs Winstan
76 Page Flipping
78 An Intraction to To Deploy List Interrupts
85 Extending Aton High Resolution Geographic
Plul Dunn
Plul Dunn

S Part I: The Polygon Hill Subroutine
 Part I: The Polygon Hill Subroutine
 Part 2: Textured Graphics
 Multi-colored Graphics In Mode 8

160 Textplot Makes A Game David Plotkin
169 Fun With Scrolling David Plotkin

183 Chapter Four Applications.
185 A Smple 1 Fast Edinor Ownlish Remove Ownlish Rammer
194 The Atan Kentonal Speak Out Walter M. Lee
198 Amar Szener Al-Simp Chart Recorder Helmut Schmidt
209 Fast Banner Schmidt Sch

221 Farker Pirch. Sed Guber 219 Chapter Five. Beyond BASIC. 221 Park Vose USR Code Into A BASIC Program Automatically. F. T. Meiere

225 Back Up Your Machine Language Programs With BASIC - Ed Stewart 229 Leading Briary DOS Files From BASIC - Robert E. Alleger 249 The Resident Disk Handler - Frank Kastenhol: 248 Listing Conventions

eginners and experts alike. Priced

Add \$200 shapping and handling. Outside the U.S. add \$5.00 for air mail. \$2.00 for surface mail. All orders prepaid. U.S. funds only

Available at computer dealers and bookstores nationwide. To order directly call TOLL FREE 800-334-0868. In North Carolina call 919-275-9809. Or send check or money order to **COMPUTE! Books**, P.O. Box

COMPUTE!'s Programmer's Reference Guide to the TI-99/4A

Author: C Regena Price: \$14.95 On Sale: Now

Just about the best way to learn how to program a computer is to sit down how, and ask questions while you experiment with the computer. Owners. of the popular Texas Instruments home computer will find that C Regena is Reference Guide to the TI-99/4A is that

Regena carefully explains every

The book also provides dozens

commercial-quality software. In effect, readers can look over Regena's shoulder as she goes through the pro-

gramming process step by step, explaining what she's doing as she goes along. Not to mention the fact that the finished proorams are valuable in their own right

Even readers who are familiar with the computer will find this book valuable as a reference, where they can look up information they need and find the answers to particular questions

Above all. Programmer's Reference Guide to the TI-99/4A is a book that lets readers use it however they like. You don't have to start at page one and read through, following someone else's plan for what you should learn first and what can wait until later Instead, you can explore this book from any point of view, to solve almost any programming-problem, and find-the answer quickly and easily.

C. Regena is COMPUTE! Magazine's regular columnist on the TI-99/4A. She's an experienced and resourceful programmer. Like most of her readers, she taught herself how to program, and she hasn't forgotten what it's like to be a beginner, just starting out with the computer And with Programmer's Reference Guide. TI users now have Regena to help them learn how

to make their computer do exactly what they want it to do Programmer's Reference Guide to the f1-99/4A is available from COMPUTE! Publications, the leading publisher of books and magazines for home, educational, and recreational computing Available at computer dealers and bookstores nationwide. To order directly call TOLL FREE 800-334-0868. In

5-5 Berhday List Chapter 6: Programming Techniques Name and Address File (Cassette) Chapter 7: A Dozen More Programs3[2

Program Listings 7-1. Division with Remander 7-3 Simplifying Fractions ...

7-1. Multiplying Fractions 7-5. Dividing Practices 7-5. Dividing Fractions
7-6. Adding Fractions
7-7. Solving Simultaneous Equation
7-8. Math Computency Earning N 7-9 Math Competency Buying 7-00 Typing Dell Musical Begin 7-11 Typing Deal Type Invaders 7-12. Car Cost Compenson

Appendix - Characters: Code Nu

Table of Contents Preface .

Publisher's Foreword Chapter I: Introduction Chapter 2: Getting Started 2-1 Defining Characters Chapter 3: Graphics and Sound Program Listings 3-1 Horse 3-2 Color Combinations 3-3 Kinder-Art 3-4. Musical Tempo Demonstration 3-6. Music Steps and Chords 3-8 "Hey, Diddle, Diddle" 3-9. "We Wish You A Merry Christmas" 3-10 Find Home. 3-11 Language Demonstration 3-12 Spealing Practice 3-14 German Chapter 4: Going Somewhere Program Listings 4-1 Homework Helper Factors 4-2, GOSUB Demonstration

S-1 Electrical Engineering Circuit Design 1

188

4-4 Coordinate Geometry ...

Program Listings

Chapter 5: Built in Functions

North Carolina call 919-275-9809. Or send check or money order to COMPUTE! Books, P.O. Box 5406. Greensboro. NC 27403 Add \$2 shipping and handling. Outside the U.S. add 95 for air mail, \$2 for surface mail. All orders prepaid. U.S. funds only

COMPUTE's The Atari BASIC Sourcebook

Authors: Bill Wilkinson, Kathleen O'Brien, and Price: On Sale: Now

If you program in BASIC, you know about commands like PRINT, GOSUB, IF-THEN, and

commands is actually a mini-program in itself? Atari BASIC is a collection of machine language routines that tell the computer what to do, how to do it, and what to do next language. Now available from COMPUTE

Books, The Atan BASIC Sourcebook offers Atari programmers a chance to look inside the language - directly to the source code that is Atari BASIC Authors Bill Wilkinson, Kathleen O'Brien,

Atan BASIC, take you on a tour through the language. They explain how it works and how you can make it work for you

The Atari BASIC Sourcebook answers . When you RUN a BASIC program

what is really going on inside the computer? . How does the computer know how

does it RETURN from a subroutine? · Where do FRROR messages come from? How does the computer know

How does your Atan decide which

 Why do some tasks take so long while others happen almost instantly? Why does the computer sometimes.

· How does the computer interpret CHRS * and =?

 How can a machine language programmer take advantage of the so-

teresting information in The Atan BASIC Much more than a simple source code listing

this book explains how BASIC works and why. All major routines are examined and explored. The authors go into detail about the internal design, the stack, input/output statements, and much more. When you finish reading this book, you will have an in-depth COMPUTE! Books

Publisher's Foreword v Preface ix Part One: Inside Atari BASIC Atari BASIC: A High-level Language Translator Internal Design Overview

Part Two: Directly Accessing Atari BASIC

Int	roduction to Part Two										
1	Hexadecimal Numbers PEEKing and POKEing	٠,	113								
2	PEEKing and POKEing Listing Variables in Use	٠,	115								
3	Listing Variables in Use Variable Values	٠,	119								
2	Variable Values	٠.	123								
5	Examining the Statement Table Viewing the Runtime Stade		125								
•	Viewing the Runtime Stack Fixed Tokens		129								
2	Fixed Tokens. What Takes Precedence?		125								
ě	What Takes Precedence? Using What We Know		127								
			139								
Part Three: Atari BASIC Source Code											
Source Code Tier											

AP	pendices
c	Macros in Source Code 273 The Bugs in Atari BASIC 275 Labels and Hexadecimal Addresses 281
Ind	ex285

Available at computer dealers and bookstores nationwide. To order directly call TOUL FREE 800-334-0868. In North Carolina call 919-275-9909, Ox send check or money order to COMPUTE Books, P.O. Box 5406, Greensboro, NC 27403

A Beginner's Guide **To Typing In Programs**

What is A Program?

A computer cannot perform any task by itself. Like a car without gas, a computer has notential. but without a program, it isn't going anywhere, Most of the programs published in COMPUTE! are written in a computer language called BASIC. BASIC is easy to learn and is built into most computers (on some computers, you have to purchase an optional BASIC cartridge).

BASIC Programs

Each month, COMPUTE! publishes programs for many machines. To start out, type in only programs written for your machine, e.g., "TI Version" if you have a TI-99/4. Later, when you gain experience with your computer's BASIC, you can try typing in and converting certain programs from one computer to yours.

Computers can be picky. Unlike the English language, which is full of ambiguities, BASIC usually has only one "right way" of stating something. Every letter, character, or number is significant. A common mistake is substituting a letter such as "O" for the numeral "O", a lowercase "I" for the numeral "1", or an uppercase "B" for the numeral "8". Also, you must enter all punctuation such as colons and commas just as they appear in the magazine. Spacing can be important. To be safe, type in the listings exactly as they appear.

Brackets And Special Characters

The exception to this typing rule is when you see the curved bracket, such as "{DOWN}". Anything within a set of brackets is a special character or characters that cannot easily be listed on a printer. When you come across such a special statement, refer to the appropriate key for your computer. For example, if you have an Atari, refer to the "Atari" section in "How to Type COMPUTEI's Programs "

About DATA Statements Some programs contain a section or sections of

DATA statements. These lines provide information needed by the program. Some DATA statements contain actual programs (called machine language); others contain graphics codes. These lines are especially sensitive to errors.

If a single number in any one DATA statement is mistyped, your machine could "lock up," or "crash." The keyboard, break key, and RESET (or STOP) keys may all seem "dead," and the screen 282 COMPUTE! September 1983

·may go blank. Don't panic - no damage is done To regain control, you have to turn off your computer, then turn it back on. This will erase whatever program was in memory, so always SAVE a copy of your program before you RUN it. If your computer crashes, you can LOAD the program and look for your mistake.

Sometimes a mistyped DATA statement will cause an error message when the program is RUN. The error message may refer to the program line that READs the data. The error is still in the DATA statements, though.

Get To Know Your Machine

You should familiarize yourself with your computer before attempting to type in a program. Learn the statements you use to store and retrieve programs from tape or disk. You'll want to save a copy of your program, so that you won't have to type it in every time you want to use it. Learn to use your machine's editing functions. How do you change a line if you made a mistake? You can always retype the line, but you at least need to know how to backspace. Do you know how to enter inverse video, lowercase, and control characters? It's all explained in your computer's manuals.

A Quick Review

1) Type in the program a line at a time, in order. Press RETURN or ENTER at the end of each line. Use backspace or the back arrow to correct mistakes

2) Check the line you've typed against the line in the magazine. You can check the entire program again if you get an error when you RUN the program.

3) Make sure you've entered statements in brackets as the appropriate control key (see "How To Type COMPUTE!'s Programs" elsewhere in the magazine.)

We regret that we are no longer able to respond to individual inquiries about programs, products, or services appearing in COMPUTE! due to increasing publication activity. On those infrequent occasions when a published program contains a typo, the correction will appear on the CAPUTE! page, usually within eight weeks. If you have specific questions about items or programs which you've seen in COMPUTE!, please send them to Readers Feedback, P.O. Box 5406, Greensboro, NC 27403.

How To Type COMPUTE!'s Programs

Many of the programs which are listed in COMPUTE contains pseed control characters (cumor control, color laws), surverse video, etc.). To make it easy to tell exactly what to type when entering one of these programs into your computer, we have established the following hinting conventions. There is a established the following hinting conventions. There is a table when you come across an unusual symbol in a program listing. If you are unsurer how to actually enter a control character, consistly our computer's namada.

Atari 400/800

Characters in inverse video will appear like: scanners seems.

Enter these characters with the Atan logo key. (A).

hen you see	Type	See	
(CLEAR)	ESC SHIFT <	-	Clear Screen
(UP)	ESC CTRL -		Cursor Up
(DOMN)	ESC CTRL -	+	Cursor Down
(LEFT)	ESC CTRL +		Cursor Left
(RIGHT)	ESC CTRL 1		Cursor Right
(BACK 5)	ESC DELETE	4	Backspace
(DELETE)	ESC CTRL DELETE	CI.	Delete character
(INDERT)	ESC CTRL INSERT	D	Insert character
COFE LINES	ESC SHIFT DELETE	D	Delete line
(INS LINE)	ESC SHIFT INSERT		Insert line
CTARO	ESC TAB		TAB key
(CLR TOR)	ESC CTRL TAR	á	Clear teb
(SET TAB)	ESC SHIFT TAB	- 13	Set tab stop
(9911)	ESC CTRL 2		Ring buzzer
(ESC)	ESC ESC	- 2	ESCape key

Graphics characters, such as C.IRL-1, the buil classacter * was appear as the "inormal" letter endosed in braces, e.g. (TT. As enes of identical control characters, such as 10 spaces, there causes when, or 20 C.IRL-8; we will appear as 10 spaces, the proposed of the control o

Commodore PET/CBM/VIC/64

Generally, any PET/CBM/VIC/64 program listings will contain words within braces which spell out any special characters: IDOWN1 would mean to press the cursor down key, 15 SPACPS1 would mean to press the space bar five times.

SPACES I would mean to prese the space to mive timels. To indicate that a key should be slightly fload cown to To indicate that a key should be slightly fload cown the transport of the signal of the state of the superior of the underlined in our listings. For example, S would mean to the underlined key enclosed in bacca (e.g., 100 NJ), you should yet the key as many times as indicated (in our example, you would enter ten shifted Ns). Some graphics charactery, you would enter ten shifted Ns). Some graphics charactery (SN), 8029.

For the VIC and 64, if a key is enclosed in special brackets, (5.), you should hold down the Commodore key while pressing the key inside the special brackets. (The Commodore key is the key in the lower left corner of the keyboard.) Again, if the key is preceded by a number, you should press the key as many times as indicated.

Rarely, you'll see in a Commodore 64 program a solitary letter of the alphabet enclosed in braces. These characters can be entered by holding down the CTRL key while typing the letter in the braces. For example, {A} would indicate that you should press CTRL -8.

About the guote mode; you know that you can move the cursor around the screen with the CRSR keys. Sometimes a programmer will want to move the cursor under program control. That's why you see all the ILEFT'S, (HOME'S, and (BLU's in our programs. The only way the computer

can tell the difference between direct and programmed cursos control is the quote mode.

Once you press the quote (the double quote, SHIFT-2), you are in the quote mode. If you type something and then try to change it by moving the cursor left, you'll only get a bunch of reverse-vadeo lines. These are the symbols for

cursor left. The only editing key that isn't programmable is the DEL key, you can still use DEL to back up and edit the line. Once you type another quote, you are out of quote mode. You also go into quote mode when you INSerT spaces.

You also go into quote mode when you INSerT spaces into a line. In any case, the casiest way to get out of quote mode is to just press RETURN. You'll then be out of quote mode and you can cursor up to the mistyped line and fix; to Lise the following tables when entering special characters

When Yo	u Press:	See:	When You	Press:	See:				
[BLK]	GIA 1		858	3 5					
(WHT)	CTRL 2	E	868	G 6					
{RED}	CTRL 3	建	E79	0 7					
{CYN}	CIRL 4	N	883	0.6	Ħ				
{PUR}	CTRL 5		{Fl}	GE2					
[GRN]	CIRL 6		{F2}	1922	ы				
{BLU}	CTRL 7	÷	[F3]	Œ					
{YEL}	CIRL 6	T	[F4]	546	Ø				
E13	0 0	4	{F5}	Œ	I				
828	Q 2	7	[F6]	EEC .	7				
E39	G B	2	{F7}	CE:					
848	G 4	ō	{F8}	iii:					

All Commodore Machin Clear Screen {CLR} Home Cursor {HOME} Cursor Up {UP} Cursor Down {DOWN} Cursor Right {RIGHT}

Cursor Left {LEFT} Insert Character {INST} Delete Character {DEL} Reverse Field On {RVS} Reverse Field Off {OFF}

Apple II / Apple II Plus

All programs are in Applesoft BASIC, unless otherwise stated. Control characters are printed as the "normal" character enclosed in brackets, such as 1D ifor CTRL-D. Hold down CTRL while pressing the control key. You will not see the special character on the screen.

Texas Instruments 99/4

The only special characters used are in PRINT statements to indicate where two or more spaces should be left between words. For example, ENERGY [10.5PACES] MANAGE-MENT means that ten spaces should be left between the words ENERGY and MANAGEMENT. Do not type in the braces or the words 105FACES. Inter all programs with the ALPHA LOCK on fin the down position). Release the ALPHA LOCK to enter lowercase text.

CAPUTE!

RATS! For The 64

The 64 version of this game from the July issue is in two parts. Sue Roberts suggests a simple addition which will cause the first part, the setup program, to make the second part, the game itself, LOAD and RUN automatically. Disk users should SAVE the main game program with the filename RATMAZE, then add the following line to the setup program (Program 2, p. 60):

160 LOAD"RATMAZE" 8-RUN

Astrostorm For Ti

In the TI-99/4A version of "Astrostorm" (June 1983, p. 82), line 780 should read:

780 IF CSHIP>0 THEN 810

Hawkmen Of Dindrin, VIC And 64 Versions In the second part of the VIC version of this game from the June 1983 issue (Program 2, p. 92), the

{ 06 LEFT }(six cursor lefts) in line 58 should be omitted. If you happen to be pushing the joystick when you lose your last player, the game ends. Bruce Stevenson and others suggest the following additional line to give you time to release the joystick or fire button:

1024 FOR Y = 1 TO 700-NEXT Y

In the 64 version, the misplaced line 288 should be omitted. Checkers For The 64

Arnold J. Schmeling suggests the following addition and correction for this game from the May 1983 issue (p. 90), which prevent the computer from allowing illegal moves:

545 IF S(E,H)=1 AND B-H<1 THEN 1848 550 IF ABS(E-A)=2 AND S((E+A)/2,(H+B)/2)= >Ø THEN 1848

UnNEW For The 64

Under most conditions, this utility program from the June 1983 issue (p. 213) works equally well on either the VIC or 64. However, to guarantee proper operation on the 64, reader Don Lewis suggests that the existing line 330 be replaced with

NEW

and a new tape be prepared in accordance with the original instructions

Write For FREE Cotalog

VIC SOFTWARE CBM 64

Write For FREE Cotalog

Math Adventure

Ruler & Micro

Great VIC Software

takes. You are in your command. Heliconters till the sky, land we mean til the skyll, dropping paratroopers. Your mission is to keep 3 paratroopers from iting the ground on either side of your gun. But that's just the beginning. You core by hitting the helicopters or the paratroppers, but if you miss a shot it subtracts from your score. Therefore, you must make every shot count to the a high score! IT HASFOUR FAST ACTION LEVELS TO CHALLENGE THE BEST PLAYER The High Resolution graphics belicoptors are fun They look exactly like helicopters! The paratroopers are super realistic. This butes open and then they dolt down to earth. If this weren't enough th ounds are lantastic. There are helicopter blades whiming and you can hear th conterr pumping shells. This game really show off the sound and graphs: epoblishes of your VIC PARATROOPER IS OUR #1 SELLING ARCADI SAME, you've not to see this game to believe it.

SPACE PAX Can you survive? 3 space games with the sights and sounds of an arcade. The excitement builds as the action is un-ending. Blisst away at verything in sight. The alien attacks will stop at nothing to distroy you Prepare for battle, there is no escape, only you can help. Can you summe? H Res, color, graphics and sound Joystick or keyboard 3 Games - Rocke Race, Fence A Tron and Raiders COSMIC CRUZER Hot action and 3 challenging scenarios. Move you ruzer sito the turnel. The missies and drop bombs. Hit the fuel damps to ge

sore fuel. Move as curck as you done to bit the surface to air missales. If you are ood enough you will make it to the asteroids field and then try to destroy th ese. No one has destroyed the base yet. Will you be the first VIC ALL STARS We took the best selling VIC programs and put

package to save you \$35 If purchased seperately it would cost you \$85. You go Paratrooper, Target Command, Head On, Cattle Round-up, Snak-Out, Trapper, Double Snake Out and Artillery. All eight games for \$49.95 arry because at this price they won't last long. Errifted quantity. 8

COMMODORE 64 SOFTWARE

Let the COMPUTERMAT turn your 64 into a home arcade!

COLOR · GRAPHICS · SOUND ON CASSETTE (Disk Versions Available - Add \$5 10)

MUSIC MAKER - \$19 % EDUCATION PAK - \$24 % Put sheet music notes 4 Progroms into your 64, plays 3 Geography Match voices, Program, plus

TREASURE PAK - \$14.95 GAME PAK - \$14.56 3 Progroms 3 Progroms

Adventure Dragon Chase Caves of Silver Deflect Shuttle Voyage Flin It

Joystick and Keyboard versions included COMPLITERMAT

2 sample songs.

Box 1664 • Dept. C • Lake Havasu City, Az. 86403 (602) 855-3357

NEWS&PRODUCTS

Drawing By Touch

Koala Technologies has introduced a touch tablet that allows computer users to draw directly on the video display screen, bypassing the keyboard. The Koalanad Touch Tablet

available in versions for the Apple, Atari, Commodore 64, and IBM computers, weighs about a pound, and connects to the computer through a joystick port.

It can be used as a sketch pad, as a custom keypad, or as a game controller.

Though other applications are available, the Touch Tablet is packaged with Micro Illustrator from Island Graphics. This combination allows the touch pad to be used as a drawing board. Images can be drawn with a finger or stylus, and shapes, colors, shadings, and various "paintbrushes" can be selected from a menu.



The Koalapad Touch Tablet can be used for drawing or as an auxiliary keyboard.

The touch tablet and Micro Illustrator package sells for 5125. Additional application programs will sell for about 550. Koala Technologies Corp. 4962 El Camino Real, Suite 125 Les Altes CA 94002.

Atari 400 Expansion

A 48K memory expansion kit, designed to upgrade the 8K or 16K Atari 400, is available from Atari

The board is available for 130 installed at Atari Regional Repair Centers, or, for those who prefer to install the board themselves, it will be available through the Atari Program Exchange for \$110.

1265 Borregas Ave. P.O. Box 427 Sunnyvale, CA 94086 (800) 538-8543

Checkbook System

T & F Software has produced a check register program for the 8K VIC-20, the Commodore 64, and Atari computers.

CheckEase! allows maintenance of multiple accounts, in-

There are 130 computer books in our September issue.

Don't miss the 20-page B. Dalton catalogue of books on computersa ready reference to personal, business and advanced computers, software, programs, languages, word processing and games. It's at the centerfold of the September SCIENTIFIC AMERICAN,

a single-topic issue devoted to The Dynamic Earth. Recognition of continental drift two decades ago brought on a revolution in geology that has given us a deep new understanding of the dynamics of our planet That's the story we unfold in this issue. On sale Sectember 1.

People who know books know BOOKSELLER





In PA 1:717:327:1694

32K RAM \$69,75 4K RAM \$99,75 64K RAM \$129,75 64K RAM \$129,75 75CM ROTES \$29,75 75CM ROTES \$29,75 75CM ROTES \$29,75 75CM ROTES \$29,75 75CM ROTES \$16,75 75CM ROTES	Monity Winch 2	Essens FL41	DISK DRIVE 1000 1230.0 ALEX GROUP Veris Bor 2. 150.71 CONT 455.75 CONT 455
MODEMS	MONITORS	WICO	

NCHOR MARK 1 579.00
ANCHOR MARK II. 179.00
HAYES SMART 5239.00
HAYES MICRO II 5309.00
Micro Bit
MPP-1000
NOVATION
CAT \$144.00
D-CAT
J-CAT 5115.00
APPLE CAT II 1279 00
212 APPLE C/T . \$589.00

BLANK DISKETTES

FIERHANT OF IND

ELEPHANT SS/DC

MONITORS NEC J81260

	JB1:		
NEC	TC1:	201.	
	tek C		
	iek 3		
	5ek 35		

CITOH

\$18.25 \$21.75 KANGAROO SS/DD with \$24,75 storage case MAXELL MD I .. MAXELL MD II \$39.75 DISK CASE (holds 10) \$4.95 MSK CASE (holds 50) \$19.75 FPSON

•	LA	26	(he	195	101	
		S	AN	YO		

C 1000 \$1549.00
th micropro software package)
IC 1250\$2195.00
C4050 \$2749.00
D 160 Disk \$499.00

PRINTER \$699.00 GEMINI 15 \$449.00 \$1589.00 PRINTMASTER RIBBONS SMITH CORONATP ...\$549.00 \$1099.00 OKIDATA 82 AVAILABLE LOWEST OKIDATA 83 OKIDATA 84P

OKIDATA 93

TRACTOR.

OKIDATA 92 SSAVE TO ORDER



AVAILABLE

SAVE

Lyco Computer P O. Box 5088 Jersey Shore, PA 17740

JOYSTICKS

VIC

\$65.00

APPLE - VIC - ATARI - TI Command Control Redball... Apple Trackball TRACK BALL EXTENSION CORD APPLE ADAPTOR T.I. ADAPTOR

POINT MASTER

579 A \$65.00

-\$20.95 \$22.75 458.00 \$52.75 \$9.75

ARRI E DUMPH ING GY APPLE DUMPLING 64 . (16 But oct 178 75 INFOCOM \$15.95 Zerk I. II. or III. 826 76 \$9.95 \$33.75

PRINTER

\$315.00

5275.00

\$149.00

\$149.00

599.00

INTERFACING AVAILABLE APPLE DUMPLING GX APPLE DUMPLING OF FIG. BURNS \$179.75 APPLE ATARI .\$35.00\$79.00

NEC	\$35.00	\$75	100	\$65.00
OKIDATA	\$35 00	571	000	\$65.00
GEMINI	\$35.00	579	00	\$65.00
SMITH CORONA	\$35 00	\$79	00	\$65 00

Microbits Parallel Ceble \$89.95

commodore (VIC: 20 Tora C

HES Games I C HES Gemes II C \$14.75 VIC Fortit Rom .. 842.75 HES MON Rom \$28.75 Turtle Grephics Rom \$20.75 \$28.75 HES Writer Rom .. \$28.75 Chamur Bom Protector Rom Robot Penic Rom \$28.75

DISKETTE SALE BULK DISKS (qty 150) \$1.50 ee Certron CC 1D(3 blank one ttes)...\$3.75

SCALL \$365.00

POLICY In-stock items shipped within 24 hours of order. Personal checks require four weeks cleerence before shipping. No deposition C.O.D. ordars. Fran shipping on prepeid ceshorders

within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertis prices show 6% discount offered for cesh, edd 6% for Mash and or Vise DEALER INQUIRIES INVITED

800-233-8760 In PA 1-717-327-1824

cludes checkbook reconciliation and budget categories, and allows changes or deletions in any check or deposit with automatic undating of all balance figures. CheckEase! is compatible

with Commodore's Personal Finance program. The VIC version sells for \$24.95. The Atari and 64 versions are \$29.95 for tape, and \$34,95 for disk.

Among other new products available from T & F are Space Sentinel and Slot Trivia. Space Sentinel is an arcade-type game for the Commodore 64. The object is to protect Earth from alien attackers who hurl heat missiles at our polar ice caps. The game sells for \$29.95

Slot Trivia is a trivia questionand-answer game in a slotmachine format. The game, available on disk for Atari computers, includes more than 500 questions in 11 categories

T & F Software 10902 Riverside Drive North Hollwwood, CA 91602 (213) 501-3856

80-Column Thermal Printer

Alphacom has produced an 80column thermal printer with graphics capabilities that is designed to be compatible with several computers.

The Alphacom 81 printer includes upper- and lowercase letters and wraparound for lines longer than 80 characters. It prints at 80 characters per seccontrol codes, and can print bitmapped graphics. Alphacom also has produced

a series of interface cables that make the printer compatible with the TRS-80 Color Computer as well as the Commodore 64, VIC-20, Atari, and Apple computers.

The Alphacom 81 will sell for \$169.95. Interface cables start at \$44.95

Alphacom, Inc. 2323 South Bascom Ave. Campbell, CA 95008 (408)559-8000



Alphacom 81 is an 80-column thermal printer with graphics capabilities

HAPPY BIO ENHANCEMENT WE WILL MEET Spend up program development, loading, execution, and copying time by reading OR REAT ANY daks up to 3 times faster. Complete compatibility with costing software, with fester disk mitalisation, and reduced wear on the disk draw mechanism. No

seldering or trace cutting required, complete installation instructions included. or consect your dealer. Degreetic program recluded SOFTWARE ENHANCEMENTS (require HAPPY 810 ENHANCEMENT)

ENHANCE YOUR ATARI' 810

HAPPY BACKUP PRODUKAN Guaranteed to produce executable backup copies of any disk which can be read

with a standard ATARI BIO" dek drive Backup those important daks in your thrary or use HAPPY BACKUP for small scale stributes production, Cornpletely automatic duplication of format and data content of the sparce dipli-Single and multiple draw veryons available. Backup copies will work on a draw without the enhancement

HAPPY COMPACTOR PROFRAM

Combines self booting programs which reside one per disk into one disk with Compares sell decline programs using the HAPPY COMPACTOR file structure.
Programs are then executed from the self backing HAPPY COMPACTOR menu, and may later be extracted back cono a single disk. Compaçted programs disk will execute only on a drive which has the HAPPY 810 ENHANCEMENT. Pays for strell by reducing the number of backup disks you need, in addition

HAPPY CUSTOMIZER PROGRAM User friendly program to generate source disks with custom track format

Format is specified on a per track basis. Examples of usage and interpretation of results are excluded. This system requires a more advanced level user. HAPPY 818 ENHANCEMENT WITH SINGLE DRIVE HAPPY BACKUP \$249.55 MULTIPLE DRIVE HAPPY BACKUP PROGRAM \$ 49.95

HAPPY CUSTOMIZER PROGRAM CALL OR WELL HER GREENS INCOMENDED SINCE OF THE CASE O







ADVERTISED PRICE.

Catalog available for \$3.00 Please specify computer



"""" COMPU SENSE":"

QUICK BROWN FOX \$55.00 The Word Processor of this decade! For the VIC-20 and C-64

COMMODORE 64® \$43500

Plus you receive a free QBF Word Processor valued at \$55.00

Write for FREE Catalog!

Plugs directly into the VIC's expension part. Expends to

34.95

VIC-20°

When you buy our 6 Game Pac or 6 Finance Pack \$43 00 VIC-1213 VICMON Machine Language

C-64 Software			VIC-1210 VIC 3K Memory Expander Cart.
Pet Emulator	S	27.95	Place dreetly into the VIC a separation of
Editor Pac		67.00	2K RAM total
File Pac		32.36	VIC-1110 VIC 8K Memory
Account Pac		57.00	Expander Cart.
Farm Management I		0.00	SK RAM expension cartridge plugs dire
(Agricultural Software)		47.25	CM102 24K Memory
Home Budget		29.95	Expander Cart.
Stock investments		76.95	VIC-1011A RS232C Termina
Calc Result		40.00	Interface
650Z Professional Development		40.00	Provides reference between the VIC-
System Development		27.95	communications moderns. Commets to 9
		34.95	PETSPEED
Mail List			Basic Compiler for Commodore
Vic Easy Lesson & Easy Quiz		35 97	Vic Rabbit Certridge
Loan Calculator		15.95	CBM 64 Rabbit
Data Files		14.95	Star G-10 Printer
Research Assistant 2.0		28.00	Mura Modem
Total Label 2.6 (Mailing			Smith Corona TP-1 Printer
Lables)	Tape	19.95	Simili Colona 17-17 inites
	Disk	22 00	
Total Time Manager 2 6		37.00	CARDCO HARDY
Total Text (Word Processor) 2.6		40.00	CANDCO HAND
			CARDSOARD 6

C-64 Games Flight 64 (Flight Simulator) Tape \$13.95

	Disk	15.95
Gunslinger		13.95
Spellathon		16.95
Motor Mania		25.95
Benassance		25.95
Vic Clowns		25 00
Radar Rat Race		25.00
Jupiter Lander		25.00
Temple of Apshar		39.95
Upper Reaches of Apshail		16.95
Curse of Ra		26.95
Sword of Faropal		19.95
Jump Man		26.95

VIC-20 & C-64 Hardware

VIC-1530	Datasette	67.50
VIC-1515	Printer	334-95
VIC-1010	Expansion Module	139 95
VIC-1311	Jovatick	9.95
	Wico Joystick	28.00
VIC-1312	Game Paddles	19.95
	Telephone Modem	99.95
	Terminal	
	Emulator (64)	Tape 9:95
		Disk 15 95
	40x25 Terminal	
	Emulator VIC	40.95

Cartridge	\$45.99
More than 20 new BASIC commands halo re	w and eaper-
sensed programmers renumber, trace and ec	
grams. Trace any program line-by-kne as it ex	
to edit Special KEY commintel lets program	
function keys as BASIC commands, subro	

Expander 0	
SK RAM expension cartridge plui	
CM102 24K Memory	
Expander 0	Cart. 119.95
VIC-1011A RS232C Ter	minal
Interface	39.95
Provades retorious between the	VIC-20 and B5232 bits.
communications moderns. Cornel	cts to VIC a user port
PETSPEED	
Basic Compiler for Commodore	140.00
Vic Rabbit Cartridge	35.00
CBM 64 Rabbit	35.00
Star G-10 Printer	360 00
Mura Modem	120.00
Smith Corona TP-1 Print	ter 650 00
CARDCO HA	RDWARE
CARDCO HA	RDWARE \$87.50
CARDBOARD 6	\$87.50
CARDBOARD 6 An expansion intertace for the W	\$87.50
CARDBOARD 6 An expension interface for the W 40K or accepts up to six games more versatility.	\$87.50 IC-20 Allows expansion to May be desp-chained for
CARDBOARD 6 An expansion interface for the ways or accepts up to us games more verseithy. CARDBOARD 3	\$87.50 IC-20 Allows Expansion to May be desp-chained for \$35.95
CARDBOARD 6 An expansion interface for the 's 40K or accepts up to ax games from versetility CARDBOARD 3 Economy expansion interface for	\$87.50 IC-20 Allows expension to May be decay-chained for \$35.95 the VIC-20
CARDBOARD 6 An expansion interface for the 's 40K or accepts up to as games more versibility CARDBOARD 3 Economy expansion interface for CARD "2" "CARD / PRIN"	\$87.50 1C-20 Allows expension to 1 May be desy-chained for \$35.95 the VIC-20 \$76.00
CARDBOARD 6 An expension interface for the N 60K or accepts up to as garwan race versielity CARDBOARD 3 CORRO "2" CARD/PRIN" Universal Centrories Paristic MCCOLD "2" CARD "8" to as Fire MCCOLD "3" CARD "9" to as Fire MCCOLD "4" to as Fire	\$87.50 1C-20 Allows expansion to 1 May be descy-chained for \$35.95 the VIC-20 \$76.00
CARDEOARD 6 An expension refer too for the tools or acceptance or to us games throw whether too too the too too too too too too too too too to	\$87.50 IC-20 Allows Expansion to May be discontined for \$35.95 the VIC-20 Physics interface for the lon MX-80 or ONDATA or
CARDEOARD 6 An expension interface for the 's ONL' or accepting to be as games from versibility CARDEOARD 3 Economy expansion interface for CARD "2" CARD/PRIN' Universal Confronce Particle Vic-20 or Calm-64 Use as Vic-20 or Calm-64 Use as Vic-20 or Calm-64 Use or CARDE "17 TANDY or just about piny other CARDE TEST.	\$87.50 1C-20 Allows expansion to May be disspictured for \$35.95 the VIC-20 \$76.00 Physics interface for the see MXC-30 or OMDATA or \$30.95
CARDBOARD 6 An expension interface for the V BOX or accepts up to aux graves neve versetify. CARDBOARD 3 6cooper or CARD /PRIN' Universal Conforms Paristic Universal Conforms Paristic Universal Conforms Paristic CARD - TANDY of plat food of the other CARDB TELES Uses any standard causelies.	\$87.50 1C-20 Allows expansion to May be disspictured for \$35.95 the VIC-20 \$76.00 Physics interface for the see MXC-30 or OMDATA or \$30.95
CARDBOARD 6 An expansion interface for the V 90% or accepting to the size game flow or accepting to the size game from versibility. CARDBOARD 3 Economy expansion interface for CARDBOARD 3 Economy expansion interface for CARD "PT" CARD "PRINT Universal Centromes Paratitle Version of CARD "And 4- Use an Ex- TANDY or just about day other Use any standard cassesse is Version or CARDE TER Use any standard cassesse is	\$87.50 10-20 Allows expension to May be descy-chained for May be descy-chained for \$35.95 for \$76.00 Physic Micrisics for the son MC-80 or ONDATA or \$30.95 skyer/recorder with your
CARDBOARD 6 An expension interface for the N SIN or accepts to but agreement inconversability CARDBOARD 3 6000000 you provided CARDBOARD 3 6000000 you provided CARDBOARD 3 6000000 you provided CARDBOARD 3 60000000 you provided CARDBOARD 3 1000000000000000000000000000000000000	10-20 Allows expansion to May be descyclassed for May be descyclassed for the VIC-20 \$35.95 Frester Extension for the sen MCHBO or OMDATA or \$30.95 Seyer/recorder with your \$29.95
CARDBOARD 6 An expansion interface for the V 90% or accepting to the size game flow or accepting to the size game from versibility. CARDBOARD 3 Economy expansion interface for CARDBOARD 3 Economy expansion interface for CARD "PT" CARD "PRINT Universal Centromes Paratitle Version of CARD "And 4- Use an Ex- TANDY or just about day other Use any standard cassesse is Version or CARDE TER Use any standard cassesse is	10-20 Allows expansion to May be descyclassed for May be descyclassed for the VIC-20 \$35.95 Frester Extension for the sen MCHBO or OMDATA or \$30.95 Seyer/recorder with your \$29.95

All CARDOO Products have a likely wastable COMMODORE SOFTWARE VIC-12114 VIC-20 Super Expander, \$55.00

VIC-1211A VIC-20 Super Expander S55,00 Enrything Commission with Mind and the decided counting in 28 KNAI minimary argamators, this headston graphics pile-ing, color, period and sound commands Graphic, test mis-tical and the second of the S50441024 doll screen platting A contribute my bir typed an own BSSIC commands or accessed by fetting over of the VIC's special Matches keep includes Montal instruction book Excellent for all per-

P 0 BOX 763 WICHITA, KS 67201 A160 283-1095 endang charges \$2.00 CID (Add \$2.00) Personal checks allow 3 week delivery

Anti Matter Splatter (Disaster)

Rescue From Nufon (Great)

Tank Wars (War Game)

Amok

Invasion Orion BK Backgammon

Monitor	\$48.99
Holps machine code programmers write for agreeably language programs. Includes on disassembler.	at, efficient 6502 e line assembler/
VIC-20 Softwar	е
for Business & Home Apple	anodac
6502 Professional Development	
System	\$25.00
Vic Forth (Advance Computer	
Language)	49 95
Hess Mon (Machine Language	
Monitor)	34.95
Hess Writer (Word Processor)	34 95
Turtle Graphics	34 95
Total Label 2.1	Tage 17.95
	Disk 22.00
Total Time Manager 2.1	Tape 28.00
	Disk 32.00
Research Assistant 2.0	Tape 28.00
	Disk 32.00

Total Text 2 5 Tape 30 00 34 95 Tape 29 00 Encoder Acct. Payable & Receivable Disk 35.00 VIC-20 Games Exterminator Plus (Excellent) \$17.95

Simon (Great for kids) Dam Bomber (Avoid the enemy) 13 45 Snack Man (Pac Man) 17.95 Cart 23.95 Starfighter 17 95 Torg Gndrunner 34 95







17.95

12 95

CARD "?" CARD/PRINT \$76.00 Universal Centronics Parallel Printer Interface for the VIC-20° or CBM-64

Use any parallel printer with your VIC-20* or CBM-64. CARDBOARD 3

\$35.95 Есопоту ехра

> CARDBOARD 6 \$87.50

An expansion interface for the VIC-20* Allows expansion to 40 K or accepts up to six games. May be daisy chained for more versatility

CARDETTE \$30.95 corder with your VIC-20th or CBM-64 LIGHT PEN

\$29.95 A light pen with programs to use with your VIC-20* or CBM-64

"""COZOPU SENSE:::"



respect charter allow 3 week dates

POWER LINE PROBLEMS?

NKE-SPIKER® ...THE SOLUTION Protects, organizes, controls computers & rsitive electronic equipment. Helps prevent re "ginches", unexploined memory loss. and equipment damage. Filter models attenuate conducted RF interference, 120V, 15 Amps.

dels ovoilable. Ask for free literature

DELUXE POWER CO \$79.95

sockets, fused, opin switch, 5 life. QUAD-II \$59.95 Transport obsorber: Ovel 2 steps filter: 4 sockets, 13s QUAD-1 \$49.95

MINI-II \$44.95

MINI-I \$34.95 215-837-0700

100-523-9685 edd 53 00 + SNo

Timex Tutorial

The Programming Kit I, a BASIC tutorial program for Timex/ Sinclair users, is among three new programs produced by Timeworks. The Programming Kit, a how-to learning approach to programming, includes an explanation of an eight-step approach to program design.

Family Pak is a set of five 2K programs designed for day-today home tasks. The programs are Check Book Balancer, Recipe Recorder, Mini-Money Manager, Homework Helper and Memoboard, a family message center.

Timeworks' third new program. Scuon's Revenge, is a deepspace combat game that includes 3-D simulation. The game is provided with a keyboard overlay to give you the feeling of punching command buttons rather than hunting and pecking

on a keyboard. Timenorks, Inc. 405 Lake Cook Road Building A Deerfield, II, 60015 (312)291-9200

Kinderaarten Gallery

Midwest Software has developed a series of computer programs designed for kindergarten

children The Kinder Koncepts software addresses reading awareness, math concepts, pattern recognition, letters, numbers, colors, and shapes.

All programs follow the same general format, operate with a single keystroke, and keep the necessity for reading to a minimum.

In each program, ten problems are presented. A correct answer is rewarded with a smiling face and a tune. An incorrect answer results in a frown and the chance to try again. Each

program has a built-in graph so that progress can be monitored at a glance.

The programs are available on cassette or disk for all Commodore computers except the VIC-20. Disk versions also are available for the Apple II + . The cost is \$7.95 per program for cassette or \$69.50 for a disk with ten programs. Midwest Software Box 214

Farminoton, MI 48024 (313)477-0897

Mickey's New Adventure

Walt Disney Productions has entered the computer software market, and it's making its debut with the help of Mickey Mouse. Mickey in the Great Outdoors

is a pair of interactive adventure games for children seven to ten years old. Mickey Goes Hiking develops grammar and spelling skills by requiring players to finish sentences and unscramble words to help Mickey through his adventure. Mickey Goes Exploring is a similar game, but is based on math skills and equation solving.

Mickey in the Great Outdoors, is being offered only for Atari computers, and distributed through Atari. This program. however, is just the tip of Walt Disney's software iceberg, ac-

cording to the company Plans call for as many as 50 additional Walt Disney programs to be released this year, sup-



Mickey Mouse helps unscramble a word in Mickey in the Great Outdoors

Products for Commodore, Atari, Apple, and others!

\$59.95



THE MONKEY WRENCH II A PROGRAMMERS AID FOR ATARI 800 NEW AND IMPROVED — 18 COMMANDS PLUGS INTO RIGHT CARTRIDGE SLOT

If you are a person who likes to monkey around with the ATARI ROO, then THE MONKEY WRENCH IT IS for you'll Make your programming tasks easier, less time-consuming and more fun. Why spend extra hours working on a BASIC program when the MONKEY WRENCH can do if for you in seconds It can also make backup copies of boot type cassette programs. Plugs into the right slot and works with ATAPI BASIC cartridge.

The MONKEY WRENCH provides 18 direct mode commands They are AUTO LINE NUMBERING -- Provides new line numbers when entering BASIC program lines. RFMLMRFR — Renumbers BASIC's line number cluding internal references. OELETE LINE NUMBERS
- Removes a range IMSIC line numbers.

VARIABLES — Display all BASIC variables and their current value. Scrolling — Use the START & SELECT ways to display BASIC lines automatically. Scroll up or down BASIC pro-gram FIND STRING — Find every occurrence charactering. XCHANGE STRING — Find every machine language monitor

language memory with 16 commands used to interact with the powerful features of the 6502 microproposition.

VIC RABBIT CARTRIDGE AND CBM 64 RABBIT CARTRIDGE



Don't waste your Life away waiting to LOAD and SAVE programs on Cassette Deck. Load or Save 8K in approximately 30 seconds! Try it-vour Un-Rabbitized VIC or 64 takes almost 3 minutes. It's not only fast but VERY

RELIABLE Almost as fast as 1541 Disk Drivel Don't be foolish - Why buy the disk when you can get the Rabbit for much, much less! Allows one to APPEND Basic Programs! Easy to install - just plugs in Expansion Connector on rear of the VIC Rabbit. Works with or without Expansion Memory. Works with VIC or 64 Cassette Deck 12 Commands provide other neat features. Fast Data Files - two data file modes Also Available for 2001, 4001, and 8032

Mag.

Professionali

Developmen

Designed

Software

Now for the "64"

More than just an Assembler/Editor

Blast off with the software used on the space

· Owners in morow Fragmenter Productive

NOW the STCP - 300/1200 Baud

Scroll thru Basic Programs using cursor upidown keys. Specify computer, \$6.00 en cassette, \$9.00 on diskette.

Computer

PFO IOD OOA CP<01>02 BELL 123000101436 on I settle for non-standard Communications Photocol

 Complete Prokace - Includes R\$222 Inter Option/Gownlead torfrom Onk
 Automatic File Translation

4040 or 9050 or PEOISK II Oak or CBM64 on 154

Price: \$129.95

ATARI AND PET **EPROM PROGRAMME** Programs 2716 and 2532 EFFIONs Includes hardware and software PET - \$75.00 -ATAPII (includes sophisticated \$119.95



need cartridges, call for pricing

PET BASIC SCROLL PROGRAM

Same as our MAE but enhanced for the new 65C02 Opcodes. Turns your computer into a development system for the new ROCKWELL

65C02 Microprocessor. \$200.00 - Specify

6800 CROSS ASSEMBLER

A Cross Assembler based on the MAE that

runs on the PET, Apple, or Atan but assembles opcodes for the Motorpia 6800 microprocessor Turns your computer into a development

system for the Motorola 6800 Microprocessor \$200.00 - Specify Computer

ATARI and VIC Cartridges

FPROMS 77% - \$4.50.2532 - \$750

5% INCH SOFT SECTORED DISKETTES

APPLE

ATAR

\$16993

\$99.95

computers. \$22,50/10 or \$44,50/20

hest quality. We use them or ar PETs, APPLES, ATARIS, and other

3239 Linda Dr Winston-Salem, N.C. 27106 (919) 924-2889 (919) 748-8446 Send for free catalog!



porting Atari, Radio Shack, Texas Instruments, NFC, and Panasonic computers, and distributed through those

companies Walt Disney Telecommunications 500 South Buena Vista St. Burbank, CA 91521

(213)840-1111 Add 64K To

Timex/Sinclair

Sunflower Systems has produced a 64K RAM pack for the Timex/Sinclair computers.

The self-contained memory expander plugs into the computer just like the Timex 16K RAM. No additional equipment is needed.

The unit, housed in metal to eliminate radio frequency interference, sells for \$119,95 plus \$5 for shipping

Sunflower Systems 718 East Avenue B Hutchinson, KS 67501 (316)662-2134

Science Fiction Text Adventure

Cuboro is a science fiction text adventure that has no treasures to collect and no score to tally.

The adventure is available from Sentient Software for \$34.95 in versions for Atan. Commodore 64. Apple, and IBM,

The game includes character development, animals to talk to, opinions from the Cyborg, and a command structure that allows full sentences.

Sentient Software, Inc. P.O. Box 4929 Aspen. CO 81612 (303) 925-9293

Turn On The Juice

Tronix, a young company that made its first splash in the VIC-20 market, has added the Commodore 64 to its repertoire.

The company's latest creation is Iuice, a fast-paced strategy game for the 64 and Atan computers. The hero in Iuice is Edison, whose job is to complete circuit boards in the face of all the troubles his adversary - Kil-

lerwatt - can throw his way. The game includes six play levels, each with three rounds plus a bonus round. The 32K Atan version sells for \$29.95. and the Commodore 64 version

Another Tronix offering for the 64 is Kid Grid, which previously had been released in an Atan version. In the game, "the Kid" darts around a grid trying to connect all the dots while

sells for \$34.95.

eluding four bullies. Kid Grid sells for \$34.95. In addition to branching into the 64 market, Tronix has bolstered its VIC-20 lineup with the addition of three new cartridge games, Deadly Skies, Scor-

nion, and Gold Fever! Deadly Skies is a shoot-em-up



III. UP TO 500 RECORDS per FILE IV PHINTS ACORESS LABELS V. Marter Card • Van • C.D.D. Drebes Accepted VI. Send Drilers and Inquiries to A 1 SERVICES

Why Does Your VIC-20 Need a MOTHER?

A MOTHER PROVIDES PCS Model VM 101 provides 6 sixts
for memory, programming side and game cartridges leven tary switch) or combine centridues for programming a notary switch or compine carbridges for programming.

A MOTHER PROTECTS With VM 101 everything going onto
or out of your computer is buffered. This meens voltage is
adjusted and encors from electronic noise are elemented.

A MOTHER MENCES A raid state PRISET is witch recovers. the keyboard when PLINISTOP-RESTORE word. The can And the MOTHER has an excern your ended noisy I/O or loaded systems without fuse failure, added noisy I/O or VM 101 587

How Much Memory Does Your VIC Need? expand it when you need And SO1 has a slot for any existing VAA DOM DE VM 201-16K Personal Computer Specialties



-8383 P.O. BOX 2940, New Har

7103 W. Clearwater H 228 • Kennewick, WA 99036





EXPOTEK

2723 W. Windrose • Suite 3 Phoenix, Arizona 85029

Phoenix, Arizona 85029 1-800-528-8960

GUARANTEED LOW PRICES

DATASOUTH
D5120 - 5595 D5180 - 51169
DIABLO

APPLE-LOOK-A-LIKE

HAYES — 5MARTMODEM — \$199 HAYES — 5MARTMODEM — \$199 HAYES — 1200 Baud — \$499 MONITORS Amdek 300 — \$130 Color I — \$295

Amdek 300 — \$130 Color I — \$295 Amdek Color II — \$425 Amber — \$145 BMC Green — \$85 USI Amber — \$149

NORTHSTAR
Advantage = \$2250 | 250A - \$1950
5m Byte = \$3350 | 15m Byte = \$4499
NEC
8023 - \$339 | 7710 - \$1999
3510 - \$1375 | 3350 - \$1730

OKIDATA
M92A - \$ CALL M93A - \$ CALL
M82A - \$ CALL W/Tractor & Grap. \$ CALL
M84P - \$ CALL M84S - \$ CALL

Pacemark 2350P - 5 CALL TELEVIDEO 802 - \$2520 802H - \$4450 806 - \$4950 \$00A - \$1250 803 - \$1890 1803 - \$2695

> TELEVIDEO 910 - \$559 925 - \$718 970 - \$1040 950 - \$899 TI 810 - \$1240 820 - \$1795

ZENITH
Z19 - \$670 Z69 - \$2129
SOFTWARE
All Major Brands - 25% off list - \$ CALL
DISKETTES/BOXES

Elephant - \$19 Scotch - \$25 Dysan - \$35 All Prices Subject To Change

Customer Service 602-863-0759

ACCOLADE COMPUTER PRODUCTS

ATARI 850 Interface \$185.00
ATARI 410 Recorder 75.00
ATARI Disk Drive 449.00
PERCOM Oouble Density 599.95

EPSON Mx 80 ft.

w/graftrax \$479.95

EPSON Mx 100 ft.

w/graftrax 697.50

w/graftrax 697.50 EPSON Fx 80 (160 CPS) 595.00 GEMINI 10x (120 CPS) 329.95 GEMINI 15 OKIDATA 82A (120 CPS) 459.95 DAISY Silver Reed 799.95

BMC (12" Green) 99.95 BMC (12" Color) 342.50 ATARI Writer \$77.50

Programmer's Kit 49 Q5 Family Finance 38.95 22.95 Juggles House Junnies Rainbow 22.95 My First Alphahet 27 95 ATARI Sasic 45.95 Missile Command 28 95 Pacman 34.95 34 95

 Centipede
 34,95

 Dig
 34,95

 Dig Dug
 34,95

 Defender
 34,95

 Galaxian
 34,95

 Conkey Kong
 38,75

 E.T. Phone Home
 38,75

 Eastern Front
 38,75

 Winer 2040er
 37,56

E.T. Phone Home 38.75
Eastern Front 38.75
Fastern 2049er 37.56
Zaxxon 29.95
Frogger 26.95
Choplifter 33.95

Dealer Inquiries Welcome
WE WILL TRY TO MEET OR BEAT
ANY ADVERTISED PRICE
ACCOLAGE COMPUTER
PRODUCTS

4858 Coronado Ave. San Diego, Ca 92107 (619) 223-8599

Foreign Orders add \$5 00
Playment in U.S. Fends only
COD Chenge \$1 65
COO's, Castler Check or Money Orders
Personal others must little 2 weeks to clean

WHY SPEND MORE? SUPERBYTE BUSINESS PACK

ON DISK FOR THE

Vic 20 (BK):

*THE ACCOUNTANT
General Ladger, Income Statement & Delences
*ACCOUNTS RECEIVABLE/
PAYABLE
Journal for current & paid accounts

**THE EDITOR
Full seasons used processor
**SPREAD SHEET CALC.
Complete spread sheet/full status and sheet/full status
**BUSINESS INVENTORY
Investory accords bytam.
**CHECKBOOK MATE
Checkbook maintenance & switer
**THE MAIL MAN.

*PLUS 6 UTILITY PROGRAMS
Profit Marganibus Colindor & Data Bees
Part Madel/Linear Regresson/Depreciator

Pert Model/Linear Regression/Depreciator
Amortization
FULL PRINTER CAPABILITIES
COMPLETE REFERENCE MANUAL

ONLY \$100.00

By Check, Charge or COD IS Shippings

SUPERBYTE SOFTWARE
2-0187LEY RUN
WEST BERLIN, NJ 08091

MO91 346-3002

CARDRAM 16

16 K Memory Expansion Cartridge for the VIC-20[®] Personal Computer

FEATURES

Provides the equivalent of two six RAM cartridges

8K RAM cartridges

Each 8K is individually switch selectable by block.

Onening in case to provide easy

switch access.

Uses 8 low power CMOS 2K x 8 static RAM chips.

High quality glass/epoxy circuit board.
 Gold plated contacts.
 Individually tested.

Made in the U.S.A
 \$50.50

"····¢o@PU SENSE::."

TO ORDER P O. BOX 768 WICHTA, KS 67201 (316) 263-1095

anding charges \$3.00 C O D Glod \$2.000 ersonel checks allow 3 week delecty

Ecommodore SUPER-MART *******

222 YANG M & MIT BYAR 222 HANNA ENTERPRISES 1303 COLUMBIA OR suite 207 Richardson, Texas 75081

OUTSIDE OF TEXAS CALL 1-800-527-1738 TO ORDER CALL (214) 231-2645

MasterCard & Visa accepted add 3% surcharge for credit cards F O B Oallas, Texas

9:30 a m - 6:30 p m (m-f) 10 30 a m - 2 30 p.m. sat

COMMODORE COMPUTERS \$777.20 R-500-128k DET 84 \$627.50 8032 \$627.50 8096 \$876.25 9000 Super Pet \$1071.25 \$233.00 >64 Executive 64 portable CALL

> COMMODORE **DISK DRIVES**

1541 (170k) \$250.50 2031 \$311.00 4040 (340k) \$657.85 8050 (1mg) \$981.90 8250 (2mg) \$1226.50 9060 hard disk (5mg) \$2040.00

9090 hard disk (7.5mg) \$2290.00 COMMOOORE PRINTERS \$238.75

1525 (30cps) 1526 (100cps) \$343.05 4023 CBM (100cps) \$330.95 8023 (160cps) \$537.95 6400 daisy wheel CBM \$1417.75 new! 1520 plotter printer \$178.50

> COMMODORE PERIPHERAL S

\$249.95 1701 color monitor c1600 modem \$59.30 c1650 automatic modern \$94.50 Datasette 1530 \$58.50 CBM 64k memory board \$246.95 Super Pet upgrade board \$488.95 Cables PET-IEEE \$34.95 Cables IEEE-IEEE \$42.05

COMMODORE SOFTWARE FOR CMB

Wordpro4+ or 5+ \$305.00 Visicalc (Expanded) \$195.00 BPI G/L A/R A/P Inv. etc. \$320 ea. MANAGER (database) \$195.00 c64 SOFTWARE \$99.95 Easy script Fasy mail

Logo

Pilot

\$49.95 Word/name machine \$29.95 20 05 \$99.95 Music machine \$29.95 \$29.95 Music composer

game in which the player, equipped with a squadron of helicopters, takes on a military base. Gold Fever! is a maze game in which a prospector faces runaway boxcars, boulders, claim jumpers, and a limited supply of oxygen. The object of Scorpion is to keep the snake alive and fed in the midst of a world filled with dragons, frogs, Venus'sflytraps, stalkers, worms, and

pods. Each of the VIC-20 games

sells for \$39.95. Tronix Publishing, Inc. 8295 S. La Cienega Inglewood, CA 90301

A Program To Remember

Memory Trainer, an interactive program to teach memory improvement, is available from Einstein. The program, which is avail-

able for the Apple, Atari 800, and Commodore 64, is based on memory improvement research from the past 100 years MemoryTrainer includes five

lessons in a three-disk package that sells for \$89.95. The lessons teach the ability to remember faces, dates, telephone numbers, lists, and quotations, and to use association as a memory tool.

The package also includes Memory Mix, a game that provides practice for each memory skill

The Einstein Corporation 11340 W. Olympic Blod. Los Angeles, CA 90064

VIC Wafer Storage

A low-cost micro-wafer storage device for the VIC-20 will be available later this year from Unitronics, through a licensing agreement with Vadem, the unit's builder.

The V-20 Expander is described as an inexpensive alternative to floppy disk storage for low-end computers. It reads or writes data to small tape cassettes at a speed approaching that of disks

The device, which measures 5x6x7 inches, plugs into the VIC's cartridge expansion slot. It includes a 10K RAM memory expansion board, a 64K data wafer and high-speed microwafer drive, a filing system, and VWOS - the Vadem Wafer Operating System.

Because VWOS is able to access the computer's memory bus directly, rather than through a serial port, the V-20 is able to improve on the data transfer rates of existing micro-wafer devices

The expander is expected to sell for about \$100.

3517 Ruder Street Santa Clara, CA 95051 (408) 738-0571

Stand-On Game Controller

The Joyboard, a game controller that involves the whole body rather than just the hands, has been introduced by Amiga for the VIC-20 and Atari computers.

The Joyboard, which comes with Mogul Maniac, a skiing simulation game, will sell for about \$50. Other games designed for use with the lovboard - Surf's Up and Off Your Rocker - will cost about \$20

The Joyboard also can be used with many existing mazetype games to provide a different challenge, or, for shoot-em-up games, a conventional joystick can be plugged into the lovboard to control firing, while your feet control direction.

Amiga also has produced a version of its Power-Stick joystick for the TI-99/4A. This includes two controllers hard-

HARMONY VIDEO & COMPUTERS 800-221-8927

COMMODORE VIC 20 89.95 199.95 59.95 209.95 COMMODORE VIC 2N DATASETTE VIC 2N DATASETTE
COMMODORE DISC DRIVE,
1525B PRINTER
COMMODORE MONITOR
VIC TELEPHONE MODEM
2020 TERMINAL INTERE 209.95 249.95 69.95 **RS 232 TERMINAL INTERFACE** CALL IGEE-488 INTERFACE VIC 8K MEMORY PAC VIC 16K MEMORY PAC MOTHER BOARD CALL 39.95 89.95 89.95 VIC 3K SUPER EXPANDER VIC PROGRAMMER'S AID VIC MON CALL

APPLE 2 PLUS 999.95 APPLE 2E ATARI 822 THERMOL PR

ATAR ATARI 400 W16K ATARI 800 W48K ATARI 1200 XL W64K ATARI 410 RECORDER ATARI 1010 RECORDEI ATARI 810 DISC DRIVE ATARI 830 ACOUSTIC TEL. MODEM ATARI 850 INTERFACE

ATARI BASIC REF. GUIDE

ATARI PROGRAMMER KIT

BETA ВЕТА

roes. Credit cards for phone order only. For customer service please dial

nge without notice. All orders shipped out of state. Dealer inquires

BETA

249.95 369.95 78.95 77 95 159.95 169.95 CALL ATARI 1020 40 COL. PRINTER ATARI 1025 80 COL. PRINTER ATARI 16K MEMORY EXPANDER 219.95 379.95 ATARI WORD PROCESSOR 29.95

EPSON FX 80 PRIN 599 95 69.95 ATARI ENTERTAINER KIT INTRO TO BASIC I & II WE CARRY A FULL LINE OF SOFTWARE FOR ATARI AND COMMODORE CALL FOR LOWEST PRICES

CALL

ALL SONY T.V.'s IN

FOR

LOWEST

P

R FUJI

õ

PANASONIC

DAC



TDK

add approximata snipping postage and insurance charge (212) 627-8960. All pries and availability subject to cha-



VCR's IN

STOCK CALL

FOR LOWEST Р R

SCOTCH

•

MAXELL 8.40 13.50 10.25 6.50 7.99 10.25 6.50 7.99 MEMOREX 8.75 13.50 10.50 10.25 6.50 7.99 SCOTCH 8.50 13.50 10.25 6.99 8 40 10.25 9.50 13.50 11.50 RCA 8 90 8.50 E TDK PROFESSIONAL T120 MAXELL PROFESSIONAL L750 OR T120 MEMOREX PROFESSIONAL PANASONIC 15.95 15.96 s

T160 GRADE L500 L750 L830

VHS VHS

8.85 14.75 10.75 6.50 7.99 10.25

9.65 14 75 11.75 6.50 7.99

> Е s 16.95

FOR THE LOWEST PRICES ON VIDEO CALL 800-221-8927 To order simply dial toll free 800-221-8927 with your Master Card or VISA and your order will arrive via UPS or send certified check or money order only to: HAR

invited!!! For sales info dial (212) 627-6989. Open Sun. 10-4 Mon.-Thur. 9-7 Fri. 9-3

APPLE TEXAS INSTRUMENTS COMMODORE ATARI

EPSON



The loyboard from Amiga transfers videogame control from your hands to your entire body.

wired into a single plug to fit the TI's single jack configuration The pair will sell for about \$20.

Amiya Corporation 3350 Scott Baulevard, Building 7 Santa Clara, CA 95051 (408) 748-0222

Add-On Adventure

Infocom, the company that produced the Zork, the popular un-

VIC-20

LOAD'für name

SAVE Titorage

R1IN/Wenner

BLOAD'filens

DELETE

SCREEN

LGR LCOL LPLO

INTERESTING SOFTWARD

derground fantasy series, is launching a new trilogy that will take the adventurer into the world of magical powers and perilous predicaments.

The first in the new series. Enchanter, scheduled to be available by mid-September, is a prose adventure that takes place in an abandoned castle. The passage of time plays an important role in the game; you must eat, drink, and sleep regularly, or your powers will fail

The game, which will be available in versions for most popular microcomputers, will retail for \$49.95 to \$59.95.

Infocom, Inc. 55 Wheeler St Cambridge, MA 02138 (617) 492-1031

Battle Games

Thorn EMI Home Video has released a pair of new battle games, Orc Attack and Fourth Encounter

In Orc Attack, the player must defend his castle against the Orcs, who erect ladders and scale the castle walls under cover of a volley of crossbow bolts from their archers. The game, which is available for the Atari 400 and 800, sells for \$39.95

Fourth Encounter is a cartridge game for the VIC-20. The challenge here is to save a planet from an invasion of aliens, who bring with them slavery, death, and destruction. Fourth Encounter is available for \$39.95. In addition to these two new games, Thorn EMI has converted a couple of other games into new formats Submarine Commander, previously released as an Atari game. is now available for the VIC, and River Rescue now can be played on the Atari.

Thorn EMI Home Video 1370 Avenue of the Americas New York, NY 10019

NEWS FLASH!

GRAFDOS NOW AVAILABLE FOR CBM-64 AVAILABLE FOR CBM-64 After a year of development, GRAF- 65, an exhanced new disk opening ten will make life easier for sensith of disk owners. No longer do have 10 see the cenhermone wedge, APPDOS growted over 40 sow con- slin for head DOS and DASC. Edura- tion of seve commends.	As as added house, GRAPDOS includes the MRS-MINE, is powerful machine language manter and resustateabler with 20 contrastal; (See decorption below). The dick also comes with sample programs and demon metaleng a sensor passessor? This is 2005 that overy CRM-64 owner should have on every did. ⁴

CAThle

WATCE

CHAIN

FLUP

DRAW

COPY

PSAV!

HTAR

WCHAR

BASIC COMMANDS - HIRES PLOT

MISC. COMMANDS

MINI-MONITOR NOT SO MINE A powerful machine code mentio

10
Disassenble 6992 code
Example memory
Test dump
More memory
Hust memory for a string
Fill memory with any byte
ISIX - DEC correction
Edit code

Switch BASIC to RAM
The only thing man in this many
the proof VSC-30 version requires
expuesion

PROTECT YOUR INVESTMENT
WITH ATTRACTIVE DUST COVERS
After assessing several bandered dollars
in a competer or disk drive, protect is
from humbit dust or liquid spills. Dust
covers are made of durable, water ress-
tet, brown capital.
For computer or disk \$7.66
Old style detapette
New style datasette
MORE BOOKS BECOME

AVAILABLE FOR VIC-20 Our selection of books as becoming letter with special discounts for our our

4.70 SUPER FAST GAMES FOR THE VIC 20

Now alone have been freed awaring shapes and sums tomorphic VIC onters everywhere. Now, you too, can about at

ADGUST 198 PEN P.A.L. HELPS PROGRAMMERS

CRMA

P.A.L., which stends for Progra mers Ands and Logs, is a perfe ment with the Users and Referen manuals. It provides 95 pages of colo coded tear-out worksheets including REFERENCE church CHARACTER surishers SCREEN layouts 12 GRAPH graphs: aid: FLOW CRARTING side

TRICKS AND HINTS TAPE CASSETTE log book BASIC dictionary This is sure to become a MUST step our pace is only \$7.95

STELLAR TRIUMPH A great new, all machine code game in new available for your CBM-66 Fomers exceing hers color graphics and spectaceler sound effects. A two player game with racey variations such ss stresse gravity, bounce back, spee control, and more Propose yearself one an all-out space battle

From H.A.L. Labe INTERESTING SOFTWARE

Tomance, CA 90501 (213) 328-0420



YOU'RE GONNA LOVE THESE ROCK BOTTOM PRICES!

NAMED MISSE SYSTEM PODE POTECO. A CILEGO SPICES DO SOCIETADO S ALEMENTO S SAISTES

AMERICA

AMERICA

AMERICA

SOCKERSTER ROT

SOCKERSTER ROT

SOCKERSTER ROT

SOCKERSTER AGED IN

MINISTER CONSCIENCE

PROCESSOR

PROCESSOR

TO THE STANCE

THE STA APD/064 CARL/VICED N./09 CARL/VICED 17.50 AMARI 1200 GCK
AGARI MURROC MUMAN
AMARI PANGRAWHIN RITE
410 MURCHESE
4 WILL SMITHS C. 1708 BIANNETTES
CHORTTE 'N' CARELLOGE E
REFEART 90/10 COSE
BLAFFART 90/10 COSE
BLAFFART 90/10 COSE
BLAFFART 90/10 COSE
BFOR F2-00 AUTHACION
BFOR F2-00 AUTHACION
BFOR F2-00 AUTHACION
GROSSI 10 F2/07
BLAFFARTIZE
GROSSI 10 F2/ APRO- DEPT - DEP CAMPS THE CAR SERVICES THE DEMOCY THE PROPERTY OF THE NEFTCH AN ADDRESS 0214/084 0214/084 STREET VALUE BELY SEEN. DEL MORE OTHER MALE STREET MACHINE STREET MACHINE STREET MACHINE STREET MACHINE STREET MACHINE STREET AMERICAN SUPPLY OFFICE AMERICAN SPECIAL STREET, STREET ES CHESTAGOS CHASTASTAGOS CORRESPONDE (1941) NE ROSCHES EZT 9100 THACHAIL 9100 12 PT DETRAINS CORO TERPLE OF APERAL TEST WILLIAM I TIMEN IN THE SHOW TORK WITH ANALOGY SEMENCE











FOR PROPERTY DELIVERY CARRIEDES CHECK OR VISA/MACTERCIAD ON EXTER CHARGE FOR CAUGE, EXCLUSE MOMERS, EXPERATION DAYS THE PRIVILE STATES CALCULATED OFFICE OF VILLAGE AND A SECTION OF STATE OFFICE OFFICE AND A SECTION OFFICE OFFI ALLEY VICTOR VILLAGE, PREVIOUS OFFICE OFFI TO SECTION OFFI ALLEY VICTOR VILLAGE, PREVIOUS OFFI TO SECTION OFFI TO SECTION OFFI TO SECTION OFFI TO SECTION OFFI ALLEY VILLAGE OFFI TO SECTION THE PROPERTY ASSOCIATION OF THE PROPERTY OF A REPTOCKED FOR A RESTOCKED FOR COMMAND SERVICED COMMON WITH THE ARREST, NO EXPENSE CONTROL OF THE ARREST COMMON OF THE ARREST COMMON OF THE ARREST COMMON OF THE ARREST COMMON COMMON COMMON COMMON COMMON CONTROL OF THE ARREST CONTROL OF THE ARREST COMMON COMM

P.O. Box 1099 Call us... we can help! (619) 765-0239 Julian, Calif. 92036

Ancient Game On Computer

A computer version of the ancient strategy game, GO, is avail able from Hayden Software. The program is designed to

teach the novice as well as hone the skills of the experienced GO

player. The object of GO is to encircle, trap, and capture the computer's playing pieces while defending against the computer's attempts to trap you.

Versions of the game are available for \$34.95 for Apple and \$29.95 for Atari.

Also available from Havden is an action-packed maze game, Wargle. In the game, priced at \$34.95 for Apple and Atari, the player must take evasive action while using a laser beam to eliminate the Wargles. The game includes seven mazes and six levels

Hayden Software Company 600 Suffolk St. Lowell, MA 01853 (617) 937-0200

Printer Buffer

The Microbuffer In-Line, a printer buffer with a memory expandable to 256K, is available from Practical Peripherals.

The buffer is compatible with almost any serial or parallel printer, modem, word processor, or computer equipped with

an RS-232 serial output device The buffer includes a COPY feature that allows printing up to 255 copies of any document with the touch of a button, and the PASS feature allows data to be routed around the buffer

when appropriate. Microbuffer In-Line with 32K memory is available for \$299. A 64K version sells for \$349, and additional memory expansion is available for \$179 per 64K.

Practical Peripherals, Inc. 31245 La Baun Drive Westlake Village, CA 91362

Apple In Space

Mission: Escape! is an arcade-type space game for the 64K Apple II

computer. To play, you pilot your

shuttlecraft through asteroids and meteors to save the inhabitants of the 12 planets in the Galaxy of Appel, which is about to self-destruct because of violent volcanic activity.

The hazards increase with each planet you attempt to evacuate. MicroSpare, Inc.

10 Lewis St Lincoln, MA 01773 (617) 259-9710

T/S Text Editor. Input Utility

An input utility program and a text editor for the Timex/Sinclair are available from SyncMaster Each program sells for \$14.95 plus \$1 for shipping.

The Screen Machine is a 1.5K machine language utility that allows inputs anywhere on the screen. The routine performs length verification of responses compacts numbers, and allows dates in MMYY or MMDDYY

formats The Vu-Write Text Editor is a menu-driven program for machines with at least 16K RAM,

The program includes insert, delete, change, and save functions. It leaves 11K available for text and allows line length to be set by the user.

Vu-Write Text Editor is written to be compatible with the ZX81 printer, but the program is listable and can be modified for any printer.

SuncMaster P O Box 511 Oak Ridge, NC 27310 (800) 334-0854, or (919) 643-7120 in North Carolina

Alphabet Zoo

Spinnaker Software is scheduled to release another game in its early learning series this fall. The game, Alphabet Zoo, is

designed to teach three- to eightyear-olds the relationship between letters and sounds. It incorporates two maze games colorful graphics, and sound.

Alphabet Zoo will be available on disk for Apple, Atari, IBM and Commodore 64 computers. Cartridge versions will be available for the 64 and Atari

Another fall offering from Spinnaker is Cosmic Life, a computer learning game in the style of checkers and Go. It is designed to strengthen planning, strategy, and pattern recognition skills Cosmic Life will be available in cartridge for the Atari and

Commodore 64 Spinnaker Software 215 First St Cambridge, MA 02142 (617) 868-4700

EPROM Programmer

Gloucester Computer has produced a Commodore 64 version of its VIC Promqueen EPROM programmer.

The PO/64 cartridge includes a 28 pin Textool ZIF socket, a matrix switch EPROM type selection that accommodates all IEDEC pinout devices that work on 5 volts, RS-232 communications software, faster burn process, a burn test procedure, and a 24K workspace.

The PO/64 is expected to retail for \$299.

Gloucester Computer, Inc. One Blackburn Center Gloucester, MA 01930 (617) 283-7719

(xcommodore

A16 - 30

COM • 64 \$427

\$99



MEMORY EXPANSION

ICK RAM

BE EAM

WORD PROCESSING	
ADV WORD PROCESSING	\$32.00
MAILING LISTS	\$20.00
SOFTWARE FOR THE COM-64	
WORD PROCESSING	\$38.00
MAILING LISTS	\$20.00
Call for other software items.	
VIC 1541 DISC DRIVE	\$339.00
VIC 1530 1530 DATASSETTE	
VIC 1525 GRAPHIC PRINTER	
2Kx8 STATIC RAM CHIPS (200 NSEC) QTY	ea. \$ 7.95
ORDER FORM—	
(Circle Above Items)	
	CHECK ONE:
NAME	UVISA D MASTERCARD
STREET	☐ Check Enclosed ☐ C.O.D.

USA MASTERCARD
Check Enclosed C.O.D.
Credit Card #
Expiration Date
Could Cards add 3%
Add 3% Stripping Cheny
COIDs add 51 50 plus 20% Deposit
Record CA Rus 89% Tax

U.S. TECHNOLOGIES

1625 W. OLYMPIC SUITE 800 LOS ANGELES, CA 90015 (213) 383-8127 (Information & Orders)

CALENDAR

September 18-18, Minnespulis, MA, Auditorium, Minnespulis, MN. The Second Annual Twin Cities Computer Show and Software Exposition, Features microcomputers, software, accessories and pertjherals, publications and other services. Hours are 10:30 a.m. to 5:30 p.m. daily. Admission is 5 for adults, 35 or children. For more information, total control of the control of

Massachusetts). September 29 - October 1, Hynes Auditorium, Boston, MA. CP/M '83 East. A dualpurpose international event for the CP/M industry and its users. An exposition, featuring what is called the largest presentation of CP/M based hardware and software ever assembled: manufacturers, independent software developers, venture capitalists, software publishers, distributors, and dealers. The Conference Program, with nearly 100 sessions, includes noted leaders from the software industry. Admission is \$10 for a oneday exhibit pass, or \$25 for a three-day exhibits and conference ticket. For more information, call or write Northeast Expositions, 822 Boylston Street. Chestnut Hill, MA 02167. (800) 841-7000 or (617) 729-2000 (inside Massachusetts).

Massachuseths). September 22-24, Denver September 22-24, Denver Merchandise Mart, Denver, CO. The Second Armial Rocky-Mountain Computer Show. Fededucational, business and entertial ment software, accessories and peripherals, publications, and other services. Hours are 10-30 am. to 530 p.m. daily. Admission is 55 for adults, 53 for children. For more information, call or write Northeast Expositions, 822 Boylston Street,

Chestnut Hill, MA 02167. (800)841-7000 or (617)739-2000 (within Massachusetts).

October 13-15, Philadelphia Civic Center, Philadelphia, PA. EduTech/East '83. A national educational computer conference and exposition. Presentations, by nationally recognized speakers, include CAL classroom management, programming, research applications, and literacy. Presentations will be in the form of workshops, seminars, demonstrations, and MicroCourses, Hardware, software, and publishing companies will showcase their products. For further information, contact Carol Houts, Judco Computer Expos, Inc., 2629 North Scottsdale Road, Scottsdale, AZ 85257. (800) 528-2355 or (602)

990-1715 (fin Arizona).
October 14-15, Ball State
University, Muncie, IN. Third
Annual Computer Conference
for Educators. Sponsored by
Indiana Computer Educators,
this conference will cover areas of
educational computing from preschool to college level uses, from
instructional to administrative
applications. For more information, contact Dave Flowers, 1230
South Clinton Street, Fort
Wayne, IN 4460x, 2191 425-728.

October 14-15, Dallas, TX Computers & Reading/Learning Difficulties. Sponsored by Computers. Reading and Language Arts. Sessions on the use of microcomputers in education. specifically in reading, language arts, and learning disabilities. Open to anyone involved with computers in education, both novice and experienced. For brochure on program, faculty and registration, contact Frost Conference Management, Department I, 1070 Crows Nest Way, Richmond, CA 94803, (415) 222-1249.

October 18-20, Silicon Valley, CA. EdCompCon '83: "Applying Technology to Education in the Next Ten Years." Primary focus of this educational conference will be on application of the latest technology in computer-related areas, hardware and software, to education. Sponsored by the IEEE Com-

puter Society.
October 27-30, Washington
Convention Center, Washington,
D.C. Mid-Atlantic Computer
Show and Office Equipment
Exposition, Produced by Computer Expositions, Inc., P.O.
Box 3315, Annapolis, MD 21403.
(800) 368-2066 or (800) 492-0192
(within Maryland).

October 28-30, Moscone Center, San Francisco, CA. Applefest/San Francisco, the largest Apple-specific computer show in the United States, Seminars, tutorials, application workshops, advanced user workshops, and software/hardware displays and booths. Highlights: an open forum with Steve Wozniak of Apple Computers, Inc., and a panel discussion with industry leaders. Show hours are 10:30 a.m. to 5:30 p.m. daily. Ticket prices are \$25 for a threeday exhibits and conference ticket or \$10 for a one-day exhibits-only ticket. For more information, call or write Northeast Exhibitions, 822 Boylston Street, Chestnut Hill, MA 02167. (800) 841-7000 or (617) 739-2000 (within Massachusetts).

New Product releases are selected from submissions for reasons of timeliness, available space, and general interest to our readers. We regret that we are unable to select all new product submissions for publication. Readers should be aware that we present here some edited version of material submitted by verdors and are unable to rouch for its accuracy at time of publication.

COMPUTE undcomes notices of upcoming events and requests that the sponsors send a short description, their name and phone number, and an address to which interested readers may corte for further information. Please send notices at least three mouths before the date of the event, to: Calendar, P.O. Box 5406, Greensboon, NC 27403.





SM-TEXT + CUDA A powerful combination

superb text processing and a name and address

data base maths and multi-search facilities make this pair into virtually a complete commercial administration system. for cbm 8032 or 8096

Magreeable"

STOCK HELPER® Commodore 64

Stock HELPER is a tool to maintain a history of stock prices and market indicators on diskelte, to display charts, and to calculate moving averages Stock HELPER was designed and written by a "weekend investor for other weekend investors Stock HELPER is available for \$30.00 U.S. or \$37.00 Canadian plus shipping

(M)agreeable software, inc 5925 Magnolia Lane • Plymouth, MN 55442 (612) 559-1108 HELPER is a trademark of (Magnesidie Subwire line Commodors is a trademark of Commodors Electronics ()

R A BIX 20 MARE ON THE UNEXPANDED VIC CHINE LANGUAGE FOR INSTANT MAST GENERA IN MULTIPLE PLAYERS RACE THE CLOCK TO NICESSE MASE. DYNAMIC CHANGE OFFICIN

THE TAK TOE... THREE DWITHSHOVAL TICTAC TOE IN A 4% 4% 4 CODE. MILTIPLE SKILL LEVELS AND SHOTTING FEATURE. AT THE HICHEST LEVEL PLAYS WERY STRONG SHT STILL CAME. WE ATTEN. REQUIRES

THIS MONTHONLY A CASSETTE CONTAINING ID NON-COPHRIGHTED GAMES PREE WITH ANY ORDER DOWN TO EASTH PRICES BUT DUR SOFT WAR

TERRAN SOFTWARE P.O. BOX 1840 GHLAND, IN. 463

Lightning

aircraft of WWIII and expenence the thrill of plane-to-plane

MICROSIMULATIONS

players

COMPUTE

Use the handy reader service cards in the back of the magazine for information

> on products advertised in



Give your Commodore VIC-20 Off computer the same mobility feature as computers costing back and enjoy comfortable computing with our 5 ft. remote

Send check or Noncy Order for '29 50 ptrs. 2-40 passage and handling 14285-en 10 PBS Dept C PO Box 32 Mango-a Valley Net 89020



302 COMPUTE September 1983

APPLE / ATARI / COMMODORE MEASURE & CONTROL **TEMPERATURE**

DISPLAY GRAPHICS HARD COPY OUTPUT ALARMS & SETPOINTS DISK FILE DATA STORAGE

1-256 Sensors Precise to 1/100 Degree

Complete Software \$129.00 Package American Data Cable, Inc. 2864 Ray Lawyer Drive, #205-352

P.O. Box 2212 + Placerville, CA 95667 (916) 622-3465 ATTENTION

TEXAS INSTRUMENTS TI-99/4A OWNERS We have hundreds of 3rd party indepen

dent software programs on cassette and disk ready to run on your TI-99/4A Games, business, and educational programming at discount prices as low as \$8.95 ea. Plus all TI hardware and software at incredibly low, low prices, including the new TI-99/2 and CC-40 computers. We also have dust covers begay duty consticks with TI adapters and many more accessories. Call or write now for a FREE listing. We ship your order U P S the same or next business day to insure fast service. Visa and accepted (NO service

THE MUSIC WORKSHOP 59 E. Tioga St

Tunkhannock, PA 18657 CALL 1-717-836-4522

20 Postage Paul SOFTWARE Money Back Guarantee *1395 (18 y Rase with bombs, shoot down Sohners

with air to air missiles but beware of suicide jets. Clear erough territory to land, watch out for those unex *13*5 us They're back. But the stone you have a bagger territors to

BOMBER BON

Orlead Screen scrolls). Their sites stay high, Himne missies, preparing the way for commando crows in landing creft. Fire in four directions MERLIN'S MAZE 3D *1395 // 6

Find the seven treasures of Camelot Collect Micrin's spells to increase your chance of success. Only they re

CHADWELL'S SOFTWARE

*203, 4144A 97 St., Edmont Alberta Canada T6E 516 U.S. ORDERS WELCOME DEALER INCUIRES MEDICOME

> PERSONAL PERIPHERAL P PRODUCTS presents: SPEAKEASY

VIC-20 SPEECH SPEECH \$79.00

Cartridge Instructions & Dictionary
FALL SPECIAL: Cassette Editor & Extension
Speaker Reg \$19.95 with SPEAKEASY
Commodom 64 Adopter Board
RAKE BONES ROAROS

IS Raw/I/C 20 Block Switched ISK Raw Expender for VIC 20 Silet Switcher & Fused Basic (IVIC 20 Silet Switcher & Fused Board COM/EA COMMIS SOOK Highly Modern VIC 20 COM 64 \$29.95 \$49.95 \$24.95 \$44.95 \$34.95

POO Total Grose Handingth Residents Add 61' St PERSONAL PERIPHERAL PRODUCTS P.O. EXTE 3423

FOX WALLEY MALL
AURORA IL 50505 + 13121 961 2347
COMEN A IIC 20 IS A TRADIGMARK OF COMMISSIONS

SOFTWARE COMMODORE 64

Enter up to 93 measures of 3 part harmony or easy to use graph in display Clisk \$22.95 for 64. Tage \$19.95 for 64, \$14.95 for Add \$1.50 for Postage and Handling Check or Visa Mester Card accepted We have a large selection of software

-World Processors, Data Base, Madrid List.

ASK FOR FREE CATALOG PROFESSIONAL MICRO SERVICE

100 W. 22nd St., P.O.B. 7268 Baltimore, Md. 21218

> 301-366-0010 eoler inquiries invited

Commodore 64 is a registered trademark of Commodore Business Machines BEAT THE HIGH COST OF SOFTWARE

Before you buy any more software, you owe it to yourself to join SWFTRADERS" the fistest growing worldwide trading network. Members swap software and

info for all computers nual membership includes Quarterly trading directories

 Monthly and flash updates Personalized trader lists Trader support systems

Imigine having access to hundreds, even ousands of programs, each costing no more than the price of a stamp or phone cill. Join now to best the price increase and find out about the new member 55 offer, \$19.95 U.S. \$84.95 FOREIGN, SASE

for info. Indicate computer moduli ₩FTRADERS™ INTERNATIONAL Murphysboro, IL 62966

VIC-20

COMMODORE 64 USERS GROUP MEMBERSHIPS

IPS ALSO AVAILABLE

Write or coil today for FREE Cataloge 803797-1533 LORDS OF BASIC P.O. Box 459, Dept. 101 Lodson, SC 25456 Distributor & Declar Inquries Invited

Wasting Money? We Have the World's M Cost Effective Bavelepment Systam. 35

machine code odder draug, cody program the minkes odde for 6 of Micras 1 or 9 Program from Carminadary VIC Microsoft ing but to 1K RCM prever septiy

Guess I runs DPROMS for the
Convention VIC.20, less Sand for From Brookure

WALFERD AND ACCEPTED PROMOLIFEN CARTRIOG + Prices Promouses 64 3K board will Eprom 16K board will Eprom 6K ROM board

\$ 39.95 \$ 49.95 Destrobuted in II S. by Arbutus Total Soft, Inc. 4202 Mondian, Suite 214 Bellington: WA 98228 Ph 300-426-1253 in Washington 206-733-0404

Distributed in Canada by Cambee St., Vancouver, BC VSZ 2X9

Ph 604-879-7812

ADD 64 MORE K

TO YOUR PERSONAL COUMPUTER

64 K KARD

COMPLETE WITH ATION DOCUMENTATION PLEASE RUSH ME ____ COPY(S) OF THE 64K KARD AT \$3.95 EACH SPECIFY COMPUTER TO ORDER SEND CHECK OR

MONEY ORDER TO COMPUTER HUMOR P.O. BOX 859 PARK CITY, UTAH 84050

DUST COVERS

Game Units - Protective, Long-Lasting Vinyl Resists Both Dust and Liquids.

- CHOICE OF COLORS -IDM DO

Atan	Rana Systems
BMC	Sanyo
Commodore	Star Micronics
Coleco	TI 99/4
Epson	Temex Sinclair
Frankin Ace	TRS 80

FOR FREE BROCHURE WRITE ENCHANTED FOREST P.O. Box 5261, Newport Beach, CA 92662 (1129 W. Balton Blvd) WITH OUR BASIC COMPILER

YOU WON'T BE LEFT

PLEASE

WAITING FOR C-64

\$29.95

COMMODOR 64 "ARC" THE ALPHABET

TEACH YOUNGHILDNEN THE ALPHARET CAMPY WITH CREPWICS AND SAINS ONLY SIR95 ON CASSETTE

OR \$21.95 ON 015K VIC-20

THE ALPHABET CAME \$ 9.95 (ea)

LEARNING HOMBERS 0-51 PART 1 \$ 9.95(ea) LEARNING NUMBERS 51-100 PART II. \$ 9.95(ez

PART IS II ARE AVAIL IN: FROLISM SPANISH: FRENCH: AND GENMAN VERSIONS PLEASE STATE LANG ANY 3 VIC-20 CASSETTES FOR BALLY \$ 25,-Check or Money arder - \$1.50 Post. NY Resolute

THOR SOFTWARE 47 CHERNOCHA AVE. MEDDICK MY 11566

Data Base Word Processor Payroll Mailing List Inventory Games Pak Education Pak* Business Pak*

Spreadsheet

(*Valu-paks have 5 programs) VALORUM

1/2 PRICE INTRODUCTION

Commodore & TI

19.95

19.95

9.95

9.95

0.05

9.95

10 05

19.95

19.95

441 Clyde Ave

Mtn. View, CA 94043 (415) 968-8500

GET THE MOST FROM YOUR VIC-20/C64

HARGE OR COD ORDERS CALL

1-800-227-3800

SMILOS

Loadable Operating Systems from SM are designed to: maximise the usefulness of expanded memories provide the optimum environment for memory greedy programs.

provide an extended vocabulary of BASIC

commands. for chm 8032 or 8006

SEND CHECK OR MONEY ORDER TO JOU LABORATORIES 2116 E. Arapaho, Box #371 Richardson, TX 75081 TI-99/44 OWNERS

Keyboard Basic Learn at Home . No Classes

Comprehensive Instruction Game Programs Educational Programs Useful Programs (Includes Checkbook/Budget)

> For Information 8 Free Program CALL TOLL FREE 1-800-241-6083

TIPS AMLIST. Inc. 4542 Memorial Or. #202 Atlanta, GA 30032 (404) 292-0576

rational process

entired the program

\$14.95

COMPUTER TUTOR

SOFTWARE Starting with a very sma 6 Arcade grater samply, a stop at a time by gradually street con patient procures in each

\$24.95 ANIMAX COMPUTER 1111 Los Vegos Rivel South Las Vegas, NV 89104 (702) 384-0746

THE ANIMAX VIC-KIT Orr NC-W over nistay mesods dis effective and proven method of learning com der grockserning in a sample and earth

YOUR NAME HERE - PERSONALIZED COMPUTER PAPER Printed with your name, club, anything

Paper is white 20° stock and fits all printers using 91/sx11 continuous nener [81/x11 when detached]. 500 eheete \$14.95, 1000 sheets \$24.95, We pay ehipping. Texas orders add 5%% tax Select ink color red, blue, brown gray or canary. Specify name(s) up to 30 letters & spaces. Enclose check or money order No COO's Allow 3 weeks Fester delivery with M/E, Visa phone orders Write or phone Personalized Computer Peper C, Box 20539/San Antonio, Tx. 78220/[512] 227-0585

THE OFFICIAL GUIDF TO SELLING SOFTWARE ""YOU CAN GET RICH SELLING SOFTWARE"

The OFFICIAL GAIDE contamilitie on

he information contained in the **OFFICIAL GRIDS** could sow yo

worth hundreds of times more than the selling proceditine gui Send Idooy for your "Official Gelice TO SILLING SOFTWAR SOFTWARE MARKETING CLEARINGHOUSE

COMMODORE 64 OWNERS ONLY

· SHARE · LEARN · ENJOY · Monthly Newslett

 Public Domain Software
 Reports of Recent 64 Articles . Local Chapter Meetings Product Discounts - Service Advice Bi-Monthly Magazine - Advice on Training

· Member Bulletin Board Send Name, address one no. and annual dues (\$25) to:

The Commodore 64 Users Group P.O. Box 572 Glen Ellyn, Illinois 60137

Or Call: (312)790-4320 (weekdays 9:00 am - 5:00 pm - Central Time "An independent not-for-profit organization"

PUBLIC DOMAIN, Inc. - SOFTWARE rting all COMMODORE con Written by users, for users.

Over 1300 programs and growing

OWW/COORES4 #3: 25° programs Topy/Dak \$1000 PET / CBM | PET/CBM = 5 Urity - Topy/Dak = 51000 such PET/CBM = 11 Gapt - Topy/Dak = 51000 such PET/CBM = 6 Gazarional - Topy/Oritics = 51000 such DINSET: Reset Switch All prices include allipping and handling We are YOUR world wide user software connect An alternative to the high cost of software

CHECK, MONEY ORDERS, VISA and MASTERCARD accepted For A Free Fiver Write: Public Domain, Inc. 5025 S. Rengeline Rd., W. Milton, 0H 45383 Phone (513) 698-5638

Educational Software For The COMMODORE

VIC-20





Available For All Ages FOR FREE BROCHURE WRITE:

Schoolmaster Programming Company P.O. Box 194, Pomona, CA 91769

TONE DEAF? EAR TRAINER

for the COMMODORE 64 . Can help you sing on key

- . For both the novice and skilled musician
 - 6 progressive levels \$29.95 Disk only

Send check or money order to HORIZON SOFTWARE Suite 597

24-16 Steinway St. Astoria NY 11103

USEFUL SOFTWARE

Do you suffer at tax time locating and sorting receipts for deductions? TAX FILE is a useful tool for your computer designed by professional con-The program organizes tax data from 23 catagories into a useful format, easing the transfer of data to tax forms. TAX FILE does not print forms, but is a file system that is used year after year. Atan and Commodore Printers are supported

> VIC-20, C84, ATARI 400, 800 16K memory minimum E \$14.95 DISC \$19.95 TAPE \$14.95

T.V. TUNE-UP *13 VIDEO TEST PATTERNS* *SINGLE TONE + SWEEP AUDIO* 5K VIC-20, O64, ATARI 400, 800 TAPE \$6.95 (Atari version requires GTTA Chin) send check or money order to S&G Consulting 3349 Glendals

Bensalem, Pa. 19020 \$ *****************

VIC-20 Commodore 64 DISK SUPPORT

OISK SUPPORT provides a 1K machine land entermine which adds TWEI VE new commands to your uter's operating system. You can now SAVE, SAVE WITH REPLACE (chanating Connector's DOS bugh, LOAO, VERIFY, OELETE, and RENAME disk üles with just two key-strokes. Also provided are two-key-stroke commands which INITIALIZE, FORMAT or VALIOATE a diskette, EXECUTE any program on the diskette, and print the ERROR message or the ORECTORY to the screen, OISK SUPPORT is com nietely compatible with MSD's VIE and CIE IEEE interfaces and Commodore's expansion cartridges

DISK SUPPORT, at only \$19.95, is a must for all disk drive users, so SEE YOUR DEALER or ORDER NOW directly from H&H ENTERPRISES (check or money order only please). When ordering, please state your computer and disk drive model numbers H & H ENTERPRISES, Dept. 1145 5056 N. 41 St. / Milwaukee, WI 53209

FREE DISCOUNT CATALOG

Atari • VIC • 64 GAMES

FOLICATION PERSONAL UTILITIES

COMPUTER/SOFT

P.O. BOX 38 DEPT, C Fultondale, Al. 35068



Your

Sky Plot (8K Tape) \$18 00 Rupway 90 (16K Tape) \$25,00 Commodore 64:

\$25.00 Runway 64 (Tape) ADD \$2[∞] FOR DISK VERSION

EPSON HX-20: \$18.00 Micro-Plot (Tape)

SUSIE SOFTWARE Wishre Dr. Mt. Prospect, IL 60056 (312) 394-5165



16K RAM Empresson *69³⁰ US '94" cs 3 Stot Expanded with BK RAM *77³⁰ (IS '97° (3 *19° U.S. Toolkt X Chr '24" U.S. Machane Code Mon IC 11995 U.S. 245 03

IC Chips are built in to RAM packs order with RAM PACKAGE SPECIAL

postego & heroling & receive the Machine Code Monitor and Toolist absolutely FREE. That's a regular value of 1242 RO for cold 1147 90. This is a heatest time offer, so postess & handling 3 Stat Expander comes with made reconficuable to Vert 96, Vertilik Vertilik konnentra engenmental selbane

> US ORDERS WELCOM DEALER INQUIRIES WELCOME SM-ESH

Screen displays are the

interfaces between micros

HAVING LOADING PROBLEMS 2

GET A Z-DURRER

CHARGE OF COD OPDERS CALL 1-800-227-3800 OR WRITE FOR DEALER DAY

FREE CATALOG

AMOND WITHOUT BEING CRUSHTY VICES - REQUIRES ON ENTANCER ZERITTEMEXIBES - REQUIRES THE COMMODER 64 (415,95) KATPRO II (815,95)

STRATASY SAME - #18.95 RETRETYE THE S.S.R. FROM THE ACTEN AMORGIOS. GET PAST INTERCEPTERS.

ANDROIGS. GET PRET INTO CONTROL OF STRONG AND THEN SECOND ...

S. VICES - REQUIRES 148 EXPANDS EXEL/TIMEXIBES - REQUIRES 14

AVAILABLE ON CASSETTE OF DISK. ACC 91.28 FOR EACH DISK DROCKD. CHECK OR MOMET GROER IND C.O.O.>, FDRICON DROCKS ACC 92.28. DROCKS PROCESSED IN 1-3 DOTS.

GEALER INQUIRIES INVITED.

MORE PROGRAMS ANAILABLE SEND FOR FREE CATALOS.

CRYSTAL MICROSOFT LTO.

JEWEL THIEF OVENTURE GAME - \$14.95 CAN YOU SHEAR INTO THE CRYSTEL CITY HUSCUM AND STEAL THE BLUE WALLASY OTAMONO WITHOUT BEING CAUGHTY

COMMODORE 64

ANDROID

and human beings. Good screen displays are the hallmark of top rank application programs - but they are expensive The ESH (ergonomic screen

handler) from SM allows you to produce superb screen displays with an astonishing economy of effort. for cbm 8032 or 8096

MINI COMPUTER SUPPLIES

9% X 11

Blank

Stock Paner

158

100 - \$ 2 25

500 - \$ 8.25

1000 - \$12.50

3½ X 15/16 Pressure Sensitive Labels 1 Wide

100 - \$ 1.25 500 - \$ 4.25 1000 - \$ 6.00

5000 - \$22.50 3300 - \$35.97 Pitase allow 10 days for delivery - Freight Colli

Full line of computer supplies Price List 50¢ or free with order

SPECIAL OFFER \$3.00 100 3½ x 15/16 1 wide labels 100 91/2 x 11 15# stock paper

Mail To MCS BOX 163 VALLEY CENTER, KS. 67147

506 COMPUTER Sendember 1980

ognomes all 5 wolt PROMS plus variety FF/90WS all with ut personality mod

host computer cake about the mic mode capabil

by in car VIC Promo IOM Packs Industrial quality circuit cards are orketed solder masked fully brazesed and inlade a ground place for low noise operation, inades 1 EPRON BX & 16X models for VIC-20 and 64. Specify 2732 or 2764 EFROM type Molded

Costn: Gloutester MA-01530 617-283-273

ore enhanced to include EPROW QC unlitters. 15 communication, printests, 21 pin 215 socket

SUDJUCESTER COMPUTER

NEW BUMDER STICKERS NUMBER OF

٠

.

& COFFEE MUCS CREAT PROGRAMMETS DO IT WITH REHABLE

COMPUTER

T-SHIRTS

PROGRAMMERS DOLT BY BY PROCEAMMERS DO IT ON COMMAND IBM DOESN'T EVERYBODY IDREM ... T-SHET ID REM BUMPER STICKER ID DEM ... COFFEE MINOS PLEASE RUSHING ____ T-SHRT(SH) % 95 EACH AND

BUMPER STICKERIST IS 1995 EACH AND CORRECT MUSICIPALITY OF + 50 HANDLING BE SURE TO SPECIFY MESSAGE AND SIZE ISM. MED, LTC & X-LTC OF 1-SHRTS SEND CHECK OF MONEY ORDER TO. COMPUTER HUMOR P.O. BOX 859

PARK CITY, UTAM 84050 VIC-20 LISERS

PROTECT YOUR INCOME. PROTECT YOUR INVESTMENT BACK-UP YOUR CARTRIDGES ONTO CASSETTE OR DISK

SAVES WEAR ON YOUR CARTRIDGES AND CARTRIDGES RUN LIKE ORIGINALS (BK RAW REQUIRED)
SYSTEM IS AN EASY TO USE PROGRAM AND .

A HIGH QUALITY CARTRIDGE INTERPACE \$49.95 POST PAID CASSETTE BACK-UP

RACK-UP ANY CASSETTE TAPE ONTO TAPE OR DISK REQUIRES NO USER MEMORY

SEND CHECK OR MONEY ORDER TO E M TECHNOLOGIES P.O. BOX 185 DOWNINGTOWN, PA. 19335

P4 RESIDENTS 400 6%



VIC-20" AFFORDABLE SOFTWARE BILOW'S CHOPPERS . DENVER SKIERS .

Il Resolution Graphics, Sound & Color Cassette Tapes 6-Pac Special ORDER TODAY

> BILDITY'S ENTERPRISES

\$ 6.00

\$30 00°



2716 • 2732 • 27324 • 2764 COMPLETE SYSTEM READY TO READ, VERIFY or PROGRAM YOUR EPROMS

ONLY \$94.95 PLUGS DIRECTLY INTO VIC-20 NO ADDITIONAL PARTS OR ACCESSORIES NEEDED

VIC. DO CROSS AS MAN PROTECTIVE TRANSPARANCE OF COMMUNICATION

M-KIT-SET B. F and M

The SM-KIT family

represents the cream of

programmers' productivity

aids.

SM-KIT B de-bugs, enhances

and restructures BASIC

programs.

SM-KIT M does the same for

assembler programs.

SM-KIT P is a disk doctor.

specialising in floppy disk

allments. Recovery from

most disk problems assured.

for cbm 8032 or 8096

SOFTWARE TAPE INCLUDED Adapter Kit available for CBM-64 for \$19.95. Both EP-2 and CBM-64 Adapter for \$105.00 . Add \$3.50 for shipping • MD residents add 5% tax MWS ELECTRONICS

PDCOMOKE, MD. 21851

201-632-0620

VIC & 64 BE A COPY GAG

(CASSETTE AIDED DUPLICATOR) NOW YOU CAN MAKE BACKUP COPIES OF ALL THE COSTLY NON-SAVEABLE CASSETTE PROGRAMS YOU

OUR BACKUP V1.O UTLITY PROGRAM WILL LET YOU MAKE DUPLICATES THAT BUN SK UNEXPANDED VIC MEMORY EXPANSION IS

RECURED TO COPY PROGRAMS LONGER THAN \$24.95

SOFTWARE PLUS 6201 SUITE C

CITRUS HEIGHTS CASSAS MARTERCARD, AND MONEY ORDERS

VICUS A TRADEMARK OF COMMODORE 916-726-8793

geecee Software For Commodore 64

COMPELLO......15.95 DATAF ILE......115.95 FLIGHT 65......15.95

> BUNBLINGER......15.93 LOAN CALC...... 1 9.95 SPELLATHON...... 119.55

SPRITE GEN...... 115.95 frices are for cassette, and 12 for disk version. Check, NO, or COD for total brder glus 92 shipping. See your dealer or order direct

FANTASY COMPUTERWARE RIDGE PALLE, BO DAR. BT 22223 (405) 335-7654 VIC 20 & C-64 "WE WILL MATCH ANY ADVENTISED PRICE" (send Ac)

tree! Ver.

— Coanny siturking TiGs before they get you. First action is begunge Over 185 levels of play. Good and one versul.

27.55

— the leastly word processor 100% eachies to let for App Prophilyship int Supp date or top (sa) will be a 25 50

Sunning high see

77.55

27.52

92.55

25.50

SMO4 SEZ

OUTPOST ONE - Project your maning base from it

property attraspersy higher paracolos regional days printing gather Many travers of play scorts risk WIRD WIZ —

NAC DESCRIPTION OF THE PARTY OF

HAMRES - Suit he Shallow at the multiment

BOTECTOR — Franci the citizens of your city

FORT APOCALTYSE - Perende the left to co

BOAH'S DURSE-AN ON

THE ATTACK - CHIPP

C64-FORTH for the Commodore 64

FORTHSOFTWAREFOR THE COMMODORE H · SALTIJENCTY openady allows upth excusprogram

Hit name of the end of Care FOR THE regard and the power year know on balance and to make the care. print passage of the passage of the

PERFORMANCE MICRO PRODUCTS Conton MA coppi

38 RAM BOARD - NOW COL THREE SLOT EXPANSION BOARD

THE ALLEN GROUP 2075 115th St 2145 Chappy 1L60678 not 50 18 to pleaning 18 no. and 5% to. VIC-20 SOFTWARE

Lock Vault" A serious home record keep system. The 1540 or 1541 disk drive and 8k expansion is require DISKETTE \$16.95

"Wiggles" A fun learning tool for the pre school child to teach name and letter recognition. Runs on the standard VIC-20 with datasette. CASSETTE \$6.95

Solid Oak Manuscript Holder For books at eye level for handsfree and convenient study or data

Send check or money order (include \$1.00 shapping) to: MOSENT RESEARCH MOSS ENTERPRISES, INC. P.O. BOX 48 • LEWISBURG, TN 37091

CONFIGURATION PROGRAM

If you have trouble understanding all those software codes that configure your printer, then this is the progrem for you. Just turn on your printer, boot the program and choose from the menu more than a dozen print types. We also include a creview of other functions available on the Gemini/Epson printers. Program is available for Apple 11+. Ataris and Vic-08. Specify computer type, seasny size and either disk or tage when ardering. Send sheck or naney arder for 21.95(disk)14.95(tape) to: DOWN AND OUT SOFTWARE, 33 Store Drive, Holtsville, NY 11742.



VIDEO/AUDIO INTERFACE

Monitora, FREE with purchase of any money \$10.00 each if sold separately ATE-11 St and Stiff will stower

TAXAN boson or entert Genra, 166 rett u.c. Connectors (12 coint Green-18 (15) and Provetter & Olidete Skyles Electric Works Custom he dust covers to congulars and disk draw. 45 00 esch

CALL COLLECT 1-(619)-282-5166 FOR UNREATABLE PRICES! Sentember 1983 COMPUTE

Advertisers Index

Rec	der Service Number/ Advertiser Page	Re	der Service Number/ Advertiser P	oge Re	oder Service Number/ Advertiser	Po
102	A-1 Services	121	Edware	- 41	The Program Store	2
	Aardvark LTD. 151	140	Ecomp Publishing, Inc	163 17		
	AB Computers		Electronic Software, Inc	.293 1	M Programmer's Institute	1111 2
	Abacus Software		E-M Technologies	336 1	2 Programmer's Institute	
103	Academy Software	141	Enchanted Forest	304 1	Protecto Enferprizes	****
	Access 50TWCFE, Inc		Enc Marina	201 41	M Protecto Enterprizes	102,1
104	Actorized Associations 245		Fondrey Computenwase	307 6	P Programmer's institute P Programmer's institute 2 Programmer's institute 2 Programmer's institute 3 Profecto Entreprises 4 Profecto Entreprises 5 Profecto Entreprises 6 Profecto Entreprises 6 Profecto Entreprises 606	
105	Artwood Processor Systems 167	142	Remoth Sife	197	Proceso Erregistes PS	. 3
	Activecture International		Frontrunner Computer Industries	274 1	7 Public Domoin, Inc.	3
	Adventure infernational . 89		Games Cleaninghouse, Inc	229	Psycom Softwore International	
106	AdVentures 193	143	Genesis Computer Corporation	203 10	S Questar International Inc.	m. n 3
	The Allen Group		Glodatone Electronics	.229 13	P Rono Systems	20
107	American Data Coble Inc		Gloudester Computer	306	Raymok	12
108	American Peripheras	144	Gosto international	254	Hersoft Software Systems	2
***	ATRIC 304		Hoose fatements	202 14	RICHOR RESCOTTTURCOTORS	
107	Annous Computer		Honory Comparison	290	Sobolartic Marcoline 22	2436
	Armia Country I Immed 200		Hormony Virtage & Communities	205 41	of Schoolmoster Programming Company	2
110	Anyonos Technology 253	565	HA HEcherorises	305	Scientific American	2
	Apropos Technology		Horeon Software	.305	S&G Consulting	3
111	Arbutus Totalsoff, Inc 303		Human Engineered Software	905	Sierro On-Line, Inc.	recent 1
	Artwork		Human Engineered Software	. 39	Sierra On-Line, Inc	morno'
112	And January 2017 And Ja		Human Engineered Software	- 57 11	Security Products Systems (1997) and the control of	
113	Atto-Soft	144	Hytec Systems	179	Simplewore	went !
	Softenes Included	543	UG INC	205	Smblewore	1 2
	BROWS FLISHEDNESS 306		Nel Cop	-YZ	SITCHEWOID	
	8 L 8 W		mocom	M30	Simplescott Ltd	
***	Soliding and following inc	***	heth Assert Connection Development Com-	450 44	SJODENESUIGIS INC	
445	Data-Otto 222		Intelligent Statements	00	Sour Software	
110	84e-04e 246		Interestion Software	206 48	M Software Inc	
	Bytesge Moro Technology 306		Jean Lattle Software Inc.	125	SM Softwore Inc	- 3
	8vteslae Micro Technology		Jou Laboratories	334	SM Software Inc	3
116	\$\frac{1}{2} \text{sign} \$23 \text{ \$24 \text{ \$25 \text{ \$26 \tex	141	Kolglo	290	SM Software Inc.	. 3
	Case A-Tapes		Kangaroa, Inc	. 29	SM Software Inc	3
117	Century Micro 133		Koala Technologies Corparation	25 14	5 Softraders International	3
118	Century Micro Products		Leading Edge Products Inc	FC	Software City	1
	Chadwell's Softwore		Leading Edge Products Inc	IBC	The Software Co-op	
	Chadwell's Software . 303		Leffoo	259	Software Marketing Clearinghouse	3
***	City someone		Umbic Systems Inc.	129 18	Ne SOTWORE MUS	3
119	Committee Control of the Committee C	134	Continue follows	290	Southwest Micro systems, Inc	- 2
	Commodore Buriners Machiner Inc. 90		Loorle of Bonc	303	Specialism	
	The Commortive At Livers Group 305	454	lyon Computer 29	5287	Spinnoise	30
121	ComPress SRE	_	MAS Flechonics	307 1	7 Stor Monopies Inc	- 00
122	Compu Sense		Mocretonics	208	Strategic Smulations Inc	
	Compu Sense 293	152	(M) agreeable Software, Inc	302	Superbyte Software	. 2
	Compu Sense		Monwell	- 19	Susie Software	3
	Compu Sense		Moximus Inc	- 45	Synopse	
	Compulserse	153	MCS	305 18	8 Terron Software	. 3
	Compuserse		Microbis Perpheral Ploducts	- /3 18	P lenvote Associates	
***	Computative 203		MicroCotto	200 19	I at sorware Company	
124	Computer Compone 220		Movement orbons	300	THESIS	
	Computer Humor 304	454	Microfachoic Solutions	202	They Software	
	Computer Humor	155	Micro-Ware Distributing Inc	91 46	2 3G Company Inc	- 4
125	The Computer Line 156	454	Moro 80 lbc	229	3G Company Inc	
	Computer Moll Order 120 121	157	Microfiveers Development Inc	109	Timoworks Inc	
126	Computer Marketing Services Inc		Micro World Bectronix, Inc.	149 15	3 Toff Softwore Inc	- 4
127	Computer Marketing Services, inc	151	Midwest Micro Inc	139 19	4 Toronto Pet Users Group	1
128	ComputerMat	159	Midwest Micro Inc	. 141	Tracksmith	2
	Computer Outlet	160	Mirage Concepts Inc.	225	Bronk	. 12
127	Computer Cuset		Monorch Data systems	208	Tronex	THE RELL
130	Computer Police		Mosac Hecronics Inc	-4 15	5 Utiversal Software	1113
	Computer Fus	464	Moscot Proporth	200	The Users Group Wateriouse	2
	Computer Software descriptor 950	~	The Marie Windshop	307	Voles Felt	2
131	Complet 274		Southern March & Computation Statement and Southern Statement Southern Statement State	221	Volumen	2
132	Confinental Software		Nufekop	113 15	6 Victory Software Com	- 5
	Control Data 43		Olympic Solvis Company	161	Video Home Library	
	Cosmic Computers 301		Omega international	110 11	7 Voice World	2
	Counterpoint Software Inc	162	Optimized Systems Software Inc.	241 15	Xentek Corporation	w - 1
	Ochselm Directors Ochselm Direc		Nutritiop Champia Solesi Compony Champia Solesi Compony Champia Solesi Compony Copinisad Spicienti Software Inc. Positic Exchanges Positic Exchanges Partermana Micro Products Personal Composite Specialories Personal Composite Specialories Personal Composite Specialories Personalized Composite Paper	111	Specific Influence Influenc	
133	Citystal Microsoft Lta		Pacific Exchanges	- 98	206s	2
154	Ucha-reserve		Pootic Honoriges	101		
	Detained to		Percent Committee Products	30/ E		_
	Defound for 200	467	Semond Searchard Strotucts	202	Mari Sourcebook COMPUTE Back Issues COMPUTE Magazine	28
125	Deta 20 Connection 50	163	Special Computer Street	303	COMPUTE Back Issues	27
134	Downloamental Learning Manusche 262		Petand	275	COMPUTE Magazine	. 1
	Dan't Ask Computer Software 77	164	PM	165	COMPUTERS Past Book of Atori Graphics .	. 201
137			Processor Software Limited	2% 201	COMPUTE's First Book of VIC	15
137						
137	Down And Out Software 307 Dynacomp, Inc 115	166	Precision Software Limited	201	COMPUTERs Machine Language For	
137	Down And Out Softwore 302 Dynocomp, Inc 115 Dylek 26	166	PM Procision Software Limited Precision Software Limited The Pficing Store	201	COMPUTE Back issues COMPUTE Nagodine COMPUTE'S First Book of Atori Graphics COMPUTE'S first Book of V.C COMPUTE'S Machine Language For Beginnes	- 27
138	Dynocomp, Inc	166	Drofessional Marco Sensions	185	COMPLETE Spronget Brook of Allon	- 27
138	Dynacomp, Inc	166	Drofessional Marco Sensions	185	COMPLETE Spronget Brook of Allon	- 27
138	Dynocomp, Inc	166	Precision Software Limited The Priories State Professional Micro Services Professional Software Inc. Professional Software Inc. Professional Software Inc. Professional Software Inc.	185	COMPUTE's Machine Language For Beginners COMPUTE's Second Book of Afon Programmer's Reference Guide to the \$199-4A	- 27



Introducing the most logical place to store Elephant Memory Systems® (or lesser brands of diskst The Trunk.

With its alphabetized library index, you can file or retrieve up to 60 disks, instantly. The Trunk is made of durable molded

plastic with a hinged, one-piece lid, to keep disks safe from dust, dirt, and other detriments which disks despise.

And, it's portable. Because the lid doubles as a carrying handle so your Elephant Memory Systems® disks can go anywhere you do. There's a model for 51/4" and 8" floppies, as

well as a cassette-and-game file and a special Atari® version. So if you're looking for the best disk storage

system on the market ... The Trunk is an open-and-shut case.

Elephant Memory Systems® Disks

A full line of top-quality fiappies, in vertually every 5¼ and 8′ model, for compatibility with vartually every computer on the market. Guaranteed to meet or exceed every vaduatry standard, certified 100% error-free and problem-free, and to maintain its quality for at least 12 million praces is one or of the companies of the

Marketed exclusively by Leading Edge Products, Inc., Information Systems and Supplies Division, 55 Providence Highway, Norwood, Massarhusetts 0,8002, Call, toll-free 1-800-343-8413, or in Massachusetts call collect (617) 769-8150, Telex 851-624.

IF PERSONAL COM

A personal computer is supposed to be a computer for persons Not just wealthy persons.Or whiz-kid persons. Or privileged

But person persons. In other words, all the persons whom

Apple, IBM, and Radio Shack seem to have forgotten about (including, most likely, you) But that's okay. Because now you can get a high-powered home computer without taking out a second mortgage on your home It's the Commodore 64. We're not

talking about a low-priced computer that ... can barely retain a phone number. We're talking about a memory of 64K Which means it can perform tasks most

some of those that cost a lot more (Take another look at the three computers above By itself, the Commodore 64 is all the computer you'll ever need. Yet, if you do want to expand its capabilities

some day, you can do so by adding a full complement of Commodore peripherals. Such as disk drives. Moderns. And printers. You can also play terrific games on the Commodore 64. Many of which

other home computers can't. Including is the price. It's hundreds of dollars less than that of our nearest competitor So while other companies are trying to take advantage of the computer revolution, it seems to us they're really taking advantage of something else Their customers. *Weinsticturent suggested for proofs as of Müch 20: TXID Monotr included with TRS 80 III only. Commission Besiness. Machines: PD 80x450R Control Policies. Canadi-370 Behames Payrase Agrecont, Onr. Con. MW 255

challenging than

those you could

ever play on a

game machine alone.

And as great as all this sounds, what's,

even greater-sounding

Ccommodore



RETROMAGS

Our goal is to preserve classic video game magazines so that they are not lost permanently.

People interested in helping out in any capacity, please visit us at www.retromags.com.

No profit is made from these scans, nor do we offer anything available from the publishers themselves.

If you come across anyone selling releases from this site, please do not support them and do let us know.

Thank you!

